



CorePro LEDlinear MV

CorePro LEDlinear ND 7.5-60W R7S 78mm840

CorePro R7S is a retrofit replacement for traditional double-ended linear R7S lamps. Its 'light all around' design delivers light just like a halogen lamp. Within the range you can choose dimmable products which have deep dimming function that enables a cozy ambience when using a dimmable fixture.


Product data

General Information	
Cap-Base	R7S [R7s]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	15000 h
Switching Cycle	50000X
Technical Type	7.5-60W
Light Technical	
Color Code	840 [CCT of 4000K]
Luminous Flux (Nom)	1000 lm
Color Designation	Cool White (CW)
Correlated Color Temperature (Nom)	4000 K
Luminous Efficacy (rated) (Nom)	133.33 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and Electrical	
Input Frequency	50 to 60 Hz
Power (Nom)	7.5 W
Lamp Current (Nom)	70 mA
Wattage Equivalent	60 W
Starting Time (Nom)	0.5 s

Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.5
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	104 °C
Controls and Dimming	
Dimmable	No
Approval and Application	
Energy Efficiency Label (EEL)	A++
Energy Consumption kWh/1000 h	8 kWh
Product Data	
Full product code	871869671396900
Order product name	CorePro LEDlinear ND 7.5-60W R7S 78mm840
EAN/UPC - Product	8718696713969
Order code	929001339102
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	10
Material Nr. (12NC)	929001339102
Net Weight (Piece)	0.045 kg

CorePro LEDlinear MV


Dimensional drawing




Product	D	C
CorePro LEDlinear ND 7.5-60W R7S 78mm840	29 mm	78 mm

Linear 220V 8-60W 806lm 4000K R7S ND

Photometric data




© 2019 Philips Lighting B.V. All rights reserved. Page 18



CorePro LEDlinear MV 60W R7S 840 Linear



CorePro LEDlinear MV 60W R7S 840 Linear



CorePro LEDlinear MV 60W R7S 840 Linear

CorePro LEDlinear MV

Lifetime



LEDbulb 60W E14 827 FR B38

LEDbulb 60W E14 827 FR B38

