Suspensions, Ceiling lamps, Wall lamps,
Table lamps, Floor lamps, Systems, LED strip and supports,
Spotlights, Tracks, Recessed lights, Bollard, Light bulbs,
Accessories / Indoors, Outdoors / Minimal, Decorative,
Architectural / **Light and design to serve people.**

Light up your 2026.

ideal lux®

ideal lux®

Index

Alphabetical index 004

Typology index 008

Company Presentation 032

Indoors

 Suspensions 050

 Ceiling lamps 228

 Wall lamps 344

 Table lamps 444

 Floor lamps 482

 Linear systems 532

 LED strip and supports 630

 Spotlights and Tracks 648

 Recessed lights 698

Outdoors

 Suspensions and ceiling 798

 Wall lamps 812

 Bollard and Table lamps 860

 Spotlights 912

 Downlights 928

Light bulbs

 Light bulbs and accessories 942

 Families' index 962

Code index 978



Dorica

Pag 80

Acqua 902
Agos 882
Ali 387
A-line 126
Alma 394
Amadeus 212
Ampolla 119
Andromeda 847
Angolo 328
Angolo 471
Angolo 495
Apollo 830
Arcadia 880
Archimede 129
Argo 844
Aria 147
Arizona 152
Arizona 283
Armony 339
Atena 900
Atlas 106
Atlas 326
Atlas 422
Atom 840
Atrium 284
Audi-10 188
Audi-80 189
Axel 473
Axel 524
Balance 356
Barber 417
Base 831
Basic 754
Bean 402
Bento 708
Beyond 764
Binomio 330
Binomio 426
Binomio 466
Binomio 496
Birds 107
Birds 324
Birds 420
Birds 469
Birds 494
Bistro' 187
Bit 930
Blade 488
Blanche 208
Block 361
Bloom 142
Bloom 288
Bloom 385
Bloom 462
Bloom 499
Blues 796
Boeing 896
Bon bon 223
Bonne nuit 408
Bow 396
Breeze 133
Brigitta 221
Bubble 810
Bubble 854
Caesar 205
Camerino 388
Candy 154
Candy 285
Candy 464
Cantina 136
Cantina 424
Carlton 199
Carlton 343
Carlton 435
Carta 174
Carta 287
Carta 386
Carta 464
Casanova 219
Celine 274
Chalet 226
Chalet 440
Cima 857
Cima 910
Circus 77
Citrus 121

Alphabetical index

Click 356
Clio 804
Clio 856
Clio 908
Clip 357
Cloud 290
Clown 178
Cocktail 138
Coco 185
Colossal 210
Comet 518
Cometa 852
Comfort 512
Compo 335
Cono 136
Copernico 116
Corolla 291
Corte 209
Corte 437
Cosmo 907
Cosmopolitan 327
Cotton 155
Cotton 286
Cotton 384
Cover 352
Craft 98
Craft 358
Craft 515
Crown 68
Cute 868
Cylinder 191
Cylinder 528
Daddy 522
Dafne 857
Dafne 911
Daisy 334
Danieli 220
Dedra 859
Deep 752
Delta 362
Desk 98
Desk 358
Deva 534
Diamond 105
Diamond 460
Diesis 128
Diesis 455
Diesis 511
Display 680
Dodo 414
Dodo 509
Dorica 80
Dorica 371
Dorica 452
Dorica 504
Doris 876
Dorsale 520
Down 858
Dream big 175
Driftwood 227
Driftwood 478
Driftwood 524
Dubai 204
Dubai 342
Dubai 435
Dynamic 714
Dynamite 100
Dynamite 310
Dynamite 412
Dynamite 676
Dynamo 401
Easy 454
Easy 510
Eclipse 149
Edison 122
Edo 901
Ego 486
Ego 554
Elf 404
Elio 818
Elio 926
Empire 181
Enya 872
Eos 666
Equinoxe 112
Equinoxe 423
Equinoxe 491
Eris 135
Essence 96
Essence 390
Essence 451
Essence 502
Etere 827
Etere 904
Eva 498
Fade 144
Febe 858
Felix 849
Fiesta 811
Firenze 222
Firenze 440
Firenze 478
Firenze 530
Flam 94
Flash 370
Floor 933
Florian 214
Florian 438
Fluo 608
Flut 137
Fly 244
Focus 398
Folk 146
Fox 658
Frame 78
Frame 242
Frame 500
Frida 122
Frida 418
Funky 794
Futura 456
Futura 514
Galaxy 104
Game 722
Gas 821
Gas 891
Gea 432
Geko 294
Gemini 60
Gemini 276
Gim 416
Ginger 508
Gioconda 213
Gioconda 439
Giove 848
Glim 315
Glory 151
Glory 280
Goose 400
Gourmet 325
Groove 760
Gun 808
Gun 832
Halo 254
Harem 225
Harem 442
Hermes 332
Holly 127
Hotel 433
Hub 891
Hulahoop 76
Iko 838
Indio 931
Infinity 742
Inside 927
Io 399
Ipotesi 873
Jazz 794
Jedi 894
Kali 479
Kalique 182
Keope 830
King 338
Koala 920
Komodo 410
Konse 118
Kubiko 306
Kurt 889
Lana 148
Lawyer 458
Led panel 774
Lena 148
Level 281
Lika 306
Lika 778
Linea 836
Lingotto 102
Lingotto 329
Lingotto 469
Link 688
Lite 405
Litio 819
Litio 926
Lolita 870
Lolly 381
London 474
London 525
Look 82
Look 296
Look 372
Look 506
Look 679
Lucciola 99
Lumiere 180
Lumiere 459
Lumiere 490
Luna 802
Luna 878
Madame 190
Magnolia 342
Make-up 396
Mapa 158
Mapa 287
Mapa 382
Mapa 465
Martinez 200
Martinez 343
Mercurio 902
Mib 810
Milk 137
Minor 103
Mint 186
Miracle 69
Mirror-10 397
Mix up 130

Alphabetical index

Mix up 292
Mix up 507
Moby 134
Monet 203
Mood 307
Moonlight 341
Moris 355
Mr jack 123
Nabucco 201
Napoleon 216
Negresco 211
Negresco 438
Nemo 176
Net 117
Neve 340
Newton 424
Newton 516
Ninfea 333
Ninfea 428
Ninfea 472
Nitro 302
Nodi 110
Nodi 321
Nordik 191
Nordik 432
Nordik 475
Nordik 528
Norma 224
Nova 770
Oby 312
Oby 417
Odeon 156
Off 748
Office 628
Oil 124
Omega 817
Onion 120
Opera 198
Opera 436
Opera 480
Opera 529
Oracle 76
Oracle slim 70
Oracle slim 234
Origami 140
Ovalino 153
Ovalino 290
Ovalino 380
Oz 64
Oz 238
Oz 350
Oz 448
O-zone 816
O-zone 916
Page 406
Pagoda 523
Pan 434
Park 936
Pasha' 202
Pasha' 337
Pasha' 434
Pegaso 206
Pegaso 436
Pegaso 480
Peggy 353
Perlage 108
Perlage 322
Perlage 421
Perlage 470
Perlage 492
Perline 107
Peter 441
Piano 411
Pipe 407
Pivot 450
Planet 262
Play 312
Play 674
Play 762
Plisse' 147
Polar 853
Polka 797
Polly 517
Post-it 842
Pouche 354
Pov 672
Prato 468
Pretty 388
Prive' 389
Profilo 318
Pulsar 903
Punto 834
Pure 864
Quark 738
Queen 481
Queen 529
Radio 419
Ray 256
Regol 525
Retro' 397
Rex 850
Riflesso 395
Rocket 940
Roma 336
Room-65 795
Rudy 316
Rudy 415
Samba 790
Santa 443
Sasso 879
Set up 192
Set up 264
Set up 430
Set up 476
Set up 526
Shell 295
Shower 425
Simply 294
Sirio 839
Sirio 886
Sirio 924
Slot 640
Smarties 150
Smarties 282
Smarties 386
Smarties 461
Smile 650
Snif 828
Snow 803
Snow 855
Soda 380
Soft 184
Sole 800
Sole 877
Spike 308
Spike 678
Squish 275
Starlight 918
Steel 359
Steel 616
Stick 594
Strauss 218
Strauss 439
Style 824
Style 884
Swing 794
Swipe 823
Tab 360
Tag 734
Taurus 934
Techo 806
Terra 820
Terra 925
Tesi 636
Tesla 890
Tetris 845
Thor 914
Thor 932
Tick 429
Tifone 892
Titano 888
Toby 313
Toffee 835
Toffee 866
Topico 145
Topico 289
Torre 906
Totem 274
Triplo 387
Triumph 102
Triumph 320
Triumph 422
Tronco 826
Tronco 898
Tubix 95
Twiggy 874
Twin 846
Ulex 922
Ulisse 152
Umile 141
Universal 270
Up 844
Urano 809
Vega 893
Virus 736
V-line 97
Walky 792
Wally 457
Waves 58
Way 938
Winery 314
Winery 416
Wire 930
Xeno 822
Yoko 97
Yoko 501
Yurta 132
Zephyr 788
Zeus 700
Zig zag 366
Ziggy 260

Led Strip and lightbulbs:

Strip Led 632
E14 944
E27 946
G4 952
G9 952
GX53 953
R7s 953
GU10 954



Bloom

Pag 499



Tubix

Pag 95

Typology index

Suspensions

Indoors


Waves 058


new
Gemini 060


new
Oz 064


new
Crown 068


Miracle 069


new
Oracle Slim 070

Oracle 076

Hulahoop 076


Circus 077


Frame 078


new
Dorica 080


new
Look 082


new
Flam 094


new
Tubix 095


new
Essence 096


Yoko 097


V-Line 097

Desk 098


Craft 098


Lucciola 099


new
Dynamite 100


Triumph 102


Lingotto 102


Minor 103


Galaxy 104


Diamond 105


new
Atlas 106


Birds 107


Perline 107


new
Perlage 108


new
Nodi 110


new
Equinoxe 112


Copernico 116

Net 117


Konse 118


Ampolla 119


Onion 120


Citrus 121


Frida 122


Edison 122

Mr Jack 123

Oil 124

A-Line 126

Holly 127

Diesis 128

Archimede 129

Mix Up 130

Yurta 132

Breeze 133

Suspensions

Indoors


Moby 134


Eris 135


Cantina 136


Cono 136

Milk 137

Flut 137

new


Cocktail 138

Origami 140


Umile 141

new


Bloom 142


Fade 144


Topico 145


Folk 146

Aria 147


Plissè 147

Lana 148

Lena 148

new


Eclipse 149


Smarties 150

Glory 151

Ulisse 152

Arizona 152

Ovalino 153

Candy 154


Cotton 155

new


Odeon 156

new

Mapa 158

Carta 174


Dream Big 175


Nemo 176

new


Clown 178


Lumiere 180


Empire 181

new


Kalique 182

Soft 184


Coco 185


Mint 186


Bistrò 187


Audi-10 188


Audi-80 189

Madame 190

Nordik 191

Cylinder 191

Set Up 192

Opera 198

Carlton 199

Martinez 200

Nabucco 201

Pashà 202

Monet 203

Dubai 204

Caesar 205

Pegaso 206

Blanche 208

Corte 209

Colossal 210



Odeon

Pag 156



Negresco

Pag 211

Suspensions

Indoors


Negresco 211


Amadeus 212


Gioconda 213


Florian 214


Napoleon 216


Strauss 218


Casanova 219


Danieli 220


Brigitta 221


Firenze 222


Bon Bon 223


Norma 224


Harem 225


Chalet 226


Driftwood 227

Ceiling lamps

Indoors



Oracle Slim 234



Oz 238

Frame 242

Fly 244

Halo 254


Ray 256


Ziggy 260

Planet 262

Set Up 264

Universal 270

Celine 274

Totem 274

Squish 275



Gemini 276

Glory 280

Level 281

Smarties 282


Arizona 283

Atrium 284

Candy 285

Cotton 286

Mapa 287

Carta 287



Bloom 288


Topico 289

Ovalino 290


Cloud 290


Corolla 291

Mix Up 292

Geko 294

Simply 294

Shell 295



Look 296


Nitro 302


Kubiko 306



Lika 306


Mood 307

Spike 308



Dynamite 310


Play 312

Oby 312

Toby 313

Winery 314

Glim 315

Rudy 316

Profilo 318

Triumph 320

Nodi 321

Perlage 322

Birds 324

Gourmet 325

Atlas 326

Cosmopolitan 327

Angolo 328

Lingotto 329

Binomio 330



Look

Pag 296



Ninfea

Pag 333

Ceiling lamps

Indoors



Hermes 332



Ninfea 333



Daisy 334

Compo 335



Roma 336



Pashà 337



King 338



Armony 339



Neve 340



Moonlight 341



Magnolia 342



Dubai 342



Carlton 343



Martinez 343

Wall lamps

Indoors



Oz 350

Cover 352

Peggy 353

Pouche 354

Moris 355

Click 356



Balance 356



Clip 357

Desk 358



Craft 358

new

Steel 359

new



Tab 360

new

Block 361

new



Delta 362

new

Zig Zag 366

Flash 370

new



Dorica 371

new

Look 372



Soda 380

Ovalino 380

new



Lolly 381

Mapa 382

new

Cotton 384

new



Bloom 385

Smarties 386



Carta 386



Triplo 387



Ali 387



Camerino 388



Pretty 388



Privè 389

new

Essence 390

Alma 394

Riflesso 395

Make Up 396



Bow 396



Mirror-10 397



Retrò 397



Focus 398



Io 399

Goose 400

Dynamo 401

new

Bean 402

new

Elf 404

Lite 405

Page 406

Pipe 407

Bonne Nuit 408

Komodo 410

Piano 411

new

Dynamite 412

Dodo 414

Rudy 415

Gim 416

Winery 416

Oby 417



Bean

Pag 402



Atlas

Pag 422

Wall lamps

Indoors


Barber 417


Frida 418


Radio 419


Birds 420


Perlage 421


Triumph 422

new


Atlas 422


Equinoxe 423


Cantina 424


Newton 424


Shower 425

Binomio 426


Ninfea 428

Tick 429


Set Up 430


Nordik 432


Gea 432


Hotel 433


Pan 434


Pashà 434


Carlton 435


Dubai 435


Opera 436


Pegaso 436


Corte 437


Negresco 438


Florian 438


Gioconda 439


Strauss 439


Firenze 440


Chalet 440


Peter 441


Harem 442


Santa 443

Table lamps

Indoors


Oz 448


Pivot 450

new

Essence 451

new

Dorica 452


Easy 454


Diesis 455


Futura 456


Wally 457


Lawyer 458


Lumiere 459


Diamond 460

Smarties 461

new

Bloom 462

Carta 464

Candy 464

Mapa 465

new

Binomio 466

Prato 468


Birds 469


Lingotto 469


Perlage 470


Angolo 471


Ninfea 472


Axel 473


London 474


Nordik 475


Set Up 476


Driftwood 478


Firenze 478


Kali 479


Opera 480


Pegaso 480


Queen 481



Essence

Pag 451

Floor lamps

Indoors


Ego 486

new

Blade 488


Lumiere 490


Equinoxe 491


Perlage 492


Birds 494


Angolo 495


Yoko 501

new

Essence 502

new

Dorica 504


Look 506


Mix Up 507


Ginger 508

new

Dodo 509


Craft 515


Newton 516


Polly 517


Comet 518

Dorsale 520


Regol 525


London 525


Set Up 526


Cylinder 528


Nordik 528


Opera 529


Queen 529

new



Binomio 496

Eva 498

new



Bloom 499



Frame 500



Easy 510



Diesis 511



Comfort 512



Futura 514



Daddy 522

Pagoda 523

Axel 524



Driftwood 524



Firenze 530



Dodo

Pag 509

Systems

Indoors

new 
Deva 534

new 
Ego 554

new 
Stick 594


Fluo 608

new 
Steel 616

new 
Office 628

LED strip and supports


Strip 632


Tesi 636

Slot 640

Spotlights and Tracks


Smile 650

new 
Fox 658


Eos 666


Pov 672

new 
Play 674

new 
Dynamite 676


Spike 678


Look 679

new 
Display 680


Link 3-Phase 688


Link 1-Phase 694

Recessed lights



Zeus 700



Bento 708



Dynamic 714

Game 722

Tag 734

Virus 736

Quark 738

new

Infinity 742



Off 748



Deep 752

Basic 754

Groove 760

new



Play 762

new



Beyond 764

new



Nova 770

new

Led Panel 774

new

Lika 778

new



Zephyr 788

Samba 790



Walky 792



Jazz 794



Swing 794



Funky 794

Room-65 795



Blues 796



Polka 797



Infinity

Pag 742



Fiesta

Pag 811

Suspensions and ceiling

Sole 800

Luna 802

Snow 803



Clio 804



Clio 804



Techo 806



Gun 808



Urano 809

Bubble 810

Mib 810



Fiesta 811

Wall lamps
Outdoors


O-zone 816


Omega 817


Elio 818


Litio 819


Terra 820


Gas 821


Xeno 822


Swipe 823


Style 824


Tronco 826


Etere 827


Snif 828


Keope 830


Apollo 830


Base 831


Gun 832


Punto 834


Toffee 835


Linea 836


Iko 838


Sirio 839

new


Atom 840

new


Post-it 842


Up 844


Argo 844


Tetris 845


Twin 846


Andromeda 847

Giove 848


Felix 849

new


Rex 850


Cometa 852


Polar 853

Bubble 854


Snow 855


Clio 856


Cima 857


Dafne 857


Down 858


Febe 858

Dedra 859

Bollard and Table lamps

Outdoors


Pure 864


Toffee 866


Cute 868


Lolita 870


Enya 872


Ipotesi 873


Twiggy 874

Doris 876

Sole 877

Luna 878


Sasso 879

new


Arcadia 880


Agos 882

new


Style 884

new


Sirio 886


Titano 888


Kurt 889


Tesla 890


Gas 891


Hub 891


Tifone 892


Vega 893

new


Jedi 894


Boeing 896

new


Tronco 898


Atena 900

Edo 901


Acqua 902


Mercurio 902


Pulsar 903


Etere 904


Torre 906


Cosmo 907


Clio 908


Cima 910


Dafne 911

Spotlights



Thor 914



O-zone 916



Starlight 918



Koala 920



Ulex 922



Sirio 924



Terra 925



Elio 926



Litio 926



Inside 927

Downlights



Bit 930



Wire 930

Indio 931



Thor 932



Floor 933



Taurus 934

new



Park 936

new




Way 938

new



Rocket 940



Sirio

Pag 886

“A daily gesture that each of us do when the darkness arises. A familiar ritual, which represents joy, safety, dedicated to the time spent together.

Turning on a light is a simple action, but full of meanings. This is where our story begins.”




ideal

Light up your moments

Ideal lux **commits every day to becoming** the main point of reference when it comes to choose a lamp that expresses personality through a unique and current piece of furniture.

It all began in 1974, from the intuition of designing contemporary and accessible lighting accessories. Since then, ideal lux **has been committed to listening** to everyone's needs, proposing a wide variety of lighting styles and **meeting** every functional requirement. Whether it is a family, a business or a person at the beginning of his or her adventure in a new home, ideal lux promises components **that live up to needs and dreams**.

The strong point, which is not renounceable when we talk about a company close to people, is a catalogue that meets any type of need: **more than 3,000 furnishing accessories** ranging from many product lines, from indoor and outdoor accessories, to the more technical ones.



Giving shape to light

When it comes to indoor solutions, the goal of ideal lux is to **create versatile sets** for all environments, letting **every moment live** with the right atmosphere and offering everyone the opportunity to experiment **with their own idea of home**. Even outside, the solutions offered for outdoor spaces do not sacrifice aesthetics and safety; they remain pleasant **design elements** even when you need some fresh air.

For professional spaces, which **require particular technical attention**, ideal lux has decided to work on many proposals that help distributing the light in the right direction, giving greater colour rendering, without ever losing sight of the design and **making the spaces** where you create professionals relations **unique** too.


However, if on one hand it is a very important commercial goal to guarantee a vast choice and an extensive catalogue, on the other hand Ideal Lux also cultivates with **meticulous care** its **relationship with customers**. How does it do so? By guaranteeing the possibility of purchasing a design product, one that is always updated to the latest trends and that is, above all, accessible to everybody. Whether the preferred style is industrial, minimal, classic, contemporary, modern or eclectic...anyone who so wishes, **can enter the Ideal Lux world**.








ideal lux





Studio Impero
Rome, RM
Planned out by ARCH.0



Studio Impero
Rome, RM
Planned out by ARCH.0

For Ideal Lux, a lamp is much more than an object. Illumination has the power to **influence our everyday life**, giving **unique character and personality to the environment**.
For this reason, everyday Ideal Lux is committed to listening to people and their stories, with the aim of cultivating an **authentic and spontaneous relationship** with them, finding new points of view and new inspirations through their stories.
Customer Care constitutes an important branch of the Company, distinguishing itself for its attention and dedication to clients and making reliability one of its main principles. **The attention to people is essential**.
With Ideal Lux, light becomes an element of our everyday life, able to **transform the ordinary into extraordinary**. In order to do so, it is important to select the lighting solution which best fits one's needs, because with the right light, every space can take on a **whole difference form, a completely different story**.

The ordinary is extraordinary

One brand, many people.

Believing in people is a choice we make every day. We put value on our collaborators, growing day after day together and we build lasting and transparent relations with customers and suppliers.

Know how to listen.


We are committed to understanding the needs and the dreams of the customers and transforming the difficulties into occasions with the aim of constantly ameliorate in this direction.

There is no quality without warranty.

We have extended the warranty of all our technical fittings to 5 years, to guarantee a high quality of both the product and the service.

Making design affordable for everyone.

We want to bring design into people's everyday lives with lighting solutions, aesthetically beautiful and functional, but at a contained price.



Customer



Your projects,

Projects — Private house

Turin, Italy

Planned out by
Nicoletta Carbotti

Products:
Mapa, Swing.





light up by


Projects — Bolero Estudio

Las Palmas de Gran Canaria, Spain

Products:
Ego.






CESAR



our products.

Projects — La cassa rurale

Salò, Italy

Planned out by
ArchLight

Products:
Oracle Slim.









Suspensions

Indoors

Alphabetical index

A-line	126	Corte	209	Glory	151
Amadeus	212	Cotton	155	Harem	225
Ampolla	119	Craft	98	Holly	127
Archimede	129	Crown	68	Hulahoop	76
Aria	147	Cylinder	191	Kalique	182
Arizona	152	Danieli	220	Konse	118
Atlas	106	Desk	98	Lana	148
Audi-10	188	Diamond	105	Lena	148
Audi-80	189	Diesis	128	Lingotto	102
Birds	107	Dorica	80	Look	82
Bistro'	187	Dream big	175	Lucciola	99
Blanche	208	Driftwood	227	Lumiere	180
Bloom	142	Dubai	204	Madame	190
Bon bon	223	Dynamite	100	Mapa	158
Breeze	133	Eclipse	149	Martinez	200
Brigitta	221	Edison	122	Milk	137
Caesar	205	Empire	181	Minor	103
Candy	154	Equinoxe	112	Mint	186
Cantina	136	Eris	135	Miracle	69
Carlton	199	Essence	96	Mix up	130
Carta	174	Fade	144	Moby	134
Casanova	219	Firenze	222	Monet	203
Chalet	226	Flam	94	Mr jack	123
Circus	77	Florian	214	Nabucco	201
Citrus	121	Flut	137	Napoleon	216
Clown	178	Folk	146	Negresco	211
Cocktail	138	Frame	78	Nemo	176
Coco	185	Frida	122	Net	117
Colossal	210	Galaxy	104	Nodi	110
Cono	136	Gemini	60	Nordik	191
Copernico	116	Gioconda	213	Norma	224



Flam

Pag 94

Alphabetical index

Odeon	156
Oil	124
Onion	120
Opera	198
Oracle	76
Oracle slim	70
Origami	140
Ovalino	153
Oz	64
Pasha'	202
Pegaso	206
Perlage	108
Perline	107
Plisse'	147
Set up	192
Smarties	150
Soft	184
Strauss	218
Topico	145
Triumph	102
Tubix	95
Ulisse	152
Umile	141
V-line	97
Waves	58
Yoko	97
Yurta	132

Suspensions

Typology index


Waves 058


Gemini 060


Oz 064


Crown 068


Miracle 069


Oracle Slim 070

Oracle 076

Hulahoop 076


Circus 077



Frame 078


Dorica 080


Look 082


Flam 094

Tubix 095


Essence 096


Yoko 097


V-Line 097

Desk 098


Craft 098


Lucciola 099


Dynamite 100


Triumph 102


Lingotto 102


Minor 103


Galaxy 104


Diamond 105


Atlas 106


Birds 107


Perline 107


Perlage 108


Nodi 110


Equinoxe 112


Copernico 116

Net 117


Konse 118


Ampolla 119


Onion 120


Citrus 121


Frida 122


Edison 122

Mr Jack 123

Oil 124

A-Line 126

Holly 127

Diesis 128

Archimede 129

Mix Up 130

Yurta 132

Breeze 133

Moby 134

Eris 135

Cantina 136

Cono 136

Milk 137

Flut 137

Cocktail 138

Suspensions

Typology index

Origami 140


Umile 141


new
Bloom 142


Fade 144


Topico 145


Folk 146

Aria 147


Plissè 147

Lana 148

Lena 148


new
Eclipse 149


Smarties 150

Glory 151

Ulisse 152

Arizona 152

Ovalino 153

Candy 154


Cotton 155


new
Odeon 156

new
Mapa 158

Carta 174


Dream Big 175


Nemo 176


new
Clown 178


Lumiere 180


Empire 181


new
Kalique 182

Soft 184


Coco 185


Mint 186


Bistrò 187


Audi-10 188


Audi-80 189

Madame 190


Nordik 191

Cylinder 191

Set Up 192


Opera 198


Carlton 199


Martinez 200

Nabucco 201

Pashà 202

Monet 203

Dubai 204

Caesar 205

Pegaso 206

Blanche 208

Corte 209

Colossal 210

Negresco 211

Amadeus 212

Gioconda 213

Florian 214

Napoleon 216

Strauss 218

Casanova 219



Bloom

Pag 142



Bon Bon

Pag 223

Suspensions

Typology index



Danieli 220



Brigitta 221



Firenze 222



Bon Bon 223



Norma 224



Harem 225



Chalet 226



Driftwood 227


GIO PONTI



Waves

Matt varnished metal ceiling cap, frame and ceiling supports. Steel supporting cables. PVC electrical wire. Opal rubber diffuser. Colors: white, black or gold.

LED LED source 3000 K, 30.000 h life.




345239



345215



345222




IP20

4,300 Kg / 0,1623 m³
LED 54W / 5500 lm

€ 419

345291 White
345277 Black
345284 Gold




IP20

3,200 Kg / 0,0973 m³
LED 45W / 4800 lm

€ 333

345260 White
345246 Black
345253 Gold



IP20

2,700 Kg / 0,0566 m³
LED 37W / 4000 lm

€ 258


345239 White
345215 Black
345222 Gold

Gemini new

Powder coated or plated metal ceiling rose and body. Opal polycarbonate diffuser. Clear PVC cable. Available finishes: white, black or brushed brass. DALI/Push dimmable version available for the models with 810 mm and 610 mm diameter.

Source	LED SMD	**CRI**	≥90
Power	36W / 78W	**LED life**	50.000 h
Driver included	On/Off / DALI/Push	**Insulation class**	II
Drivers available	No	**IP**	20
Beam	130°	**Material**	Aluminum
CCT	2700 K / 3000 K / 4000 K		






1,450 Kg / 0,0216 m³

LED SMD Driver included - Cable length 2000 mm

Measure	Power	Driver	Lumen	CCT	Finish		Code	€	
425x425	36 W	On-Off	4000 lm	2700 K	White		341521	215	
					Black		341538	215	
					Brass		341545	215	
			4150 lm	3000 K	White		247229	215	
					Black		247236	215	
					Brass		247243	215	
			4350 lm	4000 K	White		372129	215	new
					Black		372136	215	new
					Brass		372143	215	new






On/Off 1,710 Kg / 0,0423 m³

DALI/Push 1,600 Kg/0,0423 m³

LED SMD Driver included - Cable length 2000 mm

Measure	Power	Driver	Lumen	CCT	Finish		Code	€	
610x610	47 W	On-Off	4950 lm	2700 K	White		341552	300	
					Black		341569	300	
					Brass		341576	300	
			5100 lm	3000 K	White		247250	300	
					Black		247267	300	
					Brass		269832	300	
			5400 lm	4000 K	White		372150	300	new
					Black		372167	300	new
					Brass		372174	300	new
		DALI/Push	5100 lm	3000 K	White		304717	380	
					Black		304694	380	
					Brass		304700	380	


P. 276



247229 247236 247243

Gemini






On/Off 2,300 Kg / 0,0740 m³

DALI/Push 2,300 Kg/0,0757 m³

LED SMD Driver included - Cable length 2000 mm

Measure	Power	Driver	Lumen	CCT	Finish		Code	€	
810 x 810	56 W	On-Off	6200 lm	2700 K	White		341583	380	
					Black		341590	380	
					Brass		341606	380	
			6300 lm	3000 K	White		247274	380	
					Black		247281	380	
					Brass		269849	380	
			6600 lm	4000 K	White		372181	380	new
					Black		372198	380	new
					Brass		372204	380	new
	55 W	DALI/Push	6300 lm	3000 K	White		304748	480	
					Black		304724	480	
					Brass		304731	480	





4,000 Kg / 0,1283 m³

LED SMD Driver included - Cable length 2300 mm

Measure	Power	Driver	Lumen	CCT	Finish		Code	€	
1050 x 995	78 W	On-Off	8600 lm	2700 K	White		341613	585	
					Black		341620	585	
					Brass		341637	585	
			8700 lm	3000 K	White		303895	585	
					Black		307695	585	
					Brass		307701	585	
			9100 lm	4000 K	White		372211	585	new
					Black		372228	585	new
					Brass		372235	585	new

P. 276




Oz new

Plated or powder coated metal base and frame. PVC wires. Opal rubber diffuser. Available finishes: white, black or brushed brass. DALI/Push dimmable version available.

LED source 2700 K / 3000 / 4000 K, 30.000 h life.

Source	LED SMD	**LED life**	30.000 h
Power	38W / 75W	**Insulation class**	II
Driver included	On/Off / DALI/Push	**IP**	20
Drivers available	No	**Material**	Aluminum
CCT	2700 K / 3000 K / 4000 K		
CRI	≥90		






1,250 Kg / 0,0162 m³

LED SMD Driver included - Cable length 2000 mm

Measure	Power	Driver	Lumen	CCT	Finish	Code	€	
ø 400	38 W	On-Off	4350 lm	3000 K	White	352435	145	new
					Black	364957	145	new
					Brass	364971	145	new



1,500 Kg / 0,0380 m³

LED SMD Driver included - Cable length 2000 mm

Measure	Power	Driver	Lumen	CCT	Finish	Code	€
ø 600	47 W	On-Off	5000 lm	2700 K	White	342344	225
					Black	342351	225
					Brass	342368	225
			5100 lm	3000 K	White	253671	225
					Black	269436	225
					Brass	269443	225
			5500 lm	4000 K	White	342375	225
					Black	342382	225
					Brass	342399	225
	48 W	DALI/Push	5100 lm	3000 K	White	304540	350
					Black	304557	350
					Brass	304564	350


P. 238 P. 350 P. 448



253671 269436 269443

Oz






1,900 Kg / 0,0723 m³

LED SMD Driver included - Cable length 2000 mm

Measure	Power	Driver	Lumen	CCT	Finish	Code	€
ø 800	52 W	On-Off	5800 lm	2700 K	White	342405	265
					Black	342412	265
					Brass	342429	265
			6100 lm	3000 K	White	253664	265
					Black	269450	265
					Brass	269467	265
			6400 lm	4000 K	White	342436	265
					Black	342443	265
					Brass	342450	265
	55 W	DALI/Push	6100 lm	3000 K	White	304571	425
					Black	304588	425
					Brass	304595	425





2,800 Kg / 0,0865 m³

LED SMD Driver included - Cable length 2000 mm

Measure	Power	Driver	Lumen	CCT	Finish	Code	€	
ø 1000	75 W	On-Off	8700 lm	3000 K	White	352411	380	new
					Black	364896	380	new
					Brass	364926	380	new

P. 244 P. 362 P. 452





Crown new

Powder painted or plated metal ceiling cap and frame. PVC cable. Opal polycarbonate diffuser and clear acrylic decorative element with cut crystal effect. Available finishes: white, black or brass.

LED LED source 3000 K, 30.000 h life.




339146



365015



314921




IP20

3,420 Kg / 0,0833 m³
LED 43W / 5200 lm

€ 320

339146	White	new	
365015	Black	new	
314921	Brass		




IP20

2,600 Kg / 0,0486 m³
LED 31W / 3450 lm

€ 260

364988	White	new	
365008	Black	new	
314938	Brass		



IP20

1,580 Kg / 0,0212 m³
LED 21W / 2050 lm

€ 180

343402	White	new
339139	Black	new
364964	Brass	new




Miracle

Matt powder coated metal ceiling cap, frame and ceiling supports. Steel supporting cables. PVC electrical wire. Diffuser with transparent acrylic elements decorated in relief with a crystal effect. Color: white.

LED LED source 3000 K, 30.000 h life.






IP20

1,800 Kg / 0,0847 m³
LED 45W / 6200 lm

€ 217

325835 White




IP20

1,550 Kg / 0,0476 m³
LED 37W / 4900 lm

€ 172

325828 White



IP20

1,200 Kg / 0,0194 m³
LED 25W / 3300 lm


€ 132

325804 White

Oracle Slim Round new

Suspended lamp consisting of a thin matt white, black or brass painted aluminum frame and opal polycarbonate diffuser. Available in four different sizes. Integrated LEDs; available in 2700 K, 3000 K and 4000 K color temperatures and ON-OFF or DALI/Push control; CRI ≥ 90; LED useful life 50.000 h ; IP20 protection, insulation class II.

Source	LED SMD	**CRI**	≥90
Power	29W / 83W	**LED life**	50.000 h
Driver included	On/Off / DALI/Push	**Insulation class**	II
Drivers available	No	**IP**	20
Beam	115°	**Material**	Aluminum
CCT	2700 K / 3000 K / 4000 K		




On/Off 1,400 Kg/0,0303 m³

DALI/Push 1,170 Kg/0,0303 m³

LED SMD Driver included - Cable length 2500 mm

Measure	Power	Driver	Lumen	CCT	Finish		Code	€	
ø 500	29 W	On-Off	2900 lm	2700 K	White		342016	166	
					Black		342009	166	
			3050 lm	3000 K	White		229461	166	
					Black		229492	166	
					Brass		370408	166	new
			3550 lm	4000 K	White		269856	166	
					Black		304380	166	
	29 W	DALI/Push	3050 lm	3000 K	White		304373	235	
					Black		304366	235	
			3350 lm	4000 K	White		342030	235	
					Black		342023	235	



On/Off 1,660 Kg/0,0578 m³

DALI/Push 1,200 Kg/0,0570 m³

LED SMD Driver included - Cable length 2500 mm

Measure	Power	Driver	Lumen	CCT	Finish		Code	€	
ø 700	37 W	On-Off	3800 lm	2700 K	White		342054	226	
					Black		342047	226	
			4350 lm	3000 K	White		229485	226	
					Black		229515	226	
					Brass		370446	226	new
			4500 lm	4000 K	White		269863	226	
					Black		304410	226	
		DALI/Push	4250 lm	3000 K	White		304403	281	
					Black		304397	281	
	40 W	DALI/Push	4500 lm	4000 K	White		342078	281	
					Black		342061	281	


P. 234



342016 342009 370408

Oracle Slim Round






On/Off 1,800 Kg/0,0884 m³
DALI/Push 1,500 Kg/0,0884 m³

LED SMD Driver included - Cable length 2500 mm

Measure	Power	Driver	Lumen	CCT	Finish		Code	€	
ø 900	53 W	On-Off	5150 lm	2700 K	White		342115	239	
					Black		342108	239	
			5650 lm	3000 K	White		229478	239	
					Black		229508	239	
					Brass		370514	239	new
			5850 lm	4000 K	White		269870	239	
					Black		304441	239	
	42 W	DALI/Push	4900 lm	3000 K	White		304434	345	
					Black		304427	345	
			5200 lm	4000 K	White		342139	345	
					Black		342122	345	





On/Off 2,480 Kg/0,3072 m³
DALI/Push 2,000 Kg/0,3072 m³

LED SMD Driver included - Cable length 2500 mm

Measure	Power	Driver	Lumen	CCT	Finish		Code	€	
ø 1500	83 W	On-Off	7850 lm	2700 K	White		342177	490	
					Black		342160	490	
			9300 lm	3000 K	White		265957	490	
					Black		285061	490	
					Brass		370569	490	new
			9950 lm	4000 K	White		285078	490	
					Black		304472	490	
	77 W	DALI/Push	7900 lm	3000 K	White		304465	625	
					Black		304458	625	
			8150 lm	4000 K	White		342191	625	
					Black		342184	625	


P. 234



Oracle Slim Square new

Suspended lamp consisting of a thin matt white, black or brass painted aluminum frame and opal polycarbonate diffuser. Available in three different sizes. Integrated LEDs; available in 3000 K color temperatures and ON-OFF control; CRI ≥ 90; LED useful life 50.000 h ; IP20 protection, insulation class II.


Source	LED SMD	**LED life**	50.000 h
Power	33W / 53W	**Insulation class**	II
Driver included	On/Off	**IP**	20
Drivers available	No	**Material**	Aluminum
Beam	115°		
CCT	3000 K		
CRI	≥90		



1,730 Kg/0,0303 m³

LED SMD Driver included - Cable length 2500 mm

Measure	Power	Driver	Lumen	CCT	Finish		Code	€	
500 x 500	33 W	On-Off	3050 lm	3000 K	White		259154	189	
					Black		259161	189	
					Brass		370415	189	new




2,000 Kg/0,0578 m³

LED SMD Driver included - Cable length 2500 mm

Measure	Power	Driver	Lumen	CCT	Finish		Code	€	
700 x 700	44 W	On-Off	4350 lm	3000 K	White		259178	226	
					Black		259185	226	
					Brass		370484	226	new





2,100 Kg/0,0884 m³

LED SMD Driver included - Cable length 2500 mm

Measure	Power	Driver	Lumen	CCT	Finish		Code	€	
900 x 900	53 W	On-Off	5200 lm	3000 K	White		259192	239	
					Black		259208	239	
					Brass		370538	239	new




259154 **259161** **370415**

Oracle

White or black powder painted aluminum ceiling rose and body. Opal color plastic diffuser. Integrated LED source.

LED LED source 3000 K, 30.000 h life.




IP20

2,160 Kg / 0,0353 m³
LED 35W / 4100 lm

€ 480

211381 White
222110 Black




IP20

1,870 Kg / 0,0260 m³
LED 33W / 3800 lm

€ 415

211398 White
222103 Black



IP20

1,640 Kg / 0,0169 m³
LED 28W / 3200 lm

€ 350


211404 White
222097 Black



Hulahoop

Powder coated metal ceiling rose and frame in white finish. Opal rubber diffuser. Steel cables with ceiling supports. Clear PVC electrical cable.

LED LED source 3000 K, 17.500 h life.




IP20

2,700 Kg / 0,1124 m³
LED 46W / 3800 lm

€ 310

258751 White




IP20

1,800 Kg / 0,0757 m³
LED 39W / 3600 lm

€ 280

258768 White



IP20

1,400 Kg / 0,0442 m³
LED 28W / 3050 lm

€ 190

258775 White






Circus

Powder coated metal ceiling rose and frame with black finish. Opal polycarbonate external diffuser. PVC electrical cable.

LED LED source 3000 K, 20.000 h life.




IP20

1,130 Kg / 0,0593 m³
LED 36W / 4250 lm

€ 290

291406 ■ Black




IP20

1,060 Kg / 0,0384 m³
LED 33W / 3550 lm

€ 255

291376 ■ Black



IP20

0,970 Kg / 0,0226 m³
LED 29W / 3200 lm

€ 220


291345 ■ Black




Frame

Matt white or black varnished metal base and frame. Opal colour plastic diffusers. Adjustable in length cables. Direct light emission.


LED LED source 3000 K, 30.000 h life.



269337



253596




IP20

3,500 Kg / 0,0292 m³
LED 82W / 8950 lm

€ 400

269351 White
269337 Black




IP20

4,270 Kg / 0,0432 m³
LED 80W / 9150 lm

€ 580

253596 White
269375 Black



IP20


4,300 Kg / 0,0225 m³
LED 93W / 10900 lm

€ 600

253589 White
269382 Black


P. 242 P. 500





366388 366401 366425 366418

Dorica new




Powder painted or plated aluminum frame and ceiling cap. Opal polycarbonate diffuser. Black PVC cable. Colors: fluted surface: orange, white, blue or black; with smooth brushed surface: brass, copper, steel, grey.

LED LED source 3000 K, 50.000 h life.



366449 366432 354217 366463 366456




IP20

2,300 Kg / 0,0089 m³
LED 35W / 3900 lm

€ 275

366388	White	new	366463	Grey	new	366470	White	new
366401	Black	new	366456	Bronze	new	366487	Black	new
366449	Brass	new	366425	Blue	new	366494	Brass	new
366432	Copper	new	366418	Orange	new			
354217	Steel	new						



IP20

1,400 Kg / 0,0071 m³
LED 27W / 2950 lm

€ 275

P. 371 P. 452 P. 504

Look new

A family of suspensions thought for indoor environments, minimalist design, capable of adapting to any accent lighting requirement, available in a wide and elegant range of finishes (up to 11) for perfect integration with the furnishings of living spaces. Available in the cylindrical ROUND and square SQUARE models, with compact or filiform light bodies, in 4 diameters (from 15 mm to 60 mm) and 4 heights (from 250 mm to 1000 mm). Light source with replaceable GU10 bulb, or with integrated LED technology with a color temperature of 3000 K and high color rendering index (CRI ≥ 90), also in DALI and PUSH dimmable versions. IP20 protection, insulation class I-II.

Source	LED / GU10
Insulation class	I-II
IP	20
Material	Aluminum
Warranty	5 years

P. 296 P. 372 P. 506 P. 679






Look Led Round new

Canopy and light body in powder-coated or plated metal. PVC cable. Available colours: White, Black, Brass.

LED Led source 3000 K, 50.000 h life.


Source	LED SMD / COB	LED life	50.000 h
Power	3,5W / 11,5W	Insulation class	II
Driver included	On/Off / DALI/Push	IP	20
Drivers available	No	Material	Aluminum
Beam	30° / 60°		
CCT	3000 K		
CRI	≥90		

LED SMD OSRAM Driver included



Length	Power	Driver	Lumen	CCT	Weight	Volume	Finish	Code	€	
250mm	3,5W	On-Off	220 lm	3000 K	0,42 Kg	0,0034 m³	White	351629	70	new
							Black	370958	70	new
							Brass	371023	70	new
400 mm	3,5W	On-Off	220 lm	3000 K	0,53 Kg	0,0050 m³	White	371030	80	new
							Black	351636	80	new
							Brass	371054	80	new
700 mm	3,5W	On-Off	220 lm	3000 K	0,53 Kg	0,0077 m³	White	263687	76	
							Black	263670	76	
							Brass	263700	76	
1000 mm	3,5W	On-Off	220 lm	3000 K	0,82 Kg	0,0119 m³	White	370910	100	new
							Black	370934	100	new
							Brass	351643	100	new

LED COB Driver included



Length	Power	Driver	Lumen	CCT	Weight	Volume	Finish	Code	€	
250 mm	11,5W	On-Off	1200 lm	3000 K	057 Kg	0,0056 m³	White	352114	90	new
							Black	371078	90	new
							Brass	371108	90	new
400 mm	11,5W	On-Off	1200 lm	3000 K	0,46 Kg	0,0036 m³	White	156682	110	
							Black	156699	110	
							Brass	339726	110	
		DALI/Push	1200 lm	3000 K	0,76 Kg	0,0036 m³	Black	321813	180	
700 mm	11,5W	On-Off	1200 lm	3000 K	0,80 Kg	0,0139 m³	White	371115	115	new
							Black	371122	115	new
							Brass	352121	115	new
1000 mm	11,5W	On-Off	1200 lm	3000 K	0,67 Kg	0,0100 m³	White	142906	145	
							Black	142913	145	
							Brass	339733	145	
		DALI/Push	1200 lm	3000 K	1,10 Kg	0,0084 m³	Black	321783	210	

P. 296 P. 372 P. 506 P. 679



263687

263670

339733

Ø85


Look Round new

P. 296 P. 372 P. 506 P. 679

Metal ceiling rose and diffuser with different finishes. PVC Power cable adjustable in length. It fits replaceable bulbs. Faded chrome version with glass diffuser.


Source	GU10
Power	max 28 W
Insulation class	II
IP	20
Material	Aluminum

LED Bulbs LED GU10 7W and GU10 4W 3000 K included.




GU10 Recommended bulb: 339771, 3000 K, 280 lm € 2,50

Length	Power	Weight	Volume	Finish	Code	€	
250 mm	GU10 max 1 x 28W	0,20 Kg	0,0015 m³	White	371566	50	new
				Black	371573	50	new
				Brass	371580	50	new
400 mm	GU10 max 1 x 28W	0,30 Kg	0,0019 m³	White	346854	66	
				Black	343310	66	
				Brass	371597	66	new
700 mm	GU10 max 1 x 28W	0,55 Kg	0,0028 m³	White	371603	70	new
				Black	371610	70	new
				Brass	366968	70	new
1000 mm	GU10 max 1 x 28W	0,85 Kg	0,0038 m³	White	366975	100	new
				Black	371542	100	new
				Brass	371559	100	new



GU10 Recommended bulb: 123943, 3000 K, 540 lm € 2,50

Length	Power	Weight	Volume	Finish	Code	€	
250 mm	GU10 max 1 x 28W	0,30 Kg	0,0024 m³	White	371641	70	new
				Black	352237	70	new
				Brass	371658	70	new
400 mm	GU10 max 1 x 28W	0,45 Kg	0,0031 m³	White	104935	60	
				Clear	194806	80	
				Alabaster	361192	80	new
				Chrome	104942	80	
				Silver	141800	80	
				Black	104928	60	
				Brass	259239	60	
				Gold	141817	80	
				Ant.Brass	141794	80	
				Copper	141855	80	
				Coffee	170589	80	
700 mm	GU10 max 1 x 28W	0,80 Kg	0,0046 m³	White	371672	95	new
				Black	352244	95	new
				Brass	371696	95	new
1000 mm	GU10 max 1 x 28W	1,10 Kg	0,0061 m³	White	371627	120	new
				Black	352251	120	new
				Brass	371634	120	new


104935
194806
361192
104942
141800
104928
259239
141817
141794
141855
170589


Look Led Square new

Canopy and light body in powder-coated or plated metal. PVC cable. Available colours: White, Black, Brass.

LED Led source 3000 K, 50.000 h life.


Source	LED SMD / COB	LED life	50.000 h
Power	3,5W / 11,5W	Insulation class	II
Driver included	On/Off	IP	20
Drivers available	No	Material	Aluminum
Beam	30° / 51°		
CCT	3000 K		
CRI	≥90		

LED SMD OSRAM Driver included



Length	Power	Driver	Lumen	CCT	Weight	Volume	Finish	Code	€	
400mm	3,5W	On-Off	220 lm	3000 K	0,50 Kg	0,0046 m³	White	362496	95	new
							Black	351650	95	new
							Brass	371139	95	new

LED COB Driver included



Length	Power	Driver	Lumen	CCT	Weight	Volume	Finish	Code	€	
400mm	11,5W	On-Off	1200 lm	3000 K	0,45 Kg	0,0045 m³	White	194189	173	
							Black	194202	173	
							Brass	339740	173	new

P. 296 P. 372 P. 506 P. 679





194189
194202
339740

Look Square new

Canopy and light body in powder-coated or plated metal. PVC cable. Available colours: White, Black, Brass.


LED Bulbs LED GU10 7W and GU10 4W 3000 K included.

Source	GU10
Power	max 28 W
Insulation class	II
IP	20
Material	Aluminum



GU10 Recommended bulb: 339771, 3000 K, 280 lm € 2,50

Length	Power	Weight	Volume	Finish		Code	€	
400 mm	GU10 max 1 x 28W	0,55 Kg	0,0019 m³	White		366999	70	new
				Black		352268	70	new
				Brass		366982	70	new



GU10 Recommended bulb: 123943, 3000 K, 540 lm € 3,50

Length	Power	Weight	Volume	Finish		Code	€	
400 mm	GU10 max 1 x 28W	0,90 Kg	0,0031 m³	White		126906	100	
				Black		126913	100	
				Brass		371702	100	new

P. 296 P. 372 P. 506 P. 679




126906 126913 371702

Look Drop new

Canopy and light body in powder-coated or plated metal. PVC cable. Available colours: Black, Brass.


LED Led source 3000 K, 20.000 h life.

Source	LED SMD	LED life	20.000 h
Power	16W / 19W / 31W	Insulation class	I-II
Driver included	On/Off	IP	20
Drivers available	No	Material	Aluminum
Beam	30° / 45°		
CCT	3000 K		
CRI	≥90		




LED SMD OSRAM Driver included

Length	Power	Driver	Lumen	CCT	Weight	Volume	Finish		Code	€	
450/700mm	16W	On-Off	1550 lm	3000 K	6,80 Kg	0,0353 m³	Black		371177	370	new
							Brass		371184	370	new



LED SMD Driver included

Length	Power	Driver	Lumen	CCT	Weight	Volume	Finish		Code	€
450/700mm	19W	On-Off	1750 lm	2700 K	8,60 Kg	0,0598 m³	Black		341095	475
			1850 lm	3000 K	8,60 Kg	0,0598 m³	Black		263434	475
			1750 lm	2700 K	8,60 Kg	0,0598 m³	Brass		341101	475
			1850 lm	3000 K	8,60 Kg	0,0598 m³	Brass		263663	475



LED SMD OSRAM Driver included

Length	Power	Driver	Lumen	CCT	Weight	Volume	Finish		Code	€	
450/700mm	31W	On-Off	3100 lm	3000 K	11,600 Kg	0,0545 m³	Black		371146	640	new
							Brass		371153	640	new

P. 296 P. 372 P. 506 P. 679





263434 263663




Flam new

Powder coated metal ceiling cap and frame. Borosilicate glass diffuser. Black PVC cable. Frame color: black. Diffuser colors: smoked, clear smoked shade, striped smoked, amber, striped amber.

LED LED source 3000 K, 30.000 h life.





IP20

1,050 Kg / 0,0061 m³
LED 10W / 900 lm

€ 115


321042 Smo.Grey
345512 Shaded
353883 Smok.str. new
353869 Amber new
353890 Amber str. new



Tubix new

Canopy and frame in powder-coated metal. PVC cable. Central opal diffuser with outer element in clear pyrex glass, internally fluted.
Colour: White

LED LED source 3000 K, 30.000 h life.




IP20

0,600 Kg / 0,0128 m³
LED 15W / 1750 lm

€ 160

352688 White new




IP20

0,500 Kg / 0,0107 m³
LED 11W / 1300 lm

€ 140

352671 White new



IP20

0,400 Kg / 0,0076 m³
LED 8W / 900 lm

€ 120


352664 White new



Essence new

Canopy and light body in powder-coated or plated aluminum. Diffuser in satin opal polycarbonate. PVC cables. Available colours: White, Black, Brass.

LED source LED 2700 K / 3000 K / 4000 K, 30.000 h life.




IP20

0,500 Kg / 0,0121 m³
LED 19W / 2250 lm

€ 220

367064	White	new	
371825	Black	new	
371856	Brass	new	



IP20

0,650 Kg / 0,0115 m³
LED 19W / 2150 / 2250 / 2350 lm

€ 220


341033	Black	2700K
285085	White	3000K
285092	Black	3000K
341040	Black	4000K
371795	Brass	3000K new

P. 390 P. 451 P. 502

Yoko

Matt varnished ceiling rose, frame and support for the metal cable. Opal polycarbonate diffuse. Clear PVC electrical cable. Colors: white or black.

LED LED source 3000 K, 30.000 h life.



IP20

0,700 Kg / 0,0383 m³
LED 17W / 1250 lm

€ 130

258898 White
258928 Black


P. 501



V-Line

Powder-coated aluminum body. Opal silicone diffuser. Steel cables with chromed supports. PVC electrical cable. Colors: white or black.

LED LED source 3000 K, 20.000 h life.



IP20

1,140 Kg / 0,0095 m³
LED 20W / 1700 lm

€ 215


275369 White
275376 Black



Desk

Powder-coated aluminum ceiling cap and body. PVC electric cable. Available with single diffused light emission, double light emission upward and downward, or double light emission: upward diffused emission and downward concentrated emission.

LED LED source 3000 K, 30.000 h life.



IP20

1,860 Kg / 0,0156 m³
LED 32W / 3150 lm

€ 145

138237 White
173245 Black


P. 358



Craft

Matt black varnished metal ceiling cap. Natural wood body. Satin opal color polycarbonate diffuser. Clear PVC cable.

LED LED source 3000 K, 20.000 h life.



IP20

3,400 Kg / 0,3050 m³
LED 32W / 2700 lm

€ 360

284460 Wood

P. 358 P. 515










Lucciola

Metal ceiling cap and suspended body powder painted or plated. Spheric satin acrylic diffuser. PVC cables with aluminium ceiling supports. Colours: brass or black.

LED LED source 3000 K, 20.000 h life.



284002 **284019**



IP20

2,500 Kg / 0,0135 m³
LED 16W / 1300 lm

€ 550

284002 Black
284019 Brass





Dynamite new


Powder coated or plated or brushed metal frame. Adjustable diffusers. Power cable coated with fabric. Suspension model includes also kit for ceiling installation.

LED Bulbs LED GU10 7W 3000 K included.
Cod. **123943**


367460


231396


244648



IP20


2,700 Kg / 0,0283 m³
GU10 max 6 x 28W

€ 280

231433 White
231396 Black
244648 Brass

3000 K
540 lm

123943 **€ 2,50**



IP20


2,310 Kg / 0,0188 m³
GU10 max 4 x 28W

€ 220

231372 White
231341 Black
244624 Brass

3000 K
540 lm

123943 **€ 2,50**



IP20


2,320 Kg / 0,0271 m³
GU10 max 6 x 28W

€ 290

367460 White new
371412 Black new
371429 Brass new

3000 K
540 lm

123943 **€ 2,50**



IP20

1,650 Kg / 0,0179 m³
GU10 max 4 x 28W

€ 225

367453 White new
371382 Black new
371399 Brass new


3000 K
540 lm

123943 **€ 2,50**

P. 310 P. 412 P. 676

Triumph

Plated metal base, arm and bulb holder cover. Color: old brass.



IP20

3,640 Kg / 0,0470 m³
E27 max 8 x 42W

€ 550

160269 Brass

2200 K
370 lm


151687 **€ 2,50**

P. 320 P. 422



Lingotto

Varnished metal frame: matt black base and matt brass or total matt black structure. White overlay acid-etched blown glass diffuser.



IP20

4,530 Kg / 0,0638 m³
E14 max 3 x 28W

€ 290

304144 Black
198125 Brass

3000 K
420 lm

101217 **€ 2,00**

P. 329 P. 469






Minor

Powder coated metal frame. Pvc electrical wire. Replaceable LED sources.

LED Bulbs LED GX53 9W 3000 K included.
Cod. **123936**





IP20 INCLUSA	IP20 INCLUSA	IP20 INCLUSA	IP20 INCLUSA
3,440 Kg / 0,0722 m³	2,250 Kg / 0,0363 m³	2,210 Kg / 0,0218 m³	1,650 Kg / 0,0148 m³
GX53 max 8 x 9W	GX53 max 5 x 9W	GX53 max 6 x 9W	GX53 max 4 x 9W
€ 480	€ 325	€ 325	€ 247
235547 Black	235516 Black	235486 Black	235455 Black
3000 K 910 lm	3000 K 910 lm	3000 K 910 lm	3000 K 910 lm
123936 € 5,00	123936 € 5,00	123936 € 5,00	123936 € 5,00




Galaxy

Metal ceiling plate with shiny nickel black finish. Black PVC cables. Opal color and clear acrylic diffusers with central brushed metal insert in nickel, brass and copper color.

LED source 3000 K, 30.000 h life.






IP20

5,500 Kg / 0,0550 m³
LED 58W / 5700 lm

€ 650

321172 White



IP20

3,400 Kg / 0,0304 m³
LED 29W / 2800 lm

€ 476


342993 White



Diamond

Chromed metal ceiling cap. Clear Teflon cable. Clear acrylic diffusers with cut crystal processing effect.

LED source 3000 K, 20.000 h life.




IP20

5,100 Kg / 0,0427 m³
LED 23W / 2350 lm

€ 480

343471 Clear




IP20

3,200 Kg / 0,0256 m³
LED 15W / 1480 lm

€ 280

343464 Clear



IP20

1,100 Kg / 0,0084 m³
LED 5,5W / 470 lm

€ 110

343457 Clear

P. 460



Atlas new

Matt varnished metal ceiling cap and frame with adjustable arms. White acid-etched blown glass diffusers. Steel supporting wires. PVC electrical cables. Colors: white, black, gold.

LED Bulbs LED G9 3W 3000 K included. Cod. **209043**




352046




365091



365107





IP20 IP20

2,320 Kg / 0,0425 m³
G9 max 6 x 4W

€ 345

352053	White	new
365114	Black	new
365121	Gold	new

3000 K
510 lm

305486 **€ 6,10**

1,660 Kg / 0,0322 m³
G9 max 4 x 4W

€ 265

352046	White	new
365091	Black	new
365107	Gold	new

3000 K
510 lm


305486 **€ 6,10**

P. 326 P. 422

Birds

Varnished metal frame with satin brass decorative disc. White acid-etched blown glass diffusers. PVC electrical cable. Color: matt black with satin brass detail.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**



IP20 INCLUSA

2,750 Kg / 0,1053 m³
G9 max 5 x 15W

€ 285

273648 ■ **Black**

3000 K
510 lm

305486 **€ 6,10**


P. 324 P. 420 P. 469 P. 494



Perline

Metal ceiling cap and frame. White blown acid-etched glass diffusers. Clear Teflon electrical cable. Available finish: matt black or satin brass.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**



IP20 INCLUSA


1,600 Kg / 0,0535 m³
G9 max 3 x 40W

€ 215

307008 ■ **Black**
282114 ▨ **Brass**

3000 K
510 lm

305486 **€ 6,10**



IP20 INCLUSA

1,200 Kg / 0,0391 m³
G9 max 2 x 40W

€ 155

306995 ■ **Black**
282107 ▨ **Brass**

3000 K
510 lm

305486 **€ 6,10**





P. 322 P. 421 P. 470 P. 492

Perlage new

Metal frame with linear structure with round section or with circular structure with square section. Blown glass diffusers. PVC electrical cable. Colors: matt black frame with smoked glass, satin brass frame with etched white glass or satin brass frame with amber glass.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**






283821



271422



317793



IP20


8,920 Kg / 0,2377 m³
G9 max 30 x 15W

€ 1610

296746	White	
296753	Smok.Gre.	
322780	Amber	

3000 K
510 lm

305486 **€ 6,10**



IP20


9,100 Kg / 0,1715 m³
G9 max 25 x 15W

€ 1250

363370	White	new
363387	Smok.Gre.	new
370583	Amber	new

3000 K
510 lm

305486 **€ 6,10**



IP20


3,910 Kg / 0,1020 m³
G9 max 14 x 15W

€ 713

283814	White	
271385	Smok.Gre.	
322797	Amber	

3000 K
510 lm

305486 **€ 6,10**



IP20


3,100 Kg / 0,0800 m³
G9 max 11 x 15W

€ 610

283807	White	
271392	Smok.Gre.	
322773	Amber	

3000 K
510 lm

305486 **€ 6,00**



IP20


2,200 Kg / 0,0650 m³
G9 max 10 x 15W

€ 448

283791	White	
271408	Smok.Gre.	
322766	Amber	

3000 K
510 lm

305486 **€ 6,10**



IP20

1,300 Kg / 0,0359 m³
G9 max 6 x 15W

€ 299

283821	White	
271422	Smok.Gre.	
317793	Amber	

3000 K
510 lm

305486 **€ 6,10**



Nodi new

Chrome or satin brass metal frame. White acid-etched blown or transparent or chrome glass diffusers.




082073



241012



200491



IP20


8,000 Kg / 0,3162 m³
E14 max 15 x 28W

€ 685

082073 White
241012 Brass
200491 Chrome

3000 K
480 lm

101200 **€ 2,00**



IP20

5,300 Kg / 0,1547 m³
E14 max 9 x 28W

€ 450

082059 White
241036 Brass
370002 Chrome new

3000 K
480 lm

101200 **€ 2,00**


P. 321

Equinoxe new

Plated metal structure. Clear borosilicate glass diffusers. Black PVC cable. Colors: chrome structure with clear or faded smoky glass, antique brass structure with clear glass or faded amber glass.

Source	G4
Power	max 2 W
Insulation class	I-II
IP	20
Material	Aluminum


LED Bulbs LED G4 2W 3000 K included.
Cod. **222257**



0,640 Kg / 0,0087 m³

G4 Recommended bulb: 222257, 3000 K, 200 lm € 4,00


Power	Finish	Code	€
G4 max 1 x 2W	Chrome	306537	132
	Brass	277370	132
	Smok. Gre.	326351	132
	Amber	345345	132



0,700 Kg / 0,0185 m³

G4 Recommended bulb: 222257, 3000 K, 200 lm € 4,00

Power	Finish	Code	€
G4 max 1 x 2W	Chrome	306544	154
	Brass	277387	154
	Smok. Gre.	345369	154
	Amber	345352	154



0,850 Kg / 0,0400 m³

G4 Recommended bulb: 222257, 3000 K, 200 lm € 4,00

Power	Finish	Code	€
G4 max 1 x 2W	Chrome	306551	165
	Brass	277394	165
	Smok. Gre.	345376	165
	Amber	326368	165


P. 423 P. 491



200118 200125 345390 345383

Equinoxe






2,620 Kg / 0,0618 m³

G4 Recommended bulb: 222257, 3000 K, 200 lm € 4,00

Power	Finish	Code	€	
G4 max 3 x 2W	Chrome	339696	400	new
	Brass	339702	400	new
	Smok.Gre.	364834	400	new
	Amber	364827	400	new






5,700 Kg / 0,1134 m³

G4 Recommended bulb: 222257, 3000 K, 200 lm € 4,00

Power	Finish	Code	€
G4 max 6 x 2W	Chrome	317250	715
	Brass	317243	715
	Smok.Gre.	345413	715
	Amber	345406	715






5,200 Kg / 0,1133 m³

G4 Recommended bulb: 222257, 3000 K, 200 lm € 4,00

Power	Finish	Code	€
G4 max 8 x 2W	Chrome	275178	825
	Brass	275215	825
	Smok.Gre.	345437	825
	Amber	345420	825





5,540 Kg / 0,1562 m³

G4 Recommended bulb: 222257, 3000 K, 200 lm € 4,00

Power	Finish	Code	€
G4 max 12 x 2W	Chrome	200118	850
	Brass	200125	850
	Smok.Gre.	345390	850
	Amber	345383	850

P. 423 P. 491






Copernico

Matt varnished metal ceiling cap and structure with brass details. Pvc electric cable. Blown acid-etched overlay white glass diffuser. Color: black.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**



197319



IP20 INCLUSA


10,270 Kg / 0,1340 m³
G9 max 20 x 4W

€ 1050

197333 ■ **Black**

3000 K
510 lm

305486 **€ 6,10**



IP20 INCLUSA

6,870 Kg / 0,0746 m³
G9 max 12 x 4W

€ 650

197319 ■ **Black**

3000 K
510 lm

305486 **€ 6,10**



Net

Matt varnished metal ceiling cap. PVC cable. Matt varnished metal net diffuser. Finishes: white, black, gold.




328102



313788



313771



IP20


0,950 Kg / 0,0518 m³
E27 max 1 x 42W

€ 70

328133	White
328126	Black
317281	Gold

3000 K
900 lm

123899 € 3,50



IP20


0,750 Kg / 0,0328 m³
E27 max 1 x 42W

€ 60

328102	White
313788	Black
313771	Gold

3000 K
900 lm

123899 € 3,50



IP20

0,750 Kg / 0,0270 m³
E27 max 1 x 42W

€ 60

317274	White
328119	Black
317267	Gold


3000 K
900 lm

123899 € 3,50



Konse

Totally metal frame and decorative elements. Satin dark gold varnish finish.



IP20


4,600 Kg / 0,7371 m³
E27 max 7 x 60W

€ 650

156033 Gold

3000 K
910 lm

119571 **€ 3,50**



IP20


3,510 Kg / 0,3235 m³
E27 max 6 x 60W

€ 450

156026 Gold

3000 K
910 lm

119571 **€ 3,50**



IP20

1,930 Kg / 0,1152 m³
E27 max 1 x 60W

€ 225

155968 Gold

3000 K
910 lm

119571 **€ 3,50**




Ampolla

Matt varnished ceiling cap, bulb holders and decorative structure. Pvc cable. Color: black.



167497



IP20


0,950 Kg / 0,0709 m³
E27 max 1 x 60W

€ 135

148502 ■ **Black**

2200 K
500 lm

151717 **€ 5,00**



IP20


0,590 Kg / 0,0709 m³
E27 max 1 x 60W

€ 124

148151 ■ **Black**

2200 K
370 lm

151687 **€ 2,50**



IP20

0,720 Kg / 0,0709 m³
E27 max 1 x 60W

€ 222

148175 ■ **Black**

2200 K
440 lm

151694 **€ 4,00**



IP20

1,470 Kg / 0,0709 m³
E27 max 1 x 60W

€ 240

167497 ■ **Black**


2200 K
440 lm

151694 **€ 4,00**



Onion

Metal frame finished with brown varnish with metallic effect. Power cable coated with fabric.



IP20


5,050 Kg / 0,2402 m³
E27 max 1 x 60W

€ 300

205311 Coffee

2200 K
480 lm

151724 **€ 6,00**



IP20


3,520 Kg / 0,1379 m³
E27 max 1 x 60W

€ 200

205304 Coffee

2200 K
480 lm

151724 **€ 6,00**



IP20


2,380 Kg / 0,0740 m³
E27 max 1 x 60W

€ 150

205298 Coffee

2200 K
500 lm

151717 **€ 5,00**



IP20

1,260 Kg / 0,0196 m³
E27 max 1 x 60W

€ 75

205281 Coffee


2200 K
500 lm

151717 **€ 5,00**



Citrus

Body with painted multilevel wood elements. Power cable coated with black fabric.



IP20


0,660 Kg / 0,0173 m³
E27 max 1 x 60W

€ 160

159843 Wood

3000 K
910 lm

119571 **€ 3,50**



IP20

0,720 Kg / 0,0242 m³
E27 max 1 x 60W

€ 170

159850 Wood

3000 K
910 lm

119571 **€ 3,50**



IP20

0,510 Kg / 0,0148 m³
E27 max 1 x 60W

€ 140


159867 Wood

3000 K
910 lm

119571 **€ 3,50**

Frida

Metal ceiling cup and bulb socket cover with plated or matt varnish finish. Power cable coated with black fabric.



IP20

0,320 Kg / 0,0013 m³
E27 max 1 x 60W

€ 40

139425 Black
122106 Copper
122083 Ant. Brass

2200 K
500 lm

151717 **€ 5,00**

P. 419






Edison

Metal ceiling cup and bulb holder with matt white or black varnish finish. Electrical cable coated with fabric.

LED Bulbs LED E27 8W Globo D125 trasparente 3000 K included. Cod. **101347**



IP20

0,320 Kg / 0,0055 m³
E27 max 1 x 42W

€ 60

113302 White
113319 Black

3000 K
1050 lm

101347 **€ 6,00**

P. 416






Mr Jack

Metal frame and spherical diffuser with white, chrome or black finish. Electrical cable covered with fabric.

LED Bulbs LED GU10 7W 3000 K included.
Cod. **123943**





IP20


0,890 Kg / 0,0069 m³
GU10 max 1 x 28W

€ 80

231273 White
231297 Black

3000 K
540 lm

123943 **€ 2,50**



IP20

0,520 Kg / 0,0037 m³
GU10 max 1 x 28W

€ 70

231228 White
231259 Black

3000 K
540 lm

123943 **€ 2,50**




Oil

Metal frame with matt black finish. Concrete diffuser. Model 110462 supplied with 12 meters length electrical cable coated with fabric; 6 mounting hooks and Italian plug which can replace the ceiling cup.







IP20


1,780 Kg / 0,0119 m³
E27 max 1 x 15W

€ 116

110417 Concrete

3000 K
430 lm

101279 € 2,00



IP20


1,180 Kg / 0,0119 m³
E27 max 1 x 15W

€ 116

110424 Concrete

3000 K
430 lm

101279 € 2,00



IP20


1,810 Kg / 0,0125 m³
E27 max 1 x 15W

€ 116

110431 Concrete

3000 K
430 lm

101279 € 2,00



IP20


1,650 Kg / 0,0165 m³
E27 max 1 x 15W

€ 116

129082 Concrete

3000 K
430 lm

101279 € 2,00



IP20


1,760 Kg / 0,0205 m³
E27 max 1 x 15W

€ 116

129099 Concrete

3000 K
430 lm

101279 € 2,00



IP20

1,490 Kg / 0,0111 m³
GU10 max 1 x 15W

€ 138

110462 Concrete

3000 K
410 lm

108292 € 2,50



A-Line


Powder coated metal ceiling cup. Matt white or black varnished metal diffuser white inside. Power cable coated with fabric.

LED Bulbs LED GU10 7W 3000 K included in models: **232690** and **232713**. Code **123943**

232690



232713



IP20


1,080 Kg / 0,0288 m³
E27 max 1 x 60W

€ 85

232720 White
232744 Black

3000 K
900 lm

123899 **€ 3,50**



IP20

0,330 Kg / 0,0063 m³
GU10 max 1 x 28W

€ 60

232690 White
232713 Black


3000 K
540 lm

123943 **€ 2,50**



Holly

Metal ceiling rose and diffusers
with brushed brass finish or powder
coated with white or black finish.
Power cables coated with fabric.



IP20

0,780 Kg / 0,0077 m³
E27 max 1 x 60W

€ 75

231556 White
231563 Black
231570 Brass

3000 K
900 lm

123899 **€ 3,50**


231556



231563



231570




Diesis

Powder coated or plated metal ceiling rose and diffuser. Black PVC cable. Color: black, satin nickel or satin brass.

LED LED source 3000 K, 20.000 h life.





IP20

0,450 Kg / 0,0051 m³
LED 7W / 560 lm

€ 110

285122 Nickel
279770 Black
279794 Brass

P. 455 P. 511



Archimede

Powder coated metal ceiling cap with magnetic closure without screws. PVC cable. Powder coated aluminum diffuser with acrylic optic. Finishes: white, black.


LED LED source 3000 K, 50.000 h life.

310589



310596

310602




IP20

0,150 Kg / 0,0019 m³
LED 4W / 250 lm

€ 65

310589 White
328331 Black




IP20

0,140 Kg / 0,0020 m³
LED 4W / 250 lm

€ 70

310596 White
328348 Black



IP20

0,160 Kg / 0,0019 m³
LED 4W / 250 lm

€ 75

310602 White
328355 Black



P. 292 P. 507

Mix Up

Powder-coated varnished metal ceiling cap and interchangeable shades. PVC cable. Finishes: white or black.




307428


288444

288406





288390











IP20

0,460 Kg / 0,0019 m³
E27 max 1 x 60W

€ 55

288406 White
288390 Black

2,000 Kg / 0,0708 m³

€ 85

288437 White
288420 Black

1,100 Kg / 0,0476 m³

€ 55

307404 White
288475 Black

0,800 Kg / 0,0156 m³

€ 40

307411 White
288444 Black

0,500 Kg / 0,0184 m³

€ 35

307428 White
288451 Black

3000 K
900 lm

123899 **€ 3,50**



Yurta

Powder coated metal ceiling rose and shade. Power cables coated with fabric. Colors: total white or black with white inside.



285146



281568



IP20

1,760 Kg / 0,0671 m³
E27 max 1 x 60W

€ 110

285160 White
281582 Black

3000 K
900 lm

123899 **€ 3,50**



IP20

1,000 Kg / 0,0236 m³
E27 max 1 x 60W

€ 80

285153 White
285139 Black

3000 K
340 lm

101286 **€ 2,00**



IP20

0,740 Kg / 0,0111 m³
E27 max 1 x 60W

€ 70

285146 White
281568 Black

3000 K
340 lm

101286 **€ 2,00**



Breeze

Metal body and diffuser. Enameled white inside. Electrical cable adjustable in length.



IP20


3,490 Kg / 0,0760 m³
E27 max 1 x 60W

€ 195

232041 Dark Grey

3000 K
950 lm

101354 € 6,00



IP20

0,790 Kg / 0,0206 m³
E27 max 1 x 60W

€ 65

137681 Dark Grey

3000 K
950 lm


101330 € 4,50



Moby

Metal frame and diffuser white inside. Available finishes: white, black or copper.





IP20

1,200 Kg / 0,0360 m³
E27 max 1 x 42W

€ 127

093659 Black
093697 Copper

3000 K
950 lm

101330 € 4,50



Eris


Metal frame with matt white or black varnished ceiling rose and diffusers. Details with satin gold finish. Braided electrical wire coated with fabric.



238104



249056



IP20


0,630 Kg / 0,0102 m³
E27 max 1 x 42W

€ 75

238104 White
249056 Black

3000 K
340 lm

101286 € 2,00



IP20


1,080 Kg / 0,0270 m³
E27 max 1 x 42W

€ 86

238135 White
249063 Black

3000 K
950 lm

101330 € 4,50



IP20


0,740 Kg / 0,0145 m³
E27 max 1 x 42W

€ 75

238173 White
249070 Black

3000 K
340 lm

101286 € 2,00



IP20

0,960 Kg / 0,0259 m³
E27 max 1 x 42W

€ 86


238210 White
249087 Black

3000 K
340 lm

101286 € 2,00

Cantina

Metal frame, diffuser and bulb socket cover, available with antique brass or copper finish. Electrical cable covered with stranded fabric.



IP20

0,810 Kg / 0,0192 m³
E27 max 1 x 42W

€ 100

112732 Copper
112701 Ant. Brass

3000 K
910 lm

119571 **€ 3,50**

P. 424



112732




112701



Cono

Plated metal ceiling cap and frame. Clear blown glass diffuser. PVC cable. Colors: chrome with frosted diffuser, nickel or brass.

LED Bulbs LED GU10 7W 3000 K included.
Cod. **123943**



IP20

1,000 Kg / 0,0168 m³
GU10 max 1 x 28W

€ 80

321462 Chrome
321479 Brass
322803 Nickel

3000 K
540 lm

123943 **€ 2,50**



321462



321479



322803





Milk

White enameled elliptical metal frame. White blown and acid-etched glass diffuser. Power cables adjustable in length.



IP20


4,220 Kg / 0,0575 m³
E27 max 3 x 42W

€ 265

030326 White

3000 K
900 lm

123899 **€ 3,50**



IP20

1,270 Kg / 0,0211 m³
E27 max 1 x 42W

€ 105

026787 White


3000 K
900 lm

123899 **€ 3,50**



Flut

Blown overlay frosted glass diffuser: white inside and coloured outside. Cable adjustable in length.



IP20


1,570 Kg / 0,0296 m³
E27 max 1 x 60W

€ 140

035666 White
035680 Black

3000 K
900 lm

123899 **€ 3,50**



IP20

0,930 Kg / 0,0179 m³
E14 max 1 x 40W

€ 75

035697 White
035710 Black

3000 K
420 lm

101217 **€ 2,00**








Cocktail new

Powder-coated metal canopy. Blown glass diffuser: acid-etched white glass for bulb version, clear glass with metal top for integrated LED version. PVC cable. Available colours: White; Black with clear, amber or smoked glass.

LED LED source 3000 K, 30.000 h life. Cod. **353630**, **353647**, **353623**






IP20

0,760 Kg / 0,0066 m³
LED 7W / 670 lm

€ 150

353630 Smo.Grey new
353647 Clear new
353623 Amber new



IP20


3,100 Kg / 0,0663 m³
E14 max 3 x 40W

€ 265

074245 White

3000 K
420 lm

101217 **€ 2,00**



IP20


1,800 Kg / 0,0906 m³
E27 max 1 x 60W

€ 305

074313 White

3000 K
900 lm

123899 **€ 3,50**



IP20

1,180 Kg / 0,0219 m³
E14 max 1 x 40W

€ 105

074337 White


3000 K
420 lm

101217 **€ 2,00**



Origami

Matt varnished metal frame. White acid-etched blown glass diffusers with folds reliefs.



IP20

3,740 Kg / 0,0436 m³
E27 max 3 x 60W

€ 280

198095 White

3000 K
900 lm

123899 **€ 3,50**



Umile

Metal ceiling cap and decorative elements with satin gold finish.
Etched white blown glass diffusers.
Black PVC cable.

LED source 3000 K, 30.000 h life.




IP20

9,000 Kg / 0,2122 m³
LED 56W / 5400 lm

€ 415

224541 White




IP20

2,300 Kg / 0,0691 m³
LED 20W / 2050 lm

€ 170

314945 White



IP20

2,500 Kg / 0,0516 m³
LED 20W / 2050 lm

€ 160

314952 White



IP20

1,900 Kg / 0,0531 m³
LED 20W / 1950 lm

€ 140

314969 White




Bloom new

Powder painted or plated metal ceiling cap and frame. White acid-etched blown glass diffuser. Black PVC cable. Colors: fluted surface: orange, white, blue or black; with smooth brushed surface: brass, copper, steel, grey.

LED Bulbs LED G9 3W 3000 K included in models **366630** and **366623**.
Cod. **209043**





IP20


3,700 Kg / 0,1016 m³
E27 max 1 x 42W

€ 300

366692 Black
366685 Brass

3000 K
900 lm

123899 **€ 3,50**



IP20


2,400 Kg / 0,0482 m³
E27 max 1 x 42W

€ 200

new **366678** Black
new **366661** Brass

3000 K
340 lm

101286 **€ 2,00**



IP20


1,600 Kg / 0,0207 m³
E27 max 1 x 42W

€ 140

new **366654** Black
new **366647** Brass

3000 K
340 lm

101286 **€ 2,00**



IP20

0,800 Kg / 0,0094 m³
G9 max 1 x 4W

€ 110

new **366630** Black
new **366623** Brass

3000 K
510 lm

305486 **€ 6,10**


P. 288 P. 385 P. 462 P. 499



Fade

Metal ceiling rose and frame. Clear blown glass shade with galvanic nuance. White acid-etched inner blown glass diffuser. Black PVC cable. Shade colors: clear with amber nuance.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**



IP20

1,900 Kg / 0,0278 m³
G9 max 1 x 15W

€ 200

271316 Amber

3000 K
510 lm


305486 **€ 6,10**



Topico

Matt varnished metal ceiling rose and frame. Double glass diffuser: etched white inside, clear with smoked shade on the top on the outside. Black PVC cable. Color: Black.

LED LED source 3000 K, 30.000 h life.



IP20

4,810 Kg / 0,1235 m³
LED 28W / 2950 lm

€ 250


333045 Smok.Gre.

P. 289



Folk

Metal ceiling cup and diffuser with matt paint, available finishes: coffee. Corrugated enamelled internal parable. Power cable coated with fabric.



IP20

2,190 Kg / 0,0264 m³
E27 max 3 x 60W

€ 245

174235 Coffee

3000 K
340 lm

101286 € 2,00



IP20


3,070 Kg / 0,0843 m³
E27 max 1 x 60W

€ 290

174228 Coffee

3000 K
950 lm

101354 € 6,00



IP20


1,980 Kg / 0,0423 m³
E27 max 1 x 60W

€ 160

174211 Coffee

3000 K
950 lm

101330 € 4,50



IP20

0,530 Kg / 0,0070 m³
E27 max 1 x 60W

€ 85


174204 Coffee

3000 K
900 lm

123899 € 3,50

Aria

White blown acid-etched glass diffuser. Suspension lamps provided with steel wires adjustable in length with automatic devices.



IP20

4,080 Kg / 0,0847 m³
E27 max 1 x 60W

€ 285

059679 White


3000 K
950 lm

101330 **€ 4,50**



Plissè

Plated metal frame. White acid-etched blown glass diffuser with decoration in relief. Clear PVC electrical wire. Colors: chrome or satin brass.



IP20


3,300 Kg / 0,0858 m³
E27 max 1 x 60W

€ 250

264523 Chrome
285191 Brass

3000 K
900 lm

123899 **€ 3,50**



IP20

2,060 Kg / 0,0520 m³
E27 max 1 x 60W

€ 185

285184 Chrome
264547 Brass


3000 K
900 lm

123899 **€ 3,50**



Lana

Transparent glass diffuser with silkscreen decorations inside and sandblasted outside. Chrome metal glass holders.



IP20

1,800 Kg / 0,0564 m³
E27 max 1 x 60W

€ 116

068169 White


3000 K
950 lm

101330 **€ 4,50**



Lena

Chrome metal frame. Double glass diffuser: frosted and coloured the external one, white the inner one. Suspension lamp provided with steel cables adjustable in length with automatic devices.



IP20


8,310 Kg / 0,1497 m³
E27 max 3 x 60W

€ 390

052786 White

3000 K
340 lm

101286 **€ 2,00**



IP20

6,600 Kg / 0,1089 m³
E27 max 3 x 60W

€ 335

035727 White

3000 K
340 lm

101286 **€ 2,00**





Eclipse new

Powder painted metal ceiling cap and frame. Diffuser with convex lens and clear sandblasted glass shade. PVC electrical cable. Colors: grey glass with black frame, clear glass with white frame.


LED Bulbs LED GX53 9W 3000 K included.
Cod. **123936**



338767



338774



IP20

3,700 Kg / 0,1064 m³
GX53 max 1 x 9W

€ 165

338767 White new
338774 Black new


3000 K
910 lm

123936 **€ 5,00**



Smarties

White varnished metal frame. White blown glass diffuser. Steel cables adjustable in length with automatic blocking mechanism.



IP20


5,280 Kg / 0,0110 m³
E27 max 5 x 42W

€ 290

031996 White

3000 K
340 lm

101286 **€ 2,00**



IP20


3,740 Kg / 0,0721 m³
E27 max 3 x 42W

€ 200

032009 White

3000 K
340 lm

101286 **€ 2,00**



IP20

2,930 Kg / 0,0645 m³
E27 max 3 x 42W

€ 175

032016 White

3000 K
340 lm

101286 **€ 2,00**


P. 282 P. 386 P. 461



Glory

Satin nickel ceiling rose. White acid-etched blown glass diffuser. Pendant lamps provided with steel cables adjustable in length with automatic blocking mechanisms.

P. 280



IP20

5,780 Kg / 0,1045 m³
E27 max 5 x 60W

€ 350

019741 White

3000 K
340 lm

101286 € 2,00

IP20

3,260 Kg / 0,0674 m³
E27 max 3 x 60W

€ 220

019734 White

3000 K
340 lm

101286 € 2,00

IP20

2,200 Kg / 0,0406 m³
E27 max 3 x 60W

€ 195


101125 White

3000 K
340 lm

101286 € 2,00

Ulisse

Metal frame coated with matt white enamel. Blown acid-etched white glass diffuser. Suspension models provided with steel cables adjustable in length with automatic blocking mechanisms.



IP20


5,010 Kg / 0,1177 m³
E27 max 3 x 60W

€ 295

098616 White

3000 K
910 lm

119571 **€ 3,50**



IP20

3,110 Kg / 0,0635 m³
E27 max 3 x 60W

€ 225

095226 White

3000 K
910 lm

119571 **€ 3,50**



Arizona

Metal frame with satin brass finish. White acid-etched blown glass diffuser with embossed decorative stripes.

LED Bulbs LED GX53 9W 3000 K included.
Cod. **123936**



IP20


6,190 Kg / 0,0992 m³
GX53 max 5 x 9W

€ 520

214481 White

3000 K
910 lm

123936 **€ 5,00**



IP20

3,600 Kg / 0,0567 m³
GX53 max 3 x 9W

€ 395

214474 White

3000 K
910 lm

123936 **€ 5,00**


P. 283





Ovalino

Diffuser composed of circular elements created from curved and acid-etched glass sheet. Steel cables adjustable in length with automatic devices.



IP20


6,700 Kg / 0,1448 m³
E27 max 8 x 60W

€ 325

090481 White

3000 K
900 lm

123899 € 3,50



IP20

4,810 Kg / 0,0553 m³
E27 max 5 x 60W

€ 255

074139 White

3000 K
900 lm


123899 € 3,50

P. 290 P. 380



Candy

White metal frame. Blown acid-etched white glass diffuser. Steel cables adjustable in length with automatic devices.



IP20


4,200 Kg / 0,1547 m³
E27 max 1 x 42W

€ 365

086743 White

3000 K
900 lm

123899 **€ 3,50**



IP20

3,100 Kg / 0,0668 m³
E27 max 1 x 42W

€ 206

086736 White

3000 K
900 lm

123899 **€ 3,50**


P. 285 P. 464



Cotton new

Metal frame and ceiling cap with white powder paint and magnetic closure without screws. Clear PVC cable. White acid-etched blown glass diffuser.

LED Bulbs LED G9 3W 3000 K included in **297781** model. Cod. **209043**



IP20


4,600 Kg / 0,1513 m³
E27 max 1 x 42W

€ 365

344591 White

3000 K
900 lm

123899 **€ 3,50**



IP20


2,600 Kg / 0,0810 m³
E27 max 1 x 42W

€ 200

new **327884** White

3000 K
900 lm

123899 **€ 3,50**



IP20


2,100 Kg / 0,0441 m³
E27 max 1 x 42W

€ 135

297767 White

3000 K
900 lm

123899 **€ 3,50**



IP20 INCLUSA

0,600 Kg / 0,0076 m³
G9 max 1 x 4W

€ 70

297781 White

3000 K
510 lm

305486 **€ 6,10**

P. 286 P. 384






Odeon new

Matt varnished metal magnetic ceiling cap. Metal cylindrical frame with striped decoration. White acid-etched blown glass diffusers. Black PVC cable.

LED LED source 3000 K, 50.000 h life.






IP20

5,450 Kg / 0,1016 m³
LED 39W / 5500 lm

€ 375

349237 White




IP20

6,200 Kg / 0,1021 m³
LED 39W / 5500 lm

€ 400

new 349220 White




IP20

3,350 Kg / 0,0600 m³
LED 20W / 3200 lm

€ 220

new 349213 White




IP20

0,750 Kg / 0,0229 m³
LED 8W / 1250 lm

€ 80

new 349206 White



IP20

0,700 Kg / 0,0099 m³
LED 8W / 1250 lm

€ 75

new 349190 White new

Mapa new

A family of modular indoor pendant lights with fixed or modular configurations, capable of creating over 50.000 different combinations. The family includes 7 models: MAPA BIANCO, a single pendant with bulb and acid-etched glass; MAPA SINGLE and MAPA LED SINGLE, modular single pendants; MAPA CLOUD and MAPA LED CLOUD, multiple pendants with 3 to 25 lights, with cables converging at a single point for a cloud-like effect; MAPA DROP and LED DROP, multiple pendants with 3 to 25 lights, with adjustable-length vertical cables for a cascading effect. For the SINGLE, CLOUD and DROP models, you can freely choose and combine up to 6 diffuser diameters (from 100 mm to 500 mm), 8 glass finishes (acid-etched white, opal, clear, satin, iridescent, amber, smoked, chrome) and 5 canopy finishes (white, black, chrome, brass, copper). MAPA models with replaceable light source (G4, G9, E14, E27 bulbs) with two different cable lengths (5 and 12 m). MAPA LED models with integrated LED technology in 3000 K color temperature and high color rendering CRI ≥ 90, LED lifetime 50.000 h L70B50, also available in DALI and PUSH dimmable versions.

PRO High-tech product with high quality materials, intended for professional use.

DIY Modular product

Source	LED / G4 / G9 / E14 / E27
Power	2W / 4W - max 42W
Driver included	On/Off
Drivers available	DALI/Push
MacAdam	SDCM 3
CCT	3000 K
CRI	≥90
LED life	50.000 h
Insulation class	II-III
IP	20
Material	Glass / Metal
Warranty	5 years



P. 287 P. 382 P. 465




DISCOVER MORE

Mapa Bianco new

White metal frame. White acid-etched sphere blown glass diffuser. Steel wire with adjustable length. The lamp is equipped with ceiling cap, source and glass. Power supply for LED G4 bulbs included.

Source	G4 / G9 / E14 / E27
Power	max 2 / 42 W
Insulation class	II
IP	20
Material	Glass / Metal



SUSPENSIONS *Bulb G4 included cod: **222257, G9 cod: 209043**

ø Glass		100 mm	150 mm	200 mm	300 mm	400 mm	500 mm
ø Ceiling cup		90 mm	90 mm	90 mm	90 mm	90 mm	110 mm
Weight		**0,440 Kg**	**0,420 Kg**	**0,570 Kg**	**0,570 Kg**	**2,040 Kg**	**3,200 Kg**
Volume		**0,0054 m³**	**0,0095 m³**	**0,0174 m³**	**0,0055 m³**	**0,0108 m³**	**0,0200 m³**
Source		G4*	G9*	E14	E27	E27	E27
Power		max 1 x 2W	max 1 x 4W	max 1 x 28W	max 1 x 42W	max 1 x 42W	max 1 x 42W
Code (2 m)		**310800**	**369068**	**009148**	**009087**	**032139**	**032122**
	€	**55**	**60**	**70**	**90**	**175**	**285**

P. 287 P. 382 P. 465






G4/G9/E14 E27(300MM) E27

Mapa Single new

Metal ceiling cap. Aluminum glass holder with clear cable of 5m length or 12m with fastening supports. Sphere diffuser made of pyrex glass or blown glass with different finishes. Power supply for LED G4 bulbs included.

Source	G4 / G9 / E14 / E27
Power	max 2 / 42 W
Insulation class	II-III
IP	20
Material	Glass / Metal

DIY Modular product




CEILING CUP Driver included for G4 sources

ø Glass		100 mm	150 mm	200 mm	300 mm	400 mm	500 mm
ø Ceiling cup		90 mm		90 mm		90 mm	
White		368825		244235		311265	
Chrome		368856		244259		328683	
Black		368870		244242		311272	
	€	29		13		14	
Copper		368924		249315		328706	
Brass		368900		249308		328690	
	€	29		15		16	



SOURCE *Bulb G4 included cod: 222257, G9 cod: 209043

ø Glass		100 mm	150 mm	200 mm	300 mm	400 mm	500 mm
Source		G4*	G9*	E14	E27	E27	E27
Power		max 1 x 2W	max 1 x 4W	max 1 x 28W	max 1 x 42W	max 1 x 42W	max 1 x 42W
Code (5 m)		368238	368245	368252	368269	368276	368276
	€	32	37	29	46	70	70
Code (12 m)				371733	371757		
	€			68	86		



GLASS

ø Glass		100 mm	150 mm	200 mm	300 mm	400 mm	500 mm
White		369174	369242	369297	369341	369488	369709
Clear		289878	289861	289786	369440	369655	369853
	€	10	16	22	46	72	182
Opal		369228	369280	369310	369402	369600	369808
Satin		327426	327433	289939	369426	369631	369839
Iridescent		348674	348681	348698	369389	369587	369785
Amber		327402	327419	289915	369334	369464	369686
Smoky Grey		327440	327457	289908	369365	369549	369754
Chrome		369204	369266	369303	369358	369525	369730
	€	13	19	30	57	102	270

P. 287 P. 382 P. 465




369174
289878
369228
327426
348674
327402
327440
369204


Mapa Cloud new

Metal ceiling cap. Aluminum glass holder with clear cable of 5m length. Sphere diffuser made of pyrex glass or blown glass with different finishes. Power supply for LED G4 bulbs included.

Source	G4 / G9 / E14
Power	max 2 / 4 / 28 W
Insulation class	II
IP	20
Material	Glass / Metal

DIY Modular product





CEILING CUP


No. lights		3	7	13	25
Diameter		**220 mm**	**220 mm**	**280 mm**	360 mm
White		**371832**	**371863**	**371764**	**371801**
Black		**371849**	**371887**	**371788**	**371818**
	€	**49**	**53**	**73**	**109**





SOURCE *Bulb G4 included cod: **222257**, G9 cod: **209043**

ø Glass		100 mm	150 mm	200 mm
Source		G4*	G9*	E14
Power		max 1 x 2W	max 1 x 4W	max 1 x 28W
Code (5 m)		**368238**	**368245**	**368252**
	€	**32**	**37**	**29**



GLASS

ø Glass		100 mm	150 mm	200 mm
White		**369174**	**369242**	**369297**
Clear		**289878**	**289861**	**289786**
	€	**10**	**16**	**22**
Opal		**369228**	**369280**	**369310**
Satin		**327426**	**327433**	**289939**
Iridescent		**348674**	**348681**	**348698**
Amber		**327402**	**327419**	**289915**
Smoky Grey		**327440**	**327457**	**289908**
Chrome		**369204**	**369266**	**369303**
	€	**13**	**19**	**30**

P. 287 P. 382 P. 465



DRIVER G4 Required



	Max no. lights	Power	Output	Class	Measure (LxHxW)	Code	€
On-Off	7	18 W	12 Vdc	□	95 x 23 x 53 mm	369143	30
	13	30 W	12 Vdc	□	69 x 23 x 35 mm	369099	35
	25	60 W	12 Vdc	□	168 x 38 x 30 mm	373041	42

Mapa Drop new


Metal ceiling cap. Aluminum glass holder with clear cable of 5m length. Sphere diffuser made of pyrex glass or blown glass with different finishes. Power supply for LED G4 bulbs included.

Source	G4 / G9 / E14 / E27
Power	max 2 / 4 / 28 / 42 W
Insulation class	II
IP	20
Material	Glass / Metal

DIY Modular product

CEILING CUP






No. lights		3	7	13	25
Diameter		**300 mm**	**550 mm**	**750 mm**	1050 mm
White		**344171**	**344256**	**344331**	**370613**
Black		**344195**	**364872**	**364933**	**370675**
	€	**61**	**120**	**242**	**467**

SOURCE *Bulb G4 included cod: **222257, G9 cod: 209043**



ø Glass		100 mm	150 mm	200 mm	300 mm
Source		G4*	G9*	E14	E27
Power		max 1 x 2W	max 1 x 4W	max 1 x 28W	max 1 x 42W
Code (5 m)		**368238**	**368245**	**368252**	**368269**
	€	**32**	**37**	**29**	**46**

GLASS



ø Glass		100 mm	150 mm	200 mm	300 mm
White		**369174**	**369242**	**369297**	**369341**
Clear		**289878**	**289861**	**289786**	**369440**
	€	**10**	**16**	**22**	**46**
Opal		**369228**	**369280**	**369310**	**369402**
Satin		**327426**	**327433**	**289939**	**369426**
Iridescent		**348674**	**348681**	**348698**	**369389**
Amber		**327402**	**327419**	**289915**	**369334**
Smoky Grey		**327440**	**327457**	**289908**	**369365**
Chrome		**369204**	**369266**	**369303**	**369358**
	€	**13**	**19**	**30**	**57**

P. 287 P. 382 P. 465



DRIVER G4 Required



	Max no. lights	Power	Output	Class	Measure (L x H x W)	Code	€
On-Off	7	18 W	12 Vdc	□	95 x 23 x 53 mm	369143	30
	13	30 W	12 Vdc	□	69 x 23 x 35 mm	369099	35
	25	60 W	12 Vdc	□	168 x 38 x 30 mm	373041	42


Mapa Led Single new

Metal ceiling cap. Aluminum glass holder with non-shortenable clear cable of 2 m or 5m length. Sphere diffuser made of pyrex glass or blown glass with different finishes. Power supply included.

LED Led source 3000 K, 50.000 h life.

DIY Modular product

Source	LED SMD	Insulation class	II-III
Power	1,5W / 3,5W	IP	20
Driver included	On/Off	Material	Glass / Metal
Drivers available	No		
CCT	3000 K		
CRI	≥90		
LED life	50.000 h		



CEILING CUP Driver ON/OFF included


ø Glass		100 mm	150 mm	200 mm
White			368948	
Chrome			368962	
Copper			369037	
Brass			369013	
Black			368993	
	€		32	





SOURCE

ø Glass		100 mm	150 mm	200 mm
Power		1,5W	3,5W	3,5W
CCT		3000K	3000K	3000K
Lumen		120 lm	380 lm	380 lm
Code (2 m)		372693	372686	372686
	€	19	25	25
Code (5 m)		367965	366944	366944
	€	29	34	34



GLASS

ø Glass		100 mm	150 mm	200 mm
White		369174	369242	369297
Clear		289878	289861	289786
	€	10	16	22
Opal		369228	369280	369310
Satin		327426	327433	289939
Iridescent		348674	348681	348698
Amber		327402	327419	289915
Smoky Grey		327440	327457	289908
Chrome		369204	369266	369303
	€	13	19	30

P. 287 P. 382 P. 465



Mapa Led Cloud new

Metal ceiling cap. Aluminum glass holder with non-shortenable clear cable of 2 m or 5m length. Sphere diffuser made of pyrex glass or blown glass with different finishes. Power supply included.


LED Led source 3000 K, 50.000 h life.

DIY Modular product

Source	LED SMD	Insulation class	II-III
Power	1,5W / 3,5W	IP	20
Driver included	On/Off	Material	Glass / Metal
Drivers available	DALI/Push		
CCT	3000 K		
CRI	≥90		
LED life	50.000 h		

CEILING CUP






No. lights		3	7	13	25
Diameter		220 mm	220 mm	280 mm	360 mm
White		368733	368788	371993	372013
Black		368757	368801	372006	372020
	€	76	78	117	184


SOURCE





ø Glass		100 mm	150 mm	200 mm
Power		1,5W	3,5W	3,5W
CCT		3000K	3000K	3000K
Lumen		120 lm	380 lm	380 lm
Code (2 m)		372693	372686	372686
	€	19	25	25
Code (5 m)		367965	366944	366944
	€	29	34	34

GLASS



ø Glass		100 mm	150 mm	200 mm
White		369174	369242	369297
Clear		289878	289861	289786
	€	10	16	22
Opal		369228	369280	369310
Satin		327426	327433	289939
Iridescent		348674	348681	348698
Amber		327402	327419	289915
Smoky Grey		327440	327457	289908
Chrome		369204	369266	369303
	€	13	19	30

P. 287 P. 382 P. 465



LED DIMMABLE DRIVER Not included/Optional



	Max no. lights	Power	Output	Class	Measure (LxHxW)	Code	€
DALI/Push	7	45 W	24 Vdc	⧈	168 x 30 x 38 mm	373058	95
	13	80 W	24 Vdc	⧈	227 x 30 x 38 mm	373065	115
	25	150 W	24 Vdc	⏚	290 x 30 x 45 mm	244587	90

Mapa Led Drop new

Metal ceiling cap. Aluminum glass holder with non-shortenable clear cable of 2 m or 5m length. Sphere diffuser made of pyrex glass or blown glass with different finishes. Power supply included.


LED Led source 3000 K, 50.000 h life.

DIY Modular product

Source	LED SMD	Insulation class	II-III
Power	1,5W / 3,5W	IP	20
Driver included	On/Off	Material	Glass / Metal
Drivers available	DALI/Push		
CCT	3000 K		
CRI	≥90		
LED life	50.000 h		

CEILING CUP






No. lights		3	7	13	25
Diameter		300 mm	500 mm	750 mm	1050 mm
White		371955	371979	371894	371931
Black		371962	371986	371917	371948
	€	78	137	268	513


SOURCE





ø Glass		100 mm	150 mm	200 mm
Power		1,5W	3,5W	3,5W
CCT		3000K	3000K	3000K
Lumen		120 lm	380 lm	380 lm
Code (2 m)		372693	372686	372686
	€	19	25	25
Code (5 m)		367965	366944	366944
	€	29	34	34

GLASS



ø Glass		100 mm	150 mm	200 mm
White		369174	369242	369297
Clear		289878	289861	289786
	€	10	16	22
Opal		369228	369280	369310
Satin		327426	327433	289939
Iridescent		348674	348681	348698
Amber		327402	327419	289915
Smoky Grey		327440	327457	289908
Chrome		369204	369266	369303
	€	13	19	30

P. 287 P. 382 P. 465



LED DIMMABLE DRIVER Not included/Optional




	Max no. lights	Power	Output	Class	Measure (LxHxW)	Code	€
DALI/Push	7	45 W	24 Vdc	⧈	168 x 30 x 38 mm	373058	95
	13	80 W	24 Vdc	⧈	227 x 30 x 38 mm	373065	115
	25	150 W	24 Vdc	⏚	290 x 30 x 45 mm	244587	90



Carta

Matt white painted metal frame. Polycarbonate diffuser with paper effect covering. Clear PVC cable.



IP20


2,750 Kg / 0,2581 m³
E27 max 1 x 60W

€ 475

272139 White

3000 K
2210 lm

151786 € 6,00



IP20


1,780 Kg / 0,1489 m³
E27 max 1 x 25W

€ 360

226040 White

3000 K
950 lm

101330 € 4,50



IP20


1,460 Kg / 0,0814 m³
E27 max 1 x 25W

€ 225

226033 White

3000 K
950 lm

101330 € 4,50



IP20

0,860 Kg / 0,0369 m³
E27 max 1 x 25W

€ 110

226026 White

3000 K
950 lm


101330 € 4,50

P. 287 P. 386 P. 464



Dream Big

Matt white varnished metal ceiling cup. Power cable coated with fabric. White acid-etched glass diffuser. Rope basket.



IP20


3,830 Kg / 0,1364 m³
E27 max 1 x 42W

€ 265

261195 White

3000 K
900 lm

123899 **€ 3,50**



IP20

2,420 Kg / 0,0509 m³
E27 max 1 x 42W

€ 155

179858 White

3000 K
900 lm

123899 **€ 3,50**






Nemo

Blown glass diffuser. Available with smoky, copper, clear, faded chrome finishes or amber.



052809 149592 094236 111902 339054



IP20


8,700 Kg / 0,2583 m³
E27 max 5 x 42W

€ 520

138305 Fade Chrome

3000 K
910 lm

119571 € 3,50



IP20


4,000 Kg / 0,1884 m³
E27 max 1 x 42W

€ 450

094137 Smoky Grey

3000 K
1050 lm

101347 € 6,00



IP20


2,700 Kg / 0,0880 m³
E27 max 1 x 42W

€ 200

052816 Clear
250359 Fade Chrome
094229 Smoky Grey
111919 Copper
339061 Amber

3000 K
1050 lm

101347 € 6,00



IP20


2,050 Kg / 0,0466 m³
E27 max 1 x 42W

€ 115

052809 Clear
149592 Fade Chrome
094236 Smoky Grey
111902 Copper
339054 Amber

3000 K
1100 lm

101323 € 4,50



IP20

1,300 Kg / 0,0176 m³
E27 max 1 x 42W

€ 75

149585 Fade Chrome
250311 Smoky Grey
250328 Copper
339047 Amber

3000 K
1100 lm

101323 € 4,50


Clown new

Metal ceiling cap. Aluminum glass holder cable of 2 m or 5m length not cuttable for LED version. Sphere diffuser made of pyrex glass or blown glass with different finishes. Power supply included.

DIY Modular product

Source	LED / G9	**Insulation class**	II-III
Power	3,5W - max 4W	**IP**	20
Driver included	On/Off	**Material**	Glass / Metal
Drivers available	No		
CCT	3000 K		
CRI	≥90		
LED life	50.000 h		






CEILING CUP

No. lights		3	7	13	25
Diameter		**300 mm**	**550 mm**	**750 mm**	1050 mm
White		**344171**	**344256**	**344331**	**370613**
Black		**344195**	**364872**	**364933**	**370675**
	€	**61**	**120**	**242**	**467**

SOURCE *Bulb G9 included **cod: 209043**




G9 LED



ø Glass		G9*	LED
Power		max 1 x 4W	3,5W
CCT			3000K
Lumen			380 lm
Code (2 m)			**372686**
	€		**25**
Code (5 m)		**368245**	**366944**
	€	**37**	**34**





GLASS

Purple		**352572**
Red		**352657**
Yellow		**352589**
Green		**352619**
Blue		**352640**
	€	**50**





352572
352657
352589
352619
352640



Lumiere

Matt varnished metal frame and ceiling cap with magnetic closure. Clear PVC cable. Central white tube-shaped diffuser. Shiny white and transparent gray blown glass decorative elements.

LED source 3000 K, 25.000 h life.




IP20

3,380 Kg / 0,0673 m³
LED 27W / 3550 lm

€ 280

314143 White




IP20

3,900 Kg / 0,0664 m³
LED 34W / 4550 lm

€ 320

314167 White



IP20

3,330 Kg / 0,0394 m³
LED 39W / 5050 lm

€ 320

314174 White

P. 459 P. 490




Empire

Gold plated metal frame and ceiling cap with magnetic closure without screws. Black PVC cable. Clear glass diffuser with gray shade.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**





IP20


0,600 Kg / 0,0200 m³
G9 max 1 x 28W

€ 100

309798 Fade Chr.

3000 K
510 lm

305486 **€ 6,10**



IP20


0,600 Kg / 0,0172 m³
G9 max 1 x 28W

€ 100

309804 Fade Chr.

3000 K
510 lm

305486 **€ 6,10**



IP20

0,600 Kg / 0,0206 m³
G9 max 1 x 28W

€ 100

309811 Fade Chr.

3000 K
510 lm

305486 **€ 6,10**



Kalique new

Metal chromed magnetic ceiling cap. Double blown borosilicate glass diffuser: satin inner one and clear external one with different finishes. PVC cable. Glass colors: amber, light blue, smoked, clear or copper.



359465


359571


359526


359588


359540



IP20


1,080 Kg / 0,0698 m³
E27 max 1 x 42W

€ 300

359465	Smok.Gre.	new
359571	Clear	new
359526	Amber	new
359588	Blue	new
359540	Copper	new

3000 K
1100 lm

101323 € 4,50



IP20


1,170 Kg / 0,0735 m³
E27 max 1 x 42W

€ 330

359618	Smok.Gre.	new
359670	Clear	new
359632	Amber	new
359694	Blue	new
359663	Copper	new

3000 K
1100 lm

101323 € 4,50



IP20


1,260 Kg / 0,0809 m³
E27 max 1 x 42W

€ 395

359724	Smok.Gre.	new
359793	Clear	new
359748	Amber	new
359816	Blue	new
359779	Copper	new

3000 K
1100 lm

101323 € 4,50



IP20


0,650 Kg / 0,0250 m³
E27 max 1 x 42W

€ 110

359861	Smok.Gre.	new
359939	Clear	new
359885	Amber	new
359960	Blue	new
359915	Copper	new

3000 K
910 lm

119571 € 3,50



IP20


0,710 Kg / 0,0269 m³
E27 max 1 x 42W

€ 115

359984	Smok.Gre.	new
360034	Clear	new
360003	Amber	new
360041	Blue	new
360027	Copper	new

3000 K
910 lm

119571 € 3,50



IP20

0,740 Kg / 0,0294 m³
E27 max 1 x 42W

€ 125

353616	Smok.Gre.	new
360072	Clear	new
360058	Amber	new
360089	Blue	new
360065	Copper	new

3000 K
910 lm

119571 € 3,50



Soft


Metal frame with white and chrome finishes. White or smoky blown glass diffusers.



087818



111841



IP20


6,400 Kg / 0,0955 m³
E14 max 6 x 40W

€ 390

087818 White
111841 SmokyGrey

3000 K
420 lm

101217 € 2,00



IP20

3,000 Kg / 0,0657 m³
E14 max 3 x 40W

€ 220

111858 White
111865 SmokyGrey

3000 K
420 lm


101217 € 2,00



Coco

Powder coated metal frame with black finish. Clear acrylic diffuser with satin side. Clear blown glass with smoky finish. PVC cable.

LED LED source 3000 K, 20.000 h life.




IP20

1,200 Kg / 0,0097 m³
LED 7W / 550 lm

€ 152

275567 Smoky Grey




IP20

1,140 Kg / 0,0104 m³
LED 7W / 550 lm

€ 152

275581 Smoky Grey



IP20

1,080 Kg / 0,0140 m³
LED 7W / 550 lm

€ 152

275543 Smoky Grey



Mint

Metal frame with satin brass finish and matt black ceiling rose. Power cable coated with fabric. Blown glass diffuser with stripes in relief. Available finishes: smoky or green.



237510



237497



IP20


1,350 Kg / 0,0132 m³
E27 max 1 x 60W

€ 105

237442 Smoky Grey
248554 Green

3000 K
910 lm

119571 € 3,50



IP20


1,560 Kg / 0,0307 m³
E27 max 1 x 60W

€ 127

237398 Smoky Grey
237428 Green

3000 K
910 lm

119571 € 3,50



IP20

1,80 Kg / 0,0280 m³
E27 max 1 x 60W

€ 138

237510 Smoky Grey
237497 Green

3000 K
910 lm

119571 € 3,50




Bistrò

Black enamel coated metal frame.
Handcrafted blown clear or smoky glass diffuser.

112305



112312



IP20


1,900 Kg / 0,0648 m³
E27 max 1 x 60W

€ 213

120898 Clear
120904 Smoky Grey

3000 K
910 lm

119571 € 3,50



IP20


1,840 Kg / 0,0427 m³
E27 max 1 x 60W

€ 145

112305 Clear
112312 Smoky Grey

3000 K
910 lm

119571 € 3,50



IP20

1,200 Kg / 0,0274 m³
E27 max 1 x 60W

€ 113

112336 Clear
112343 Smoky Grey

3000 K
910 lm

119571 € 3,50



Audi-10

Chrome metal frame. Clear or smoky grey blown glass diffuser. Steel wires adjustable in length with automatic blocking mechanisms.


LED Bulbs LED E27 8W Globo D95 3000 K included. Cod. **101330/101323**



016863



103983



IP20

5,520 Kg / 0,0884 m³
E27 max 5 x 60W

€ 425

016863 Clear
103983 SmokyGrey

3000 K
950 lm

101330 **€ 4,50**



Audi-80

Chrome metal frame. Decorative elements composed of glass balls suspended on metal wires. Blown clear or smoked glass diffuser. Steel wires adjustable in length with an automatic device.


LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**



031743



197661



IP20


9,560 Kg / 0,1332 m³
G9 max 8 x 40W

€ 620

031750 Clear
197654 Smoky Grey

3000 K
510 lm

305486 **€ 6,10**



IP20

5,890 Kg / 0,0884 m³
G9 max 5 x 40W

€ 445

031743 Clear
197661 Smoky Grey


3000 K
510 lm

305486 **€ 6,10**



Madame

Matt varnished metal ceiling cup.
Power cable coated with fabric.
Metal frame diffuser covered with
white, canvas or black satin ribbon.



IP20

2,560 Kg / 0,2012 m³
E27 max 1 x 60W

€ 385

174396 White
219875 Ivory
174402 Black

3000 K
950 lm

101354 € 6,00

174396

219875



174402

Nordik

Matt black varnished metal frame. Golden PVC foil shade covered with black fabric.



IP20


1,760 Kg / 0,1694 m³
E27 max 6 x 60W

€ 280

161662 ■ **Black**

3000 K
910 lm

119571 **€ 3,50**



IP20

1,500 Kg / 0,1064 m³
E27 max 4 x 60W

€ 210

161648 ■ **Black**

3000 K
910 lm

119571 **€ 3,50**

P. 432 P. 475 P. 528



Cylinder

Metal frame. White blown acid-etched diffuser. Steel cables adjustable in length with automatic blocking mechanisms.



IP20

4,040 Kg / 0,0729 m³
E27 max 1 x 60W

€ 235

025438 □ **White**

3000 K
950 lm

101354 **€ 6,00**

P. 528








260457 260464 304625 270012

Set up

Powder coated or plated metal frames. Lampshades in fireproof PVC covered with fabric. Frame colors: white, black, satin nickel or brushed brass. Lampshade colors: beige, dove grey, white or black.






2,000 Kg / 0,145 m³

€ 172


345918 White
339269 Beige
345932 Dove Grey
345925 Black



1,260 Kg / 0,0726 m³

€ 138


260471 White
260488 Beige
304632 Dove Grey
270029 Black



0,470 Kg / 0,0221 m³

€ 92

260457 White
260464 Beige
304625 Dove Grey
270012 Black



0,230 Kg / 0,0236 m³

€ 63

260433 White
260440 Beige
304618 Dove Grey
270005 Black



260013



260020



260051



260044



IP20

1,200 Kg / 0,0084 m³
E27 max 4 x 42W

€ 126

348230 White
348247 Nickel
348254 Black
348261 Brass

3000 K
900 lm

123899 € 3,50



IP20

1,200 Kg / 0,0084 m³
E27 max 4 x 42W

€ 126

348230 White
348247 Nickel
348254 Black
348261 Brass

3000 K
900 lm

123899 € 3,50



IP20


1,000 Kg / 0,0072 m³
E27 max 3 x 42W

€ 102

348193 White
348209 Nickel
348216 Black
348223 Brass

3000 K
900 lm

123899 € 3,50



IP20


0,350 Kg / 0,0021 m³
E27 max 1 x 42W

€ 30

260013 White
260044 Nickel
260020 Black
260051 Brass

3000 K
900 lm


123899 € 3,50



0,500 Kg / 0,0040 m³

€ 80


339252 Opal



0,700 Kg / 0,0844 m³

€ 58


270050 Opal



0,280 Kg / 0,0010 m³

€ 35

270043 Opal



0,100 Kg / 0,0004 m³

€ 17

346847 Opal

P. 264 P. 430 P. 476 P. 526





339290 346014 346045 346038

Set up

Powder coated or plated metal frames. Lampshades in fireproof PVC covered with fabric. Frame colors: white, black, satin nickel or brushed brass. Lampshade colors: beige, dove grey, white or black.



348193



348216



348223



348209



1,200 Kg / 0,1989 m³

€ 138


346069 White
346052 Beige
339283 Dove Grey
346083 Black



0,750 Kg / 0,1242 m³

€ 115

339290 White
346014 Beige
346045 Dove Grey
346038 Black



0,440 Kg / 0,0438 m³

€ 80

345987 White
345970 Beige
346007 Dove Grey
345994 Black



IP20

1,200 Kg / 0,0084 m³
E27 max 4 x 42W

€ 126

348230 White
348247 Nickel
348254 Black
348261 Brass

3000 K
900 lm

123899 € 3,50



IP20

1,200 Kg / 0,0084 m³
E27 max 4 x 42W

€ 126

348230 White
348247 Nickel
348254 Black
348261 Brass

3000 K
900 lm

123899 € 3,50



IP20


1,000 Kg / 0,0072 m³
E27 max 3 x 42W

€ 102

348193 White
348209 Nickel
348216 Black
348223 Brass

3000 K
900 lm


123899 € 3,50



0,500 Kg / 0,0040 m³

€ 80


339252 Clear



0,700 Kg / 0,0844 m³

€ 58

270050 Clear



0,280 Kg / 0,0010 m³

€ 35

270043 Clear

P. 264



346144



346137



346168



346151

Set up

Powder coated or plated metal frames. Lampshades in fireproof PVC covered with fabric. Frame colors: white, black, satin nickel or brushed brass. Lampshade colors: beige, dove grey, white or black.



348193



348216



348223



348209



0,800 Kg / 0,1143 m³

€ 126


346182 White
346175 Beige
346205 Dove Grey
339313 Black



0,600 Kg / 0,0574 m³

€ 103

346144 White
346137 Beige
346168 Dove Grey
346151 Black



0,500 Kg / 0,0287 m³

€ 69

339337 White
346090 Beige
346120 Dove Grey
346113 Black



IP20


1,200 Kg / 0,0084 m³
E27 max 4 x 42W

€ 126

348230 White
348247 Nickel
348254 Black
348261 Brass

3000 K
900 lm

123899 € 3,50



IP20

1,200 Kg / 0,0084 m³
E27 max 4 x 42W

€ 126

348230 White
348247 Nickel
348254 Black
348261 Brass

3000 K
900 lm

123899 € 3,50



IP20


1,000 Kg / 0,0072 m³
E27 max 3 x 42W

€ 102

348193 White
348209 Nickel
348216 Black
348223 Brass

3000 K
900 lm


123899 € 3,50



0,500 Kg / 0,0040 m³

€ 80


339252 Clear



0,700 Kg / 0,0844 m³

€ 58

270050 Clear



0,280 Kg / 0,0010 m³

€ 35


270043 Clear

P. 264



Opera

Chrome frame. PVC foil shade covered with metallic filaments. Cut crystal pendants. Suspension lamps provided with steel cables adjustable in length.



IP20


7,340 Kg / 0,3166 m³
E27 max 10 x 60W

€ 850

165011 White

3000 K
900 lm

123899 € 3,50



IP20


4,889 Kg / 0,1555 m³
E27 max 6 x 60W

€ 500

068299 White

3000 K
900 lm

123899 € 3,50



IP20

3,166 Kg / 0,0646 m³
E27 max 4 x 60W

€ 370

182179 White

3000 K
900 lm

123899 € 3,50

P. 436 P. 480 P. 529



Carlton


Chromed or golden metal frame. Decorative elements with fob-chains composed of octagons and transparent cut-crystals bars.



166247



213521



IP20


12,800 Kg / 0,1239 m³
E14 max 12 x 40W

€ 660

166247 Chrome
213521 Gold

3000 K
470 lm

101224 € 2,00



IP20

10,000 Kg / 0,0785 m³
E14 max 8 x 40W

€ 550

117737 Chrome

3000 K
470 lm

101224 € 2,00

P. 343 P. 435



Martinez


Chromed or golden metal frame. Decorative elements with fob-chains composed of octagons and transparent cut-crystals bars.



166360



213583



IP20

17,600 Kg / 0,0686 m³
E14 max 8 x 40W

€ 745

166360 Chrome
213583 Gold

3000 K
470 lm

101224 € 2,00

P. 343



Nabucco

Metal frame with gold finish. Clear cut crystals decorative elements: square shaped in the upper part, diamond shaped in the lower part. Velvet chain cover.



IP20


18,730 Kg / 0,1449 m³
E14 max 16 x 40W

€ 880

237800 Gold

3000 K
480 lm

101200 **€ 2,00**



IP20

13,810 Kg / 0,1591 m³
E14 max 12 x 40W

€ 770

237794 Gold

3000 K
480 lm

101200 **€ 2,00**



Pashà

Metal Frame. Diffuser composed of cut crystal pearl strings. Bottom part closed with sandblasted glass disk. Steel cables adjustable in length with automatic device.




164977



164984

P. 337 P. 434



IP20

13,000 Kg / 0,1686 m³
E14 max 14 x 40W

€ 1210

164977 Chrome
164984 Gold

3000 K
480 lm

101200 € 2,00

IP20

8,500 Kg / 0,1134 m³
E14 max 10 x 40W

€ 950

082196 Chrome
082257 Gold

3000 K
480 lm

101200 € 2,00

IP20

5,350 Kg / 0,0638 m³
E14 max 6 x 40W

€ 750

082158 Chrome
082172 Gold


3000 K
480 lm

101200 € 2,00



Monet

Metal frame with round bands decorated with repoussage technique. Chains of natural wood gems. White matt varnish finish.



IP20

6,700 Kg / 0,0541 m³
E14 max 6 x 40W

€ 520

162751 White

3000 K
420 lm

101217 **€ 2,00**



IP20

5,300 Kg / 0,0387 m³
E14 max 5 x 40W

€ 415

162737 White

3000 K
420 lm

101217 **€ 2,00**



Dubai

Metal frame with chrome or brass finish. Decorative elements composed of transparent cut crystals pearls, octagons and prisms.




243597



243528

P. 342 P. 435



IP20


20,000 Kg / 0,8284 m³
E14 max 24 x 28W

€ 1650

243597 Chrome
243528 Brass

3000 K
470 lm

101224 **€ 2,00**



IP20

9,170 Kg / 0,3011 m³
E14 max 10 x 28W

€ 1050

215969 Chrome
207216 Brass

3000 K
470 lm

101224 **€ 2,00**




Caesar

Metal frame with gold or chrome finish. Octagonal decorative elements with icicle shaped crystal beads.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**



114743



IP20


9,600 Kg / 0,2898 m³
G9 max 12 x 4W

€ 1325

114743 Gold

3000 K
510 lm

305486 **€ 6,10**



IP20

7,500 Kg / 0,1847 m³
G9 max 9 x 4W

€ 1035

114736 Gold

3000 K
510 lm

305486 **€ 6,10**



IP20

4,600 Kg / 0,1118 m³
G9 max 6 x 4W

€ 850

114729 Gold

3000 K
510 lm

305486 **€ 6,10**



Pegaso

Chromed or satin brass metal frame. Cut crystal main body, candle cups and pendants. Organza fabric shades. Velvet chain cover.






059242



197739



IP20


7,900 Kg / 0,2100 m³
E14 max 8 x 28W

€ 490

059242 White
197739 Brass

3000 K
370 lm

101231 € 2,00



IP20

5,600 Kg / 0,1292 m³
E14 max 5 x 28W

€ 460

066448 White
197722 Brass

3000 K
370 lm

101231 € 2,00



IP20

3,050 Kg / 0,0740 m³
E14 max 3 x 28W

€ 230

059235 White
197715 Brass

3000 K
370 lm


101231 € 2,00

P. 436 P. 480



Blanche

Metal frame finished with satin white or black varnish. PVC foil shades coated with white or black fabric. Velvet chain cover.



IP20


6,820 Kg / 0,1459 m³
E14 max 8 x 40W

€ 560

035574 White
111896 Black

3000 K
370 lm

101231 **€ 2,00**



IP20

4,800 Kg / 0,1260 m³
E14 max 6 x 40W

€ 450

035581 White
111872 Black

3000 K
370 lm

101231 **€ 2,00**



035581



111872



Corte

Totally handcrafted metal frame. Hand painted finish with antiqued effect. Available versions: white or rusty effect.




005881



057187

P. 437



IP20


7,100 Kg / 0,6840 m³
E14 max 12 x 40W

€ 445

097664 White
097671 Rust

3000 K
470 lm

101224 € 2,00



IP20


5,220 Kg / 0,3169 m³
E14 max 8 x 40W

€ 305

005898 White
057194 Rust

3000 K
470 lm

101224 € 2,00



IP20

3,180 Kg / 0,1500 m³
E14 max 5 x 40W

€ 200

005881 White
057187 Rust


3000 K
470 lm

101224 € 2,00



Colossal

Chrome metal frame and details.
Blown clear glass arms with smoky grey or ivory white inner side.
Transparent glass and cut crystal pendants and decorative elements.
Velvet chain cover.



IP20

19,000 Kg / 0,2016 m³
E14 max 15 x 40W

€ 1000

114170 Clear
081526 Grey

3000 K
470 lm

101224 **€ 2,00**



114170



081526




Negresco

Plated metal frame and details. Clear blown glass arms with golden inner part. Decorative elements in clear glass and cut crystal. Velvet chain cover. Color: gold.



087771



IP20


14,400 Kg / 0,1551 m³
E14 max 10 x 28W

€ 1000

087771 Gold

3000 K
430 lm

101248 **€ 2,00**



IP20

11,300 Kg / 0,1123 m³
E14 max 8 x 28W

€ 850

087764 Gold

3000 K
430 lm


101248 **€ 2,00**

P. 438



Amadeus

Metal chrome frame. Decorative elements made of blown glass and cut crystals. Velvet chain cover.



IP20


8,200 Kg / 0,1074 m³
E14 max 8 x 40W

€ 568

168777 Clear

3000 K
470 lm

101224 **€ 2,00**



IP20

6,700 Kg / 0,1202 m³
E14 max 6 x 40W

€ 480

168753 Clear

3000 K
470 lm

101224 **€ 2,00**



Gioconda

Casted metal body with gold or antique silver finish. Octagonal and round cut crystal pendants. Velvet chain cover.




164953



164960

P. 439



IP20


18,100 Kg / 0,1360 m³
E14 max 12 x 40W

€ 1400

164953 Silver
164960 Gold

3000 K
470 lm

101224 € 2,00



IP20


9,060 Kg / 0,0780 m³
E14 max 8 x 40W

€ 950

044934 Silver
060514 Gold

3000 K
470 lm

101224 € 2,00



IP20

6,340 Kg / 0,0682 m³
E14 max 6 x 40W

€ 725

044927 Silver
060507 Gold

3000 K
470 lm

101224 € 2,00



Florian

Metal frame with decorative glass elements. Pendants composed of cut crystal octagons and final drops. Available versions: clear glass with golden or silvery metal.






035604



035611



IP20


17,200 Kg / 0,3482 m³
E14 max 18 x 40W

€ 1000

075150 Chrome
075181 Gold

3000 K
470 lm

101224 **€ 2,00**



IP20


9,760 Kg / 0,2064 m³
E14 max 12 x 40W

€ 650

035604 Chrome
035611 Gold

3000 K
470 lm

101224 **€ 2,00**



IP20

6,380 Kg / 0,1368 m³
E14 max 6 x 40W

€ 510

035628 Chrome
035635 Gold

3000 K
470 lm

101224 **€ 2,00**

P. 438



Napoleon

Chrome or gold metal frame. Blown glass and cut crystals decorative elements. Velvet chain cover.






167244



167398



IP20

17,920 Kg / 0,3881 m³
E14 max 18 x 40W

€ 1000

167268 Chrome
167411 Gold

3000 K
470 lm

101224 **€ 2,00**

IP20

11,260 Kg / 0,1896 m³
E14 max 12 x 40W

€ 695

167251 Chrome
167404 Gold

3000 K
470 lm

101224 **€ 2,00**

IP20

9,070 Kg / 0,1667 m³
E14 max 8 x 40W

€ 600

167244 Chrome
167398 Gold

3000 K
470 lm

101224 **€ 2,00**




Strauss

Metal frame and details with gold finish. Blown clear glass arms. Amber crystal decorative elements. Velvet chain cover.



P. 439



IP20


20,700 Kg / 0,2453 m³
E14 max 18 x 40W

€ 1400

140629 Gold

3000 K
430 lm

101248 € 2,00



IP20


14,930 Kg / 0,1915 m³
E14 max 12 x 40W

€ 1050

140612 Gold

3000 K
430 lm

101248 € 2,00



IP20

8,200 Kg / 0,0920 m³
E14 max 6 x 40W

€ 575

140605 Gold


3000 K
430 lm

101248 € 2,00



Casanova

Chrome metal ceiling cap, frame and details. Handcrafted clear blown glass decorative elements. Gray velvet chain cover.



IP20

9,210 Kg / 0,1006 m³
E14 max 8 x 40W

€ 750

044255 Clear


3000 K
480 lm

101200 **€ 2,00**



Danieli

Golden metal structure and details. Hand modeled and blown glass decorative elements. Velvet chain cover. Color: amber.



IP20


7,510 Kg / 0,1255 m³
E14 max 8 x 40W

€ 650

159973 Amber

3000 K
480 lm

101200 **€ 2,00**



IP20

3,840 Kg / 0,1974 m³
E14 max 6 x 40W

€ 600

159942 Amber

3000 K
480 lm


101200 **€ 2,00**





Brigitta

Handcrafted clear or amber blown glass chandelier with metal body and velvet chain cover.



IP20


12,500 Kg / 0,2268 m³
E14 max 12 x 40W

€ 1000

199375 Clear
199405 Amber

3000 K
480 lm

101200 € 2,00



IP20

7,700 Kg / 0,1188 m³
E14 max 8 x 40W

€ 750

199382 Clear
199412 Amber

3000 K
480 lm

101200 € 2,00



199382



199412



Firenze

Resin body with hand modelled metal arms. Hand decorated with gold-leaf and antiqued effect.



012872



020839



IP20


6,440 Kg / 0,0780 m³
E14 max 8 x 40W

€ 555

012872 White
020839 Gold

3000 K
430 lm

101248 **€ 2,00**



IP20

4,360 Kg / 0,0609 m³
E14 max 5 x 40W

€ 450

012865 White
020822 Gold

3000 K
430 lm

101248 **€ 2,00**


P. 440 P. 478 P. 530



Bon Bon

Matt varnished metal frame with cast arms. Blown glass plates. Velvet chain cover. Color: white.





IP20


11,710 Kg / 0,1888 m³
E14 max 8 x 28W

€ 900

094007 White

3000 K
420 lm

101217 **€ 2,00**



IP20

8,110 Kg / 0,0859 m³
E14 max 6 x 28W

€ 630

093994 White

3000 K
420 lm

101217 **€ 2,00**




Norma

Metal frame with chrome or antique brass finish. Diffuser composed of clear glass sheets with polished edges. Velvet chain cover.



094786

005911



IP20

2,620 Kg / 0,0280 m³
E27 max 1 x 60W

€ 210

094786 Chrome
005911 Ant. Brass


3000 K
430 lm

101279 € 2,00



Harem

Antique brass metal body and embossed ornaments. Cut crystal set octagons. Blown light amber clear glass diffusers with tassels. Velvet chain cover.



IP20


8,550 Kg / 0,2571 m³
E27 max 9 x 42W

€ 1240

116006 Ant. Brass

3000 K
910 lm

119571 **€ 3,50**



IP20

0,980 Kg / 0,0140 m³
E27 max 1 x 42W

€ 190

115979 Ant. Brass

3000 K
910 lm


119571 **€ 3,50**

P. 442



Chalet

Metal frame and bearing structure. Handcrafted and hand painted resin decorative elements. An accurate reproduction of horns and carved wood.



IP20

14,650 Kg / 0,2039 m³
E14 max 12 x 40W

€ 990

113975 Beige

3000 K
470 lm

101224 **€ 2,00**

IP20

8,350 Kg / 0,1613 m³
E14 max 8 x 40W

€ 850

115504 Beige

3000 K
470 lm

101224 **€ 2,00**

IP20

5,700 Kg / 0,1198 m³
E14 max 6 x 40W

€ 560

115498 Beige

3000 K
470 lm


101224 **€ 2,00**

P. 440



Driftwood

Metal ceiling cup. Suspended structure made of natural branches. Brushed metal bulb socket cover.



IP20

4,500 Kg / 0,1452 m³
E27 max 6 x 60W

€ 430

180922 Wood

2200 K
370 lm

151687 **€ 2,50**

P. 478 P. 524





Ceiling lamps

Indoors

Alphabetical index

Angolo	328	Look	296	Winery	314
Arizona	283	Magnolia	342	Ziggy	260
Armony	339	Mapa	287		
Atlas	326	Martinez	343		
Atrium	284	Mix up	292		
Binomio	330	Mood	307		
Birds	324	Moonlight	341		
Bloom	288	Neve	340		
Candy	285	Ninfea	333		
Carlton	343	Nitro	302		
Carta	287	Nodi	321		
Celine	274	Oby	312		
Cloud	290	Oracle slim	234		
Compo	335	Ovalino	290		
Corolla	291	Oz	238		
Cosmopolitan	327	Pasha'	337		
Cotton	286	Perlage	322		
Daisy	334	Planet	262		
Dubai	342	Play	312		
Dynamite	310	Profilo	318		
Fly	244	Ray	256		
Frame	242	Roma	336		
Geko	294	Rudy	316		
Gemini	276	Set up	264		
Glim	315	Shell	295		
Glory	280	Simply	294		
Gourmet	325	Smarties	282		
Halo	254	Spike	308		
Hermes	332	Squish	275		
King	338	Toby	313		
Kubiko	306	Topico	289		
Level	281	Totem	274		
Lika	306	Triumph	320		
Lingotto	329	Universal	270		



Dynamite

Pag 310

Ceiling lamps

Typology index


new


new





Oracle Slim 234 | Oz 238 | Frame 242 | Fly 244 | Halo 254 | Ray 256 | Ziggy 260

new


new

Planet 262 | Set Up 264 | Universal 270 | Celine 274 | Totem 274 | Squish 275 | Gemini 276



Glory 280 | Level 291 | Smarties 282 | Arizona 283 | Atrium 284 | Candy 285 | Cotton 286


new







Mapa 287 | Carta 287 | Bloom 288 | Topico 289 | Ovalino 290 | Cloud 290 | Corolla 291


new





Mix Up 292 | Geko 294 | Simply 294 | Shell 295 | Look 296 | Nitro 302 | Kubiko 306


new




new



Lika 306 | Mood 307 | Spike 308 | Dynamite 310 | Play 312 | Oby 312 | Toby 313

Winery 314 | Glim 315 | Rudy 316 | Profilo 318 | Triumph 320 | Nodi 321 | Perlage 322

Birds 324 | Gourmet 325 | Atlas 326 | Cosmopolitan 327 | Angolo 328 | Lingotto 329 | Binomio 330

Ceiling lamps

Typology index



Hermes 332



Ninfea 333



Daisy 334

Compo 335



Roma 336



Pashà 337



King 338



Armony 339



Neve 340



Moonlight 341



Magnolia 342



Dubai 342



Carlton 343



Martinez 343



Armony


Pag 339

Oracle Slim new

Ceiling lamp consisting of a thin matt white or black painted aluminum frame and opal polycarbonate diffuser. Circular model available in three different sizes. Integrated LEDs; available in 3000 K color temperature; CRI ≥ 90; LED useful life 50.000 h ; IP20 protection, insulation class II.

Source	LED SMD	CRI	≥90
Power	29W / 83W	LED life	50.000 h
Driver included	On/Off	Insulation class	II
Drivers available	No	IP	20
Beam	115°	Material	Aluminum
CCT	2700 K / 3000 K / 4000 K		






1,240 Kg/0,0303 m³

LED SMD Driver included

Measure	Power	Driver	Lumen	CCT	Finish		Code	€	
ø 500	29 W	On-Off	2900 lm	2700 K	White		341897	180	
					Black		341880	180	
			3250 lm	3000 K	White		265971	180	
					Black		265988	180	
					Brass		370217	180	new
			3550 lm	4000 K	White		341910	180	
					Black		341903	180	





1,430 Kg/0,0563 m³

LED SMD Driver included

Measure	Power	Driver	Lumen	CCT	Finish		Code	€	
ø 700	37 W	On-Off	3800 lm	2700 K	White		341934	239	
					Black		341927	239	
			4350 lm	3000 K	White		265995	239	
					Black		266008	239	
					Brass		370248	239	new
			4500 lm	4000 K	White		341958	239	
					Black		341941	239	


P. 070





265971 265988 370217


Oracle Slim



1,630 Kg/0,0839 m³

LED SMD Driver included

Measure	Power	Driver	Lumen	CCT	Finish	Code	€	
ø 900	53 W	On-Off	5150 lm	2700 K	White	341972	272	
					Black	341965	272	
			5650 lm	3000 K	White	266015	272	
					Black	266022	272	
					Brass	370279	272	new
			5850 lm	4000 K	White	341996	272	
					Black	341989	272	



1,970 Kg/0,3072 m³

LED SMD Driver included

Measure	Power	Driver	Lumen	CCT	Finish	Code	€	
ø 1500	83 W	On-Off	9300 lm	3000 K	White	370361	460	new
					Black	370316	460	new
					Brass	370330	460	new

P. 070




Oz new

Plated or powder coated metal base and frame. Opal rubber diffuser. Available finishes: white, black or brushed brass. DALI/Push dimmable version available.

LED source 2700 / 3000 / 4000 K, 30.000 h life.


Source	LED SMD	LED life	30.000 h
Power	38W / 75W	Insulation class	II
Driver included	On/Off / DALI/Push	IP	20
Drivers available	No	Material	Aluminum
CCT	2700 K / 3000 K / 4000 K		
CRI	≥90		



1,200 Kg / 0,0162 m³

LED SMD Driver included

Measure	Power	Driver	Lumen	CCT	Finish	Code	€	
ø 400	38 W	On-Off	4350 lm	3000 K	White	352442	110	new
					Black	365039	110	new
					Brass	365046	110	new



1,500 Kg / 0,0377 m³

LED SMD Driver included


Measure	Power	Driver	Lumen	CCT	Finish	Code	€
ø 600	47 W	On-Off	5000 lm	2700 K	White	342283	195
					Black	342290	195
					Brass	342306	195
			5100 lm	3000 K	White	253688	195
					Black	269412	195
					Brass	269429	195
			5500 lm	4000 K	White	342313	195
					Black	342320	195
					Brass	342337	195
	48 W	DALI/Push	5100 lm	3000 K	White	304519	330
					Black	304526	330
					Brass	304533	330

P. 064 P. 350 P. 448



253688 269412 269429


Oz



2,500 Kg / 0,0564 m³

LED SMD Driver included

Measure	Power	Driver	Lumen	CCT	Finish		Code	€	
ø 800	52 W	On-Off	6100 lm	3000 K	White		352459	230	new
					Black		365053	230	new
					Brass		365060	230	new




3,000 Kg / 0,0865 m³

LED SMD Driver included

Measure	Power	Driver	Lumen	CCT	Finish		Code	€	
ø 1000	75 W	On-Off	8300 lm	3000 K	White		352428	360	new
					Black		364995	360	new
					Brass		365022	360	new

P. 064 P. 350 P. 448







Frame

Matt white or black varnished metal base and frame. Opal colour plastic diffusers. Direct light emission.


LED LED source 2700/3000 K, 50.000 h life.



269825



230702




IP20

1,600 Kg / 0,0458 m³
LED 41W / 4400 lm / 5200 lm

€ 320

341309	White	2700K
255019	White	3000K
269825	Black	3000K




IP20

1,430 Kg / 0,0562 m³
LED 33W / 4000 lm / 4050 lm

€ 320

341316	White	2700K
230702	White	3000K
270678	Black	3000K



IP20

1,260 Kg / 0,0271 m³
LED 33W / 3500 lm / 3550 lm

€ 290

341323	White	2700K
230726	White	3000K
270661	Black	3000K

P. 078 P. 500

Fly

Family composed by ceiling lamps with circular base, available with four different diameters (350 mm, 450 mm, 600 mm, 900 mm) and also in SLIM version with a more compact height. Powder coated aluminum body with white finish RAL 9016 and black finish RAL 9004, recessed optics (FLY PL) or flush (FLY SLIM) with PMMA microprismatic diffuser with glare control (UGR < 19). The lamp is ready to be integrated with the uplight accessory module for the indirect light part. Integrated LED light source; available with 2700 K, 3000 K and 4000 K color temperatures; color rendering index CRI ≥ 90; starting binning ≤ 3Step MacAdam; LED useful life 50.000 h ; protection IP40, insulation class I. Driver included, integrated in the body, dimmable options available: 1-10V, DALI and Push. Suitable for locations where professional and uniform lighting is required, such as OFFICES and SHOPS. The high color rendering level makes it ideal even for exhibiting spaces and for the enhancement of the products in a showroom and sales area of the RETAIL sector.

PRO High-tech product with high quality materials, intended for professional use.

IP40 Protection degree IP40.


Source	LED SMD
Power	18W / 26W / 53W / 68W
Driver included	On/Off
Drivers available	1-10V / DALI / Push
MacAdam	SDCM 3
CCT	2700 K / 3000 K / 4000 K
CRI	≥90
UGR	<19
LED life	50.000 h
Insulation class	I
IP	40
Material	Aluminum
Warranty	5 years





Fly





3,000 Kg/0,0160 m³


LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
18 W	87°	1800 lm	2700 K	White	341149	315
				Black	341156	315
		2500 lm	3000 K	White	270272	315
				Black	306575	315
		2700 lm	4000 K	White	270289	315
				Black	306582	315

DIMMABLE DRIVER Not included/Optional

	Power	Output	Measure	Code	€
1-10V / Push	20 W	500 mA	108 x 22 x 52 mm	270333	65
DALI	20 W	500 mA	108 x 22 x 52 mm	270364	85





3,800 Kg/0,0257 m³

LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
26 W	87°	3300 lm	2700 K	White	341163	420
				Black	341170	420
		3350 lm	3000 K	White	254272	420
				Black	306599	420
		3700 lm	4000 K	White	270296	420
				Black	306605	420

DIMMABLE DRIVER Not included/Optional

	Power	Output	Measure	Code	€
1-10V / Push	32 W	700 mA	94 x 21 x 67 mm	270586	75
DALI / Push	38 W	700 mA	94 x 21 x 67 mm	270593	95

UPLIGHT Not included/Optional



Model	Power	Beam	Lumen	CCT	Code	€
ø 35	11 W	120°	1050 lm	3000 K	270258	85
			1150 lm	4000 K	270395	85
ø 45	11 W	120°	1400 lm	3000 K	270258	85
			1500 lm	4000 K	270395	85


KIT PENDANT



Required	Finish	Code	€
No	White	254289	50
	Black	307244	50




Light beam: WIDE



m	lx	øm
1	2945	1,90
2	736	3,80
3	327	5,60
4	184	7,50
5	116	9,40



CRI≥80 18W 87° 2650lm 3000K



m	lx	øm
1	1562	1,90
2	390	3,70
3	174	5,60
4	98	7,50
5	62	9,40



CRI≥80 26W 87° 3700lm 3000K








Fly






7,200 Kg/0,0694 m³

LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
53 W	87°	5300 lm	2700 K	White	341187	610
				Black	341194	610
		6250 lm	3000 K	White	270302	610
				Black	292205	610
		6700 lm	4000 K	White	270319	610
				Black	306612	610

DIMMABLE DRIVER Not included/Optional

	Power	Output	Measure	Code	€
1-10V	60 W	1400 mA	124 x 23 x 82 mm	270340	112
DALI / Push	60 W	1400 mA	125 x 28 x 85 mm	270371	135



13,000 Kg/0,1470 m³

LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
68 W	87°	8000 lm	2700 K	White	341200	1180
				Black	341217	1180
		8800 lm	3000 K	White	270326	1180
				Black	306629	1180
		9300 lm	4000 K	White	270241	1180
				Black	306636	1180

DIMMABLE DRIVER Not included/Optional

	Power	Output	Measure	Code	€
1-10V	68 W	1400 mA	130 x 25 x 75 mm	270357	125
DALI / Push	100 W	1400 mA	140 x 30 x 100 mm	270388	180

UPLIGHT Not included/Optional



Model	Power	Beam	Lumen	CCT	Code	€
ø 60	17,5 W	120°	2150 lm	3000 K	270401	150
			2300 lm	4000 K	270265	150
ø 90	25 W	120°	3150 lm	3000 K	271002	225
			3300 lm	4000 K	270715	225


KIT PENDANT



Required	Finish	Code	€
No	White	254289	50
	Black	307244	50




Light beam: WIDE



m	lx	øm
1	2945	1,90
2	736	3,80
3	327	5,60
4	184	7,50
5	116	9,40



CRI≥80 53W 87° 7500lm 3000K




m	lx	øm
1	3991	1,90
2	998	3,90
3	443	5,80
4	249	7,80
5	160	9,70



CRI≥80 65W 87° 9400lm 3000K



Fly Slim




2,700 Kg/0,0108 m³

LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
18 W	87°	1800 lm	2700 K	White	341224	295
		2500 lm	3000 K	White	306643	295
		2700 lm	4000 K	White	306650	295

DIMMABLE DRIVER Not included/Optional

	Power	Output	Measure	Code	€
1-10V / Push	20 W	500 mA	108 x 22 x 52 mm	270333	65
DALI	20 W	500 mA	108 x 22 x 52 mm	270364	85



3,750 Kg/0,0196 m³

LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
26 W	87°	3300 lm	2700 K	White	341231	390
		3500 lm	3000 K	White	292236	390
		3700 lm	4000 K	White	306667	390

DIMMABLE DRIVER Not included/Optional

	Power	Output	Measure	Code	€
1-10V / Push	32 W	700 mA	94 x 21 x 67 mm	270586	75
DALI / Push	38 W	700 mA	94 x 21 x 67 mm	270593	95

UPLIGHT Not included/Optional



Model	Power	Beam	Lumen	CCT	Code	€
ø 35	11 W	120°	1050 lm	3000 K	270258	85
			1150 lm	4000 K	270395	85
ø 45	11 W	120°	1400 lm	3000 K	270258	85
			1500 lm	4000 K	270395	85


KIT PENDANT



Required	Finish	Code	€
No	White	254289	50




Light beam: WIDE



m	lx	øm
1	1066	1,90
2	267	3,70
3	118	5,60
4	67	7,50
5	43	9,40



CRI≥80 18W 87° 2650lm 3000K




m	lx	øm
1	1511	1,90
2	378	3,80
3	168	5,70
4	94	7,60
5	60	9,50



CRI≥80 26W 87° 3700lm 3000K



Fly Slim




6,150 Kg/0,0825 m³

LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
53 W	87°	5300 lm	2700 K	White	341248	425
		6250 lm	3000 K	White	292250	425
		6700 lm	4000 K	White	306674	425

DIMMABLE DRIVER Not included/Optional

	Power	Output	Measure	Code	€
1-10V	60 W	1400 mA	124 x 23 x 82 mm	270340	112
DALI / Push	60 W	1400 mA	125 x 28 x 85 mm	270371	135



13,000 Kg/0,1500 m³

LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
68 W	87°	8000 lm	2700 K	White	341255	750
		8800 lm	3000 K	White	306681	750
		9300 lm	4000 K	White	306698	750

DIMMABLE DRIVER Not included/Optional

	Power	Output	Measure	Code	€
1-10V	68 W	1400 mA	130 x 25 x 75 mm	270357	125
DALI / Push	100 W	1400 mA	140 x 30 x 100 mm	270388	180

UPLIGHT Not included/Optional



Model	Power	Beam	Lumen	CCT	Code	€
ø 60	17,5 W	120°	2150 lm	3000 K	270401	150
			2300 lm	4000 K	270265	150
ø 90	25 W	120°	3150 lm	3000 K	271002	225
			3300 lm	4000 K	270715	225


KIT PENDANT



Required	Finish	Code	€
No	White	254289	50




Light beam: WIDE



m	lx	øm
1	3000	1,90
2	750	3,80
3	333	5,70
4	187	7,60
5	120	9,50



CRI≥80 53W 87° 7500lm 3000K



m	lx	øm
1	3857	1,90
2	964	3,90
3	429	5,80
4	241	7,80
5	154	9,70



CRI≥80 65W 87° 9400lm 3000K



Halo

Ceiling lamp with circular base and powder coated aluminum body. Opal polycarbonate diffuser. Available with three different diameters in white color. Light source with integrated LED, starting binning ≤ 2-Step MacAdam; available with 3000 K and 4000 K color temperature; CRI ≥ 90; LED useful life 35.000 ; protection IP20, insulation class I.

Source	LED SMD	**Insulation class**	I
Power	22W / 32W / 46W	**IP**	20
Driver included	On/Off	**Material**	Aluminum
Drivers available	No		
CCT	3000 K / 4000 K		
CRI	≥90		
LED life	35.000 h		

Up-light included.






LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
22 W	110°	3300 lm	3000 K	White	223186	230
		3400 lm	4000 K	White	223193	230

2,750 Kg/0,0198 m³






LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
32 W	110°	5200 lm	3000 K	White	223209	310
		5500 lm	4000 K	White	223216	310

4,430 Kg/0,0300 m³





LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
46 W	110°	5500 lm	3000 K	White	223223	545
		6300 lm	4000 K	White	223230	545

6,600 Kg/0,0606 m³



Ray

Family composed by ceiling lamps with circular base, available with three different diameters (300 mm, 400 mm, 600 mm). Body with white finish RAL 9016 or black finish RAL 9005, optics with PMMA microprismatic diffuser with glare control (UGR < 19). Integrated LED light source; available with temperature CRI ≥90; LED useful life 50.000 L70B50 ; protection IP44, insulation class II. The lamp is equipped with an integrated switch to set up two different light emission tonality (color temperature 3000 k or 4000 k). Driver included, integrated in the body, dimmable options available. Product suitable for environments where a flexible, comfortable and uniform light is required, for example OFFICES and in the indoor spaces of the SERVICES SECTOR or RESIDENTIALS.

IP44 Protection degree IP44.

Source	LED SMD
Power	13W / 26W / 43W
Driver included	On/Off
Drivers available	No
CCT	3000 K / 4000 K
CRI	≥90
UGR	<19
LED life	50.000 h
Insulation class	II
IP	44
Material	Plastic
Warranty	5 years



Ray






LED SMD Driver TRIDONIC ON/OFF included - UGR <22

Power	Beam	Lumen	CCT	Finish		Code	€
13 W	77°	2050 - 2200 lm	3000 - 4000 K	White		327570	185
				Black		327563	185

1,620 Kg/0,0094 m³






LED SMD Driver TRIDONIC ON/OFF included - UGR <19

Power	Beam	Lumen	CCT	Finish		Code	€
26 W	77°	4550 - 4750 lm	3000 - 4000 K	White		318264	270
				Black		327600	270

2,160 Kg/0,0163 m³






LED SMD Driver TRIDONIC ON/OFF included - UGR <19

Power	Beam	Lumen	CCT	Finish		Code	€
44 W	77°	7200 - 7600 lm	3000 - 4000 K	White		327693	500
				Black		327686	500

3,240 Kg/0,0352 m³




Light beam: WIDE



m	lx	øm
1	760	1,50
2	190	3,00
3	84	4,40
4	48	5,90
5	30	7,40




CRI≥90 13W 80° 1900lm 3000K



m	lx	øm
1	1638	1,50
2	410	3,00
3	182	4,40
4	102	5,90
5	66	7,40



CRI≥90 26W 80° 3850lm 3000K



m	lx	øm
1	2786	1,60
2	697	3,10
3	310	4,70
4	174	6,20
5	111	7,80



CRI≥90 43W 80° 6450lm 3000K




3000K
4000K





Planet new

Matt varnished metal base and central reflecting disc. Satin opal polycarbonate diffuser. Finishes: white, black, brass.

LED LED source 3000 K, 30.000 h life.




312347



312330



351773




IP20

3,660 Kg / 0,0365 m³
LED 29W / 2650 lm

€ 165

312378 White
312361 Black
370668 Brass new




IP20

2,150 Kg / 0,0257 m³
LED 25W / 2250 lm

€ 132

312354 White
328157 Black
370637 Brass new




IP20

1,350 Kg / 0,0168 m³
LED 20W / 1850 lm

€ 110

312347 White
312330 Black
351773 Brass new



IP20

0,820 Kg / 0,0102 m³
LED 15W / 1350 lm

€ 88

312323 White
328140 Black
370606 Brass new



Ziggy

Powder-coated metal body. Satin opal color polycarbonate inner diffusing faces.

LED LED source 3000 K, 50.000 h life.



193769



293776



IP20

6,660 Kg / 0,0988 m³
LED 62W / 7100 lm

€ 430

317908 White
321615 Black




IP20

4,000 Kg / 0,0573 m³
LED 43W / 4400 lm

€ 245

293790 White
307213 Black




IP20

2,660 Kg / 0,0336 m³
LED 30W / 3150 lm

€ 200

293783 White
307206 Black



IP20

1,350 Kg / 0,0096 m³
LED 21W / 2750 lm

€ 160

293776 White
293769 Black



260457



260464




304625



270012

Set Up


Powder coated frames.
Lampshades in fireproof PVC covered with fabric. Lampshade colors: beige, dove grey, white or black.



2,000 Kg / 0,1458 m³

€ 172


345918		White
339269		Beige
345932		Dove Grey
345925		Black



1,260 Kg / 0,0726 m³

€ 138


260471		White
260488		Beige
304632		Dove Grey
270029		Black



0,470 Kg / 0,0221 m³

€ 92

260457		White
260464		Beige
304625		Dove Grey
270012		Black



0,230 Kg / 0,0236 m³

€ 63

260433		White
260440		Beige
304618		Dove Grey
270005		Black



IP20


1,000 Kg / 0,0047 m³
E27 max 4 x 15W

€ 80

320373 White

3000 K
900 lm

123899 € 3,50



IP20


1,000 Kg / 0,0047 m³
E27 max 4 x 15W

€ 80

320373 White

3000 K
900 lm

123899 € 3,50



IP20


0,850 Kg / 0,0035 m³
E27 max 3x 15W

€ 58

348278 White

3000 K
900 lm

123899 € 3,50



IP20


0,300 Kg / 0,0010 m³
E27 max 1 x 42W

€ 35

277288 White

3000 K
900 lm


123899 € 3,50



0,500 Kg / 0,0040 m³

€ 80


339252 Clear



0,700 Kg / 0,0844 m³

€ 58


270050 Clear



0,280 Kg / 0,0010 m³

€ 35

270043 Clear



0,100 Kg / 0,0004 m³

€ 17

346847 Clear

P. 192 P. 430 P. 476 P. 526



339290 346014 346045 346038

Set Up


Powder coated frames.
Lampshades in fireproof PVC covered with fabric. Lampshade colors: beige, dove grey, white or black.



1,200 Kg / 0,1989 m³

€ 138


346069 White
346052 Beige
339283 Dove Grey
346083 Black



0,750 Kg / 0,1242 m³

€ 115


339290 White
346014 Beige
346045 Dove Grey
346038 Black



0,440 Kg / 0,0438 m³

€ 80

345987 White
345970 Beige
346007 Dove Grey
345994 Black



IP20


1,000 Kg / 0,0047 m³
E27 max 4 x 15W

€ 80

320373 White

3000 K
900 lm

123899 € 3,50



IP20


1,000 Kg / 0,0047 m³
E27 max 4 x 15W

€ 80

320373 White

3000 K
900 lm

123899 € 3,50



IP20


0,850 Kg / 0,0035 m³
E27 max 3x 15W

€ 58

348278 White

3000 K
900 lm


123899 € 3,50



0,500 Kg / 0,0040 m³

€ 80


339252 Clear



0,700 Kg / 0,0844 m³

€ 58

270050 Clear



0,280 Kg / 0,0010 m³

€ 35

270043 Clear

P. 192





346144 346137 346168 346151

Set Up


Powder coated frames.
Lampshades in fireproof PVC covered with fabric. Lampshade colors: beige, dove grey, white or black.



0,800 Kg / 0,1149 m³

€ 126


346182 White
346175 Beige
346205 Dove Grey
339313 Black



0,600 Kg / 0,0574 m³

€ 103


346144 White
346137 Beige
346168 Dove Grey
346151 Black



0,500 Kg / 0,0287 m³

€ 69

339337 White
346090 Beige
346120 Dove Grey
346113 Black



IP20


1,000 Kg / 0,0047 m³
E27 max 4 x 15W

€ 80

320373 White

3000 K
900 lm

123899 € 3,50



IP20


1,000 Kg / 0,0047 m³
E27 max 4 x 15W

€ 80

320373 White

3000 K
900 lm

123899 € 3,50



IP20


0,850 Kg / 0,0035 m³
E27 max 3x 15W

€ 58

348278 White

3000 K
900 lm


123899 € 3,50



0,500 Kg / 0,0040 m³

€ 80


339252 Clear



0,700 Kg / 0,0844 m³

€ 58

270050 Clear



0,280 Kg / 0,0010 m³

€ 35

270043 Clear

P. 192

Universal Round

Diffusive ceiling lamp for indoor ceiling or wall installation, suitable for general and uniform lighting. Varnished steel body with white finish, plastic diffuser. Integrated LED source, available in 4 different powers. LED useful life 25.000 h ; protection IP20, insulation class II.


Source	LED SMD	**Insulation class**	II
Power	12W / 36W	**IP**	20
Driver included	On/Off	**Material**	Steel
Drivers available	No		
CCT	3000 K / 4000 K		
CRI	≥90		
LED life	25.000 h		



LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
12 W	110°	1350 lm	3000 K	White	138596	30
		1500 lm	4000 K	White	321776	30


0,420 Kg/0,0019 m³



LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
17 W	110°	2050 lm	3000 K	White	138602	35
		2200 lm	4000 K	White	321752	35

0,580 Kg/0,0024 m³






LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
22 W	110°	2700 lm	3000 K	White	138619	50
		3000 lm	4000 K	White	321738	50

0,850 Kg/0,0043 m³



LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
36 W	110°	4050 lm	3000 K	White	240367	65
		4200 lm	4000 K	White	321684	65


1,410 Kg/0,0084 m³



Universal Square

Diffusive ceiling lamp for indoor ceiling or wall installation, suitable for general and uniform lighting. Varnished steel body with white finish, plastic diffuser. Integrated LED source, available in 4 different powers. LED useful life 25.000 h; protection IP20, insulation class II.


Source	LED SMD	**Insulation class**	II
Power	12W / 36W	**IP**	20
Driver included	On/Off	**Material**	Steel
Drivers available	No		
CCT	3000 K / 4000 K		
CRI	≥90		
LED life	25.000 h		



0,510 Kg/0,0015 m³

LED SMD Driver ON/OFF included


Power	Beam	Lumen	CCT	Finish	Code	€
12 W	110°	1350 lm	3000 K	White	138633	30
		1500 lm	4000 K	White	321769	30



0,710 Kg/0,0024 m³

LED SMD Driver ON/OFF included


Power	Beam	Lumen	CCT	Finish	Code	€
17 W	110°	2050 lm	3000 K	White	138640	35
		2200 lm	4000 K	White	321745	35



1,070 Kg/0,0043 m³

LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
22 W	110°	2700 lm	3000 K	White	138657	50
		3000 lm	4000 K	White	321707	50



2,000 Kg/0,0084 m³

LED SMD Driver ON/OFF included


Power	Beam	Lumen	CCT	Finish	Code	€
36 W	118°	4050 lm	3000 K	White	240374	65
		4200 lm	4000 K	White	321660	65



Celine

Enameled metal frame.
Sandblasted clear glass diffuser.
chrome metal glass holders.





IP20


3,600 Kg / 0,0471 m³
E27 max 4 x 60W

€ 106

044293 White

3000 K
340 lm

101286 **€ 2,00**



IP20


1,740 Kg / 0,0267 m³
E27 max 3 x 60W

€ 65

044286 White

3000 K
340 lm

101286 **€ 2,00**



IP20

1,120 Kg / 0,0208 m³
E27 max 2 x 60W

€ 50

044279 White

3000 K
340 lm


101286 **€ 2,00**

Totem

Matt white varnished laser shaped metal base. Replaceable LED lighting sources.

LED Bulbs LED GX53 9W 3000 K included.
Cod. **123936**





IP20


5,320 Kg / 0,0887 m³
GX53 max 6 x 15W

€ 295

215785 White

3000 K
910 lm

123936 **€ 5,00**



IP20


3,890 Kg / 0,0157 m³
GX53 max 4 x 15W

€ 255

215778 White

3000 K
910 lm

123936 **€ 5,00**



IP20

2,960 Kg / 0,0203 m³
GX53 max 3 x 15W

€ 210

215761 White

3000 K
910 lm

123936 **€ 5,00**



Squish

Metal base. Double polycarbonate diffuser: satin opal the inner one, clear the external one.

LED LED source 3000 K, 25.000 h life.




IP20

2,100 Kg / 0,0934 m³
LED 30W / 3050 lm

€ 210

332420 Clear



IP20

2,190 Kg / 0,0429 m³
LED 20W / 1850 lm

€ 120

332413 Clear



IP20

0,760 Kg / 0,0228 m³
LED 10W / 920 lm

€ 90


332406 Clear

Gemini new

Powder coated or plated metal ceiling rose and body. Opal polycarbonate diffuser. Clear PVC cable. Available finishes: white, black or brushed brass. DALI/Push dimmable version available for the models with 810 mm and 610 mm diameter.

Source	LED SMD	**CRI**	≥90
Power	24W / 42W	**LED life**	50.000 h
Driver included	On/Off / DALI/Push	**Insulation class**	II
Drivers available	No	**IP**	20
Beam	130°	**Material**	Aluminum
CCT	2700 K / 3000 K / 4000 K		






1,900 Kg / 0,0265 m³

LED SMD Driver included

Measure	Power	Driver	Lumen	CCT	Finish		Code	€	
425 x 425	24 W	On-Off	2450 lm	2700 K	White		341439	235	
					Black		341446	235	
					Brass		341453	235	
			2900 lm	3000 K	White		328010	235	
					Black		328027	235	
					Brass		328034	235	
			3000 lm	4000 K	White		372037	235	new
					Black		372044	235	new
					Brass		372051	235	new





On/Off 3,100 Kg / 0,0558 m³

DALI/Push 3,200 Kg/0,0503 m³

LED SMD Driver included

Measure	Power	Driver	Lumen	CCT	Finish		Code	€	
610 x 610	30 W	On-Off	3000 lm	2700 K	White		341460	320	
					Black		341477	320	
					Brass		341484	320	
			3500 lm	3000 K	White		328041	320	
					Black		328058	320	
					Brass		328065	320	
			3600 lm	4000 K	White		372068	320	new
					Black		372075	320	new
					Brass		372082	320	new
	28 W	DALI/Push	3500 lm	3000 K	White		328942	405	
					Black		328959	405	
					Brass		328966	405	


P. 060



328041 328058 328034

Gemini





On/Off 4,550 Kg / 0,0939 m³

DALI/Push 4,810 Kg/0,0939 m³

LED SMD Driver included

Measure	Power	Driver	Lumen	CCT	Finish		Code	€	
810 x 810	42 W	On-Off	4100 lm	2700 K	White		341491	415	
					Black		341507	415	
					Brass		341514	415	
			4450 lm	3000 K	White		328072	415	
					Black		328089	415	
					Brass		328096	415	
			4550 lm	4000 K	White		372099	415	new
					Black		372105	415	new
					Brass		372112	415	new
	42 W	DALI/Push	4450 lm	3000 K	White		328973	515	
					Black		328980	515	
					Brass		329260	515	


P. 060





Glory

Metal frame with satin nickel finish.
White acid-etched blown glass diffuser.



IP20


4,810 Kg / 0,0105 m³
E27 max 5 x 60W

€ 350

019765 White

3000 K
340 lm

101286 **€ 2,00**



IP20


3,410 Kg / 0,0646 m³
E27 max 3 x 60W

€ 220

019758 White

3000 K
340 lm

101286 **€ 2,00**



IP20

2,100 Kg / 0,0416 m³
E27 max 2 x 60W

€ 195

101132 White

3000 K
340 lm

101286 **€ 2,00**


P. 151



Level

Powder coated metal base. White acid-etched blown glass diffuser with fastening system without screws. Easily repleaceable integrated led source.

LED LED source 3000 K, 17.500 h life.




IP20

5,200 Kg / 0,0871 m³
LED 32W / 2950 lm

€ 320

261188 White



IP20

2,100 Kg / 0,0368 m³
LED 22W / 2100 lm


€ 190

261164 White



Smarties

White varnished metal frame.
White blown glass diffuser.



IP20


4,690 Kg / 0,1456 m³
E27 max 3 x 42W

€ 280

032023 White

3000 K
340 lm

101286 € 2,00



IP20


3,070 Kg / 0,1072 m³
E27 max 3 x 42W

€ 195

032030 White

3000 K
340 lm

101286 € 2,00



IP20


2,810 Kg / 0,0444 m³
E27 max 2 x 42W

€ 170

032047 White

3000 K
340 lm

101286 € 2,00



IP20

1,440 Kg / 0,0472 m³
E27 max 1 x 42W

€ 115

009223 White

3000 K
340 lm

101286 € 2,00

P. 150 P. 386 P. 461




Arizona

Metal frame with satin brass finish. White acid-etched blown glass diffuser with embossed decorative stripes.

LED Bulbs LED GX53 9W 3000 K included.
Cod. **123936**

P. 152



IP20 INCLUSA


7,680 Kg / 0,0975 m³
GX53 max 5 x 9W

€ 505

214511 White

3000 K
910 lm

123936 **€ 5,00**



IP20 INCLUSA


3,050 Kg / 0,0571 m³
GX53 max 3 x 9W

€ 330

214504 White

3000 K
910 lm

123936 **€ 5,00**



IP20 INCLUSA

2,960 Kg / 0,0339 m³
GX53 max 2 x 9W

€ 225

214498 White


3000 K
910 lm

123936 **€ 5,00**

Atrium

Matt white varnished metal frame.
White acid-etched glass diffuser
with interlocking fastening system.

LED LED source 3000 K, 30.000 h life.




IP20

4,8 Kg / 0,1113 m³
LED 29W / 2750 lm

€ 220

265841 White




IP20

3,700 Kg / 0,0693 m³
LED 22W / 2200 lm

€ 160

265827 White



IP20

2,300 Kg / 0,0397 m³
LED 16W / 1550 lm


€ 115

265803 White



Candy

Metal frame with satin nickel finish.
White acid-etched blown glass
diffuser.



IP20

2,500 Kg / 0,0799 m³
E27 max 1 x 42W

€ 197

086781 White

3000 K
900 lm


123899 € 3,50

P. 154 P. 464



Cotton

Metal base finished with white powder paint. Acid-etched white blown glass with screw fastening.



IP20


2,400 Kg / 0,0810 m³
E27 max 1 x 42W

€ 180

327891 White

3000 K
900 lm

123899 **€ 3,50**



IP20

0,810 Kg / 0,0369 m³
E27 max 1 x 42W

€ 125

297743 White


3000 K
900 lm

123899 **€ 3,50**

P. 155 P. 384

Mapa

White metal base and fastening system. White blown acid-etched spherical glass diffuser.



IP20

2,590 Kg / 0,0973 m³
E27 max 1 x 42W

€ 188

059839 White

3000 K
910 lm


119571 **€ 3,50**



P. 158 P. 382 P. 465

Carta

Matt white painted metal frame. Polycarbonate diffuser with paper effect covering.



IP20

1,150 Kg / 0,0358 m³
E27 max 1 x 25W

€ 110

317113 White

3000 K
430 lm

101279 **€ 2,00**




P. 174 P. 386 P. 464



Bloom new

Powder painted or plated metal ceiling cap and frame. White acid-etched blown glass diffuser. Colors: striped black frame with satin gray outer glass, brushed brass frame with clear amber striped outer glass.



IP20


3,200 Kg / 0,0811 m³
E27 max 1 x 42W

€ 255

366609 Black new
366593 Brass new

3000 K
900 lm

123899 € 3,50



IP20

2,200 Kg / 0,0390 m³
E27 max 1 x 42W

€ 170

366586 Black new
366579 Brass new

3000 K
340 lm

101286 € 2,00


P. 142 P. 385 P. 462 P. 499



Topico

Matt varnished metal frame.
Double glass diffuser: acid-etched white inside, clear with smoked shade on the upper part outside.
Color: black.

LED source 3000 K, 30.000 h life.




IP20

2,250 Kg / 0,0843 m³
LED 19W / 2050 lm

€ 160

333014 Smok.Gre.



IP20

1,760 Kg / 0,0376 m³
LED 12W / 1250 lm

€ 100


333007 Smok.Gre.

P. 145

Ovalino

Enamelled metal frame. Diffuser composed of curved acid-etched glass sheets.





IP20


7,700 Kg / 0,0862 m³
E27 max 8 x 60W

€ 320

094014 White

3000 K
900 lm

123899 **€ 3,50**



IP20

5,100 Kg / 0,0586 m³
E27 max 5 x 60W

€ 250

093963 White

3000 K
900 lm

123899 **€ 3,50**


P. 153 P. 380

Cloud

Metal frame and decorative elements with matt varnish finish. Acrylic opal color diffusers. Indirect light emission. Color: white.

LED source 3000 K, 17.500 h life.






IP20

4,700 Kg / 0,0758 m³
LED 46W / 4600 lm

€ 320

285207 White



IP20

3,200 Kg / 0,0540 m³
LED 33W / 3300 lm

€ 230


263519 White



Corolla

Matt white varnished metal frame.
Opal satin polycarbonate diffuser.

LED LED source 3000 K, 50.000 h life.




IP20

2,450 Kg / 0,0288 m³
LED 24W / 2750 lm

€ 182

297149 White



IP20

2,450 Kg / 0,0304 m³
LED 24W / 2750 lm

€ 182

297101 White



P. 130 P. 507

Mix Up


Powder-coated metal frame and interchangeable shades. Finishes: white or black.



288444



307428



IP20


0,270 Kg / 0,006 m³
E27 max 1 x 60W

€ 35

292847 White
292830 Black

3000 K
900 lm

123899 **€ 3,50**



2,000 Kg / 0,0676 m³

€ 85


288437 White
288420 Black



1,100 Kg / 0,0446 m³

€ 55


307404 White
288475 Black



0,800 Kg / 0,0147 m³

€ 40

307411 White
288444 Black



0,500 Kg / 0,0174 m³

€ 35

307428 White
288451 Black

Geko

White enameled metal frame. Transparent silkscreened or white glass diffuser. Chrome metal central glass screw.





IP20

2,800 Kg / 0,0324 m³
E27 max 4 x 60W

€ 180

116112 White

3000 K
340 lm

101286 **€ 2,00**



IP20


2,000 Kg / 0,0203 m³
E27 max 3 x 60W

€ 120

018508 White

3000 K
340 lm

101286 **€ 2,00**



IP20

1,200 Kg / 0,0136 m³
E27 max 2 x 60W

€ 85

010861 White


3000 K
340 lm

101286 **€ 2,00**

Simply

Transparent frosted glass diffuser. Chrome metal glass holders with cast-on cast-off mechanism.





IP20


3,190 Kg / 0,0552 m³
E27 max 4 x 60W

€ 86

007991 White

3000 K
340 lm

101286 **€ 2,00**



IP20


1,670 Kg / 0,0353 m³
E27 max 3 x 60W

€ 55

007984 White

3000 K
340 lm

101286 **€ 2,00**



IP20


1,010 Kg / 0,0121 m³
E27 max 2 x 60W

€ 38

007977 White

3000 K
340 lm

101286 **€ 2,00**



IP20

0,670 Kg / 0,0061 m³
E27 max 1 x 60W

€ 29

007960 White

3000 K
340 lm

101286 **€ 2,00**



Shell


Plate-worked glass diffuser with grit decoration inside. Glass holder with metal detail. Available versions: clear glass with chrome detail or amber glass with gold detail.



008622



140193



IP20


8,850 Kg / 0,0988 m³
E27 max 6 x 60W

€ 320

008622 Clear
140193 Amber

3000 K
430 lm

101279 € 2,00



IP20


6,150 Kg / 0,0659 m³
E27 max 4 x 60W

€ 240

008615 Clear
140186 Amber

3000 K
430 lm

101279 € 2,00



IP20

3,640 Kg / 0,0365 m³
E27 max 3 x 60W

€ 160

008608 Clear
140179 Amber

3000 K
430 lm


101279 € 2,00

Look Led Round new

Light body in powder-coated or plated metal. Integrated driver. Available colours: White, Black, Brass.

LED Led source 3000 K, 50.000 h life.

Source	LED COB	**LED life**	50.000 h
Power	5W	**Insulation class**	II
Driver included	On/Off	**IP**	20
Drivers available	No	**Material**	Aluminum
Beam	60°		
CCT	3000 K		
CRI	≥90		



LED COB Driver included

Length	Power	Driver	Lumen	CCT	Weight	Volume	Finish	Code	€	
200 mm	5W	On-Off	600 lm	3000 K	0,180 Kg	0,0011 m³	White	370811	60	new
							Black	353319	60	new
							Brass	370842	60	new
400 mm	5W	On-Off	600 lm	3000 K	0,400 Kg	0,0020 m³	White	370873	75	new
							Black	370897	75	new
							Brass	353326	75	new

P. 082 P. 372 P. 506 P. 679






370811 353319 370842

Look Round new

Light body in powder-coated or plated metal. Available colours: White, Black, Brass, Plaster.


LED Bulbs LED GU10 7W 3000 K included. Cod. **123943**

Source	GU10
Power	max 28 W
Insulation class	I-II
IP	20
Material	Aluminum



GU10 Recommended bulb: 123943, 3000 K, 540 lm € 2,50

Length	Power	Weight	Volume	Finish	Code	€	
100 mm	GU10 max 1 x 28W	0,15 Kg	0,0010 m³	White	371207	29	new
				Black	353821	29	new
				Brass	371405	29	new
200 mm		0,40 Kg	0,0016 m³	White	233079	32	
				Black	233062	32	
				Brass	285214	32	
400 mm		0,74 Kg	0,0025 m³	White	233215	42	
				Black	233192	42	
				Brass	353838	42	new
750 mm		1,38 Kg	0,0043 m³	White	233352	60	
				Black	233321	60	
				Brass	371467	60	new



GU10 Recommended bulb: 123943, 3000 K, 540 lm € 2,50 GYPSUM

Length	Power	Weight	Volume	Finish	Code	€	
110 mm	GU10 max 1 x 28W	0,43 Kg	0,0027 m³	Chalk	155869	27	
200 mm		0,80 Kg	0,0059 m³	Chalk	355740	46	new
400 mm		2,80 Kg	0,0093 m³	Chalk	371436	69	new
750 mm		4,84 Kg	0,0152 m³	Chalk	355757	92	new

P. 082 P. 372 P. 506 P. 679



233079 233062 285214 155869

Look Square new

Light body in powder-coated or plated metal. Available colours: White, Black, Brass, Plaster.

LED Bulbs LED GU10 7W 3000 K included. Cod. **123943**

Source	GU10
Power	max 28 W
Insulation class	I-II
IP	20
Material	Aluminum



GU10 Recommended bulb: 123943, 3000 K, 540 lm € 2,50

Length	Power	Weight	Volume	Finish	Code	€	
100 mm	GU10 max 1 x 28W	0,30 Kg	0,0010 m³	White	367552	42	new
				Black	353845	42	new
				Brass	371481	42	new
200 mm		0,60 Kg	0,0014 m³	White	233772	47	
				Black	233765	47	
				Brass	371504	47	new
400 mm		0,80 Kg	0,0024 m³	White	233833	75	
				Black	233826	75	
				Brass	371511	75	new
750 mm		1,50 Kg	0,0043 m³	White	234007	82	
				Black	233970	82	
				Brass	353852	82	new



GU10 Recommended bulb: 123943, 3000 K, 540 lm € 2,50 GYPSUM

Length	Power	Weight	Volume	Finish	Code	€	
110 mm	GU10 max 1 x 28W	0,62 Kg	0,0026 m³	Chalk	155791	30	
200 mm		0,80 Kg	0,0059 m³	Chalk	355764	49	new
400 mm		2,80 Kg	0,0093 m³	Chalk	355771	70	new
750 mm		4,84 Kg	0,0152 m³	Chalk	371535	97	new

P. 082 P. 372 P. 506 P. 679



194189 194202 339740 155791

Nitro Round

White or black matt varnished aluminum body. Internally finished with plastic mask. Integrated LED source with lens.

Source	LED DOB / COB	**Insulation class**	I - II
Power	4W / 25W	**IP**	20
Driver included	On/Off	**Material**	Aluminum
Drivers available	No		
CCT	2700 K / 3000 K		
CRI	≥90		
LED life	50.000 h		






0,070 Kg/0,0004 m³

LED DOB

Power	Beam	Lumen	CCT	Finish	Code	€
4 W	40°	310 lm	2700K	White	342788	45
				Black	342795	45
		320 lm	3000K	White	299419	45
				Black	299402	45






0,400 Kg/0,0013 m³

LED COB BRIDGELUX Driver included

Power	Beam	Lumen	CCT	Finish	Code	€
10 W	28°	950 lm	2700 K	White	341781	65
				Black	341798	65
		1000 lm	3000 K	White	205991	65
				Black	206004	65






0,910 Kg/0,0014 m³

LED COB BRIDGELUX Driver included

Power	Beam	Lumen	CCT	Finish	Code	€
15 W	36°	1400 lm	3000 K	White	205977	90
				Black	205984	90





0,860 Kg/0,0018 m³

LED COB BRIDGELUX Driver included

Power	Beam	Lumen	CCT	Finish	Code	€
25 W	33°	2350 lm	3000 K	White	319568	115
				Black	322711	115




299402

Nitro Square

White or black matt varnished aluminum body. Internally finished with plastic mask. Integrated LED source with lens.

Source	LED DOB / COB	**Insulation class**	I - II
Power	5W / 25W	**IP**	20
Driver included	On/Off	**Material**	Aluminum
Drivers available	No		
CCT	3000 K		
CRI	≥90		
LED life	50.000 h		






0,100 Kg/0,0004 m³

LED DOB

Power	Beam	Lumen	CCT	Finish		Code	€
5 W	40°	370 lm	3000K	White		319797	45
				Black	■	319803	45






0,230 Kg/0,0009 m³

LED COB BRIDGELUX Driver included

Power	Beam	Lumen	CCT	Finish		Code	€
10 W	28°	1000 lm	3000 K	White		206035	65
				Black	■	206042	65






0,400 Kg/0,0011 m³

LED COB BRIDGELUX Driver included

Power	Beam	Lumen	CCT	Finish		Code	€
15 W	36°	1400 lm	3000 K	White		206011	90
				Black	■	206028	90





0,700 Kg/0,0016 m³

LED COB BRIDGELUX Driver included


Power	Beam	Lumen	CCT	Finish		Code	€
25 W	33°	2350 lm	3000 K	White		319575	115
				Black	■	319582	115


319797

Kubiko

Powder coated aluminum body.
Shiny opal polycarbonate diffuser.
Magnetic fastening system.
Finishes: white, black.

LED LED source 3000 K, 30.000 h life.



IP20

0,660 Kg / 0,0020 m³
LED 10W / 1100 lm

€ 81

303321 White
303314 Black




Lika new

Family of rectangular ceiling projectors in painted die-cast aluminium, black polycarbonate reflectors, recessed light sources with SMD LED technology from 2 to 10 lights with glare control (UGR < 16), suitable for OFFICES and COMMERCIAL spaces or in minimalist RESIDENTIAL environments.





LED LED source 3000 K, 50.000 h life.




IP20

0,720 Kg / 0,0019 m³
LED 21W / 1400 lm

€ 124

367361 White
369945 Black




IP20

0,370 Kg / 0,0011 m³
LED 12,5W / 1200 lm

€ 90

new **248530** White
new **244884** Black



IP20

0,200 Kg / 0,0004 m³
LED 6W / 330 lm

€ 59

367354 White new
369877 Black new

P. 778



Mood

Metal structure available with square or round section. Black inside and white or black colour outside. Adjustable inner diffuser.

LED Bulbs GU10 7W and GU10 10W 3000 K included.



140841



243924



IP20


1,210 Kg / 0,0051 m³
GU10 max 1 x 50W

€ 97

140872 White
243450 Black

3000 K
750 lm

189031 € 11,00



IP20


0,400 Kg / 0,0029 m³
GU10 max 1 x 28W

€ 64

140841 White
243924 Black

3000 K
540 lm

123943 € 2,50



IP20


1,420 Kg / 0,0086 m³
GU10 max 1 x 50W

€ 97

140933 White
243931 Black

3000 K
750 lm

189031 € 11,00



IP20

0,460 Kg / 0,0026 m³
GU10 max 1 x 28W

€ 64

140902 White
243948 Black

3000 K
540 lm

123943 € 2,50



Spike

Powder coated or plated aluminum body. Available with GX53 or integrated LED source with satin opal polycarbonate diffuser. Colors: white, black, satin brass, chrome, copper.

LED Bulbs LED GX53 9W 3000 K included. Cod. **123936.** LED source 3000 K, 25.000 h life. Cod. **345468**, **336008**, **345475**



285238




310893



328799



317496




IP20

0,340 Kg / 0,0012 m³
LED 10W / 1100 lm

€ 30

345468 White
336008 Black
345475 Brass



IP20 INCLUSA


0,240 Kg / 0,0017 m³
GX53 max 1 x 15W

€ 65

277417 White
310886 Chrome
278704 Black
285238 Brass
310893 Copper

3000 K
910 lm

123936 **€ 5,00**



IP20 INCLUSA

0,220 Kg / 0,0014 m³
GX53 max 1 x 15W

€ 85

317489 White
328799 Chrome
317496 Black
317502 Brass
328812 Copper

3000 K
910 lm

123936 **€ 5,00**

P. 678



P. 100 P. 412 P. 676

Dynamite new


Powder coated or plated or brushed metal frame. Adjustable diffusers.

LED Bulbs LED GU10 7W 3000 K included.
Cod. **123943**


367446


371252


371269



IP20

0,980 Kg / 0,0063 m³
GU10 max 4 x 28W

€ 110

367439	White			
371290	Black	new	**371337**	White
371306	Brass	new	**371344**	Black
		new	**371351**	Brass

3000 K
540 lm

123943 **€ 2,50**



IP20


1,060 Kg / 0,0074 m³
GU10 max 4 x 28W

€ 115

371337	White	new		
371344	Black	new	**367408**	White
371351	Brass	new	**371252**	Black
		new	**371269**	Brass

3000 K
540 lm

123943 **€ 2,50**



IP20


0,790 Kg / 0,0056 m³
GU10 max 3 x 28W

€ 90

367408	White	new		
371252	Black	new	**367446**	White
371269	Brass	new	**371313**	Black
		new	**371320**	Brass

3000 K
540 lm

123943 **€ 2,50**



IP20

1,150 Kg / 0,0063 m³
GU10 max 4 x 28W

€ 120

367446	White	new		
371313	Black	new	**367422**	White
371320	Brass	new	**371368**	Black
		new	**371375**	Brass

3000 K
540 lm

123943 **€ 2,50**



IP20


1,220 Kg / 0,0074 m³
GU10 max 4 x 28W

€ 120

367422	White	new		
371368	Black	new	**367415**	White
371375	Brass	new	**371276**	Black
		new	**371283**	Brass

3000 K
540 lm

123943 **€ 2,50**



IP20

0,920 Kg / 0,0056 m³
GU10 max 3 x 28W

€ 95

367415	White	new		
371276	Black	new	**367439**	White
371283	Brass	new	**371290**	Black
		new	**371306**	Brass


3000 K
540 lm

123943 **€ 2,50**

Play

Powder coated die-cast aluminum base, junction and orientable body. Knurled clear acrylic diffuer. Available with black finish or white finish with black rear cover and front inner ring.

LED LED source 3000 K, 30.000 h life.



IP20

0,240 Kg / 0,0010 m³
LED 7W / 520 lm

€ 70

258287 White
268101 Black



P. 674 P. 762



Oby

Matt white varnished metal frame with chromed junctions. Adjustable body with white plastic diffuser.

LED LED source 3000 K, 20.000 h life.



IP20

1,210 Kg / 0,006 m³
LED 24W / 2800 lm

€ 260

196718 White



IP20

0,870 Kg / 0,0038 m³
LED 18W / 2100 lm

€ 185

196701 White

P. 417






271538 271545

Toby

Powder coated die cast aluminum frame. Adjustable diffusers: they can be rotated or inclined. Colors: white or black.

LED Bulbs LED GU10 7W 3000 K included.
Cod. **123943**





IP20

0,220 Kg / 0,0013 m³
GU10 max 1 x 35W

€ 62

271538 White
271545 Black


3000 K
540 lm

123943 **€ 2,50**



Winery

Enamelled ceramic body with integrated bulb socket with shiny white or black enamel finish.



IP20

0,290 Kg / 0,0004 m³
E27 max 1 x 60W

€ 27

155227 White
155142 Black

3000 K
1100 lm

101323 € 4,50



155227



155142

P. 416



Glim

Total powder painted metal frame available in white or black color. Adjustable diffuser with replaceable bulb.


LED Bulbs LED GU10 10W 3000 K included.
Cod. **189031**



200194



200231



IP20


1,270 Kg / 0,0213 m³
GU10 max 4 x 50W

€ 304

200217 White
200255 Black

3000 K
750 lm

189031 **€ 11,00**



IP20


0,890 Kg / 0,0115 m³
GU10 max 2 x 50W

€ 166

200200 White
200248 Black

3000 K
750 lm

189031 **€ 11,00**



IP20

0,480 Kg / 0,0065 m³
GU10 max 1 x 50W

€ 86

200194 White
200231 Black

3000 K
750 lm

189031 **€ 11,00**



Rudy

White or black powder coated die-cast aluminium frame. Adjustable diffusers: they can be rotated and reclined.

LED Bulbs LED GU10 7W 3000 K included.
Cod. **123943**






229089 229065



294827 294810



IP20 IP20 IP20 IP20

1,230 Kg / 0,0078 m³ GU10 max 4 x 35W	1,080 Kg / 0,0041 m³ GU10 max 3 x 35W	1,230 Kg / 0,0035 m³ GU10 max 4 x 35W	1,080 Kg / 0,0060 m³ GU10 max 3 x 35W
€ 190	€ 130	€ 200	€ 155
229089 White 229072 Black	229065 White 229058 Black	294827 White 321523 Black	294810 White 321516 Black
3000 K 540 lm	3000 K 540 lm	3000 K 540 lm	3000 K 540 lm
123943 € 2,50	123943 € 2,50	123943 € 2,50	123943 € 2,50

P. 415



Profilo

Base with recessed fastening and adjustable powder coated metal diffuser. Finishes: white, black.


LED Bulbs LED GU10 7W 3000 K included.
Cod. **123943**



314716



314723



IP20 IP20


1,900 Kg / 0,0159 m³	**0,940 Kg / 0,0082 m³**
GU10 max 4 x 28W	**GU10 max 2 x 28W**
€ 190	**€ 95**
328188 White	**314716** White
328195 Black	**314723** Black
3000 K	3000 K
540 lm	540 lm
123943 **€ 2,50**	**123943** **€ 2,50**



Triumph

Plated metal base, arm and bulb holder cover. Color: old brass.





IP20

3,270 Kg / 0,0375 m³
E27 max 8 x 42W

€ 570

160313 Brass

2200 K
370 lm

151687 **€ 2,50**


P. 102 P. 422



Nodi

Chrome or satin brass metal frame. White acid-etched blown or transparent or chrome glass diffusers.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**



IP20


3,160 Kg / 0,3342 m³
G9 max 9 x 15W

€ 567

149622 White
133393 Chrome

3000 K
510 lm

305486 **€ 6,10**



IP20

3,200 Kg / 0,0853 m³
E14 max 5 x 28W

€ 231

073712 White
241050 Brass
200484 Chrome

3000 K
480 lm

101200 **€ 2,00**

P. 110



Perlage

Metal frame with round section linear structure or squared section round structure. Blown glass diffusers. Finishes: Matt black with amber or smoky Pyrex glasses or satin brass with etched white glasses.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**




328423



328416



328409



IP20


7,520 Kg / 0,2760 m³
G9 max 18 x 15W

€ 851

328393	White
328386	Smok.Gre.
328379	Amber

3000 K
510 lm

305486 **€ 6,10**



IP20


3,300 Kg / 0,0759 m³
G9 max 10 x 15W

€ 518

327815	White
309286	Smok.Gre.
327808	Amber

3000 K
510 lm

305486 **€ 6,10**



IP20


3,870 Kg / 0,1348 m³
G9 max 9 x 15W

€ 437

328423	White
328416	Smok.Gre.
328409	Amber

3000 K
510 lm

305486 **€ 6,10**



IP20

1,810 Kg / 0,0348 m³
G9 max 6 x 15W

€ 265

309279	White
309262	Smok.Gre.
327822	Amber

3000 K
510 lm

305486 **€ 6,10**


P. 108 P. 421 P. 470 P. 492



Birds

Varnished metal frame with satin brass decorative disc. White acid-etched blown glass diffusers. Color: matt black with satin brass detail.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**



IP20 INCLUSA

2,800 Kg / 0,1328 m³
G9 max 5 x 15W

€ 278

273631 ■ **Black**

3000 K
510 lm


305486 **€ 6,10**

P. 107 P. 420 P. 469 P. 494



Gourmet

Matt varnished metal ceiling cap and frame. White blown acid-etched glass diffusers. Available finishes: black and satin brass.



IP20


5,400 Kg / 0,1540 m³
E14 max 9 x 28W

€ 615

289489 Black

3000 K
420 lm

101217 **€ 2,00**



IP20

3,670 Kg / 0,0920 m³
E14 max 6 x 28W

€ 415

289496 Black

3000 K
420 lm

101217 **€ 2,00**



Atlas

Matt varnished metal frame with adjustable arms. Acid-etched white blown glass diffusers. Finishes: white, black, gold.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**

P. 106 P. 422




328201



311357



311340



IP20


2,400 Kg / 0,0745 m³
G9 max 5 x 4W

€ 299

328225 White
328218 Black
311364 Gold

3000 K
510 lm

305486 € 6,10



IP20

1,500 Kg / 0,0416 m³
G9 max 3 x 4W

€ 195

328201 White
311357 Black
311340 Gold

3000 K
510 lm


305486 € 6,10



Cosmopolitan

Metal frame with matt varnish finish. White acid-etched blown glass diffusers. Colors: black with satin brass details.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**



IP20


7,600 Kg / 0,1313 m³
G9 max 12 x 15W

€ 700

273709 ■ **Black**

3000 K
510 lm

305486 **€ 6,10**



IP20


6,500 Kg / 0,1397 m³
G9 max 10 x 15W

€ 600

273693 ■ **Black**

3000 K
510 lm

305486 **€ 6,10**



IP20

3,040 Kg / 0,0595 m³
G9 max 8 x 15W

€ 330

328485 ■ **Black**

3000 K
510 lm

305486 **€ 6,10**




Angolo

Powder-coated or plated metal frame. White blown and acid-etched glass diffusers. Available finishes: black or satin brass.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**



284286 **284330**



IP20

1,650 Kg / 0,0411 m³
G9 max 3 x 28W

€ 185

284286 Black
284330 Brass

3000 K
510 lm

305486 **€ 6,10**


P. 471 P. 495



Lingotto

Varnished metal frame: matt black base and matt brass or total matt black structure. White overlay acid-etched blown glass diffuser.





IP20


5,580 Kg / 0,0800 m³
E14 max 4 x 28W

€ 315

327860 Black
198156 Brass

3000 K
420 lm

101217 € 2,00



IP20


3,370 Kg / 0,0404 m³
E14 max 2 x 28W

€ 210

304137 Black
198149 Brass

3000 K
420 lm

101217 € 2,00



IP20

1,810 Kg / 0,0165 m³
E14 max 1 x 28W

€ 125

327853 Black
198132 Brass

3000 K
420 lm

101217 € 2,00

P. 102 P. 469



P. 426 P. 466 P. 496

Binomio

Metal frame. White acid-etched blown glass diffusers with screw fastening. Finishes: white, black, brushed brass.

LED

Bulbs LED G9 3W 3000 K included.
Cod. **209043.**
LED source 3000 K, 50.000 h life.
Cod. **328256**, **313290**, **328263**, **328232**, **313283**, **328249**, **328270**, **313252**, **328287**



328430



310671



328447






IP20

1,290 Kg / 0,0048 m³
LED 18W / 1350 lm

€ 240

328256 White
313290 Black
328263 Brass




IP20

0,860 Kg / 0,0035 m³
LED 12W / 900 lm

€ 170

328232 White
313283 Black
328249 Brass




IP20

0,540 Kg / 0,0023 m³
LED 6W / 450 lm

€ 100

328270 White
313252 Black
328287 Brass



IP20 INCLUSA


1,550 Kg / 0,0292 m³
G9 max 4 x 4W

€ 130

328454 White
310688 Black
328461 Brass

3000 K
510 lm

305486 **€ 6,10**



IP20 INCLUSA

1,200 Kg / 0,0155 m³
G9 max 2 x 4W

€ 90

328430 White
310671 Black
328447 Brass

3000 K
510 lm

305486 **€ 6,10**




Hermes

Plated metal base and frame. White blown acid-etched glass diffusers. Available finishes: white or satin brass.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**



316680 **288277**



IP20


2,500 Kg / 0,0372 m³
G9 max 5 x 28W

€ 350

316680 White
288277 Brass

3000 K
510 lm

305486 **€ 6,10**



IP20


1,700 Kg / 0,0252 m³
G9 max 3 x 28W

€ 250

322674 White
288260 Brass

3000 K
510 lm

305486 **€ 6,10**



IP20


2,700 Kg / 0,0388 m³
G9 max 5 x 28W

€ 320

322698 White
316697 Brass

3000 K
510 lm

305486 **€ 6,10**



IP20

2,500 Kg / 0,0224 m³
G9 max 3 x 28W

€ 220

322667 White
317007 Brass

3000 K
510 lm

305486 **€ 6,10**




Ninfea

Plated or powder-coated metal base. White acid-etched blown glass diffusers. Available finishes: white or satin brass.

LED Bulbs LED GX53 9W 3000 K included.
Cod. **123936**



306957 **293653**



IP20


2,550 Kg / 0,0480 m³
GX53 max 3 x 15W

€ 275

306964 White
293660 Brass

3000 K
910 lm

123936 **€ 5,00**



IP20

1,700 Kg / 0,0290 m³
GX53 max 2 x 15W

€ 195

306957 White
293653 Brass

3000 K
910 lm

123936 **€ 5,00**

P. 428 P. 472



Daisy

Metal base with gold leaf finish.
White acid-etched blown glass
diffusers with stripes in relief.



IP20

12,000 Kg / 0,1850 m³
E27 max 6 x 52W

€ 440

247779 Gold

3000 K
900 lm

123899 € 3,50




Compo

Chrome or matt white varnished metal frame. White overlay acid-etched or transparent smoky blown glass diffusing elements.



125503



IP20


21,000 Kg / 0,2170 m³
E27 max 10 x 52W

€ 1000

125510 White

3000 K
910 lm

119571 **€ 3,50**



IP20

11,500 Kg / 0,1825 m³
E27 max 6 x 52W

€ 570

125503 White

3000 K
910 lm

119571 **€ 3,50**



Roma

Chrome metal frame and details. Square-shaped crystal elements on sides and sandblasted bottom glass sheet.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**



IP20 INCLUSA


7,950 Kg / 0,0675 m³
G9 max 12 x 40W

€ 758

087870 Chrome

3000 K
510 lm

305486 **€ 6,10**



IP20 INCLUSA


6,950 Kg / 0,0493 m³
G9 max 9 x 40W

€ 646

087863 Chrome

3000 K
510 lm

305486 **€ 6,10**



IP20 INCLUSA

4,800 Kg / 0,0365 m³
G9 max 6 x 40W

€ 424

000657 Chrome

3000 K
510 lm

305486 **€ 6,10**



Pashà

Metal Frame. Diffuser composed of cut crystal pearl strings. Bottom part closed with sandblasted glass disk.



164991



165004

P. 202 P. 434



IP20

13,000 Kg / 0,1783 m³
E14 max 14 x 40W

€ 1145

164991 Chrome
165004 Gold

3000 K
480 lm

101200 € 2,00



IP20


8,800 Kg / 0,1210 m³
E14 max 10 x 40W

€ 980

100746 Chrome
100791 Gold

3000 K
480 lm

101200 € 2,00



IP20

6,200 Kg / 0,0624 m³
E14 max 6 x 40W

€ 780

100784 Chrome
100807 Gold

3000 K
480 lm

101200 € 2,00

King

Diffuser composed of chrome or golden metal rings with octagonal crystals set inside.


LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**



073255



073262



IP20


6,250 Kg / 0,0946 m³
G9 max 9 x 40W

€ 731

073255 Chrome
073262 Gold

3000 K
510 lm

305486 **€ 6,10**



IP20


3,200 Kg / 0,0344 m³
G9 max 5 x 40W

€ 424

075419 Chrome
073187 Gold

3000 K
510 lm

305486 **€ 6,10**



IP20

1,750 Kg / 0,0173 m³
G9 max 3 x 40W

€ 249

075389 Chrome
075402 Gold

3000 K
510 lm

305486 **€ 6,10**




Armony

Matt varnished metal frame. Hanging decorative elements in metal wire with transparent chromed glass beads. Finishes: white.

LED LED source 3000 K, 30.000 h life.





IP20

10,500 Kg / 0,0919 m³
LED 70W / 6700 lm

€ 600

315812 White

IP20

7,830 Kg / 0,0634 m³
LED 56W / 5450 lm

€ 450

315805 White

IP20

5,050 Kg / 0,0393 m³
LED 48W / 4700 lm

€ 315

328492 White




022239

Neve

Plated metal frame. Decorative glass balls fixed to nylon strings. Frame Color: chrome. Glasses color: clear.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**



IP20 INCLUSA


11,250 Kg / 0,1409 m³
G9 max 15 x 40W

€ 760

030784 Chrome

3000 K
510 lm

305486 **€ 6,10**



IP20 INCLUSA


7,420 Kg / 0,0784 m³
G9 max 12 x 40W

€ 510

022239 Chrome

3000 K
510 lm

305486 **€ 6,10**



IP20 INCLUSA

3,590 Kg / 0,0304 m³
G9 max 8 x 40W

€ 305

022222 Chrome

3000 K
510 lm

305486 **€ 6,10**




077802

082783

Moonlight

Metal frame available with chrome or gold finish. Pendants with octagons and cut crystals spheres.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**



IP20


11,800 Kg / 0,1479 m³
G9 max 15 x 40W

€ 875

077819 Chrome
082790 Gold

3000 K
510 lm

305486 **€ 6,10**



IP20


6,000 Kg / 0,0871 m³
G9 max 12 x 40W

€ 605

077802 Chrome
082783 Gold

3000 K
510 lm

305486 **€ 6,10**



IP20


2,900 Kg / 0,0328 m³
G9 max 8 x 40W

€ 338

077796 Chrome
080932 Gold

3000 K
510 lm

305486 **€ 6,10**



IP20

1,500 Kg / 0,0129 m³
G9 max 5 x 40W

€ 170

094649 Chrome
094663 Gold

3000 K
510 lm


305486 **€ 6,10**

Magnolia

Metal frame with gold finish. Clear cut crystals decorative elements. The upper part is composed alternatively of clear and smoky elements.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**





IP20

9,780 Kg / 0,0672 m³
G9 max 7 x 15W

€ 620


241296 Gold

3000 K
510 lm
305486 **€ 6,10**

Dubai

Metal frame with chrome or brass finish. Decorative elements composed of transparent cut crystals pearls, octagons and prisms.






IP20

14,290 Kg / 0,3881 m³
E14 max 24 x 28W

€ 1430

243566 Chrome
243498 Brass

3000 K
470 lm
101224 **€ 2,00**



IP20

6,310 Kg / 0,1344 m³
E14 max 6 x 28W

€ 950

207186 Chrome
201016 Brass

3000 K
470 lm
101224 **€ 2,00**



IP20

3,010 Kg / 0,0380 m³
E14 max 3 x 28W

€ 475

207162 Chrome
200996 Brass

3000 K
470 lm
101224 **€ 2,00**

P. 204 P. 435


207186


201016

Martinez

Chromed or golden metal frame. Decorative elements with fob-chains composed of octagons and transparent cut-crystals bars.





IP20

17,500 Kg / 0,0686 m³
E14 max 8 x 40W

€ 770

166285 Chrome
213569 Gold

3000 K
470 lm

101224 **€ 2,00**

P. 200



166285




213569

Carlton

Chromed or golden metal frame. Decorative elements with fob-chains composed of octagons and transparent cut-crystals bars.





IP20


13,840 Kg / 0,1202 m³
E14 max 12 x 40W

€ 725

168937 Chrome
213507 Gold

3000 K
470 lm

101224 **€ 2,00**



IP20

10,200 Kg / 0,0744 m³
E14 max 8 x 40W

€ 625

168920 Chrome

3000 K
470 lm

101224 **€ 2,00**

P. 199 P. 435



168937



213507





Wall lamps

Indoors

Alphabetical index

Ali	387	Essence	390	Pegaso	436
Alma	394	Firenze	440	Peggy	353
Atlas	422	Flash	370	Perlage	421
Balance	356	Florian	438	Peter	441
Barber	417	Focus	398	Piano	411
Bean	402	Frida	418	Pipe	407
Binomio	426	Gea	432	Pouche	354
Birds	420	Gim	416	Pretty	388
Block	361	Gioconda	439	Prive'	389
Bloom	385	Goose	400	Radio	419
Bonne nuit	408	Harem	442	Retro'	397
Bow	396	Hotel	433	Riflesso	395
Camerino	388	Io	399	Rudy	415
Cantina	424	Komodo	410	Santa	443
Carlton	435	Lite	405	Set up	430
Carta	386	Lolly	381	Shower	425
Chalet	440	Look	372	Smarties	386
Click	356	Make-up	396	Soda	380
Clip	357	Mapa	382	Steel	359
Corte	437	Mirror-10	397	Strauss	439
Cotton	384	Moris	355	Tab	360
Cover	352	Negresco	438	Tick	429
Craft	358	Newton	424	Triplo	387
Delta	362	Ninfea	428	Triumph	422
Desk	358	Nordik	432	Winery	416
Dodo	414	Oby	417	Zig zag	366
Dorica	371	Opera	436		
Dubai	435	Ovalino	380		
Dynamite	412	Oz	350		
Dynamo	401	Page	406		
Elf	404	Pan	434		
Equinoxe	423	Pasha'	434		



Block

Pag 361

Indoors

Typology index



Oz 350

Cover 352

Peggy 353

Pouche 354

Moris 355

Click 356



Balance 356



Clip 357

Desk 358



Craft 358

new

Steel 359

new



Tab 360

new

Block 361

new



Delta 362

new

Zig Zag 366

Flash 370

new



Dorica 371

new

Look 372



Soda 380

Ovalino 380

new



Lolly 381

Mapa 382

new

Cotton 384

new



Bloom 385

Smarties 386



Carta 386



Triplo 387



Ali 387



Camerino 388



Pretty 388



Privè 389

new

Essence 390

Alma 394

Riflesso 395

Make Up 396



Bow 396



Mirror-10 397



Retrò 397



Focus 398



Io 399

Goose 400

Dynamo 401

new

Bean 402

new

Elf 404

Lite 405

Page 406

Pipe 407

Bonne Nuit 408

Komodo 410

Piano 411

new

Dynamite 412

Dodo 414

Rudy 415

Gim 416

Winery 416

Oby 417

Indoors

Typology index


Barber 417


Frida 418


Radio 419


Birds 420


Perlage 421


Triumph 422

new


Atlas 422


Equinoxe 423


Cantina 424


Newton 424


Shower 425

Binomio 426


Ninfea 428

Tick 429


Set Up 430


Nordik 432


Gea 432


Hotel 433


Pan 434


Pashà 434


Carlton 435


Dubai 435


Opera 436


Pegaso 436


Corte 437


Negresco 438


Florian 438


Gioconda 439


Strauss 439


Firenze 440


Chalet 440


Peter 441


Harem 442


Santa 443



Ninfea


Pag 428

Oz

Plated or powder coated metal base and frame. Opal rubber diffuser. Available finishes: white, black or brushed brass. DALI/Push dimmable version available.

LED source 2700 / 3000 / 4000 K, 30.000 h life.

Source	LED SMD	**LED life**	30.000 h
Power	26W / 28W	**Insulation class**	II
Driver included	On/Off / DALI/Push	**IP**	20
Drivers available	No	**Material**	Aluminum
CCT	2700 K / 3000 K / 4000 K		
CRI	≥90		



0,800 Kg / 0,0087 m³

LED SMD Driver included

Power	Driver	Lumen	CCT	Finish	Code	€
26 W	On-Off	2450 lm	2700 K	White	342221	135
				Black	342238	135
				Brass	342245	135
		2500 lm	3000 K	White	253695	135
				Black	269399	135
				Brass	269405	135
		2650 lm	4000 K	White	342252	135
				Black	342269	135
				Brass	342276	135
28 W	DALI/Push	2500 lm	3000 K	White	304489	205
				Black	304496	205
				Brass	304502	205

P. 064 P. 238 P. 448






253695 269399 269405



Cover

White or black powder painted aluminum body. Opal color plastic diffuser. Light source made of integrated LED with mirrored light emission.

LED LED source 3000 K, 30.000 h life.




IP20

0,690 Kg / 0,0026 m³
LED 11W / 1100 lm

€ 100

195711 White
195759 Black




IP20

0,860 Kg / 0,0028 m³
LED 11W / 1100 lm

€ 100

195735 White
195773 Black




IP20

0,390 Kg / 0,0015 m³
LED 9,5W / 730 lm

€ 88

195704 White
195742 Black



IP20

0,510 Kg / 0,0018 m³
LED 9,5W / 730 lm

€ 88


195728 White
195766 Black



Peggy

Powder coated metal base and frame with white finish. Satin acrylic diffuser. Indirect light emission.

LED LED source 3000 K, 50.000 h life.




IP20

0,710 Kg / 0,0035 m³
LED 15W / 1500 Lm

€ 170

257242 White



IP20

0,520 Kg / 0,0020 m³
LED 10,5W / 1080 Lm

€ 110


257235 White



Pouche

Metal frame finished with white powder varnish. Satin clear acrylic diffuser. Indirect light emission.

LED LED source 3000 K, 20.000 h life.




IP20

1,440 Kg / 0,0057 m³
LED 15W / 2000 Lm

€ 111

259352 White



IP20

1,120 Kg / 0,0057 m³
LED 15W / 2000 Lm

€ 111


259345 White



Moris

Chrome metal frame. Blown glass diffuser available in white color.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**



IP20

0,520 Kg / 0,0053 m³
G9 max 2 x 40W

€ 90

034546 White

3000 K
510 lm


305486 **€ 6,10**

Click

Total powder coated aluminum body with white finish. Up-and-down reflector inside.

LED LED source 3000 K, 20.000 h life.






IP20

0,600 Kg / 0,0040 m³
LED 12W / 1450 lm

€ 84

017518 White



IP20

0,400 Kg / 0,0018 m³
LED 6W / 520 lm

€ 62

051444 White

Balance

Powder coated aluminum frame. Adjustable diffuser with clear glass, frosted inside. Finishes: white, black.

LED LED source 3000 K, 30.000 h life.






IP20

2,200 Kg / 0,0136 m³
LED 24W / 3100 lm

€ 232

287584 White
321561 Black




IP20

1,600 Kg / 0,0083 m³
LED 17W / 2200 lm

€ 172

287577 White
321554 Black



IP20

1,200 Kg / 0,0068 m³
LED 12W / 1450 lm

€ 137

287560 White
321547 Black



Clip

Metal sheet body with different finishes. Small size models supplied with sandblasted Pyrex glass diffusers.

LED Bulbs LED G9 3W 3000 K included in models: **049236**, **091136**, **049229**, **091129** and **170923**. Cod. **209043**

014166



088273




031361



088266



187365



IP20

1,370 Kg / 0,0079 m³
E27 max 2 x 60W

€ 107

014166 White
088273 Silver
031361 Chrome
088266 Gold
187365 Coffee

3000 K
430 lm

101279 **€ 2,00**



IP20 INCLUDED

0,730 Kg / 0,0033 m³
G9 max 2 x 40W

€ 95

049236 White
091136 Silver
049229 Chrome
091129 Gold
170923 Coffee

3000 K
510 lm

305486 **€ 6,10**

Desk

Powder coated aluminium body with white or black finish. Satin acrylic diffusers. Upward and downward light emission.

LED LED source 3000 K, 30.000 h life.



IP20

0,640 Kg / 0,0045 m³
LED 12,5W / 1550 lm

€ 100

138251 White
173252 Black


P. 098



Craft

Matt black varnished metal base. Natural wood body. Satin opal color polycarbonate diffuser. Downward light emission.

LED LED source 3000 K, 20.000 h life.



IP20

0,800 Kg / 0,0057 m³
LED 12W / 950 lm

€ 145

284477 Wood

P. 098 P. 515






Steel new

Linear aluminum lamp with direct and indirect light for wall installation. White or black finish available. Integrated LED, starting binning ≤ 3-Step MacAdam; available with 3000 K and 4000 K color temperature; CRI ≥ 90. Dimmable power supply 1-10V integrated as standard.

LED source 3000/4000 K, 50.000 h life.

P. 616



IP20

1,250 Kg / 0,0140 m³
LED 32W / 4650/5000 lm

€ 210

233840	White	3000K	
268095	White	4000K	
242019	Black	3000K	
268071	Black	4000K	



IP20

1,600 Kg / 0,0114 m³
LED 29W / 4500/4800 lm

€ 195

368887	White	3000K	new
368917	White	4000K	new
367576	Black	3000K	new
368894	Black	4000K	new



354545


369167

354552

Tab new

Light body in powder-coated or plated aluminum. Single light source, protected by clear polycarbonate diffuser. Available colours; White, Black, Brass.

LED LED source 3000 K, 50.000 h life.



IP20

0,300 Kg / 0,0006 m³
LED 24W / 3050 Lm

€ 60


354545 White new
369167 Black new
354552 Brass new



Block new

Light body in solid powder-coated aluminum. Single light source, protected by clear polycarbonate diffuser.

LED LED source 3000 K, 30.000 h life.




IP20

1,300 Kg / 0,0017 m³
LED 30W / 2550 Lm

€ 200

350752 White new




IP20

1,000 Kg / 0,0013 m³
LED 20W / 1700 Lm

€ 150

350523 White new



IP20

0,700 Kg / 0,0009 m³
LED 10W / 850 Lm

€ 100

350554 White new


Delta Led new

Powder-coated aluminum body. Shiny opal polycarbonate diffusers. Upward and downward light emission. Colours: black, white and cement.

LED LED source 3000 K, 35.000 h life.

Source	LED SMD	LED life	35.000 h
Power	10W / 37W	Insulation class	I
Driver included	On/Off	IP	20
Drivers available	No	Material	Aluminum
CCT	3000 K / 4000 K		
CRI	≥90		






0,450 Kg/0,0033 m³
* 1,250 Kg/0,0081 m³

LED SMD Driver included

Power	Lumen	CCT	Finish		Code	€	
10 W	1100 lm	3000K	White		345154	65	
			Black		336510	65	
			Concrete *		369501	65	new
	1150 lm	4000 K	White		345161	65	
			Black		345178	65	






0,580 Kg/0,0045 m³
* 1,750 Kg/0,0105 m³

LED SMD Driver included

Power	Lumen	CCT	Finish		Code	€	
14 W	1550 lm	3000K	White		316789	82	
			Black		345185	82	
			Concrete *		369563	82	new
	1650 lm	4000 K	White		345192	82	
			Black		345208	82	






0,950 Kg / 0,0062 m³
* 2,550 Kg / 0,0179 m³

LED SMD Driver included

Power	Lumen	CCT	Finish		Code	€	
19,5 W	2200 lm	3000 K	White		287645	112	
			Black		287638	112	
			Concrete *		357096	112	new
	2250 lm	4000 K	White		307015	112	
			Black		307022	112	






0,900 Kg / 0,0073 m³
* 3,400 Kg / 0,0296 m³

LED SMD Driver included

Power	Lumen	CCT	Finish		Code	€	
30 W	3350 lm	3000 K	White		287621	128	
			Black		287614	128	
			Concrete *		357119	128	new
	3500 lm	4000 K	White		307039	128	
			Black		307046	128	





2,400 Kg / 0,0120 m³
* 4,550 Kg / 0,0481 m³

LED SMD Driver included

Power	Lumen	CCT	Finish		Code	€	
37 W	4300 lm	3000 K	White		287607	148	
			Black		287591	148	
			Concrete *		357126	148	new
	4550 lm	4000 K	White		307053	148	
			Black		307060	148	


345154
287645
287638
357096


Delta new

Powder-coated aluminum body. Shiny opal polycarbonate diffusers. Upward and downward light emission. Colours: black, white.

Source	G9
Power	max 4 W
Insulation class	I
IP	20
Material	Aluminum

LED Bulbs LED G9 3W 3000 K included. Cod. **209043**






0,550 Kg / 0,00030 m³

G9 Recommended bulb: **305486, 3000 K, 510 lm** € 6,10

Power	Finish	Code	€	
G9 max 3 x 4W	White	366739	55	new
	Black	369617	55	new






0,740 Kg / 0,0042 m³

G9 Recommended bulb: **305486, 3000 K, 510 lm** € 6,10

Power	Finish	Code	€	
G9 max 4 x 4W	White	366746	67	new
	Black	369679	67	new






1,050 Kg / 0,0058 m³

G9 Recommended bulb: **305486, 3000 K, 510 lm** € 6,10

Power	Finish	Code	€	
G9 max 5 x 4W	White	366753	95	new
	Black	369716	95	new






1,400 Kg / 0,0078 m³

G9 Recommended bulb: **305486, 3000 K, 510 lm** € 6,10

Power	Finish	Code	€	
G9 max 6 x 4W	White	366760	107	new
	Black	369778	107	new





1,800 Kg / 0,0102 m³

G9 Recommended bulb: **305486, 3000 K, 510 lm** € 6,10

Power	Finish	Code	€	
G9 max 8 x 4W	White	366777	140	new
	Black	369822	140	new




366739 369617

Zig Zag Round new

Powder coated or plated total aluminum base and diffuser. Indirect light emission. Colors: white, black, satin brass.

LED LED source 3000 K, 50.000 h life.


Source	LED SMD	Insulation class	I
Power	12,5W / 23W / 30W	IP	20
Driver included	On/Off	Material	Aluminum
Drivers available	No		
CCT	3000 K		
CRI	≥90		
LED life	50.000 h		



0,550 Kg/0,0022 m³

LED SMD Driver included


Measure	Power	Driver	Lumen	CCT	Finish		Code	€	
290 x 50	12,5 W	On-Off	1300 lm	3000 K	White		361918	100	new
					Black		364520	100	new
					Brass		361925	100	new



0,780 Kg/0,0033 m³

LED SMD Driver included

Measure	Power	Driver	Lumen	CCT	Finish		Code	€	
530 x 50	23 W	On-Off	2350 lm	3000 K	White		361932	120	new
					Black		369495	120	new
					Brass		369532	120	new



0,990 Kg/0,0047 m³

LED SMD Driver included

Measure	Power	Driver	Lumen	CCT	Finish		Code	€	
750 x 50	30 W	On-Off	3100 lm	3000 K	White		361949	140	new
					Black		369556	140	new
					Brass		369570	140	new




361918 **364520** **361925**

Zig Zag Square new

Plated or powder coated aluminum body. 360° indirect light emission. Colors: white, black, brushed brass or concrete.

LED source 2700 / 3000 / 4000 K, 50.000 h life.

Source	LED SMD	LED life	50.000 h
Power	12,5W / 23W / 30W	Insulation class	I
Driver included	On/Off	IP	20
Drivers available	No	Material	Aluminum
CCT	2700 K / 3000 K / 4000 K		
CRI	≥90		




0,550 Kg/0,0021 m³

* 1,100 Kg/0,0071 m³

LED SMD Driver included

Measure	Power	Driver	Lumen	CCT	Finish		Code	€	
290 x 50	12,5 W	On-Off	1250 lm	2700 K	White		342641	95	
			1300 lm	3000 K	White		179292	95	
					Black		179315	95	
					Brass		282121	95	
					Concrete *		356679	95	new
			1350 lm	4000 K	White		277233	95	
					Black		369433	95	new




0,770 Kg/0,0038 m³

* 2,150 Kg/0,0138 m³

LED SMD Driver included

Measure	Power	Driver	Lumen	CCT	Finish		Code	€	
530 x 50	23 W	On-Off	2300 lm	2700 K	White		342658	110	
			2350 lm	3000 K	White		179308	110	
					Black		179322	110	
					Brass		282138	110	
					Concrete *		356686	110	new
			2500 lm	4000 K	White		277240	110	
					Black		369457	110	new



1,040 Kg/0,0053 m³

* 2,950 Kg/0,0220 m³

LED SMD Driver included

Measure	Power	Driver	Lumen	CCT	Finish		Code	€	
750 x 50	30 W	On-Off	3000 lm	2700 K	White		342665	140	
			3100 lm	3000 K	White		277219	140	
					Black		277226	140	
					Brass		287072	140	
	26 W				Concrete *		356693	140	new
			3250 lm	4000 K	White		277257	140	
					Black		369471	140	new



179292 179315 282121 356679



Flash


Enameled metal base. Total gypsum body. Double light emission: upward and downward.

Item suitable for painting and varnishing.

214689



214696



IP20


0,710 Kg / 0,0049 m³
G9 max 1 x 40W

€ 50

214689 White

3000 K
510 lm

305486 **€ 6,10**



IP20


0,770 Kg / 0,0045 m³
G9 max 1 x 40W

€ 50

214672 White

3000 K
510 lm

305486 **€ 6,10**



IP20

0,950 Kg / 0,0034 m³
G9 max 1 x 40W

€ 45

214696 White

3000 K
510 lm


305486 **€ 6,10**



Dorica new

Powder painted or plated aluminum base and shade. Opal polycarbonate diffuser. Colors: fluted surface: orange, white, blue or black; with smooth brushed surface: brass, copper, steel, grey, bronze.

LED source 3000 K, 50.000 h life.



IP20

0,400 Kg / 0,0020 m³
LED 8,5W / 850 lm

€ 90

366258	White	new	366371	Grey	new
366265	Black	new	366364	Bronze	new
366357	Brass	new	362502	Blue	new
366333	Copper	new	354163	Orange	new
366326	Steel	new			


P. 080 P. 452 P. 504

Look Led Round new

Base and light body in powder-coated or plated metal. Integrated driver. Available colours: White, Black, Brass.

LED Led source 3000 K, 50.000 h life.

Source	LED COB	**LED life**	50.000 h
Power	9W	**Insulation class**	II
Driver included	On/Off	**IP**	20
Drivers available	No	**Material**	Aluminum
Beam	60° + 60°		
CCT	3000 K		
CRI	≥90		



LED COB Driver included

Length	Power	Driver	Lumen	CCT	Weight	Volume	Finish	Code	€	
150 mm	9W	On-Off	900 lm	3000 K	0,25 Kg	0,0015 m³	White	370552	75	new
							Black	353333	75	new
							Brass	370590	75	new
300 mm	9W	On-Off	900 lm	3000 K	0,35 Kg	0,0027 m³	White	370620	85	new
							Black	370651	85	new
							Brass	353340	85	new

P. 082 P. 296 P. 506 P. 679




370552 353333 370590

Look Round new

Base and light body in powder-coated or plated metal. Available colours: White, Black, Brass, Chrome, Copper, Burnished.

LED Bulbs LED GU10 7W 3000 K included.
Cod. **123943**

Source	GU10
Power	max 28 W
Insulation class	II
IP	20
Material	Aluminum



GU10 Recommended bulb: 123943, 3000 K, 540 lm € 2,50

Length	Power	Weight	Volume	Finish	Code	€	
150 mm	GU10 max 2 x 28W	0,35 Kg	0,0025 m³	White	096018	65	
				Black	095998	65	
				Brass	369990	65	new
				Chrome	094182	65	
				Ant.Brass	164823	65	
				Copper	164847	65	
300 mm	GU10 max 2 x 28W	0,45 Kg	0,0035 m³	White	370033	70	new
				Black	370118	70	new
				Brass	370125	70	new
				Chrome	352961	70	new
				Ant.Brass	370071	70	new
				Copper	370163	70	new

P. 082 P. 296 P. 506 P. 679






096018 095998 369990 094182 164823 164847

Look Led Square new

Base and light body in powder-coated or plated metal. Integrated driver. Available colours: White, Black, Brass.

LED Led source 3000 K, 50.000 h life.

Source	LED COB	**LED life**	50.000 h
Power	9W	**Insulation class**	II
Driver included	On/Off	**IP**	20
Drivers available	No	**Material**	Aluminum
Beam	60° + 60°		
CCT	3000 K		
CRI	≥90		



LED COB Driver included

Length	Power	Driver	Lumen	CCT	Weight	Volume	Finish	Code	€	
150 mm	9W	On-Off	900 lm	3000 K	0,33 Kg	0,0015m³	White	370699	87	new
							Black	353357	87	new
							Brass	370712	87	new
300 mm	9W	On-Off	900 lm	3000 K	0,45 Kg	0,0027 m³	White	370750	97	new
							Black	370774	97	new
							Brass	353364	97	new

P. 082 P. 296 P. 506 P. 679





370699



353357




370712

Look Square new

Base and light body in powder-coated or plated metal. Available colours: White, Black, Brass, Chrome, Copper, Burnished.

LED Bulbs LED GU10 7W 3000 K included.
Cod. **123943**

Source	GU10
Power	max 28 W
Insulation class	II
IP	20
Material	Aluminum



GU10 Recommended bulb: 123943, 3000 K, 540 lm € 2,50

Length	Power	Weight	Volume	Finish	Code	€	
150 mm	GU10 max 2 x 28W	0,75 Kg	0,0025 m³	White	370194	70	new
				Black	353937	70	new
				Brass	370293	70	new
				Chrome	370255	70	new
				Ant.Brass	370231	70	new
				Copper	370354	70	new
300 mm	GU10 max 2 x 28W	1,40 Kg	0,0035 m³	White	126883	75	
				Black	126890	75	
				Brass	370439	75	new
				Chrome	353944	75	new
				Ant.Brass	370392	75	new
				Copper	370460	75	new

P. 082 P. 296 P. 506 P. 679




370194 353937 370293 370255 370231 370354

Soda

White chalk body. White enamel coated frame. Frosted clear glass bottom diffuser. Up-and-down light emission.

Item suitable for painting and varnishing.





IP20

2,630 Kg / 0,0176 m³
E14 max 2 x 40W

€ 100

105727 White

3000 K
420 lm

101217 **€ 2,00**

IP20

1,100 Kg / 0,0068 m³
E14 max 1 x 40W

€ 50

105710 White


3000 K
420 lm

101217 **€ 2,00**

Ovalino

Diffuser composed of circular elements created from curved and acid-etched glass sheet.





IP20

1,800 Kg / 0,0342 m³
E27 max 2 x 60W

€ 126

038025 White

3000 K
340 lm

101286 **€ 2,00**

P. 153 P. 380



Lolly new

Powder-coated or plated metal base. Clear glass diffuser, internally sandblasted. Available colours: white with clear glass, black with smoked glass and brass with amber glass.

LED Bulbs LED GX53 9W 3000 K included.
Cod. **123936**




354651



354637



354644



IP44 INCLUSA

0,800 Kg / 0,0040 m³
GX53 max 1 x 9W

€ 50

354651	**Clear**	new
354637	**Amber**	new
354644	**Grey**	new

3000 K
910 lm


123936 **€ 5,00**


INTERIORS

Mapa

White metal base and fastening system. White blown acid-etched spherical glass diffuser.

LED Bulbs LED G9 3W 3000 K included in models: **059808** and **310787**.
Cod. **209043**



IP20


1,660 Kg / 0,0647 m³
E27 max 1 x 42W

€ 88

059822 White

3000 K
430 lm

101279 **€ 2,00**



IP20


0,900 Kg / 0,0189 m³
E27 max 1 x 42W

€ 50

059815 White

3000 K
430 lm

101279 **€ 2,00**



IP20


0,380 Kg / 0,0105 m³
G9 max 1 x 15W

€ 44

059808 White

3000 K
510 lm

305486 **€ 6,10**



IP20

0,230 Kg / 0,0025 m³
G9 max 1 x 4W

€ 35

310787 White

3000 K
510 lm

305486 **€ 6,10**


P. 158 P. 287 P. 465



Cotton new

Powder painted metal base. White acid-etched blown glass diffuser.

LED Bulbs LED GX53 9W 3000K and LED G9 3W 3000 K included in models: **352312** and **352329**. Cod. **123936** and **209043**



IP20

0,800 Kg / 0,0147 m³
E14 max 1 x 28W

€ 71

352336 White new

3000 K
420 lm

101217 **€ 2,00**



IP20 INCLUSA


0,500 Kg / 0,0076 m³
G9 max 1 x 4W

€ 56

352329 White new

3000 K
510 lm

305486 **€ 6,10**



IP20 INCLUSA

0,300 Kg / 0,0043 m³
GX53 max 1 x 9W

€ 51

352312 White new

3000 K
910 lm

123936 **€ 5,00**

P. 155 P. 286



Bloom new

Powder painted or plated metal frame. White acid-etched blown glass diffuser. Colors: black striped frame with satin gray outer glass, brushed brass frame with clear amber striped outer glass.

LED Bulbs LED G9 3W 3000 K included in models: **366548** and **366531**.
Cod. **209043**



366555



366548




IP20

1,200 Kg / 0,0204 m³
E27 max 1 x 42W

€ 125

366562 Black new
366555 Brass new



IP20 INCLUSA

0,600 Kg / 0,0091 m³
G9 max 1 x 4W

€ 100

366548 Black new
366531 Brass new

3000 K
340 lm

101286 **€ 2,00**

3000 K
510 lm


305486 **€ 6,10**

P. 142 P. 288 P. 462 P. 499

Smarties

Metal base. White acid-etched blown glass diffuser with fastening system without screws.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**



IP20 INCLUSA

0,440 Kg / 0,0061 m³
G9 max 1 x 15W

€ 46

014814 White

3000 K
510 lm

305486 **€ 6,10**


P. 150 P. 282 P. 461




Carta

Matt white painted metal frame. Polycarbonate diffuser with paper effect covering.

LED Bulbs LED G9 3W 3000 K included in model **317090**. Cod. **209043**





IP20


0,500 Kg / 0,0138 m³
E27 max 1 x 25W

€ 85

317106 White

3000 K
430 lm

101279 **€ 2,00**



IP20 INCLUSA

0,200 Kg / 0,0034 m³
G9 max 1 x 15W

€ 65

317090 White

3000 K
510 lm

305486 **€ 6,10**

P. 170 P. 282 P. 468 P. 519

Triplo

Triple glass diffuser. One transparent and plate on the base and two frosted and bent on the upper part. Chrome metal glass holders.





IP20

2,170 Kg / 0,0196 m³
E27 max 2 x 60W

€ 71

026480 White

3000 K
340 lm

101286 **€ 2,00**



IP20

1,260 Kg / 0,0141 m³
E27 max 1 x 60W

€ 49

026473 White


3000 K
340 lm

101286 **€ 2,00**

Ali

White acid-etched glass diffuser composed of one frontal and two side elements. Chrome glass holders.





IP20

1,410 Kg / 0,0162 m³
E27 max 2 x 60W

€ 58

026558 White

3000 K
340 lm

101286 **€ 2,00**

Camerino

Aluminum base. White blown acid-etched glass diffuser closed on both sides with transparent acrylic ends.





IP20


1,170 Kg / 0,0132 m³
E14 max 4 x 40W

€ 110

027104 White

3000 K
420 lm

101217 **€ 2,00**



IP20


0,960 Kg / 0,0103 m³
E14 max 3 x 40W

€ 100

027098 White

3000 K
420 lm

101217 **€ 2,00**



IP20

0,780 Kg / 0,0076 m³
E14 max 2 x 40W

€ 90

027081 White

3000 K
420 lm

101217 **€ 2,00**


Pretty

Powder-coated aluminum base and side elements. Shiny opal color polycarbonate cylindrical diffuser. Available finish: white.



LED LED source 3000 K, 50.000 h life.

IP54 Protection degree IP54.



IP54

1,250 Kg / 0,0220 m³
LED 24W / 3050 lm

€ 147

287768 White



IP54

1,120 Kg / 0,0165 m³
LED 18W / 2200 lm

€ 127

287775 White



IP54

0,960 Kg / 0,0127 m³
LED 11,5W / 1500 lm

€ 101

287782 White



Privè

Totally metal body with different finishes. The absence of diffuser allows putting on a wide range of E14 bulbs.





IP20

1,420 Kg / 0,0070 m³
E14 max 8 x 40W

€ 130

159522 White
045634 Chrome

3000 K
420 lm

101217 € 2,00



IP20

1,100 Kg / 0,0092 m³
E14 max 6 x 40W

€ 100

159423 White
045627 Chrome
159508 Black
179681 Brass

3000 K
420 lm

101217 € 2,00


Essence Round new

Base and light body in powder-coated or plated aluminum. Fixed, non-adjustable diffuser, in satin opal polycarbonate. Available colours: White, Black, Brass.

LED source LED 2700 K / 3000 K / 4000 K, 30.000 h life.

Source	LED SMD	CRI	≥90
Power	12 W / 19W	LED life	30.000 h
Driver included	On/Off	Insulation class	II
Drivers available	No	IP	20
CCT	2700 K / 3000 K / 4000K	Material	Aluminum






0,500 Kg/0,0084 m³

LED SMD Driver included

Power	Driver	Lumen	CCT	Finish		Code	€
13 W	On-Off	1300 lm	3000 K	White		310138	155
				Black		310145	155
				Brass		327792	155






0,610 Kg/0,0125 m³

LED SMD Driver included

Power	Driver	Lumen	CCT	Finish		Code	€
16 W	On-Off	1800 lm	3000 K	White		327778	180
				Black		310152	180
				Brass		327785	180






0,520 Kg/0,0112 m³

LED SMD Driver included

Power	Driver	Lumen	CCT	Finish		Code	€	
12 W	On-Off	1300 lm	2700 K	Black		340999	145	
		1400 lm	3000 K	White		285115	145	
				Black		265643	145	
				Brass		371665	145	new
		1450 lm	4000 K	Black		341002	145	





1,040 Kg/0,0174 m³

LED SMD Driver included

Power	Driver	Lumen	CCT	Finish		Code	€	
19 W	On-Off	2100 lm	2700 K	Black		341019	195	
		2250 lm	3000 K	White		265575	195	
				Black		285108	195	
				Brass		371719	195	new
		2350 lm	4000 K	Black		341026	195	

P. 096 P. 451 P. 502



310145

265643

310138

310145

327792


Essence Square new

Base and light body in powder-coated or plated aluminum. Fixed, non-adjustable diffuser, in satin opal polycarbonate. Available colours: White, Black, Brass.

LED source LED 3000 K, 30.000 h life.

Source	LED SMD	**LED life**	30.000 h
Power	12 W / 19 W	**Insulation class**	II
Driver included	On/Off	**IP**	20
Drivers available	No	**Material**	Aluminum
CCT	3000 K		
CRI	≥90		






0,520 Kg/0,0112 m³

LED SMD Driver included

Power	Driver	Lumen	CCT	Finish		Code	€	
12 W	On-Off	1250 lm	3000 K	White		311777	140	
				Black		311760	140	
				Brass		371689	140	new





0,600 Kg/0,0181 m³

LED SMD Driver included

Power	Driver	Lumen	CCT	Finish		Code	€	
19 W	On-Off	2000 lm	3000 K	White		327945	165	
				Black		311784	165	
				Brass		371726	165	new

P. 096 P. 451 P. 502





311760



285092



285092



371689

Alma

Metal body with satin brass or chrome finish or white powder coated. Unmovable plastic diffuser in opal color.

LED LED source 3000 K, 30.000 h life.




224985



224930



224954




IP20

0,730 Kg / 0,0258 m³
LED 18W / 2050 lm

€ 181

225029 White
224992 Chrome
225005 Brass



IP20

0,650 Kg / 0,0162 m³
LED 12,5W / 1350 lm

€ 143

224985 White
224930 Chrome
224954 Brass




142296 142272 302225

Riflesso

Matt painted or plated metal frame. Satin clear acrylic diffuser inclined at 45°. Colors: white, chrome or black.

LED LED source 3000 K, 20.000 h life.

IP54 Protection degree IP54.




IP54	IP54	IP54
0,980 Kg / 0,0051 m³	0,750 Kg / 0,0038 m³	0,600 Kg / 0,0026 m³
LED 19W / 2150 lm	LED 16W / 1750 lm	LED 10W / 1250 lm
€ 171	€ 145	€ 118
331690 White	142289 White	142296 White
345130 Chrome	142265 Chrome	142272 Chrome
345147 Black	302232 Black	302225 Black

Make Up

Powder-coated aluminium base and body. Satin clear acrylic diffuser. Downward light emission. Available finish: white.

LED LED source 3000 K, 50.000 h life.

IP54 Protection degree IP54.



IP54	IP54	IP54
1,400 Kg / 0,0160 m³	1,200 Kg / 0,0091 m³	1,000 Kg / 0,0071 m³
LED 27W / 3250 lm	LED 18W / 2200 lm	LED 12W / 1350 lm
€ 162	€ 122	€ 102
287676 White	287669 White	287652 White




Bow

Metal frame available with antique brass, chrome or satin brass finish. Reclining LED diffuser. Switch button on the base.

LED LED source 3000 K, 20.000 h life.

ON OFF Lamp with integrated switch.




IP20	IP20	IP20
0,860 Kg / 0,0327 m³	0,790 Kg / 0,0200 m³	0,640 Kg / 0,0136 m³
LED 8W / 1050 lm	LED 4,6W / 580 lm	LED 3,5W / 410 lm
€ 195	€ 145	€ 125
007021 Chrome	007045 Chrome	005386 Chrome
121130 Brass	121178 Brass	121154 Brass
121147 Ant. Brass	121161 Ant. Brass	121338 Ant. Brass



Mirror-10

Metal frame with antique brass, chrome or satin nickel finish. Adjustable diffuser.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**



IP20 INCLUSA

1,090 Kg / 0,0174 m³
G9 max 4 x 40W

€ 138

017303 Chrome
017310 Ant. Brass

3000 K
510 lm


305486 **€ 6,10**



017303 **017310**

Retrò

Totally metal base, arm and diffuser with brass finish. Adjustable diffuser.



IP20

0,790 Kg / 0,0152 m³
E14 max 2 x 28W

€ 120

144917 Ant. Brass

3000 K
470 lm

101224 **€ 2,00**





Focus

Metal body with adjustable arm coated with rubber. Finished in white or black matt colour or in grey with chrome details.


LED LED source 3000 K, 30.000 h life.

ON OFF Lamp with integrated switch.



097183 097206 097190

203171 203188 203195




IP20

0,400 Kg / 0,0026 m³
LED 4W / 310 lm

€ 65

097183 White
097206 Chrome
097190 Black



IP20

0,410 Kg / 0,0018 m³
LED 3,5W / 280 lm

€ 70

203171 White
203188 Chrome
203195 Black



Io

Recessed fitting with powder coated metal frame. Flexible arm coated with rubber. Diffuser with knurled clear acrylic screen. Integrated switch. Colors: white or black.

LED LED source 3000 K, 30.000 h life.


ON OFF Lamp with integrated switch.



285320



272030



IP20

0,240 Kg / 0,0014 m³
LED 3W / 300 lm

€ 130

285320 White
272030 Black

Goose

Cast aluminum body and diffuser with colored matt powder coating. Flexible arm covered with silicone rubber.

LED LED source 3000 K, 20.000 h life.


ON OFF Lamp with integrated switch.



142708



142692



IP20

0,430 Kg / 0,0044 m³
LED 3W / 200 lm

€ 125

142708 White
142692 Black



Dynamo

Metal base and flexible arm available with chrome, nickel or antique brass finish. Freely adjustable diffuser. Switch bottom on the base.

LED LED source 4000 K, 20.000 h life.

ON OFF Lamp with integrated switch.




031460



031477



121352



IP20

0,500 Kg / 0,0025 m³
LED 3,5W / 190 lm

€ 90

031460 Chrome
031477 Nickel
121352 Ant. Brass


350233
350233
350233

Bean new

Directable plated or powder coated metal base and diffuser. White, black, brass or nichel color with black switch and junction.

LED source 3000 K, 30.000 h life.

Lamp with integrated switch.

Lamp with touch dimmer.
Cod. **350233**, **364810**, **350240**, **350264**

Lamp with rechargeable battery included. 6 hours life. Cod. **350233**, **364810**, **350240**, **350264**



260617




260600



260631



260624




IP20

0,180 Kg / 0,0008 m³
LED 3W / 200 lm

€ 55

260648	White	
260679	Nickel	
260655	Black	
260662	Brass	




IP20

0,180 Kg / 0,0007 m³
LED 3W / 200 lm

€ 55

260600	White	
260631	Nickel	
260617	Black	
260624	Brass	




IP20

0,310 Kg / 0,0012 m³
LED 3W / 200 lm

€ 75

350233	White	new
364810	Nickel	new
350240	Black	new
350264	Brass	new



Elf new

Powder-coated aluminum frame. Base with built-in switch and USB-C charging port. Adjustable diffuser with inner reflecting ring. Available colours: white, black, gold and white, gold and black.

LED LED source 3000 K, 50.000 h life.


ON OFF Lamp with integrated switch.

Lamp with dimmer.

Lamp with touch dimmer.

USB Lamp with integrated USB socket.






IP20

0,290 Kg / 0,0009 m³
LED 3W / 200 lm

€ 65

347479	White	new
347462	Black	new
347493	Gold	new
347486	Gold	new



ONLY BOX 502

Lite

Aluminium base and body with white, black or brass finish. Adjustable diffuser. Integrated switch. Recessed installation on flush-mounting box type 502, not included.

LED LED source 3000 K, 20.000 h life.

ON OFF Lamp with integrated switch.




250106



250113



250120




IP20

0,340 Kg / 0,0008 m³
LED 3W / 200 lm

€ 69

250106 White
250113 Black
250120 Brass



Page

White or black powder coated aluminum body. Adjustable diffuser with lens and jointed chrome metal piece.

LED LED source 3000 K, 30.000 h life.


ON OFF Lamp with integrated switch.

142586



142579





IP20

0,320 Kg / 0,0025 m³
LED 3W / 240 lm

€ 85

142586 White
142579 Black



IP20

0,420 Kg / 0,0023 m³
LED 3W / 240 lm

€ 89

142258 White
142241 Black



Pipe

Powder coated aluminum body. Adjustable diffuser with knurled acrylic screen secured with ring. Integrated switch. Colors: white or black.

LED LED source 3000 K, 20.000 h life.


ON OFF Lamp with integrated switch.



280998



281001



IP20

0,400 Kg / 0,0009 m³
LED 7W / 670 lm

€ 100

280998 White
281001 Black



Bonne Nuit

Plated or powder coated metal frame. Double light source: one is fixed and the other is positioned on an adjustable cylinder. Two integrated switches for separate ignitions. Colors: white, black, brass and nickel.

LED LED source 3000 K, 50.000 h life.

ON OFF Lamp with integrated switch.



336770




336787



336800



336794




IP20

0,360 Kg / 0,0015 m³
LED 6,5W / 420 lm

€ 75

336794 White
336770 Nickel
336787 Black
336800 Brass



IP20

0,360 Kg / 0,0015 m³
LED 6,5W / 420 lm

€ 75

345499 White
345482 Nickel
336817 Black
345505 Brass



Komodo

Powder-coated metal frame. Adjustable diffuser. Integrated switch and USB socket. Available finishes: white or black.

LED LED source 3000 K, 20.000 h life.

ON OFF Lamp with integrated switch.


USB Lamp with integrated USB socket.



291789



291796




IP20

0,700 Kg / 0,0060 m³
LED 4,5W / 240 lm

€ 115

291789 White
291796 Black



IP20

0,700 Kg / 0,0060 m³
LED 4,5W / 240 lm

€ 115

306810 White
306827 Black



Piano

Total powder painted aluminium frame. Opal polycarbonate diffuser with emission on the back. Adjustable frontal projector. Colours: white or black

LED LED source 3000 K, 20.000 h life.

ON OFF Lamp with integrated switch.


USB Lamp with integrated USB socket.



287317



287300



IP20

0,800 Kg / 0,0051 m³
LED 10W / 910 lm

€ 165

287317 White
287300 Black



P. 100 P. 310 P. 676

Dynamite new


Powder coated or plated or brushed metal frame. Adjustable diffusers.

LED Bulbs LED GU10 7W 3000 K and GU10 4 W 3000 K included.
Cod. **123943** and **339771**


371221


231471


244662



IP20


0,510 Kg / 0,0025 m³
GU10 max 2 x 28W

€ 75

367378	White	new
367385	Black	new
367392	Brass	new

3000 K
540 lm

123943 **€ 2,50**



IP20

0,430 Kg / 0,0020 m³
GU10 max 1 x 28W

€ 38

231495	White	new
231471	Black	new
244662	Brass	new

3000 K
540 lm

123943 **€ 2,50**



IP20


0,150 Kg / 0,0011 m³
GU10 max 1 x 28W

€ 35

347639	White	new
347646	Black	new
347653	Brass	new

3000 K
340 lm

339771 **€ 2,50**



IP20

0,610 Kg / 0,0025 m³
GU10 max 2 x 28W

€ 80

371221	White	new
371238	Black	new
371245	Brass	new

3000 K
540 lm

123943 **€ 2,50**



IP20

0,430 Kg / 0,0020 m³
GU10 max 1 x 28W

€ 40

371160	White	new
371191	Black	new
371214	Brass	new

3000 K
540 lm

123943 **€ 2,50**




314105 314099 314129

Dodo

Powder coated or plated metal base and body. Adjustable diffuser with replaceable LED source. Finishes: white, black, brushed brass.

LED Bulbs LED GX53 9W 3000 K included.
Cod. **123936**



IP20 INCLUSA


0,930 Kg / 0,0037 m³
GX53 max 2 x 15W

€ 68

314136 White
327938 Black
327921 Brass

3000 K
910 lm

123936 € 5,00



IP20 INCLUSA

0,450 Kg / 0,0017 m³
GX53 max 1 x 15W

€ 36

314105 White
314099 Black
314129 Brass

3000 K
910 lm

123936 € 5,00

P. 509




Rudy

White or black powder coated die-cast aluminium frame. Adjustable diffusers: they can be rotated and reclined.

LED Bulbs LED GU10 7W 3000 K included.
Cod. **123943**

P. 316



IP20


0,570 Kg / 0,0027 m³
GU10 max 2 x 35W

€ 101

229041 White
229034 Black

3000 K
540 lm

123943 **€ 2,50**



IP20


0,270 Kg / 0,0099 m³
GU10 max 1 x 35W

€ 51

229027 White
229010 Black

3000 K
540 lm

123943 **€ 2,50**



IP20


0,570 Kg / 0,0025 m³
GU10 max 2 x 35W

€ 106

294803 White
321509 Black

3000 K
540 lm

123943 **€ 2,50**



IP20

0,270 Kg / 0,0011 m³
GU10 max 1 x 35W

€ 56

294766 White
321530 Black

3000 K
540 lm

123943 **€ 2,50**

Gim

Powder painted aluminum frame. Rotating diffuser with satin acrylic screen. Integrated switch. Integrated LED source.

LED LED source 3000 K, 15.000 h life.

ON OFF Lamp with integrated switch.



IP20

0,450 Kg / 0,0020 m³
LED 6,5W / 480 lm

€ 80


167152 White
167121 Black



167152 **167121**

Winery

Totally white or black enamelled ceramic body with integrated bulb socket. AP model with downward orientation.



IP20

0,250 Kg / 0,0004 m³
E27 max 1 x 60W

€ 30

180298 White
180304 Black



180298 **180304**

3000 K
1100 lm

101323 **€ 4,50**


P. 314

Oby

Matt white varnished metal frame with chromed junctions. Adjustable body with white plastic diffuser.

LED LED source 3000 K, 20.000 h life.






IP20

0,620 Kg / 0,0031 m³
LED 12W / 1400 lm

€ 120

196695 White



IP20

0,310 Kg / 0,0015 m³
LED 6W / 700 lm

€ 61

196688 White


P. 312

Barber

Total metal base, junction and bulb socket cover. Adjustable body. Available version antique brass.

LED Bulbs LED GU10 7W 3000 K included. Cod. **123943**





IP20

0,230 Kg / 0,0025 m³
GU10 max 1 x 28W

€ 80

159997 Ant. Brass

3000 K
540 lm

123943 **€ 2,50**

Frida

Metal ceiling cup and bulb socket cover with antique brass or copper finish. Power cable coated with black fabric.



163338



163321



IP20

0,430 Kg / 0,0027 m³
E27 max 1 x 60W

€ 47

163338 Copper
163321 Ant. Brass

2200 K
500 lm

151717 € 5,00

P. 122



Radio

Metal ceiling rose and frame. Adjustable diffuser. Electrical cable coated with fabric. Available with chrome or matt white or black varnish finish.

LED Bulbs LED E27 8W Globo D125 trasparente 3000 K included. Cod. **101347**




119427



119465



119502



IP20

0,450 Kg / 0,0080 m³
E27 max 1 x 60W

€ 60

119465 White
119427 Chrome
119502 Black

3000 K
1050 lm


101347 **€ 6,00**



Birds

Varnished metal frame with satin brass decorative disc. White acid-etched blown glass diffusers. Color: matt black with satin brass detail.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**



IP20 INCLUSA

0,670 Kg / 0,0108 m³
G9 max 1 x 15W

€ 73

273655 ■ **Black**

3000 K
510 lm

305486 **€ 6,10**

P. 107 P. 324 P. 469 P. 494




Perlage

Metal frame. Blown glass diffusers. Finishes: Matt black with amber or smoky Pyrex glasses or satin brass with etched white glasses.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**





IP20 INCLUSA


0,800 Kg / 0,0182 m³
G9 max 3 x 15W

€ 175

283784	White
271439	Smok.Gre.
322742	Amber

3000 K
510 lm

305486 **€ 6,10**



IP20 INCLUSA

0,400 Kg / 0,0054 m³
G9 max 1 x 15W

€ 75

292410	White
292403	Smok.Gre.
317809	Amber

3000 K
510 lm

305486 **€ 6,10**


P. 108 P. 322 P. 470 P. 492

Triumph

Plated metal base, arm and bulb holder cover. Color: old brass.

ON OFF Lamp with integrated switch.





IP20


0,710 Kg / 0,0059 m³
E27 max 2 x 42W

€ 160

160245 Brass

2200 K
370 lm

151687 **€ 2,50**



IP20

0,490 Kg / 0,0069 m³
E27 max 1 x 42W

€ 105

160214 Brass

2200 K
370 lm

151687 **€ 2,50**

P. 102 P. 320

Atlas new

Matt varnished base and frame with adjustable arms. White acid-etched blown glass diffusers. Colors : white, black, gold.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**





IP20 INCLUSA

0,640 Kg / 0,0124 m³
G9 max 2 x 4W

€ 135

352008 White new
365077 Black new
365084 Gold new

3000 K
510 lm

305486 **€ 6,10**

P. 106 P. 326



352008 **365077** **365084**




Equinoxe

Plated metal frame. Clear borosilicate glass diffusers. Colors: chrome structure with clear or faded smoky glass, antique brass structure with clear glass or faded amber glass.

LED Bulbs LED G4 2W 3000 K included.
Cod. **222257**





IP20

0,990 Kg / 0,0147 m³
G4 max 1 x 2W

€ 145

200132 Chrome
200149 Brass
345338 Smok.Gre.
345321 Amber

3000 K
200 lm


222257 **€ 4,00**

P. 112 P. 491

Cantina

Metal frame, diffuser and bulb socket cover, available with antique brass or copper finish. Electrical cable covered with fabric.





IP20

0,520 Kg / 0,0121 m³
E14 max 1 x 40W

€ 90

112695 Copper
112626 Ant. Brass



112695



112626

3000 K
480 lm


101200 **€ 2,00**

P. 136

Newton

Chrome metal frame and diffuser. Available with satin nickel, antique brass or matt black varnish finish. Adjustable arm. Adjustable diffuser with white enamel coating inside.





IP20

0,600 Kg / 0,0090 m³
E27 max 1 x 42W

€ 62

016399 Nickel
027852 Black
027876 Ant. Brass



016399



027852



027876

3000 K
900 lm

123899 **€ 3,50**

P. 516



Shower

Black matt varnished metal frame. Articulated chrome element. Adjustable diffuser. Power cable coated with fabric with switch and plug included.

ON OFF Lamp with integrated switch.



IP20

0,760 Kg / 0,0391 m³
E27 max 1 x 60W

€ 130

179643 ■ **Black**

3000 K
900 lm

123899 **€ 3,50**



Binomio

Powder coated or plated metal frame. Satin acrylic sphere diffuser. Model with adjustable cylindrical diffuser, with independent switching. Colors: white, black, brushed brass.

LED source 3000 K, 50.000 h life.
Cod. **336534**, **336664**, **336671**

LED

Bulbs LED G9 3W 3000 K included in models: **328478**, **310664**, **311319**.
Cod. **209043**

ON OFF

Lamp with integrated switch.
Cod. **336534**, **336664**, **336671**



336671



310664



328478




IP20

0,680 Kg / 0,0025 m³
LED 6W / 600 lm

€ 110

336534 White
336664 Black
336671 Brass



IP20

0,500 Kg / 0,0095 m³
G9 max 1 x 4W

€ 55

328478 White
310664 Black
311319 Brass

3000 K
510 lm

305486 **€ 6,10**


P. 330 P. 466 P. 496



Ninfea

Plated or powder-coated metal base. White overlay, acid-etched blown glass diffusers. Available finishes: white or satin brass.

LED Bulbs LED G9 3W 3000 K, LED GX53 9W 3000 K included. Cod. **209043**, **123936**



IP20


0,800 Kg / 0,0168 m³
G9 max 2 x 4W

€ 132

327716 White
346533 Brass

3000 K
510 lm

305486 **€ 6,10**



IP20

0,800 Kg / 0,0092 m³
GX53 max 1 x 15W

€ 105

306940 White
293646 Brass

3000 K
910 lm

123936 **€ 5,00**

P. 333 P. 472



Tick

Powder coated metal body with gold or silver leaf finish. The diffuser can be reclined up to 90°.


LED LED source 3000 K, 30.000 h life.



238944



238975



IP20

0,440 Kg / 0,0041 m³
LED 7,5W / 700 lm

€ 70

238975 White
238944 Gold



P. 192 P. 264 P. 476 P. 526

Set up

Powder coated or plated metal frame. Two-light version with rubber-coated flexible arm and independent switches. Lampshades made of fireproof PVC covered with fabric. Frame colors: white, black, satin nickel or brushed brass with black details. Lampshade colors: beige, white, black, dove grey.


LED source 3000 K in model **259819**, **259826**, **259833** and **259857**, 20.000 h life.

ON OFF Lamp with integrated switch in models: **259819**, **259826**, **259833** and **259857**.





259765 **259796** **259772** **259802** **260068** **260082** **304113** **260075**



IP20


0,900 Kg / 0,0063 m³
E27 max 1 x 42W + LED 3W / 200 lm

€ 105

259819	White
259833	Nickel
259826	Black
259857	Brass

3000 K
900 lm

123899 **€ 3,50**



IP20


0,370 Kg / 0,0032 m³
E27 max 1 x 42W

€ 63

259765	White
259796	Nickel
259772	Black
259802	Brass

3000 K
900 lm


123899 **€ 3,50**



0,460 Kg / 0,0228m³

€ 63


260433	White
260440	Beige
270005	Black
304618	Dove Grey



0,120 Kg / 0,0180 m³

€ 32

260327	White
260334	Beige
269986	Black
304601	Dove Grey



0,130 Kg / 0,0180 m³

€ 34

260068	White
260082	Beige
260075	Black
304113	Dove Grey



0,110Kg / 0,0180 m³

€ 29

260341	White
260358	Beige
270036	Black
293004	Dove Grey


Nordik

Matt black varnished metal frame. One single switch to control independently both lighting sources.



LED LED source 3000 K, 20.000 h life.

IP20



0,630 Kg / 0,0111 m³
E14 max 1 x 40W + LED 1,5W / 100 lm

€ 110

158242 ■ **Black**

3000 K
480 lm

101200 **€ 2,00**

P. 191 P. 475 P. 528

Gea


White powder coated aluminum body. Adjustable diffuser with integrated led. PVC shade coated with fabric. USB socket. Independent switches.



LED LED source 3000 K, 20.000 h life.

ON OFF Lamp with integrated switch.

USB Lamp with integrated USB socket.



IP20


0,500 Kg / 0,0022 m³
E27 max 1 x 60W + LED 3W / 230 lm

€ 125

239521 □ **White**

3000 K
900 lm

123899 **€ 3,50**



0,140 Kg / 0,0052 m³

€ 17

239576 □ **White**






Hotel

Fabric shade with satin glasses. Double light model with adjustable external light and separated ignition. Colors: total white, total black, chrome body with white, canvas or black shade.

LED LED source 3000 K, 20.000 h life.

ON OFF Lamp with integrated switch.



IP20

1,410 Kg / 0,0149 m³
E27 max 1 x 60W +
LED 1,5W / 50 lm

€ 125

215693 Total White
035949 White
215709 Total Black
035956 Black
103204 Canvas


3000 K
900 lm

123899 € 3,50

Pan

Diffuser composed of plated metal decorative tubes of different measures. Upward and downward light emission.





IP20

6,340 Kg / 0,0302 m³
E14 max 2 x 40W

€ 450

208794 Gold

3000 K
470 lm


101224 **€ 2,00**

Pashà

Metal Frame. Diffuser composed of cut crystal pearl strings.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**





IP20 INCLUSA

1,110 Kg / 0,0061 m³
G9 max 3 x 40W

€ 210

082264 Chrome
082288 Gold

3000 K
510 lm

305486 **€ 6,10**

P. 202 P. 337



082264




082288

Carlton

Chromed or golden metal frame. Decorative elements with fob-chains composed of octagons and transparent cut-crystals bars.





IP20

2,570 Kg / 0,0154 m³
E14 max 3 x 40W

€ 170

168913 Chrome
213491 Gold

3000 K
470 lm

101224 **€ 2,00**

P. 199 P. 343



168913


213491

Dubai

Metal frame with chrome or brass finish. Decorative elements composed of transparent cut crystals pearls, octagons and prisms.





IP20

1,190 Kg / 0,0088 m³
E14 max 2 x 28W

€ 210

207155 Chrome
201023 Brass

3000 K
470 lm

101224 **€ 2,00**

P. 204 P. 342


207155


201023


Opera

Chrome frame. PVC foil shade covered with metallic filaments. Cut crystal pendants.

LED source 3000 K, 15.000 h life.

Lamp with integrated switch.





IP20

1,550 Kg / 0,0208 m³
E14 max 1 x 40W +
LED 1,5W / 50 Lm

€ 180

068268 White

3000 K
420 Lm


101217 **€ 2,00**

P. 198 P. 480 P. 529

Pegaso

Chromed or satin brass metal frame. Cut crystal main body, candle cups and pendants. Organza fabric shades.





IP20

1,600 Kg / 0,0274 m³
E14 max 2 x 28W

€ 165

059211 White
197708 Brass

3000 K
370 lm

101231 **€ 2,00**

P. 206 P. 480




059211 **197708**



Corte

Totally handcrafted metal frame. Hand painted finish with antiqued effect. Available versions: white or rusty effect.



IP20

1,060 Kg / 0,0368 m³
E14 max 2 x 40W

€ 100

028460 White
057200 Rust

3000 K
470 lm


101224 € 2,00

P. 209

Negresco

Plated metal frame and details. Clear blown glass arms with golden inner part. Decorative elements in clear glass and cut crystal. Color: gold.





IP20

2,380 Kg / 0,0183 m³
E14 max 2 x 28W

€ 160

087757 Gold

3000 K
430 lm


101248 **€ 2,00**

P. 211

Florian

Metal frame with decorative glass elements. Pendants composed of cut crystal octagons and final drops. Available versions: clear glass with golden or silvery metal.





IP20

1,430 Kg / 0,0121 m³
E14 max 2 x 40W

€ 155

035642 Chrome
035659 Gold

3000 K
470 lm

101224 **€ 2,00**

P. 214



035642




035659

Gioconda

Casted metal body with gold or antique silver finish. Octagonal and round cut crystal pendants.





IP20

1,310 Kg / 0,0128 m³
E14 max 2 x 40W

€ 215

044910 Silver
060491 Gold



044910



060491

3000 K
470 lm


101224 **€ 2,00**

P. 213

Strauss

Metal frame and details with rose gold finish. Blown clear glass arms. Amber crystal decorative elements.





IP20

2,080 Kg / 0,0189 m³
E14 max 2 x 40W

€ 145

140599 Gold

3000 K
430 lm


101248 **€ 2,00**

P. 218

Firenze

Resin body with hand modelled metal arms. Hand decorated with gold-leaf and antiqued effect.





IP20

2,050 Kg / 0,0415 m³
E14 max 2 x 40W

€ 175

012902 White
020846 Gold





012902 **020846**

3000 K
430 lm


101248 **€ 2,00**

P. 222 P. 478 P. 530

Chalet

Metal frame and bearing structure. Handcrafted and hand painted resin decorative elements. An accurate reproduction of horns and carved wood.





IP20

1,770 Kg / 0,0575 m³
E14 max 2 x 40W

€ 205

115511 Beige

3000 K
470 lm


101224 **€ 2,00**

P. 226



Peter

Handcrafted resin body; a faithful copy of carved wood. PVC foil shade covered with canvas.



IP20

4,160 Kg / 0,0371 m³
E14 max 2 x 40W

€ 230

075211 Canvas


3000 K
480 lm

101200 **€ 2,00**

Harem

Antique brass metal frame with decorations in relief and embedded crystals. Lightly amber blown glass diffusers. Tassel pendants.





IP20

0,900 Kg / 0,016 m³
E27 max 1 x 42W

€ 220

115962 Ant. Brass

3000 K
910 lm

119571 **€ 3,50**

P. 225



Santa

Hand-crafted and blown clear glass chandelier. Chrome metal details. Gold model available with grit on the glass.



087368



087375



IP20


2,900 Kg / 0,0310 m³
E14 max 1 x 40W

€ 230

087368 Clear
087375 Gold

3000 K
470 lm

101224 € 2,00



IP20

1,620 Kg / 0,0148 m³
E14 max 1 x 40W

€ 100

013060 Clear
013046 Gold

3000 K
470 lm

101224 € 2,00


NOGUCHI



Table lamps

Indoors

Alphabetical index

Angolo	471	Pegaso	480
Axel	473	Perlage	470
Binomio	466	Pivot	450
Birds	469	Prato	468
Bloom	462	Queen	481
Candy	464	Set up	476
Carta	464	Smarties	461
Diamond	460	Wally	457
Diesis	455		
Dorica	452		
Driftwood	478		
Easy	454		
Essence	451		
Firenze	478		
Futura	456		
Kali	479		
Lawyer	458		
Lingotto	469		
London	474		
Lumiere	459		
Mapa	465		
Ninfea	472		
Nordik	475		
Opera	480		
Oz	448		



Bloom

Pag 462

Indoors

Typology index


Oz 448


Pivot 450

new

Essence 451

new


Dorica 452


Easy 454


Diesis 455


Futura 456


Wally 457


Lawyer 458


Lumiere 459


Diamond 460

Smarties 461

new


Bloom 462

Carta 464

Candy 464

Mapa 465

new


Binomio 466

Prato 468


Birds 469


Lingotto 469


Perlage 470


Angolo 471


Ninfea 472


Axel 473


London 474


Nordik 475


Set Up 476


Driftwood 478


Firenze 478


Kali 479


Opera 480


Pegaso 480


Queen 481


Oz

Plated or powder coated metal base and frame. PVC wires. Opal rubber diffuser. Available finishes: white, black or brushed brass.

LED source 2700 / 3000 / 4000 K, 30.000 h life.

Lamp with integrated switch.

Source	LED SMD	**LED life**	30.000 h
Power	22W	**Insulation class**	II
Driver included	On/Off	**IP**	20
Drivers available	No	**Material**	Aluminum
CCT	2700 K / 3000 K / 4000 K		
CRI	≥90		



0,890 Kg / 0,0142 m³

LED SMD Driver included

Power	Driver	Lumen	CCT	Finish	Code	€
22 W	On-Off	2500 lm	2700 K	White	342467	125
				Black	342474	125
				Brass	342481	125
		2600 lm	3000 K	White	269474	125
				Black	269481	125
				Brass	269498	125
		2800 lm	4000 K	White	342498	125
				Black	342504	125
				Brass	342511	125

P. 064 P. 238 P. 350



269474 269481 269498



Pivot

Matt varnished aluminium frame. Base coated with plastic with dimmer. Adjustable diffuser with satin opal color PC screen. PVC cable with driver and plug.

LED source. Settable CCT: 3000, 4000, 6000 K. 25.000 h life.

Lamp with integrated switch.

Lamp with dimmer.

Lamp with touch dimmer.





IP20

0,700 Kg / 0,0135 m³
LED 7W / 800 lm

€ 81

289168 White
289151 Black



Essence new

Base and light body in powder-coated or plated metal. Diffuser in satin opal polycarbonate. PVC cable with driver and dimmer-switch. Available colours: White, Black.

LED LED source 3000 K, 30.000 h life.

ON OFF Lamp with integrated switch.

Lamp with dimmer.

P. 096 P. 390 P. 502






IP20

0,800 Kg / 0,0053 m³
LED 12W / 1400 lm

€ 120

367156 White new
371900 Black new




IP20

0,700 Kg / 0,0053 m³
LED 12W / 1400 lm

€ 120

367149 White new
371870 Black new



366074 366081 366104 366098

Dorica new


Powder painted or plated aluminum base and shade. Opal polycarbonate diffuser. Black PVC cable with dimmer and power supply. Colors: fluted surface: orange, white, blue or black; with smooth brushed surface: brass, copper, steel, grey, bronze.

LED LED source 3000 K, 50.000 h life.

ON OFF Lamp with integrated switch.

Lamp with touch dimmer.





IP20

0,800 Kg / 0,0059 m³
LED 8W / 1100 lm

€ 120

366074	White	new	362564	Grey	new
366081	Black	new	362540	Bronze	new
362533	Brass	new	366104	Blue	new
362557	Copper	new	366098	Orange	new
354149	Steel	new			

P. 080 P. 371 P. 504



Easy

Matt varnished or plated metal frame. Adjustable diffuser with satin acrylic optic. PVC cable with switch and driver integrated on the plug. Finishes: white, black, brushed brass.

LED LED source 3000 K, 50.000 h life.

ON OFF Lamp with integrated switch.



295510 **295534** **295541**



IP20

1,200 Kg / 0,0186 m³
LED 3,5W / 200 lm

€ 90

295510 White
295534 Black
295541 Brass

P. 510



Diesis

Powder coated or plated metal frame. Adjustable diffuser: it can be rotated or inclined. PVC cable with switch. Color: black, satin nickel or satin brass.

LED source 3000 K, 30.000 h life.

Lamp with dimmer.

Lamp with touch dimmer.

P. 128 P. 511



291093 **283333** **291109**



IP20

1,700 Kg / 0,0224 m³
LED 6,5W / 500 lm

€ 150

291093 Nickel
283333 Black
291109 Brass



Futura

Articulated aluminum and plastic arm with PVC exposed wire. Adjustable LED diffuser and integrated switcher. Plug with power supply.

LED LED source 4000 K, 25.000 h life.

ON OFF Lamp with integrated switch.

Lamp with dimmer.

Lamp with touch dimmer.



204895



204888



272078

P. 514



IP20

1,830 Kg / 0,0071 m³
LED 12,5W / 1050 lm

€ 100

272078 White
204895 Aluminum
204888 Black



193991 265278 061191

Wally

Metal technical lamp with white, matt black finish or black with copper joints. Jointed and spring balanced arm. Adjustable diffuser.

ON OFF Lamp with integrated switch.



IP20

2,450 Kg / 0,0113 m³
E27 max 1 x 42W

€ 95

193991 White
265278 Black
061191 Black Copper

3000 K
340 lm

101286 € 2,00

Lawyer

Metal frame available with brass, chrome or antique brass finish.
Blown overlay glass diffuser.

ON OFF Lamp with integrated switch.









IP20

1,850 Kg / 0,0240 m³
E27 max 1 x 60W

€ 120

013657 Brass
045030 Ant. Brass

3000 K
910 lm

119571 € 3,50



Lumiere

Matt black varnished metal frame and details. Central white tube-shaped diffuser. Shiny white and transparent gray blown glass decorative elements. PVC cable.

LED LED source 3000 K, 25.000 h life.

ON OFF Lamp with integrated switch.



IP20

2,800 Kg / 0,0291 m³
LED 18W / 2250 lm

€ 180

314204 White

P. 180 P. 490



P. 105

Diamond

Table lamp with rechargeable battery. Clear acrylic diffuser with cut crystal processing effect. Integrated tactile switch.



LED source 3000 K, 20.000 h life.

Lamp with integrated switch.

Lamp with touch dimmer.

Lamp with rechargeable battery included. 7 hours life.

P. 105



IP20

0,800 Kg / 0,0042 m³
LED 2W / 240 lm

€ 90

343488 Clear




Smarties

Metal base. White acid-etched blown glass diffuser. Electrical cable with plug and switch.

LED Bulbs LED G9 3W 3000 K included in **032078** model. Cod. **209043**

ON OFF Lamp with integrated switch.

P. 150 P. 282 P. 386



IP20


2,600 Kg / 0,0846 m³
E27 max 1 x 42W

€ 190

327914 White

3000 K
430 lm

101279 **€ 2,00**



IP20


1,400 Kg / 0,0406 m³
E27 max 1 x 42W

€ 130

327907 White

3000 K
430 lm

101279 **€ 2,00**



IP20

0,470 Kg / 0,0060 m³
G9 max 1 x 15W

€ 50

032078 White

3000 K
510 Lm

305486 **€ 6,10**


ANNIE LEIBOVITZ
ANNIE LEIBOVITZ AT WORK
Enrico Benetta INCANTO
RICHARD NEUTRA
LE CORBUSIER
GIO PONTI
FRANK LLOYD WRIGHT
ALVAR AALTO
TASCHEN

Bloom new

Powder painted or plated metal frame. White acid-etched blown glass diffuser. Colors: black striped frame with satin gray outer glass, brushed brass frame with clear amber striped outer glass.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**

ON OFF Lamp with integrated switch.



366524



366517



IP20

1,130 Kg / 0,0111 m³
G9 max 1 x 4W

€ 120

352848 Black new
366524 Brass new

3000 K
510 Lm

305486 **€ 6,10**



IP20

0,700 Kg / 0,0096 m³
G9 max 1 x 4W

€ 100

366517 Black new
366500 Brass new

3000 K
510 Lm

305486 **€ 6,10**

P. 142 P. 288 P. 385 P. 499

Carta

Matt white painted metal frame. Polycarbonate diffuser with paper effect covering.

LED Bulbs LED G9 3W 3000 K included in **317151** model. Cod. **209043**

ON OFF Lamp with integrated switch.





IP20

0,950 Kg / 0,0132 m³
E27 max 1 x 25W

€ 80

317168 White

3000 K
430 lm

101279 **€ 2,00**



IP20 INCLUSA

0,400 Kg / 0,0034 m³
G9 max 1 x 15W

€ 60

317151 White

3000 K
510 Lm

305486 **€ 6,10**

P. 174 P. 287 P. 386


Candy

Metal frame with satin nickel finish. White acid-etched blown glass diffuser.

LED Bulbs LED G9 3W 3000 K included. Cod. **209043**

ON OFF Lamp with integrated switch.





IP20 INCLUSA

0,800 Kg / 0,0259 m³
G9 max 1 x 40W

€ 102

086804 White

3000 K
510 Lm

305486 **€ 6,10**

P. 154 P. 285




Mapa

White metal base and fastening system. White blown acid-etched spherical glass diffuser.

LED Bulbs LED G9 3W 3000 K included in **310817** model. Cod. **209043**

ON OFF Lamp with integrated switch.

P. 158 P. 287 P. 382



IP20

3,520 Kg / 0,1060 m³
E27 max 1 x 42W

€ 165

000206 White

3000 K
910 lm

119571 **€ 3,50**



IP20


1,880 Kg / 0,0505 m³
E27 max 1 x 42W

€ 85

009131 White

3000 K
910 lm

119571 **€ 3,50**



IP20


1,050 Kg / 0,0214 m³
E27 max 1 x 42W

€ 50

009155 White

3000 K
910 lm

119571 **€ 3,50**



IP20

0,280 Kg / 0,0059 m³
G9 max 1 x 4W

€ 45

310817 White

3000 K
510 Lm

305486 **€ 6,10**


STUDIO APARTAMENTO TO LET

Binomio new

Metal frame finished with powder paint. Diffusers with satin clear acrylic spheres. Integrated driver. PVC cable with switch. Finishes: white, black, brushed brass.

LED source 3000 K, 50.000 h life.
Cod. **328294**, **313320**, **328300**.
Bulbs LED G9 3W 3000 K included in models: **353203**, **353302**, **353258**.
Cod. **209043**

ON OFF Lamp with integrated switch.





IP20

1,150 Kg / 0,0093 m³
LED 6W / 450 lm

€ 130

328294 White
313320 Black
328300 Brass



IP20

1,200 Kg / 0,0199 m³
G9 max 1 x 4W

€ 58

353203 White new
353302 Black new
353258 Brass new

3000 K
510 Lm

305486 **€ 6,10**

P. 330 P. 426 P. 496



Prato

White blown overlay acid-etched glass diffuser. Electrical cable with plug and switch.

ON OFF Lamp with integrated switch.



IP20

1,380 Kg / 0,0220 m³
E27 max 1 x 60W

€ 80

074702 White

3000 K
400 lm

101286 € 2,00



IP20

0,650 Kg / 0,0092 m³
E14 max 1 x 40W

€ 51

074726 White

3000 K
410 lm

101217 € 2,00

Birds

Varnished metal frame with satin brass decorative disc. White acid-etched blown glass diffusers. PVC cable with switch and plug. Color: matt black with satin brass detail.

LED Bulbs LED G9 3W 3000 K included. Cod. **209043**

ON OFF Lamp with integrated switch.



P. 107 P. 324 P. 420 P. 494

130x160



IP20 INCLUSA

0,900 Kg / 0,0163 m³
G9 max 1 x 15W

€ 86

273679 ■ **Black**

3000 K
510 lm

305486 **€ 6,10**

Lingotto

Varnished metal frame: matt black base and matt brass or total matt black structure. White overlay acid-etched blown glass diffuser.

LED Bulbs LED G9 3W 3000 K included in models: **304151** and **259222**. Cod. **209043**

ON OFF Lamp with integrated switch.



259222



304151



P. 102 P. 329



IP20

1,320 Kg / 0,0173 m³
E14 max 1 x 28W

€ 125

327877 ■ **Black**
251127 ▨ **Brass**

3000 K
410 lm

101217 **€ 2,00**



IP20 INCLUSA

0,750 Kg / 0,0084 m³
G9 max 1 x 4W

€ 90

304151 ■ **Black**
259222 ▨ **Brass**

3000 K
510 lm

305486 **€ 6,10**



Perlage

Metal frame. Blown glass diffusers.
Finishes: Matt black with amber or smoky Pyrex glasses or satin brass with etched white glasses.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**

ON OFF Lamp with integrated switch.



317823

292458

292441

240
430
150

IP20 INCLUSA

2,000 Kg / 0,0225 m³
G9 max 3 x 15W

€ 200

292472	White
292465	Smok.Gre.
322759	Amber

3000 K
510 lm

305486 € 6,10

100
155
90

IP20 INCLUSA

0,600 Kg / 0,0054 m³
G9 max 1 x 15W

€ 85

292458	White
292441	Smok.Gre.
317823	Amber

3000 K
510 lm

305486 € 6,10

P. 108 P. 322 P. 421 P. 492



Angolo

Powder-coated or plated metal frame. White blown and acid-etched glass diffusers. Black PVC cable with switch and plug. Available finishes: black or satin brass.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**

ON OFF Lamp with integrated switch.



284316



284361



IP20

0,600 Kg / 0,0085 m³
G9 max 1 x 28W

€ 75

284316 Black
284361 Brass

3000 K
510 lm

305486 **€ 6,10**

P. 328 P. 495

Ninfea

Plated or powder-coated metal base. White overlay, acid-etched blown glass diffusers. PVC cable with switch and plug. Available finishes: white or satin brass.

LED Bulbs LED GX53 9W 3000 K included.
Cod. **123936**


ON OFF Lamp with integrated switch.



346526



318325



IP20 INCLUSA

1,100 Kg / 0,0158 m³
GX53 max 1 x 15W

€ 99

318325 White
346526 Brass

3000 K
910 lm

123936 **€ 5,00**


P. 333 P. 428

Axel

Powder coated metal base and junctions. Natural wood stem. PVC shade coated with fabric can be adjusted in height. PVC cable with switch. Colors: white or black.

ON OFF Lamp with integrated switch.





IP20

1,970 Kg / 0,00190 m³
E27 max 1 x 60W

€ 140

282091 White
272238 Black

3000 K
1080 lm

119571 € 3,50

P. 524



London

Metal frame with chrome finish or with matt white or black varnish. PVC foil shade coated with fabric. The chrome model has chrome semi-transparent PVC foil shade.

ON OFF Lamp with integrated switch.




110530



032368



110554



IP20

1,270 Kg / 0,0253 m³
E27 max 1 x 60W

€ 60

110530 White
032368 Chrome
110554 Black

3000 K
910 lm

119571 **€ 3,50**

P. 525



Nordik

Matt black varnished metal frame.
Golden PVC foil shade covered with black fabric.

ON OFF Lamp with integrated switch.





IP20

1,220 Kg / 0,0504 m³
E27 max 1 x 60W

€ 115

161686 ■ **Black**

3000 K
910 lm

119571 **€ 3,50**

P. 191 P. 432 P. 528



P. 192 P. 264 P. 430 P. 526

Set up


Powder coated or plated metal frame. Lampshades made of fireproof PVC covered with fabric. PVC cable. Frame colors: white, black, satin nickel or brushed brass. Lampshade colors: beige, white, black, dove grey.

ON OFF Lamp with integrated switch.





259918 **259949** **259925** **259956** **260068** **260082** **304113** **260075**



IP20

1,130 Kg / 0,0050 m³
E27 max 1 x 42W

€ 90

259918	White
259949	Nickel
259925	Black
259956	Brass

3000 K
820 lm

123899 **€ 3,50**



IP20


0,680 Kg / 0,0060 m³
E27 max 1 x 42W

€ 70

259864	White
259895	Nickel
259871	Black
259901	Brass

3000 K
820 lm


123899 **€ 3,50**



0,230 Kg / 0,0236 m³

€ 63


260433	White
260440	Beige
304618	Dove Grey
270005	Black



0,120 Kg / 0,0050 m³

€ 32


260327	White
260334	Beige
304601	Dove Grey
269986	Black



0,130 Kg / 0,0180 m³

€ 34

260068	White
260082	Beige
304113	Dove Grey
260075	Black



0,110Kg / 0,0180 m³

€ 29

260341	White
260358	Beige
293004	Dove Grey
270036	Black

Driftwood

Metal frame. Natural wood decorative arms. PVC foil diffusers coated with canvas fabric.

ON OFF Lamp with integrated switch.

Lamp with dimmer.



IP20

2,450 Kg / 0,0709 m³
E27 max 1 x 60W

€ 220

129570 Wood

2200 K
370 Lm

151687 **€ 2,50**

P. 227 P. 524



Firenze

Resin body with hand modelled metal arms. Hand decorated with gold-leaf and antiqued effect.

ON OFF Lamp with integrated switch.



012889



020853



IP20

1,220 Kg / 0,0215 m³
E14 max 1 x 40W

€ 148

012889 White
020853 Gold

3000 K
480 lm

101200 **€ 2,00**

P. 222 P. 440 P. 530





Kalì

Ceramic body with decorations in relief. PVC shade coated with fabric. PVC cable with integrated switch.

ON/OFF Lamp with integrated switch.



IP20

0,660 Kg / 0,0101 m³
E14 max 1 x 40W

€ 28

245331 White

3000 K
410 lm

101217 **€ 2,00**



IP20

0,620 Kg / 0,0037 m³
E14 max 1 x 40W

€ 28

245348 White

3000 K
410 lm

101217 **€ 2,00**



IP20

0,660 Kg / 0,0057 m³
E14 max 1 x 40W

€ 28

245393 White

3000 K
410 lm

101217 **€ 2,00**

Opera

Chrome frame. PVC foil shade covered with metallic filaments. Cut crystal pendants.

ON OFF Lamp with integrated switch.





IP20

1,750 Kg / 0,0362 m³
E27 max 1 x 60W

€ 145

068305 White

3000 K
900 lm

123899 **€ 3,50**

P. 198 P. 436 P. 529

Pegaso

Chromed or satin brass metal frame. Cut crystal main body, candle cups and pendants. Organza fabric shades.

ON OFF Lamp with integrated switch.



059266



197753





IP20

2,000 Kg / 0,0679 m³
E27 max 1 x 60W

€ 215

059259 White

3000 K
820 lm

123899 **€ 3,50**



IP20

1,450 Kg / 0,0106 m³
E14 max 1 x 28W

€ 110

059266 White
197753 Brass

3000 K
410 lm

101217 **€ 2,00**

P. 206 P. 436



Queen

Gilded metal frame with cut crystal base and decorative elements. PVC foil shade covered with quilted decoration and gold glitters.

ON OFF Lamp with integrated switch.

P. 529



IP20

2,300 Kg / 0,0427 m³
E27 max 1 x 60W

€ 210

077758 Gold

3000 K
1080 lm

119571 € 3,50



IP20


1,360 Kg / 0,0184 m³
E27 max 1 x 60W

€ 140

077741 Gold

3000 K
1080 lm

119571 € 3,50



IP20

0,900 Kg / 0,0105 m³
E27 max 1 x 60W

€ 120

077734 Gold

3000 K
1080 lm

119571 € 3,50





Floor lamps

Indoors

Alphabetical index

Angolo	495	London	525
Axel	524	Look	506
Binomio	496	Lumiere	490
Birds	494	Mix up	507
Blade	488	Newton	516
Bloom	499	Nordik	528
Comet	518	Opera	529
Comfort	512	Pagoda	523
Craft	515	Perlage	492
Cylinder	528	Polly	517
Daddy	522	Queen	529
Diesis	511	Regol	525
Dodo	509	Set up	526
Dorica	504	Yoko	501
Dorsale	520		
Driftwood	524		
Easy	510		
Ego	486		
Equinoxe	491		
Essence	502		
Eva	498		
Firenze	530		
Frame	500		
Futura	514		
Ginger	508		

Indoors

Typology index


Ego 486

new

Blade 488


Lumiere 490


Equinoxe 491


Perlage 492


Birds 494


Angolo 495


Yoko 501

new

Essence 502

new

Dorica 504


Look 506



Mix Up 507


Ginger 508

new

Dodo 509


Craft 515


Newton 516


Polly 517


Comet 518

Dorsale 520


Regol 525


London 525


Set Up 526


Cylinder 528


Nordik 528


Opera 529


Queen 529

new



Binomio 496



Eva 498

new



Bloom 499



Frame 500



Easy 510



Diesis 511



Comfort 512



Futura 514



Daddy 522

Pagoda 523

Axel 524



Driftwood 524



Firenze 530



Blade

Pag 488




Ego

Powder painted aluminum body and structure. Modular sources with light modules from the Ego series (maximum consumption 95 W, maximum total length 1250 mm), non-dimmable or dimmable 1-10 V. Dimmer included, integrated on the track. Plastic profile cover included, which can be cut to size. PVC cable. Black color.

PRO High-tech product with high quality materials, intended for professional use.

Luminaire with dimmer.



IP20

10,600 Kg / 0,0310 m³

€ 300

344775 Black

P. 554



Blade new

Base and light body in powder-coated or plated aluminum. Light source with protective opal silicone diffuser. PVC cable, external power supply with integrated switch. Available colours: White, Nickel, Black, Brass.

LED LED source 3000 K, 50.000 h life.

ON OFF Lamp with integrated switch.

Lamp with dimmer.



368641



368658



368665



368672



IP20

5,800 Kg / 0,0244 m³
LED 15W / 2300 lm

€ 750

368641	White	new
368672	Nickel	new
368658	Black	new
368665	Brass	new



Lumiere

Matt black varnished metal frame and details. Central white tube-shaped diffuser. Shiny white and transparent gray blown glass decorative elements. PVC cable.

LED LED source 3000 K, 25.000 h life.

ON OFF Lamp with integrated switch.



IP20

8,660 Kg / 0,1898 m³
LED 58W / 7550 lm

€ 510

314198 White

P. 180 P. 459



Equinoxe

Plated metal frame. Clear borosilicate glass diffusers. Colors: chrome structure with clear or faded smoky glass, antique brass structure with clear glass or faded amber glass.

LED Bulbs LED G4 2W 3000 K included.
Cod. **222257**

ON OFF Lamp with integrated switch.



290959 **290966** **348292** **348285**



IP20

6,500 Kg / 0,0929 m³
G4 max 4 x 2W

€ 550

290959 Chrome
290966 Brass
348292 Smok.Gre.
348285 Amber

3000 K
200 lm

222257 **€ 4,00**

P. 112 P. 423



Perlage

Metal frame. Blown glass diffusers. Finishes: Matt black with amber or smoky Pyrex glasses or satin brass with etched white glasses.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**

ON OFF Lamp with integrated switch.





IP20

4,800 Kg / 0,0559 m³
G9 max 4 x 15W

€ 325

277967 White
306988 Smok.Gre.
317816 Amber

3000 K
510 lm

305486 **€ 6,10**

P. 108 P. 322 P. 421 P. 470




Birds

Varnished metal frame with satin brass decorative disc. White acid-etched blown glass diffusers. PVC cable with switch and plug. Color: matt black with satin brass detail.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**

ON OFF Lamp with integrated switch.



IP20 INCLUSA

5,640 Kg / 0,1068 m³
G9 max 5 x 15W

€ 340

273662 ■ **Black**

3000 K
510 lm

305486 **€ 6,10**

P. 107 P. 324 P. 420 P. 469



Angolo


Powder-coated or plated metal frame. White blown and acid-etched glass diffusers. Black PVC cable with switch and plug. Available finishes: black or satin brass.

LED Bulbs LED G9 3W 3000 K included.
Cod. **209043**

ON OFF Lamp with integrated switch.

P. 328 P. 471





IP20

2,700 Kg / 0,1772 m³
G9 max 5 x 28W

€ 280

284309 Black
284354 Brass

3000 K
510 lm

305486 **€ 6,10**



P. 330 P. 426 P. 466

Binomio new

Metal frame finished with powder paint. Diffusers with satin clear acrylic spheres. Integrated driver. PVC cable with switch. Finishes: white, black, brushed brass.

LED

LED source 3000 K, 50.000 h life. Cod. **328317**, **313313**, **328324**. Bulbs LED G9 3W 3000 K included in models: **353210**, **369327**, **353265**. Cod. **209043**

ON OFF

Lamp with integrated switch.



328317

328324

369327



IP20

2,500 Kg / 0,0390 m³

LED 12W / 900 lm

€ 250

328317 White
313313 Black
328324 Brass



IP20

4,500 Kg / 0,0572 m³

G9 max 3 x 4W

€ 145

353210 White new
369327 Black new
353265 Brass new

3000 K
510 lm


305486 **€ 6,10**



Eva

Marble base. Powder-coated metal frame. PVC cable with switch and plug. Available finishes: black.

ON OFF Lamp with integrated switch.



IP20

8,500 Kg / 0,0436 m³
E27 max 1 x 60W

€ 275

295213 ■ **Black**

3000 K
1100 lm

101347 **€ 6,00**



Bloom new

Powder painted or plated metal frame. White acid-etched blown glass diffuser. Colors: black striped frame with satin gray outer glass, brushed brass frame with clear amber striped outer glass.


LED LED source 3000 K, 30.000 h life.

ON OFF Lamp with integrated switch.



362861

366616



IP20

9,500 Kg / 0,0847 m³
LED 11W / 1400 lm

€ 500

362861 Black new
366616 Brass new


P. 142 P. 288 P. 385 P. 462

Frame

Matt white or black varnished metal base and frame. Opal colour plastic diffusers. Direct light emission.


LED LED source 3000 K, 30.000 h life.

ON OFF Lamp with integrated switch.



299624

299617



IP20

10,300 Kg / 0,0448 m³
LED 30W / 2850 lm

€ 450

299624 White
299617 Black

P. 078 P. 242



Yoko


Matt varnished metal base and frame. Opal polycarbonate diffuser. PVC electrical cable with socket-power supply. Colors: white or black.

LED LED source 3000 K, 30.000 h life.

ON OFF Lamp with integrated switch.

Lamp with dimmer.

P. 097





IP20

1,650 Kg / 0,0344 m³
LED 16W / 1250 lm

€ 150

258874 White
258904 Black



Essence new


Plated or powder-coated metal ceiling cap, body and floor base. Satin opal color PVC diffuser. Black PVC supporting cable. Powered from base by a black PVC cable with plug. Available finishes: white, black or brass.

LED LED source 2700/3000 K, 20.000 h life.

ON OFF Lamp with integrated switch.

Lamp with dimmer.






IP20

1,200 Kg / 0,0102 m³
LED 14W / 1500 lm / 1800 lm

€ 210

341118	White	2700K	
301051	White	3000K	
341125	Black	2700K	
301068	Black	3000K	
341132	Brass	2700K	
301075	Brass	3000K	



IP20

1,700 Kg / 0,0372 m³
LED 24W / 2400 lm

€ 220

367170	White	new	
371771	Black	new	



IP20

1,600 Kg / 0,0372 m³
LED 24W / 2400 lm

€ 220

367163	White	new	
371740	Black	new	

P. 096 P. 390 P. 451



366111 366128 366135 354668

Dorica new

Powder painted or plated aluminum base and shade. Opal polycarbonate diffuser. Black PVC cable with dimmer and power supply. Colors: fluted surface: orange, white, blue or black; with smooth brushed surface: brass, copper, steel, grey, bronze.

LED LED source 3000 K, 50.000 h life.

ON OFF Lamp with integrated switch.

Lamp with dimmer.



366241



366159 366142 366210 366203





IP20

IP20

9,300 Kg / 0,0378 m³
LED 66W / 7950 lm

€ 750

366227	White	new	
366234	Black	new	
366241	Brass	new	

5,000 Kg / 0,0176 m³
LED 50W / 7100 lm

€ 400

366111	White	new	
366128	Black	new	
366166	Brass	new	
366159	Copper	new	
366142	Steel	new	

366210	Grey	new	
366203	Bronze	new	
366135	Blue	new	
354668	Orange	new	

P. 080 P. 371 P. 452

Look

Powder coated metal base and aluminum body. Clear glass diffusers. PVC cable. Ground driver with dimmer. Finishes: white, black.

LED LED source 3000 K, 30.000 h life.

Lamp with dimmer.

ON OFF Lamp with integrated switch.



304915

304922



IP20

5,080 Kg / 0,0845 m³
LED 24W / 2750 lm

€ 250

304922 White
304915 Black

P. 082 P. 296 P. 372 P. 679



Mix Up

Powder-coated metal frame and interchangeable shades. Finishes: white or black.

ON OFF Lamp with integrated switch.



IP20

8,500 Kg / 0,0354 m³
E27 max 1 x 42W

€ 200

328164 White
328171 Black

3000 K
900 lm


123899 **€ 3,50**



1,100 Kg / 0,0476 m³

€ 55


307404 White
288475 Black



0,800 Kg / 0,0156 m³

€ 40

307411 White
288444 Black



0,500 Kg / 0,0184 m³

€ 35

307428 White
288451 Black

P. 130 P. 292




Ginger

Powder coated metal base and frame. Adjustable diffuser. PVC cable with switch and plug. Two lights version with double switch for separate ignitions. Colors: white, black.

LED Bulbs LED GU10 7W 3000 K included.
Cod. **123943**

ON OFF Lamp with integrated switch.



IP20


5,600 Kg / 0,0285 m³
GU10 max 2x 28W

€ 200

345314 White
326672 Black

3000 K
540 lm

123943 **€ 2,50**



IP20

2,650 Kg / 0,0246 m³
GU10 max 1 x 28W

€ 100

326665 White
326658 Black

3000 K
540 lm

123943 **€ 2,50**



Dodo new


Base, frame and adjustable diffuser in powder-coated or plated metal. Black PVC cable with switch.

LED Bulbs LED GX53 9W 3000 K included. Cod. **252551**

ON OFF Lamp with integrated switch.

P. 414





IP20 INCLUDED

2,200 Kg / 0,0268 m³
GX53 max 1 x 9W

€ 140

370422	**White**	new
370477	**Black**	new
352152	**Brass**	new

3000 K
890 lm

252551 **€ 9,00**




259473 295497 295503

Easy

Matt varnished or plated metal frame. Adjustable diffuser with satin acrylic optic. PVC cable with switch and driver integrated on the plug. Finishes: white, black, brushed brass.

LED LED source 3000 K, 50.000 h life.

ON OFF Lamp with integrated switch.



IP20

3,000 Kg / 0,0190 m³
LED 3,5W / 200 lm

€ 130

295473 White
295497 Black
295503 Brass

P. 454




Diesis

Powder coated or plated metal frame. Adjustable diffuser: it can be rotated or inclined. PVC cable with switch. Color: black, satin nickel or satin brass.

LED LED source 3000 K, 20.000 h life.

ON OFF Lamp with integrated switch.



IP20

3,500 Kg / 0,0218 m³
LED 4,5W / 390 lm

€ 180

285337 Nickel
279800 Black
285344 Brass

P. 128 P. 455



296685 336220 336220 336220

Comfort

Powder-coated aluminum structure. Double source: uplight with diffused emission, downlight available with diffused or concentrated emission. Light sensor. PVC cable with plug. Colors: black or white.

LED LED source 3000/4000 K, 50.000 h life.

Lamp with dimmer.

USB Lamp with integrated USB socket. Cod. **296685**, **306452**, **296678**, **306469**

UGR Product with UGR <16.



296685



296678



345307



336220



IP20

19,500 Kg / 0,0704 m³
LED 76W / 7600 lm

€ 950

345307 White
336220 Black



IP20

12,700 Kg / 0,0326 m³
LED 76W / 9700/10800 lm

€ 650

296685	White	3000K
306452	White	4000K
296678	Black	3000K
306469	Black	4000K



Futura

Articulated aluminum and plastic arm with PVC exposed wire. Adjustable LED diffuser and integrated switcher. Plug with power supply.



LED source 4000 K, 25.000 h life.

Lamp with touch dimmer.



IP20

4,440 Kg / 0,010 m³
LED 12,5W / 1050 lm

€ 125

272085 White
204956 Aluminum
204949 Black

P. 456



Craft


Matt black varnished metal base. Natural wood body. Satin opal color polycarbonate diffuser. Black PVC cable with dimmer and plug.



LED LED source 3000 K, 20.000 h life.

Lamp with dimmer.

ON OFF Lamp with integrated switch.



IP20

3,500 Kg / 0,0536 m³
LED 26W / 2450 lm

€ 395

284484 **Wood**


P. 098 P. 358



Newton

Chrome metal frame and diffuser. Available with satin nickel or matt black varnish finish. Adjustable arm. Adjustable diffuser with white enamel coating inside.

ON OFF Lamp with integrated switch.



IP20

5,270 Kg / 0,0323 m³
E27 max 1 x 42W

€ 120

015286 Nickel
003528 Black

3000 K
820 lm

123899 **€ 3,50**

P. 424

Polly

Diffusers and base in chrome, silver or black enamelled metal. Chrome metal details and joints. Adjustable diffusers.

ON OFF Lamp with integrated switch.





IP20

3,500 Kg / 0,0229 m³
E27 max 2 x 60W

€ 132

061122 Chrome
061115 Silver
061139 Black

3000 K
1080 lm

119571 € 3,50


Peter Lindbergh
HELMUT NEWTON

Comet


Powder coated varnished metal base and body. Opal silicon diffuser. Touch switch integrated on the body. Pvc cable with driver and plug. Finishes: white, black.


LED source 3000 K, 20.000 h life.

Lamp with dimmer.

Lamp with touch dimmer.

Lamp with integrated switch.







IP20

3,800 Kg / 0,0607 m³
LED 30W / 2950 lm

€ 295

304649 White
304168 Black




Dorsale


Metal frame with chrome or white or black matt varnish finish. The arm is composed of three elements with square section. PVC foil shade, available in chrome or coated with white or black fabric.

ON/OFF Lamp with integrated switch.











IP20

12,000 Kg / 0,0911 m³
E27 max 1 x 60W

€ 605

286686 White
286662 Chrome
286679 Black

3000 K
1050 lm

101347 **€ 6,00**

0,430 Kg / 0,0709 m³

€ 75

046723 White
041742 Chrome
046471 Black

Daddy

Metal frame. Available in black and matt white color with fabric coated shade.

ON OFF Lamp with integrated switch.





IP20

7,250 Kg / 0,0958 m³
E27 max 1 x 60W

€ 340

110356 White
110363 Black


3000 K
1050 lm

101347 € 6,00

Pagoda

Metal frame and base finished with satin enamel. Shade coated with fabric with the possibility to regulate the incline.

ON OFF Lamp with integrated switch.





IP20

10,870 Kg / 0,1023 m³
E27 max 1 x 60W

€ 390

051741 White
051765 Black

3000 K
1050 lm

101347 € 6,00






Axel

Powder coated metal base and junctions. Natural wood stem. PVC shade coated with fabric can be adjusted in height. PVC cable with switch. Colors: white or black.

ON OFF Lamp with integrated switch.



IP20

5,200 Kg / 0,0759 m³
E27 max 1 x 60W

€ 230

272245 White
282084 Black



3000 K
1050 lm

101347 **€ 6,00**


P. 473

Driftwood

Metal frame. Natural wood decorative arms. PVC foil diffusers coated with canvas fabric.

ON OFF Lamp with integrated switch.

Lamp with dimmer. Cod. **180946**



IP20

5,830 Kg / 0,3367 m³
E27 max 1 x 60W

€ 665

148939 Wood

2200 K
370 lm

151687 **€ 2,50**



IP20

24,000 Kg / 0,1753 m³
E27 max 3 x 60W

€ 745

180946 Wood

2200 K
370 lm

151687 **€ 2,50**



P. 227


P. 478



Regol

Articulated metal frame. Multi-level adjustable diffuser. Available with satin nickel finish and white fabric shade.

ON OFF Lamp with integrated switch.



IP20

5,420 Kg / 0,0759 m³
E27 max 1 x 60W

€ 280

014609 White

3000 K
1050 lm


101347 € 6,00



London

Metal frame with chrome finish or with matt white or black varnish. PVC foil shade coated with fabric. The chrome model has chrome semi-transparent PVC foil shade.

ON OFF Lamp with integrated switch.



IP20

7,120 Kg / 0,1907 m³
E27 max 1 x 60W

€ 180

110233 White
032382 Chrome
110240 Black

3000 K
1050 lm

101347 € 6,00

P. 474

110233



032382



110240



Set up

Powder coated or plated metal frame. Lampshades made of fireproof PVC covered with fabric. PVC cable. Frame colors: white, black, satin nickel or brushed brass. Lampshade colors: beige, white, black, dove grey.

ON OFF Lamp with integrated switch.





259963 259994 259970 260006 260136 260242 304120 260235




IP20

2,640 Kg / 0,0248 m³
E27 max 1 x 42W

€ 166


259963 White
259994 Nickel
259970 Black
260006 Brass



0,470 Kg / 0,0221 m³

€ 92

260457 White
260464 Beige
304625 Dove Grey
270012 Black



0,460 Kg / 0,0709 m³

€ 75

260136 White
260242 Beige
304120 Dove Grey
260235 Black

3000 K
900 lm

123899 **€ 3,50**


P. 192 P. 264 P. 430 P. 476



Cylinder

Matt white varnished metal base. White blown overlay and acid-etched glass diffuser.

ON OFF Lamp with integrated switch.



IP20

10,010 Kg / 0,0957 m³
E27 max 2 x 60W

€ 260

111452 White

3000 K
900 lm

123899 **€ 3,50**


P. 191



Nordik

Matt black varnished metal frame. Golden PVC foil shade covered with black fabric.

ON OFF Lamp with integrated switch.



IP20

3,620 Kg / 0,0651 m³
E27 max 1 x 60W

€ 240

161716 Black

3000 K
1050 lm

101347 **€ 6,00**


P. 191 P. 432 P. 475



Opera

Chrome frame. PVC foil shade covered with metallic filaments. Cut crystal pendants.

ON OFF Lamp with integrated switch.



IP20

5,720 Kg / 0,0750 m³
E27 max 1 x 60W

€ 315

068275 White

3000 K
950 lm

101354 **€ 6,00**

P. 198 P. 436 P. 480



Queen

Gilded metal frame with cut crystal base and decorative elements. PVC foil shade covered with quilted decoration and gold glitters.

ON OFF Lamp with integrated switch.



IP20

4,900 Kg / 0,0518 m³
E27 max 1 x 60W

€ 370

077765 Gold

3000 K
1050 lm

101347 **€ 6,00**

P. 481



Firenze

Resin body with hand modelled metal arms. Hand decorated with gold-leaf and antiqued effect.

ON OFF Lamp with integrated switch.



002880



020877



IP20

5,600 Kg / 0,0734 m³
E27 max 1 x 60W

€ 370

002880 White
020877 Gold

3000 K
1050 lm

101347 € 6,00

P. 222 P. 440 P. 478


HELMUT NEWTON



Linear systems

Indoors

Alphabetical index

Deva	534
Ego	554
Fluo	608
Office	628
Steel	616
Stick	594

Typology index

new



Deva 534

new



Ego 554

new



Stick 594



Fluo 608

new



Steel 616

new



Office 628

Deva new

Linear system consisting of an extruded aluminium profile and magnetically fixed lighting elements. The system is available in matt black painted finish, in surface-mounted or suspended installation mode (SURFACE), quick recessed installation in plasterboard (TRIMLESS) or trimless recessed installation between two plasterboard panels (RECESSED). Reduced section of the electrified profile, 10 mm wide and 15 mm high with a 5 mm electrified split, available in two lengths, 1000 mm and 2000 mm, or with a curved or 90° corner connector. Can be combined with different lighting modules depending on the desired layout, which can be modified as required: fixed or adjustable SPOT modules for spot lighting; ACCENT modules for focused lighting; PENDANT TUBE module for localised lighting; WIDE INNER linear modules completely inside the profile, WIDE OUTER linear modules outside the profile or DISC circular modules for diffused and uniform lighting. Integrated LED technology with a colour temperature of 3000 K or 4000 K with high colour rendering CRI ≥ 90, initial binning SDCM ≤ 3, IP20 protection, insulation class III, 24 Vdc power supply, non-dimmable, LED lifetime 30,000 h L70B50. Ideal for lighting small spaces where minimal system footprint, wide application flexibility and high lighting quality are required, such as RESIDENTIAL, MUSEUM and RETAIL spaces.

Source	LED COB / SMD
Driver included	No
Drivers available	On/Off
MacAdam	SDCM 3
CCT	3000 K
CRI	≥90
LED life	30.000h
Insulation class	III
IP	20
Material	Aluminum
Warranty	5 years






Deva Spot

LED COB OSRAM






0,030 Kg/0,0002 m³

Power	Beam	Control	Lumen	CCT	Finish		Code	€	
2,5 W	37°	On-Off	150 lm	3000 K	Black	■	332765	40	
			160 lm	4000 K	Black	■	370170	40	new

LED COB BRIDGELUX






0,050 Kg/0,0003 m³

Power	Beam	Control	Lumen	CCT	Finish		Code	€	
4,5 W	34°	On-Off	450 lm	3000 K	Black	■	332789	46	
			470 lm	4000 K	Black	■	370224	46	new

LED COB BRIDGELUX






0,090 Kg/0,0004 m³

Power	Beam	Control	Lumen	CCT	Finish		Code	€	
8 W	30°	On-Off	750 lm	3000 K	Black	■	332819	52	
			780 lm	4000 K	Black	■	370149	52	new



Light beam: ACCENT



m	lx	øm
1	913	0,51
2	228	1,00
3	101	1,50
4	57	2,10
5	37	2,60



CRI≥90 4,5W 38° 450lm 3000K








Deva Disc






0,110 Kg/0,0004 m³

LED COB BRIDGELUX

Power	Beam	Control	Lumen	CCT	Finish		Code	€	
5 W	38°	On-Off	500 lm	3000 K	Black		332840	46	
			530 lm	4000 K	Black		370262	46	new






0,330 Kg/0,0021 m³

LED SMD

Power	Beam	Control	Lumen	CCT	Finish		Code	€	
10 W	98°	On-Off	1100 lm	3000 K	Black		332864	52	
			1150 lm	4000 K	Black		370019	52	new






0,430 Kg/0,0021 m³

LED SMD

Power	Beam	Control	Lumen	CCT	Finish		Code	€	
15 W	98°	On-Off	1750 lm	3000 K	Black		332901	63	
			1800 lm	4000 K	Black		370057	63	new



Light beam: ACCENT




m	lx	øm
1	764	0,68
2	191	1,40
3	85	2,00
4	48	2,70
5	31	3,40



CRI≥90 5W 38° 500lm 3000K



Light beam: WIDE



m	lx	øm
1	309	3,30
2	77	6,60
3	34	9,80
4	19	13,00
5	12	16,00




CRI≥90 15W 98° 1750lm 3000K



332840




332901



Deva Accent






0,070 Kg/0,0005 m³

LED SMD

Power	Beam	Control	Lumen	CCT	Finish		Code	€	
5 W	34°	On-Off	350 lm	3000 K	Black		332758	35	
			360 lm	4000 K	Black		369907	35	new






0,140 Kg/0,0005 m³

LED SMD OSRAM

Power	Beam	Control	Lumen	CCT	Finish		Code	€	
10 W	34°	On-Off	900 lm	3000 K	Black		332734	46	
			940 lm	4000 K	Black		369938	46	new






0,230 Kg/0,0014 m³

LED SMD OSRAM

Power	Beam	Control	Lumen	CCT	Finish		Code	€	
14 W	34°	On-Off	1400 lm	3000 K	Black		332710	58	
			1450 lm	4000 K	Black		369976	58	new




Light beam: ACCENT



m	lx	øm
1	913	0,51
2	228	1,00
3	101	1,50
4	57	2,10
5	37	2,60



CRI≥90 5W 34° 350lm 3000K



m	lx	øm
1	2698	0,51
2	675	1,00
3	300	1,50
4	169	2,10
5	108	2,60



CRI≥90 14W 34° 1400lm 3000K





Deva Accent 145 mm



Deva Accent 241 mm




Deva Accent 335 mm



Deva Wide Inner






0,020 Kg/0,0001 m³

LED SMD

Power	Beam	Control	Lumen	CCT	Finish		Code	€	
6 W	100°	On-Off	700 lm	3000 K	Black		332949	29	
			740 lm	4000 K	Black		370309	29	new






0,080 Kg/0,0004 m³

LED SMD

Power	Beam	Control	Lumen	CCT	Finish		Code	€	
11 W	100°	On-Off	1400 lm	3000 K	Black		332925	40	
			1500 lm	4000 K	Black		370347	40	new






0,130 Kg/0,0009 m³

LED SMD

Power	Beam	Control	Lumen	CCT	Finish		Code	€	
16 W	100°	On-Off	2100 lm	3000 K	Black		332895	58	
			2200 lm	4000 K	Black		370378	58	new



Light beam: WIDE



m	lx	øm
1	161	6,0
2	40	12
3	18	18
4	10	24
5	6,4	30



CRI≥90 11W 100° 1400lm 3000K





Deva Wide Inner 300 mm




Deva Wide Inner 600 mm



Deva Wide Inner 900 mm




Deva Wide Outer



0,130 Kg/0,0010 m³

LED SMD


Power	Beam	Control	Lumen	CCT	Finish		Code	€
8 W	100°	On-Off	900 lm	3000 K	Black	■	332871	29



0,330 Kg/0,0017 m³

LED SMD

Power	Beam	Control	Lumen	CCT	Finish		Code	€
12 W	100°	On-Off	1350 lm	3000 K	Black	■	332833	40




0,310 Kg/0,0012 m³

LED SMD

Power	Beam	Control	Lumen	CCT	Finish		Code	€
21 W	100°	On-Off	2700 lm	3000 K	Black	■	332802	58



Light beam: WIDE



m	lx	øm
1	257	1,90
2	64	3,70
3	29	5,60
4	16	7,50
5	10	9,40



CRI≥90 12W 100° 1350lm 3000K





Deva Wide Outer 346 mm




Deva Wide Outer 646 mm



Deva Wide Outer 945 mm



Deva Pendant




0,280 Kg/0,0009 m³

LED COB BRIDGELUX

Power	Beam	Control	Lumen	CCT	Finish		Code	€	
6 W	34°	On-Off	550 lm	3000 K	Black		332932	52	
			570 lm	4000 K	Black		370095	52	new



Light beam: ACCENT




m	lx	øm
1	742	0,68
2	186	1,40
3	82	2,00
4	46	2,70
5	30	3,40



CRI≥90 6W 34° 550lm 3000K







Deva Surface






TRACK No mounting kit required, direct ceiling installation
Maximum length per power source: 10 meters

Length	Weight	Volume	Finish		Code	€
1000 mm	0,280 Kg	0,0003 m³	Black	■	332475	23
2000 mm	0,470 Kg	0,0162 m³	Black	■	332482	46






ROUND TRACK Optional

Weight	Volume	Control	Finish		Code	€
0,017 Kg	0,0008 m³	On-Off	Black	■	339375	105





L-JOINT Optional

Weight	Volume	Control	Finish		Code	€
0,016 Kg	0,0001 m³	On-Off	Black	■	339382	47






LINEAR JOINT Required - 1 Kit x linear connection

Weight	Volume	Control	Finish		Code	€
0,009 Kg	0,0002 m³	On-Off	Black	■	339368	21





Cable length 1500 mm

POWER SUPPLY CONNECTOR Required - 1 Kit x power source max 140W

Weight	Volume	Control	Finish		Code	€
0,006 Kg	0,0002 m³	On-Off	Black	■	332581	17



DRIVER ON/OFF Required

Power	Output	Class	Measure (L x H x W)	Code	€
75 W	24 Vdc	▣	168x30x38 mm	332659	75
150 W	24 Vdc	▣	227x30x38 mm	332628	109




END CAPS KIT




SUSPENSION KIT

Required	Measure (L x H x W)	Finish		Code	€
Yes	10 x 7 x 15 mm	Black	■	332635	4
Yes	8 x 7 x 2049 mm	Black	■	332703	17

Deva - Assembly plans








Deva - Recessed






TRACK No mounting kit required, direct ceiling installation
Maximum length per power source: 10 meters

Length	Weight	Volume	Finish		Code	€
1000 mm	0,370 Kg	0,0010 m³	Black	■	332529	23
2000 mm	0,670 Kg	0,0020 m³	Black	■	332536	46






ROUND TRACK Optional

Weight	Volume	Control	Finish		Code	€
0,267 Kg	0,0026 m³	On-Off	Black	■	339405	105






L-JOINT Optional

Weight	Volume	Control	Finish		Code	€
0,030 Kg	0,0002 m³	On-Off	Black	■	339412	47






LINEAR JOINT Required - 1 Kit x linear connection

Weight	Volume	Control	Finish		Code	€
0,020 Kg	0,0002 m³	On-Off	Black	■	339399	21





Cable length 1500 mm

POWER SUPPLY CONNECTOR Required - 1 Kit x power source max 140W

Weight	Volume	Control	Finish		Code	€
0,060 Kg	0,0002 m³	On-Off	Black	■	332581	17



DRIVER ON/OFF Required


Power	Output	Class	Measure (L x H x W)	Code	€
75 W	24 Vdc	▣	168x30x38 mm	332659	75
150 W	24 Vdc	▣	227x30x38 mm	332628	109




END CAPS KIT

Required	Measure (L x H x W)	Finish		Code	€
Yes	10 x 7 x 15 mm	Black	■	332635	4

Deva - Assembly plans








Deva - Recessed Easy






TRACK No mounting kit required, direct ceiling installation
Maximum length per power source: 10 meters

Length	Weight	Volume	Finish		Code	€
1000 mm	0,370 Kg	0,0065 m³	Black	■	332499	29
2000 mm	0,870 Kg	0,0450 m³	Black	■	332512	58






L-JOINT Optional

Weight	Volume	Control	Finish		Code	€
0,030 Kg	0,0001 m³	On-Off	Black	■	339429	47






LINEAR JOINT Required - 1 Kit x linear connection

Weight	Volume	Control	Finish		Code	€
0,020 Kg	0,0001 m³	On-Off	Black	■	339399	21





Cable length 1500 mm

POWER SUPPLY CONNECTOR Required - 1 Kit x power source max 140W

Weight	Volume	Control	Finish		Code	€
0,060 Kg	0,0002 m³	On-Off	Black	■	332581	17



DRIVER ON/OFF Required


Power	Output	Class	Measure (L x H x W)	Code	€
75 W	24 Vdc	▣	168x30x38 mm	332659	75
150 W	24 Vdc	▣	227x30x38 mm	332628	109



END CAPS KIT

Required	Measure (L x H x W)	Finish		Code	€
Yes	10 x 7 x 15 mm	Black	■	332635	4

Deva - Assembly plans







Ego new

Linear system composed of an extruded aluminum profile and lighting elements with mechanical safety lock. The system is available in matt black RAL 9005, matt white RAL 9016 or anodized satin brass, in the ceiling or suspension installation mode (LOW and HIGH), recessed without edge that disappears into the plasterboard (RECESSED), rapid recessed into the plasterboard (RECESSED EASY) or recessed with edges for plasterboard or paneled false ceilings (RECESSED TRIM). Reduced section of the profile 26 mm, 27 mm or 52 mm wide, available in two lengths 1000 mm and 2000 mm. Possibility of composition with different light modules depending on the desired arrangement, modifiable if necessary: the SPOT SINGLE, DOUBLE and FLAT SINGLE modules for spot lighting, the SPOT ZOOM module for targeted lighting with adjustment of the beam opening without tools, the ACCENT module with glare control (UGR < 19), the PENDANT TUBE modules for localized lighting and WIDE or PENDANT BALL modules for diffused and uniform lighting. Integrated LED technology with color temperature of 2700K, 3000K or 4000K; color rendering index CRI ≥ 90, initial binning ≤ 3Step MacAdam; IP20 protection, insulation class III, 48 Vdc power supply, LED useful life 50,000 h L70B50; system also available in dimmable 1-10V or DALI-2 version. Ideal for lighting small and large environments where ample flexibility and high quality lighting is required, for example MUSEUM, COMMERCIAL, RESIDENTIAL and RETAIL spaces.

PRO High-tech product with high quality materials, intended for professional use.

UGR Product with UGR <19 (Accent, Pendant).

Source	LED COB / SMD
Driver included	No
Drivers available	On/Off
Control	On/Off / 1-10V / DALI
MacAdam	SDCM 3
CCT	2700 K / 3000 K / 4000 K
CRI	≥90
UGR	<19 (Accent, Pendant)
LED life	50.000h
Insulation class	III
IP	20
Material	Aluminum
Warranty	5 years




P. 486


i-D
HELMUT NEWTON

Ego Spot Single





0,1510 Kg/0,0018 m³

LED SMD OSRAM

Power	Beam	Control	Lumen	CCT	Finish		Code	€
3 W	30°	On-Off	250 lm	3000 K	White		282978	82
					Black		257617	82
			300 lm	4000 K	Black		317977	82
		1-10V	250 lm	3000 K	White		303673	100
					Black		303666	100
		DALI	250 lm	3000 K	White		286402	125
					Black		286396	125



HONEYCOMB




LENS

Model	Required	Beam	Finish		Code	€
Spot 3 W	No		Black		260853	5
Spot 3 W	No	18°	Clear		332062	5
		45°	Clear		332079	5



Light beam: ACCENT



m	lx	øm
1	537	0,46
2	134	0,92
3	60	1,40
4	34	1,80
5	21	2,30



CRI≥90 3W 30° 200lm 3000K








Ego Spot Single






0,181 Kg/0,0018 m³

LED COB CITIZEN

Power	Beam	Control	Lumen	CCT	Finish		Code	€
8 W	30°	On-Off	700 lm	2700 K	Black	■	340388	97
			850 lm	3000 K	White	□	282985	97
					Black	■	257631	97
			1050 lm	4000 K	Black	■	317984	97
		1-10V	850 lm	3000 K	White	□	303697	110
					Black	■	303680	110
		DALI	900 lm	2700 K	Black	■	340364	135
			850 lm	3000 K	White	□	286426	135
					Black	■	286419	135





0,300 Kg/0,0017 m³

LED COB CITIZEN

Power	Beam	Control	Lumen	CCT	Finish		Code	€
12 W	30°	On-Off	1050 lm	2700 K	Black	■	340425	102
			1150 lm	3000 K	White	□	282992	102
					Black	■	257655	102
			1200 lm	4000 K	Black	■	321967	102
		1-10V	1150 lm	3000 K	White	□	303710	110
					Black	■	303703	110
		DALI	1050 lm	2700 K	Black	■	340401	140
			1150 lm	3000 K	White	□	286440	140
					Black	■	286433	140



HONEYCOMB




LENS

Model	Required	Beam	Finish		Code	€
Spot 8W/12W	No		Black	■	260860	5
Spot 8W/12W	No	18°	Clear	□	332086	5
		45°	Clear	□	332093	5




Light beam: ACCENT



m	lx	øm
1	2393	0,49
2	598	0,98
3	266	1,50
4	150	2,00
5	96	2,50



CRI≥90 8W 30° 850lm 3000K



m	lx	øm
1	2877	0,51
2	719	1,00
3	320	1,50
4	180	2,10
5	115	2,60



CRI≥90 12W 30° 1200lm 3000K







Ego Spot Single



0,800 Kg/0,0035 m³

LED COB CITIZEN

Power	Beam	Control	Lumen	CCT	Finish		Code	€
19 W	35°	On-Off	2200 lm	3000 K	White		307558	143
					Black	■	305608	143
			2650 lm	4000 K	Black	■	321998	143
		1-10V	2200 lm	3000 K	White		307527	155
					Black	■	307510	155
		DALI	2200 lm	3000 K	White		307541	185
					Black	■	307534	185



0,800 Kg/0,0035 m³


LED COB CITIZEN

Power	Beam	Control	Lumen	CCT	Finish		Code	€
26 W	35°	On-Off	3050 lm	3000 K	White		307602	155
					Black	■	305615	155
			3250 lm	4000 K	Black	■	317991	155
		1-10V	3050 lm	3000 K	White		307572	165
					Black	■	307565	165
		DALI	3050 lm	3000 K	White		307596	185
					Black	■	307589	185

LENS

Model	Required	Beam	Finish		Code	€
Spot 19W/26W	No	20°	Clear		332109	10
		55°	Clear		332116	10


Light beam: ACCENT



m	lx	øm
1	4476	0,57
2	1119	1,10
3	497	1,70
4	280	2,30
5	179	2,90



CRI≥90 19W 35° 2200lm 3000K




m	lx	øm
1	6816	0,56
2	1704	1,10
3	757	1,70
4	426	2,20
5	273	2,80



CRI≥90 26W 35° 3050lm 3000K








Ego Spot Double





0,220 Kg/0,0009 m³

LED SMD OSRAM

Power	Beam	Control	Lumen	CCT	Finish		Code	€
5 W	30°	On-Off	500 lm	3000 K	White		282947	102
					Black	■	257624	102
			600 lm	4000 K	Black	■	321714	102
		1-10V	500 lm	3000 K	White		303611	117
					Black	■	303604	117
		DALI	500 lm	3000 K	White		286341	148
					Black	■	286334	148



HONEYCOMB




LENS

Model	Required	Beam	Finish		Code	€
Spot 5 W	No		Black	■	260853	5
Spot 5 W	No	18°	Clear		332062	5
		45°	Clear		332079	5



Light beam: ACCENT



m	lx	øm
1	508	0,46
2	127	0,92
3	56	1,40
4	32	2,80
5	20	2,30



CRI≥90 5W 30° 400lm 3000K








Ego Spot Double






0,450 Kg/0,0017 m³

LED COB CITIZEN

Power	Beam	Control	Lumen	CCT	Finish		Code	€
16 W	30°	On-Off	1400 lm	2700 K	Black	■	340265	138
			1700 lm	3000 K	White	□	282954	138
					Black	■	257648	138
			2100 lm	4000 K	Black	■	321806	138
		1-10V	1900 lm	3000 K	White	□	303635	150
					Black	■	303628	150
		DALI	1400 lm	2700 K	Black	■	340241	180
			1700 lm	3000 K	White	□	286365	180
					Black	■	286358	180



0,330 Kg/0,0028 m³

LED COB CITIZEN

Power	Beam	Control	Lumen	CCT	Finish		Code	€
24 W	30°	On-Off	2300 lm	3000 K	White	□	282961	148
					Black	■	257662	148
			2400 lm	4000 K	Black	■	321844	148
		1-10V	2300 lm	3000 K	White	□	303659	155
					Black	■	303642	155
		DALI	2300 lm	3000 K	White	□	286389	185
					Black	■	286372	185



HONEYCOMB




LENS

Model	Required	Beam	Finish		Code	€
Spot 16W/24W	No		Black	■	260860	5
Spot 16W/24W	No	18°	Clear	□	332086	5
		45°	Clear	□	332093	5




Light beam: ACCENT



m	lx	øm
1	2451	0,49
2	613	1,98
3	272	1,50
4	153	2,00
5	98	2,50



CRI≥90 16W 30° 1450lm 3000K



m	lx	øm
1	3051	0,51
2	763	1,00
3	339	1,50
4	191	2,10
5	122	2,60




CRI≥90 24W 30° 2000lm 3000K







Ego Spot Zoom




0,460 Kg/0,0037 m³

LED COB CITIZEN

Power	Beam	Control	Lumen	CCT	Finish		Code	€
10 W	20°-40°	On-Off	900 lm	3000 K	Black		330730	122
			1150 lm	4000 K	Black		340197	122
		DALI	900 lm	3000 K	Black		330754	178
			1150 lm	4000 K	Black		340180	178



Light beam: from SPOT to WIDE



m	lx	øm
1	2185	0,67
2	546	1,30
3	243	2,00
4	137	2,70
5	87	3,30




CRI≥90 10W 20°-40° 1000lm 3000K








Ego Spot Big



0,470 Kg/0,0025 m³

LED COB CITIZEN UGR <19

Power	Beam	Control	Lumen	CCT	Finish		Code	€
10 W	38°	On-Off	1350 lm	3000 K	White		327556	112
					Black		300764	112




0,750 Kg/0,0025 m³

LED COB CITIZEN UGR <19

Power	Beam	Control	Lumen	CCT	Finish		Code	€
20 W	38°	On-Off	2700 lm	3000 K	White		327549	194
					Black		316307	194




Light beam: ACCENT



m	lx	øm
1	1296	0,76
2	324	1,50
3	144	2,30
4	81	3,00
5	52	3,80



CRI≥90 10W 38° 1000lm 3000K



m	lx	øm
1	2964	0,71
2	741	1,40
3	329	2,10
4	185	2,80
5	119	3,60



CRI≥90 20W 38° 2000lm 3000K








Ego Spot Flat






0,480 Kg/0,0035 m³

LED COB CITIZEN

Power	Beam	Control	Lumen	CCT	Finish		Code	€
9 W	36°	On-Off	1100 lm	3000 K	White		300504	108
					Black		290614	108
		1-10V	1100 lm	3000 K	White		303741	120
					Black		303727	120
		DALI	1100 lm	3000 K	White		300535	150
					Black		300528	150



Light beam: ACCENT



m	lx	øm
1	2242	0,60
2	560	1,20
3	249	1,80
4	140	2,40
5	90	3,00



CRI≥90 9W 36° 1100lm 3000K










Ego Accent



0,281 Kg/0,0013 m³

LED SMD OSRAM UGR <19

Power	Beam	Control	Lumen	CCT	Finish		Code	€
7 W	35°	On-Off	630 lm	2700 K	Black	■	340067	102
			700 lm	3000 K	White		282633	102
					Black	■	257792	102
			780 lm	4000 K	Black	■	323596	102
		1-10V	700 lm	3000 K	White		303505	138
					Black	■	303499	138
		DALI	630 lm	2700 K	Black	■	340043	148
			700 lm	3000 K	White		286068	148
					Black	■	286051	148




0,330 Kg/0,0011 m³

LED SMD OSRAM UGR <19

Power	Beam	Control	Lumen	CCT	Finish		Code	€
13 W	35°	On-Off	1250 lm	2700 K	Black	■	340104	142
			1400 lm	3000 K	White		282640	142
					Black	■	257686	142
			1550 lm	4000 K	Black	■	317953	142
		1-10V	1400 lm	3000 K	White		303529	174
					Black	■	303512	174
		DALI	1250 lm	2700 K	Black	■	340081	204
			1400 lm	3000 K	White		286082	204
					Black	■	286075	204



Light beam: ACCENT



m	lx	øm
1	3121	0,61
2	780	1,20
3	347	1,80
4	195	2,40
5	125	3,00



CRI≥90 13W 35° 1400lm 3000K






Ego Accent 192 mm



Ego Accent 284 mm



Ego Wide



0,200 Kg/0,0011 m³

LED SMD SAMSUNG


Power	Beam	Control	Lumen	CCT	Finish	Code	€
7 W	110°	On-Off	850 lm	3000 K	White	283029	76
					Black	257709	76
			1000 lm	4000 K	Black	317960	76
		1-10V	850 lm	3000 K	White	303796	120
					Black	303789	120
		DALI	850 lm	3000 K	White	286501	125
					Black	286495	125



0,564 Kg/0,0018 m³

LED SMD SAMSUNG

Power	Beam	Control	Lumen	CCT	Finish	Code	€
13 W	110°	On-Off	1350 lm	2700 K	Black	340586	102
			1700 lm	3000 K	White	283036	102
					Black	257716	102
			2000 lm	4000 K	Black	322056	102
		1-10V	1700 lm	3000 K	White	303819	130
					Black	303802	130
		DALI	1350 lm	2700 K	Black	340562	145
			1700 lm	3000 K	White	286525	145
					Black	286518	145




0,900 Kg/0,0035 m³

LED SMD SAMSUNG

Power	Beam	Control	Lumen	CCT	Finish	Code	€
26 W	110°	On-Off	2700 lm	2700 K	Black	340623	148
			3400 lm	3000 K	White	283043	148
					Black	257730	148
			4000 lm	4000 K	Black	322070	148
		1-10V	3400 lm	3000 K	White	303833	160
					Black	303826	160
		DALI	2700 lm	2700 K	Black	340609	185
			3400 lm	3000 K	White	286549	185
					Black	286532	185



Light beam: WIDE



m	lx	øm
1	619	2,50
2	155	4,90
3	69	7,40
4	39	9,80
5	25	12,00



CRI≥90 26W 110° 3400lm 3000K





Ego Wide 284 mm




Ego Wide 560 mm



Ego Wide 1120 mm




Ego Flexible



0,620 Kg/0,0015 m³

LED SMD OSRAM UGR <19

Power	Beam	Lumen	CCT	Control	Finish		Code	€
13 W	35°	1400 lm	3000 K	On-Off	White		282718	178
					Black	■	257846	178
				DALI	White		286105	215
					Black	■	286099	215




0,620 Kg/0,0016 m³

LED SMD SAMSUNG

Power	Beam	Lumen	CCT	Control	Finish		Code	€
7 W	110°	850 lm	3000 K	On-Off	White		282725	122
					Black	■	257839	122
				DALI	White		286129	160
					Black	■	286112	160

Light beam: ACCENT




m	lx	øm
1	3112	0,61
2	778	1,20
3	346	1,80
4	194	2,40
5	124	3,00



CRI≥90 13W 35° 1400lm 3000K

Light beam: WIDE



m	lx	øm
1	231	2,90
2	58	5,80
3	26	8,60
4	14	12,00
5	9	14,00



CRI≥90 7W 110° 850lm 3000K






EGO FLEXIBLE ACCENT



EGO FLEXIBLE WIDE


Ego Pendant



0,150 Kg/0,0021 m³

LED COB CITIZEN UGR<19


Power	Beam	Control	Lumen	CCT	Finish		Code	€
5,5W	66°	On-Off	520 lm	3000 K	Black		332451	92
		1-10V	520 lm	3000 K	Black		344782	110
		DALI	520 lm	3000 K	Black		344799	140



0,550 Kg/0,0025 m³

LED COB CITIZEN UGR<19

Power	Beam	Control	Lumen	CCT	Finish		Code	€
12 W	30°	On-Off	1150 lm	3000 K	White		282879	148
					Black		257747	148
			1250 lm	4000 K	Black		321653	148
		1-10V	1150 lm	3000 K	White		303598	158
					Black		303574	158
		DALI	1150 lm	3000 K	White		286327	190
					Black		286310	190




0,900 Kg/0,0108 m³

LED COB CITIZEN

Power	Beam	Control	Lumen	CCT	Finish		Code	€
10 W	-	On-Off	1050 lm	3000 K	White		327532	133
					Black		327525	133



Light beam: ACCENT




m	lx	øm
1	2877	0,51
2	719	1,00
3	320	1,50
4	180	2,10
5	115	2,60



CRI≥90 12W 30° 1050lm 3000K



Light beam: WIDE





CRI≥90 10W 1050lm 3000K






ADJUSTABLE CABLE
PENDANT TUBE 12W

Ego - Low






TRACK No mounting kit required, direct ceiling installation
Maximum length per power source: 25 meters

Length	Weight	Volume	Finish		Code	€
1000 mm	0,70 Kg	0,0013 m³	White		282909	48
			Black	■	257877	48
2000 mm	1,40 Kg	0,0018 m³	White		282916	96
			Black	■	266121	96






L-JOINT Optional

Weight	Volume	Control	Finish		Code	€
0,21 Kg	0,0010 m³	On-Off	White		282848	96
			Black	■	257990	96
		1-10V / DALI	White		286266	100
			Black	■	286259	100






LINEAR JOINT Required - 1 Kit x linear connection

Weight	Volume	Control	Finish		Code	€
0,04 Kg	0,0001 m³	On-Off 1-10V / DALI	White		285993	40
			Black	■	283104	40





Cable length 2000 mm

POWER SUPPLY CONNECTOR Required - 1 Kit x power source max 210 W

Weight	Volume	Control	Finish		Code	€
0,20 Kg	0,0008 m³	On-Off	White		282862	37
			Black	■	265896	37
		1-10V / DALI	White		286303	50
			Black	■	286297	50



END CAP NO HOLE

Required	Measure (L x H x W)	Finish		Code	€
Yes	26 x 11 x 27 mm	White		282688	6
		Black	■	267241	6



END CAP WITH HOLE

Required	Measure (L x H x W)	Finish		Code	€
Yes	26 x 11 x 27 mm	White		282671	6
		Black	■	267258	6



CEILING CUP WITH SUSPENSION KIT

Required	Measure (L x H x W)	Finish		Code	€
Yes - 1 Kit x power source max 210 W	2000 mm	White		282749	55
		Black	■	276328	55



SUSPENSION KIT

Required	Measure (L x H x W)	Finish		Code	€
Yes - 1 kit x 900 mm	2000 mm	White		282756	17
		Black	■	259376	17



BLIND COVER


Required	Measure (L x H x W)	Finish		Code	€
No	1000 x 17 x 18 mm	White		344768	10
		Black	■	344751	10




BLIND COVER L-JOINT

Required	Measure (L x H x W)	Finish		Code	€	
No	95 x 18 x 17 mm	Black	■	337104	10	new

Ego - Assembly plans






TRACK LOW



Ego - High






TRACK No mounting kit required, direct ceiling installation
Maximum length per power source: 25 meters

Length	Weight	Volume	Finish		Code	€
1000 mm	0,90 Kg	0,0085 m³	White		282886	60
			Black	■	258027	60
2000 mm	1,80 Kg	0,0096 m³	White		282893	120
			Black	■	266145	120






L-JOINT Optional

Weight	Volume	Control	Finish		Code	€
0,26 Kg	0,0013 m³	On-Off	White		282824	92
			Black	■	258140	92
		1-10V / DALI	White		286228	100
			Black	■	286211	100






LINEAR JOINT Required - 1 Kit x linear connection

Weight	Volume	Control	Finish		Code	€
0,04 Kg	0,0001 m³	On-Off 1-10V / DALI	White		285993	40
			Black	■	283104	40





Cable length 2000 mm

POWER SUPPLY CONNECTOR Required - 1 Kit x power source max 210 W

Weight	Volume	Control	Finish		Code	€
0,20 Kg	0,0008 m³	On-Off	White		282862	37
			Black	■	265896	37
		1-10V / DALI	White		286303	50
			Black	■	286297	50



END CAP NO HOLE



END CAP WITH HOLE



CEILING CUP WITH SUSPENSION KIT




SUSPENSION KIT




BLIND COVER

Required	Measure (L x H x W)	Finish		Code	€
Yes	26 x 11 x 52 mm	White		282664	6
		Black	■	267227	6
Yes	26 x 11 x 52 mm	White		282657	6
		Black	■	267234	6
Yes - 1 Kit x power source max 210 W	2000 mm	White		282749	55
		Black	■	276328	55
Yes - 1 kit x 900 mm	2000 mm	White		282756	17
		Black	■	259376	17
No	1000 x 5 x 24 mm	White		282770	17
		Black	■	258256	17

Ego - Assembly plans






TRACK HIGH



Ego - Recessed






TRACK Kit for assembly profile included
Maximum length per power source: 25 meters

Length	Weight	Volume	Finish		Code	€
1000 mm	1,52 Kg	0,0085 m³	White		282923	75
			Black	■	258171	75
2000 mm	2,94 Kg	0,0020 m³	White		282930	150
			Black	■	266183	150






L-JOINT Optional

Weight	Volume	Control	Finish		Code	€
0,32 Kg	0,0013 m³	On-Off	White		282787	91
			Black	■	258232	91
		1-10V / DALI	White		286204	125
			Black	■	286167	125






LINEAR JOINT Required - 1 Kit x linear connection

Weight	Volume	Control	Finish		Code	€
0,04 Kg	0,0002 m³	On-Off 1-10V / DALI	White		286006	40
			Black	■	283111	40





Cable length 2000 mm

POWER SUPPLY CONNECTOR Required - 1 Kit x power source max 210 W

Weight	Volume	Control	Finish		Code	€
0,20 Kg	0,0008 m³	On-Off	White		282862	37
			Black	■	265896	37
		1-10V / DALI	White		286303	50
			Black	■	286297	50



END CAP NO HOLE



END CAP WITH HOLE




BLIND COVER



INSTALLATION TOOL

Required	Measure (L x H x W)	Finish		Code	€
Yes	36 x 4 x 52 mm	White		282701	6
		Black	■	267203	6
Yes	36 x 4 x 52 mm	White		282695	6
		Black	■	267210	6
No	1000 x 5 x 24 mm	White		282770	17
		Black	■	258256	17
No		Black	■	292922	32

Ego - Assembly plans



BLIND COVER




INSTALLATION TOOL



Ego - Recessed Easy






TRACK No mounting kit required, direct ceiling installation
Maximum length per power source: 25 meters

Length	Weight	Volume	Finish		Code	€
1000 mm	1,16 Kg	0,0088 m³	White		320489	65
			Black	■	320472	65
2000 mm	2,40 Kg	0,0088 m³	White		320502	130
			Black	■	320496	130






L-JOINT Optional

Weight	Volume	Control	Finish		Code	€
0,30 Kg	0,0013 m³	On-Off	White		320748	117
			Black	■	320731	117
		1-10V / DALI	White		320724	135
			Black	■	320717	135






LINEAR JOINT Required - 1 Kit x linear connection

Weight	Volume	Control	Finish		Code	€
0,04 Kg	0,0002 m³	On-Off 1-10V / DALI	White		286006	40
			Black	■	283111	40





Cable length 2000 mm

POWER SUPPLY CONNECTOR Required - 1 Kit x power source max 210 W

Weight	Volume	Control	Finish		Code	€
0,20 Kg	0,0008 m³	On-Off	White		282862	37
			Black	■	265896	37
		1-10V / DALI	White		286303	50
			Black	■	286297	50




END CAP NO HOLE


END CAP WITH HOLE


BLIND COVER

Required	Measure (L x H x W)	Finish		Code	€
Yes	83 x 52 x 30 mm	White		320564	6
		Black	■	320557	6
Yes	83 x 52 x 30 mm	White		320588	6
		Black	■	320571	6
No	1000 x 5 x 24 mm	White		282770	17
		Black	■	258256	17

Ego - Assembly plans








Ego - Recessed Trim






TRACK Kit for assembly profile included
Maximum length per power source: 25 meters

Length	Weight	Volume	Finish		Code	€
1000 mm	1,13 Kg	0,0020 m³	White		320441	86
			Black	■	320434	86
2000 mm	2,25 Kg	0,0040 m³	White		320465	172
			Black	■	320458	172






L-JOINT Optional

Weight	Volume	Control	Finish		Code	€
0,30 Kg	0,0013 m³	On-Off	White		320625	128
			Black	■	320618	128
		1-10V / DALI	White		320601	147
			Black	■	320595	147






LINEAR JOINT Required - 1 Kit x linear connection

Weight	Volume	Control	Finish		Code	€
0,040 Kg	0,0002 m³	On-Off 1-10V / DALI	White		286006	40
			Black	■	283111	40





Cable length 2000 mm

POWER SUPPLY CONNECTOR Required - 1 Kit x power source max 210 W

Weight	Volume	Control	Finish		Code	€
0,20 Kg	0,0008 m³	On-Off	White		282862	37
			Black	■	265896	37
		1-10V / DALI	White		286303	50
			Black	■	286297	50



END CAP NO HOLE


END CAP WITH HOLE





BLIND COVER

Required	Measure (L x H x W)	Finish		Code	€
Yes	38 x 52 x 17 mm	White		320526	6
		Black	■	320519	6
Yes	38 x 52 x 17 mm	White		320540	6
		Black	■	320533	6
No	1000 x 5 x 24 mm	White		282770	17
		Black	■	258256	17

Ego - Assembly plans








Ego - Bi-Emission






TRACK Maximum length per power source: 13 meters

Length	Weight	Volume	Finish		Code	€
1000 mm	1,40 Kg	0,0026 m³	Black	■	322513	148
2000 mm	2,90 Kg	0,0045 m³	Black	■	340647	296






LINEAR JOINT WITH SUSPENSION KIT Required - 1 Kit x linear connection

Weight	Volume	Control	Finish		Code	€
0,271 Kg	0,0012 m³	On-Off	Black	■	339863	219
		1-10V / DALI	Black	■	351346	262






UP/DOWN ELECTRICAL CONNECTOR Required - 1 Kit x power source

Weight	Volume	Control	Finish		Code	€
0,100 Kg	0,0002 m³	On-Off	Black	■	322810	71
		1-10V / DALI	Black	■	342757	80





Cable length 2000 mm


POWER SUPPLY CONNECTOR Required - 1 Kit x power source max 210 W

Weight	Volume	Control	Finish		Code	€
0,20 Kg	0,0008 m³	On-Off	White	□	282862	37
			Black	■	265896	37
		1-10V / DALI	White	□	286303	50
			Black	■	286297	50



	Required	Measure (L x H x W)	Finish		Code	€
END CAP NO HOLE	Yes	26 x 90 x 2 mm	Black	■	322841	7
END CAP WITH HOLE	Yes	26 x 90 x 2 mm	Black	■	322858	7
CEILING CUP WITH SUSPENSION KIT	Yes - 1 Kit x power source max 210 W	2100 mm	Black	■	322476	59
SUSPENSION KIT	Yes - 1 kit x 900 mm	2085 mm	Black	■	322490	37
BLIND COVER	No	1000 x 5 x 24 mm	Black	■	258256	17

Ego - Assembly plans







Ego - Drivers



DRIVER MEANWELL ON/OFF Required

Power	Output	Class	Measure (LxHxW)	Driver box	Code	€
75 W	48 Vdc	⏚	171x37x62 mm	255x55x75 mm	223155	143
96 W	48 Vdc	⏚	220x37x68 mm	330x60x80 mm	223162	189
150 W	48 Vdc	⏚	228x37x68 mm	330x60x80 mm	223179	209
240 W	48 Vdc	⏚	244x39x68 mm	330x60x80 mm	224275	235



DRIVER BOX Optional

Material	Measure (LxHxW)	Color	Code	€
Metal	255x55x75 mm	White	302379	25
		Black	302362	25
	330x60x80 mm	White	302355	30
		Black	302348	30



ON-OFF DRIVER ON TRACK Required - Cable length 2000 mm
It replaces Driver + Power Suppy Connector*

Power	Output	Class	Measure (LxHxW)	Code	€
100 W	48 Vdc	□	297x20x16 mm	296302	92
150 W	48 Vdc	□	268x43x16 mm	325750	97
250 W	48 Vdc	□	268x43x16 mm	325767	113

* Codes **325750** and **325767** suggested use with HIGH and RECESSED versions.


GRA
PHI
C DIA
LOG
UE
A Series of Visual
Conversations






325750
325767
296302

Stick new

Linear dimmable system consisting of an extruded aluminium profile and magnetically attached lighting elements. The system is available in matt black or white for surface mounting (SURFACE) or recessed mounting in plasterboard (RECESSED). Reduced profile section 19 mm wide and only 13.5 mm high, available in two lengths: 1000 mm and 2000 mm. Can be combined with different lighting modules depending on the desired layout, which can be modified as required: SPOT SINGLE and DOUBLE modules for spot lighting, ACCENT modules for focused light and WIDE modules for diffused and uniform lighting. Integrated LED technology with colour temperatures of 2700 K and 3000 K; high colour rendering CRI ≥ 90, initial binning SDCM ≤ 3; IP20 protection, insulation class III, 48 Vdc power supply, LED lifetime 50.000 h L70B50; system also available in a 1-10V dimmable version. Ideal for lighting details or small spaces where great flexibility and high lighting quality are required, such as MUSEUMS, RESIDENTIAL and RETAIL spaces.


Source	LED COB / SMD
Driver included	No
Drivers available	On/Off / 1-10V
Control	Phase-cut
CCT	2700 K / 3000 K
CRI	≥90
LED life	50.000h
Insulation class	III
IP	20
Material	Aluminum
Warranty	5 years





Stick Spot Single






90° 355°

0,010 Kg/0,0006 m³

LED SMD BRIDGELUX

Power	Beam	Lumen	CCT	Finish		Code	€	
3 W	24°	200 lm	2700 K	Black		345048	45	
		210 lm	3000 K	White		364100	45	new
				Black		329505	45	






90° 355°

0,020 Kg/0,0006 m³

LED SMD BRIDGELUX

Power	Beam	Lumen	CCT	Finish		Code	€	
5 W	30°	390 lm	2700 K	Black		345055	50	
		400 lm	3000 K	White		364117	50	new
				Black		329529	50	






90° 355°

0,018 Kg/0,0008 m³

LED SMD BRIDGELUX

Power	Beam	Lumen	CCT	Finish		Code	€	
7 W	36°	600 lm	2700 K	Black		345062	80	
		620 lm	3000 K	White		369983	80	new
				Black		343501	80	





90° 355°


0,018 Kg/0,0007 m³

LED SMD BRIDGELUX

Power	Beam	Lumen	CCT	Finish		Code	€	
10 W	36°	840 lm	2700 K	Black		345079	85	
		860 lm	3000 K	White		364124	85	new
				Black		343518	85	



Light beam: SPOT




m	lx	øm
1	514	0,62
2	128	1,20
3	57	1,90
4	32	2,50
5	21	3,10



CRI≥90 3W 24° 250lm 3000K



Light beam: ACCENT



m	lx	øm
1	822	0,62
2	205	1,20
3	91	1,90
4	51	2,50
5	33	3,10



CRI≥90 5W 30° 430lm 3000K









Stick Spot Double








90° 355°


0,060 Kg/0,0005 m³

LED COB BRIDGELUX

Power	Beam	Lumen	CCT	Finish		Code	€	
6 W	24°	400 lm	2700 K	Black	■	345024	68	
		420 lm	3000 K	White	□	374307	68	new
				Black	■	329512	68	







90° 355°


0,100 Kg/0,0006 m³

LED COB BRIDGELUX

Power	Beam	Lumen	CCT	Finish		Code	€	
10 W	30°	780 lm	2700 K	Black	■	345031	75	
		800 lm	3000 K	White	□	369969	75	new
				Black	■	329536	75	



Light beam: SPOT




m	lx	øm
1	1028	0,62
2	257	1,20
3	114	1,90
4	64	2,50
5	41	3,10



CRI≥90 6W 24° 500lm 3000K



Light beam: ACCENT




m	lx	øm
1	1645	0,62
2	411	1,20
3	183	1,90
4	103	2,50
5	66	3,10



CRI≥90 10W 30° 870lm 3000K








Stick Accent






0,080 Kg/0,0002 m³

LED SMD BRIDGELUX

Power	Beam	Lumen	CCT	Finish		Code	€	
6 W	40°	600 lm	2700 K	Black	■	344980	30	
		630 lm	3000 K	White	□	364087	30	new
				Black	■	329468	30	





0,150 Kg/0,0006 m³

LED SMD BRIDGELUX

Power	Beam	Lumen	CCT	Finish		Code	€	
12 W	40°	1200 lm	2700 K	Black	■	345000	60	
		1250 lm	3000 K	White	□	369921	60	new
				Black	■	329475	60	






0,080 Kg/0,0004 m³

LED SMD BRIDGELUX

Power	Beam	Lumen	CCT	Finish		Code	€	
8 W	40°	830 lm	2700 K	Black	■	344997	45	
		870 lm	3000 K	White	□	364094	45	new
				Black	■	343525	45	






0,140 Kg/0,0006 m³

LED SMD BRIDGELUX

Power	Beam	Lumen	CCT	Finish		Code	€	
16 W	40°	1650 lm	2700 K	Black	■	345017	70	
		1750 lm	3000 K	White	□	369952	70	new
				Black	■	343532	70	




Light beam: ACCENT



m	lx	øm
1	958	0,64
2	240	1,30
3	106	1,90
4	60	2,60
5	38	3,20



CRI≥90 6W 40° 630lm 3000K





m	lx	øm
1	1917	0,64
2	479	1,30
3	213	1,90
4	120	2,60
5	77	3,20



CRI≥90 12W 40° 1250lm 3000K

600



329468


329468


329475

Stick Wide






0,070 Kg/0,0002 m³

LED SMD BRIDGELUX

Power	Beam	Lumen	CCT	Finish		Code	€	
6 W	110°	510 lm	2700 K	Black	■	345086	25	
		530 lm	3000 K	White	□	364131	25	new
				Black	■	329444	25	






0,130 Kg/0,0005 m³

LED SMD BRIDGELUX

Power	Beam	Lumen	CCT	Finish		Code	€	
12 W	110°	1150 lm	2700 K	Black	■	345093	50	
		1200 lm	3000 K	White	□	374291	50	new
				Black	■	329451	50	


Light beam: WIDE



m	lx	øm
1	138	2,50
2	35	4,90
3	15	7,40
4	8,7	9,80
5	5,5	12,00



CRI≥90 6W 110° 600lm 3000K



m	lx	øm
1	277	2,50
2	69	4,90
3	31	7,40
4	17	9,80
5	11	12,00



CRI≥90 12W 110° 1200lm 3000K






Stick Wide 300 mm



Stick Wide 600 mm

Stick Surface






TRACK Kit for profile installation and closing caps included

Length	Weight	Volume	Finish		Code	€	
1000 mm	0,350 Kg	0,1348 m³	White		364063	30	new
			Black	■	329574	30	
2000 mm	0,700 Kg	0,2644 m³	White		370859	60	new
			Black	■	329581	60	





L-JOINT Optional


	Weight	Volume	Finish		Code	€	
	0,07 Kg	0,0004 m³	White		364155	37	new
			Black	■	330358	37	



BLIND COVER

Required	Measure (L x H x W)	Finish		Code	€	
No	1000 x 3 x 15 mm	White		370453	4	new
		Black	■	329635	4	
	2000 x 3 x 15 mm	White		370491	6	new
		Black	■	329642	6	






LINEAR JOINT Required - 1 Kit x linear connection

Weight	Volume	Finish		Code	€	
0,03 Kg	0,0001 m³	White		370545	15	new
		Black	■	329710	15	





POWER SUPPLY CONNECTOR Required - 1 Kit x power source max 140W

Weight	Volume	Finish		Code	€	
0,08 Kg	0,0003 m³	White		364148	20	new
		Black	■	329703	20	



REMOTE DIMMABLE DRIVER 1-10V Required

Power	Output	Class	Measure (L x H x W)	Code	€
150 W	48 Vdc	□	350x18x30 mm	329673	90




Cable length 300 mm

ON-OFF DRIVER ON TRACK Required - Cable length 300 mm
It replaces Driver + Main connector


Power	Output	Class	Measure (L x H x W)	Finish		Code	€	
150 W	48 Vdc	□	305x32x16 mm	White		364162	80	new
				Black	■	329666	80	

Stick - Assembly plans




BLIND COVER





Stick Recessed






TRACK Kit for profile installation and closing caps included

Length	Weight	Volume	Finish		Code	€	
1000 mm	0,400 Kg	0,0017 m³	White		364070	30	new
			Black	■	329598	30	
2000 mm	0,800 Kg	0,0033 m³	White		370828	60	new
			Black	■	329604	60	





L-JOINT Optional


	Weight	Volume	Finish		Code	€	
	0,07 Kg	0,0004 m³	White		372730	37	new
			Black	■	330365	37	



BLIND COVER

Required	Measure (L x H x W)	Finish		Code	€	
No	1000 x 3 x 15 mm	White		370453	4	new
		Black	■	329635	4	
	2000 x 3 x 15 mm	White		370491	6	new
		Black	■	329642	6	






LINEAR JOINT Required - 1 Kit x linear connection

Weight	Volume	Finish		Code	€	
0,03 Kg	0,0001 m³	White		370545	15	new
		Black	■	329710	15	





Cable length 140 mm

POWER SUPPLY CONNECTOR Required - 1 Kit x power source max 140W

Weight	Volume	Finish		Code	€	
0,08 Kg	0,0003 m³	White		364148	20	new
		Black	■	329703	20	



REMOTE DIMMABLE DRIVER 1-10V Required

Power	Output	Class	Measure (L x H x W)	Code	€
150 W	48 Vdc	□	350x18x30 mm	329673	90




ON-OFF DRIVER ON TRACK Required - Cable length 300 mm
It replaces Driver + Main connector

Power	Output	Class	Measure (L x H x W)	Finish		Code	€	
150 W	48 Vdc	□	305x32x16 mm	White		364162	80	new
				Black	■	329666	80	


Cable length 300 mm

Stick - Assembly plans



BLIND COVER





Fluo

Linear system of lamps with extruded aluminum, 50 mm wide and 80 mm high body. Modules available in two lengths: 1200 mm and 1800 mm, which can be assembled according to the desired arrangement. The system is available in two different arrangements: the WIDE diffusing module and the BI-EMISSION module with component for indirect lighting; integrated LEDs, color temperature options of 3000 K or 4000 K, chromatic index CRI ≥ 90, starting binning ≤3 -Step MacAdam, IP20 protection, insulation class I; LED useful life 50.000 h L70B50. The system is available in white and black colors and it is possible to install it in different ways: single or continuous line for ceiling installation; suspended or flush-mounted in plasterboard ceilings. Included driver, integrated in the lighting fitting, DALI and Push dimmable versions. Suitable for locations where professional lighting with minimal design is required, such as COMMERCIAL and RETAIL.

PRO High-tech product with high quality materials, intended for professional use.

Source	LED SMD
Driver included	On/Off
Drivers available	DALI/Push
MacAdam	SDCM 3
Optics	Accent / Wide / Bi-Emission
CCT	3000 K / 4000 K
CRI	≥90
LED life	50.000 h
Insulation class	I
IP	20
Material	Aluminum
Warranty	5 years





Fluo Wide





2,890 Kg/0,0206 m³
Cable length 2150 mm

LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
27 W	105°	3250 lm	3000 K	White	192437	330
				Black	191997	330
		3450 lm	4000 K	White	192482	330
				Black	192505	330

DIMMABLE DRIVER* Optional

	Power	Output	Measure (L x H x W)	Code	€
DALI/Push	27 W	500 mA	280 x 21 x 30 mm	216287	160





4,420 Kg/0,0403 m³
Cable length 2150 mm

LED SMD SAMSUNG Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
36 W	105°	4900 lm	3000 K	White	192550	425
				Black	192567	425
		5200 lm	4000 K	White	192604	425
				Black	192628	425


DIMMABLE DRIVER* Optional

	Power	Output	Measure (L x H x W)	Code	€
DALI/Push	38 W	700 mA	280 x 21 x 30 mm	216270	160

MOUNTING KIT Required - Page 614



Light beam: WIDE



m	lx	øm
1	1042	2,50
2	260	5,00
3	115	7,50
4	65	10,00
5	41	12,50




CRI≥90 27W 105° 3600lm 4000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply. The linear connection is available only for the on-off versions of the products.






Fluo Wide 1200



Fluo Wide 1800



The single final cup is 2.5 mm width.

Fluo Bi-Emission*





2,890 Kg/0,0183 m³

Cable length 2150 mm

LED SMD SAMSUNG

Up-light included - Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
27 W	105°	3250 lm	3000 K	White		192666	425
				Black	■	192710	425
		3450 lm	4000 K	White		192741	425
				Black	■	192758	425

UP-LIGHT INFO

Power	Beam	Lumen	CCT
13 W	105°	2250 lm	3000 K
		2450 lm	4000 K

DIMMABLE DRIVERS KIT*

	Code	€
DALI/Push	270876	260





4,420 Kg/0,0275 m³

Cable length 2150 mm

LED SMD SAMSUNG

Up-light included - Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
36 W	105°	4900 lm	3000 K	White		192703	580
				Black	■	192697	580
		5200 lm	4000 K	White		192673	580
				Black	■	192642	580

UP-LIGHT INFO


Power	Beam	Lumen	CCT
18 W	105°	3350 lm	3000 K
		3650 lm	4000 K

DIMMABLE DRIVERS KIT*

	Code	€
DALI/Push	270937	260



Light beam: BI-EMISSION WIDE




m	lx	øm
1	512	2,10
2	128	4,21
3	56	6,32
4	32	8,43
5	20	10,54



CRI≥90 27+13W 105°+105° 3300+1800lm 3000K


MOUNTING KIT Required - Page 614

* Separate switching on of direct and indirect output (available only for on-off versions). Control of the direct and indirect output in synchrony (versions with Push dimming). The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply. The linear connection is available only for the on-off versions of the products.






Fluo Bi-Emission 1200




Fluo Bi-Emission 1800




The single final cup is 2.5 mm width.

Fluo - Assembly plans


FLUO SUSPENSION



FLUO SURFACE



FLUO RECESSED





Fluo - Mounting kit

	Required	N° Cables	Cables Length	Finish		Code	€
 CEILING CUP WITH SUSPENSION KIT	Yes - 1 Kit x power source	1	2000 mm	White		277929	32
				Black		277912	32
		1	5000 mm	White		276342	43
				Black		276335	43
 SUSPENSION KIT	Yes - 1 Kit x 600 mm	1	2000 mm			220826	13
		1	5000 mm			243665	20
 RECESSED MOUNTING KIT	Yes - 1 Kit x 600 mm					191188	25
 CEILING MOUNTING KIT	Yes - 1 Kit x 600 mm					191171	25

MECHANICAL JOINT Maximum length per power source: 30 meters



Required	Code	€
Yes - 1 Kit x connection	191508	12

Steel new

Family of linear luminaires with extruded aluminium body, powder coated in white or black finish. The family is available in 4 models with different sections and options for installation and control, with direct light emission (MONO-EMISSION) or direct/indirect light emission (BI-EMISSION). STEEL D09 models with a section width of 9 mm and height of 95 mm, with direct or direct/indirect light emission, for single suspension installation. STEEL D11 models with a section width of 11 mm and height of 60 mm, with direct/indirect light emission, for single suspension installation. STEEL D20 models with a section width of 20 mm and height of 95 mm for single suspension installation, in a continuous line or with 90° angles using integrated internal connectors and accessory corner profiles, available with integrated 1-10 V dimmable driver as standard. STEEL D35 models with a section width of 35 mm and height of 80 mm for single suspension or continuous line installation using integrated internal connectors, with optional kit for ceiling installation, equipped with integrated switch for switching indirect emission on and off. The models feature direct emission in the ACCENT version with recessed optics (UGR < 19) for focused lighting, or in the WIDE version with microprismatic diffuser (UGR < 19) or opal diffuser for general lighting. Integrated LED technology available in 3000 K or 4000 K colour temperature, initial binning SDCM ≤ 3; IP 20 protection, insulation class I-II; LED useful life up to 50.000 h L70B50.

PRO High-tech product with high quality materials, intended for professional use.

UGR Product with UGR <16 (Accent), <19 (Wide).

Source	LED SMD
Driver included	On/Off / 1-10V
Drivers available	No
MacAdam	SDCM 3
Optics	Accent/Wide
CCT	3000 K / 4000 K
CRI	≥90
UGR	<16 (Accent) / <19 (Wide)
LED life	50.000 h
Insulation class	I - II
IP	20
Material	Aluminum
Warranty	5 years


P. 359





Steel D09 - Mono-Emission






1,700 Kg/0,0131 m³

Cable length 2000 mm

LED SMD WIDE Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€	
24W	90°	2700 lm	3000 K	White	367019	150	new
				Black	368818	150	new





1,700 Kg/0,0131 m³


Cable length 2000 mm

LED SMD ACCENT Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€	
24W	50°	2700 lm	3000 K	White	368795	150	new
				Black	368771	150	new



Light beam: WIDE




m	lx	øm
1	809	1,90
2	202	3,90
3	90	5,80
4	51	7,80
5	32	9,70



CRI≥90 24W 110° 2700lm 3000K



Light beam: ACCENT



m	lx	øm
1	990	2,00
2	247	4,10
3	110	6,10
4	52	8,10
5	40	10,00




CRI≥90 24W 70° 2700lm 3000K






Steel D09 Accent




Steel D09 Wide



Steel D09/D11 - Bi-Emission





1,800 Kg/0,0144 m³

Cable length 1500 mm

LED SMD SAMSUNG WIDE


Up-light included - Driver OSRAM ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
35W	110°	2750 lm	3000 K	White		348407	160
				Black		348384	160

UP-LIGHT INFO

Beam	Lumen	CCT
110°	1400 lm	3000 K





1,800 Kg/0,0144 m³

Cable length 1500 mm


LED SMD SAMSUNG ACCENT

Up-light included - Driver OSRAM ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
35W	70°	3450 lm	3000 K	White		348414	160
				Black		348391	160

UP-LIGHT INFO

Beam	Lumen	CCT
110°	650 lm	3000 K



1,800 Kg/0,0094 m³

Cable length 2000 mm

LED SMD SAMSUNG WIDE


Up-light included - Driver OSRAM ON/OFF included - UGR <19

Power	Beam	Lumen	CCT	Finish		Code	€
36W	110°	2750 lm	3000 K	White		336206	140
				Black		336190	140

UP-LIGHT INFO

Beam	Lumen	CCT
110°	1400 lm	3000 K





1,800 Kg/0,0094 m³

Cable length 2000 mm

LED SMD SAMSUNG ACCENT

Up-light included - Driver OSRAM ON/OFF included - UGR <16


Power	Beam	Lumen	CCT	Finish		Code	€
36W	68°	3450 lm	3000 K	White		336183	140
				Black		336176	140

UP-LIGHT INFO

Beam	Lumen	CCT
71°	650 lm	3000 K



Light beam: BI-EMISSION WIDE




m	lx	øm
1	616	2,80
2	154	5,60
3	68	8,50
4	39	11,00
5	25	14,00



CRI≥90 35W 110°+110° 2750+1400lm 3000K



Light beam: BI-EMISSION ACCENT



m	lx	øm
1	937	1,50
2	234	3,10
3	104	4,60
4	59	6,20
5	37	7,70




CRI≥90 35W 70°+110° 3450+650lm 3000K






Steel D09 Accent




Steel D09 Wide



Steel D20 - Mono-Emission






1,750 Kg/0,0122 m³

Cable length 2000 mm

LED SMD WIDE Driver 1-10V included

Power	Beam	Lumen	CCT	Finish		Code	€	
29 W	104°	4500 lm	3000 K	White		369006	200	new
				Black	■	367590	200	new
		4800 lm	4000 K	White		369044	200	new
				Black	■	369020	200	new






0,260 Kg/0,0028 m³

L-JOINT Optional - Up-light not included

Power	Beam	Lumen	CCT	Finish		Code	€
5,5 W	104°	560 lm	3000 K	White		241999	47
				Black	■	242002	47
		600 lm	4000 K	White		268149	47
				Black	■	268118	47






1,900 Kg/0,0122 m³

Cable length 2000 mm

LED SMD ACCENT Driver 1-10V included

Power	Beam	Lumen	CCT	Finish		Code	€	
30 W	44°	4500 lm	3000 K	White		368955	200	new
				Black	■	368931	200	new
		4800 lm	4000 K	White		368986	200	new
				Black	■	368979	200	new





0,300 Kg/0,0021 m³

BLIND L-JOINT Optional - Up/Down-light not included

Finish		Code	€	
White		370286	47	new
Black	■	370200	47	new




	Required	Code	€
LINEAR JOINT	Yes - 1 Kit x connection	241982	6



Light beam: WIDE




Light beam: ACCENT



m	lx	øm
1	949	2,40
2	237	4,80
3	105	7,10
4	59	9,50
5	38	12,00



CRI≥90 29W 104° 4500lm 3000K



m	lx	øm
1	6533	0,75
2	1633	1,50
3	726	2,30
4	408	3,00
5	261	3,80




CRI≥90 30W 44° 4500lm 3000K


369006
367590

Steel D20 - Bi-Emission





2,550 Kg/0,0123 m³

Cable length 2000 mm


LED SMD WIDE Up-light included - Driver 1-10V included

Power	Beam	Lumen	CCT	Finish	Code	€
32 W	104°	4650 lm	3000 K	White	241968	225
				Black	241975	225
		5000 lm	4000 K	White	268231	225
				Black	268217	225

UP-LIGHT INFO

Lumen	CCT
2250 lm	3000 K
2400 lm	4000 K






0,260 Kg/0,0028 m³

L-JOINT Optional - Up-light not included

Power	Beam	Lumen	CCT	Finish	Code	€
5,5 W	104°	560 lm	3000 K	White	241999	47
				Black	242002	47
		600 lm	4000 K	White	268149	47
				Black	268118	47





1,850 Kg/0,0122 m³

Cable length 2000 mm


LED SMD ACCENT Up-light included - Driver 1-10V included

Power	Beam	Lumen	CCT	Finish	Code	€	
38 W	44°	5700 lm	3000 K	White	368832	225	new
				Black	367606	225	new
		6000 lm	4000 K	White	368863	225	new
				Black	368849	225	new

UP-LIGHT INFO

Lumen	CCT
2200 lm	3000 K
2300 lm	4000 K





0,300 Kg/0,0021 m³

BLIND L-JOINT Optional - Up/Down-light not included

Finish	Code	€	
White	370286	47	new
Black	370200	47	new




LINEAR JOINT

Required	Code	€
Yes - 1 Kit x connection	241982	6



Light beam: BI-EMISSION WIDE




m	lx	øm
1	572	2,56
2	143	5,12
3	64	7,68
4	36	10,24
5	23	12,80



CRI≥90 32W 104°+104° 2600+2400lm 4000K



Light beam: BI-EMISSION ACCENT



m	lx	øm
1	572	2,56
2	143	5,12
3	64	7,68
4	36	10,24
5	23	12,80




CRI≥90 38W 44°+104° 3500+2200lm 3000K




241968
241975

Steel D35 - Bi-Emission



1,990 Kg/0,0111 m³


Cable length 1800 mm

LED SMD SAMSUNG WIDE

Up-light included - Driver OSRAM ON/OFF included - UGR <19

Power	Beam	Lumen	CCT	Finish		Code	€
36 W	70°	4200 lm	3000 K	White		267128	300
				Black	■	270197	300
		4500 lm	4000 K	White		270203	300
				Black	■	267135	300





1,980 Kg/0,0111 m³

Cable length 1800 mm

LED SMD SAMSUNG ACCENT

Up-light included - Driver OSRAM ON/OFF included - UGR <16

Power	Beam	Lumen	CCT	Finish		Code	€
36 W	60°	3600 lm	3000 K	White		270180	300
				Black	■	267142	300
		3700 lm	4000 K	White		267159	300
				Black	■	270173	300


UP-LIGHT INFO

Beam	Lumen	CCT
110°	750 lm	3000 K
	800 lm	4000 K

		Required	N° Cables	Cables Length	Finish		Code	€
	CEILING CUP WITH SUSPENSION KIT	Yes - 1 Kit x power source	1	2000 mm	White		276311	35
					Black	■	276304	35
	SUSPENSION KIT	Yes - 1 Kit x 500 mm	1	2000 mm			271750	13
	CEILING MOUNTING KIT	Yes - 1 Kit x 1000 mm					270210	31
	LINEAR JOINT	Yes - 1 Kit x connection					271712	7



Light beam: BI-EMISSION WIDE




m	lx	øm
1	1173	1,50
2	293	3,10
3	130	4,60
4	73	6,20
5	47	7,70



CRI≥90 36W 70°+110° 3700+800lm 4000K



Light beam: BI-EMISSION ACCENT



m	lx	øm
1	2216	1,20
2	554	2,40
3	246	3,60
4	139	4,80
5	89	6,10



CRI≥90 36W 60°+110° 2900+800lm 4000K





Steel Accent



Steel Wide




Office new

Linear fixtures in painted aluminium with direct emission. ACCENT versions with focused optics (UGR < 16) or WIDE versions with microprismatic diffuser (UGR < 19). Single suspension installation (ACCENT or WIDE) or continuous line installation (max. 30 m, WIDE only). Integrated CCT 3000 K and 4000 K LEDs, SDCM ≤ 3; IP 20, class I; LED lifetime 50,000 h L70B50.

Source	LED SMD	LED life	50.000 h
Power	30W	Insulation class	I
Driver included	On/Off	IP	20
Drivers available	No	Material	Aluminum
CCT	3000 K / 4000 K	Warranty	5 years
CRI	≥90		
UGR	<16 / <19		

UGR Product with UGR <16.






1,800 Kg/0,0039 m³
Cable length 2000 mm

LED SMD WIDE Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€	
30 W	68°	3900 lm	3000 K	White	369129	180	new
				Black	369112	180	new
		4100 lm	4000 K	White	369150	180	new
				Black	369136	180	new






LINEAR CONNECTOR Required - 1 Kit x linear connection

Weight	Volume	Control	Finish	Code	€	
0,120 Kg	0,0001 m³	On-Off	White	373522	5	new
			Black	373515	5	new






1,820 Kg/0,0041 m³
Cable length 1500 mm

LED SMD ACCENT Driver ON/OFF included. Not compatible with: 373522, 373515

Power	Beam	Lumen	CCT	Finish	Code	€
30 W	37°	3350 lm	3000 K	White	271194	180
				Black	271187	180
		3700 lm	4000 K	White	271217	180
				Black	271200	180

Light beam: WIDE




m	lx	øm
1	1754	1,40
2	439	2,90
3	195	4,30
4	110	5,70
5	70	7,20



CRI≥90 30W 37° 4100lm 4000K

Light beam: ACCENT



m	lx	øm
1	6008	0,72
2	1502	1,40
3	668	2,20
4	376	2,90
5	240	3,60



CRI≥90 30W 37° 3700lm 4000K



271194 271187





LED strip and supports

Indoors

Alphabetical index

Slot	632
Strip Led	636
Tesi	640

Typology index



Strip 632




Tesi 636

Slot 640

* No further promotions can be applied to the strip led recommended prices.


Strip LED and Drivers

Volt	24 Vdc
Source	LED COB / SMD
Drivers available	On/Off / 1-10V / DALI/Push
Power	5 / 8 / 10 / 15 / 20 / 40 W/m
MacAdam	SDCM 3
CCT	2700 K / 3000 K / 4000 K
CRI	≥90
Beam	120°
LED life	50.000 h
Warranty	5 years



SMD 2835 180 LED/m - 50.000h

Power	IP	Lumen	CCT	Measure	Code	€
8 W/m	IP20	670 lm/m	2700 K	5x5000mm	345772	50
		700 lm/m	3000 K	5x5000mm	345789	50
		750 lm/m	4000 K	5x5000mm	345796	50
15 W/m	IP20	1290 lm/m	2700 K	5x5000mm	345765	65
		1340 lm/m	3000 K	5x5000mm	332239	65
		1380 lm/m	4000 K	5x5000mm	332246	65




SMD 2835 120 LED/m - 50.000h


Power	IP	Lumen	CCT	Measure	Code	€
5 W/m	IP20	470 lm/m	2700 K	8x5000mm	346328	50
		490 lm/m	3000 K	8x5000mm	346335	50
		510 lm/m	4000 K	8x5000mm	346359	50
	IP65	460 lm/m	3000 K	8x5000mm	346342	60
		500 lm/m	4000 K	8x5000mm	346366	60
10 W/m	IP20	910 lm/m	2700 K	8x5000mm	346373	50
		940 lm/m	3000 K	8x5000mm	346380	50
		970 lm/m	4000 K	8x5000mm	346403	50
	IP65	960 lm/m	3000 K	8x5000mm	346397	60
		1040 lm/m	4000 K	8x5000mm	346410	60
15 W/m	IP20	1400 lm/m	2700 K	10x5000mm	272498	55
		1450 lm/m	3000 K	10x5000mm	272481	55
		1600 lm/m	4000 K	10x5000mm	272474	55
	IP65	1400 lm/m	3000 K	10x5000mm	272504	75
		1480 lm/m	4000 K	10x5000mm	287959	75







345789

Strip LED and Drivers




SMD 2835 240 LED/m - 50.000 h

Power	IP	Lumen	CCT	Measure	Code	€
10 W/m	IP20	990 lm/m	2700 K	8x5000mm	346427	65
		1000 lm/m	3000 K	8x5000mm	346434	65
		1060 lm/m	4000 K	8x5000mm	346458	65
	IP65	880 lm/m	3000 K	8x5000mm	346441	80
		900 lm/m	4000 K	8x5000mm	346465	80
15 W/m	IP20	1330 lm/m	2700 K	8x5000mm	346472	65
		1450 lm/m	3000 K	8x5000mm	346489	65
		1510 lm/m	4000 K	8x5000mm	346502	65
	IP65	1400 lm/m	3000 K	8x5000mm	346496	80
		1460 lm/m	4000 K	8x5000mm	346519	80
20.5 W/m	IP20	2000 lm/m	2700 K	10x5000mm	272535	90
		2050 lm/m	3000 K	10x5000mm	272528	90
		2100 lm/m	4000 K	10x5000mm	272511	90
	IP65	2000 lm/m	3000 K	10x5000mm	272542	105
		2020 lm/m	4000 K	10x5000mm	287966	105



SMD 2835 180 LED/m - 50.000h

Power	IP	Lumen	CCT	Measure	Code	€
40 W/m	IP20	4350 lm/m	3000 K	10x3000mm	253886	145
		4410 lm/m	4000 K	10x3000mm	253893	145



COB 180 LED/m - 50.000h

Power	IP	Lumen	CCT	Measure	Code	€
8 W/m	IP20	760 lm/m	2700 K	8x5000mm	325934	60
		790 lm/m	3000 K	8x5000mm	325958	60
		820 lm/m	4000 K	8x5000mm	325972	60
15 W/m	IP20	1350 lm/m	2700 K	8x5000mm	325941	60
		1470 lm/m	3000 K	8x5000mm	325965	60
		1620 lm/m	4000 K	8x5000mm	325989	60



	Required	Code	€
 POWER SUPPLY CONNECTOR	No	292939	2
 LINEAR JOINT	No	292953	2

DRIVER For indoor installation only



	Power	Output	Class	Measure (LxHxW)	Code	€
On-Off	30 W	24 Vdc	⧈	140 x 28 x 45 mm	124070	17
	60 W	24 Vdc	⧈	186 x 33 x 50 mm	124087	26
	150 W	24 Vdc	⏚	268 x 31 x 45 mm	124117	46
1-10V/Push	36 W	24 Vdc	⧈	293 x 30 x 43 mm	244556	47
1-10V	100 W	24 Vdc	⏚	210 x 34 x 67 mm	244570	65
1-10V	150 W	24 Vdc	⏚	210 x 34 x 67 mm	244594	70
DALI/Push	36 W	24 Vdc	⧈	175 x 30 x 44 mm	244549	57
	80 W	24 Vdc	⏚	295 x 35 x 45 mm	244563	67
	150 W	24 Vdc	⏚	273 x 37 x 57 mm	244587	90

DRIVER BOX Optional




Material	Measure (LxHxW)	Color		Code	€
Metal	255x55x75 mm	White		302379	25
		Black	■	302362	25
	330x60x80 mm	White		302355	30
		Black	■	302348	30

Tesi 8mm

Flexible steel tape for wall-to-wall tension application, to be used as a support for the application of LED strips for indirect lighting. Tape available in two widths of 8 mm and 20 mm, maximum length of 5 or 10 meters that can be cut to size, aluminum supports with locking system, available in steel, white or black finishes. Ideal for environments with an historical and architectural character that are already highly personalized, with its minimal section it disappears inside the environment to guarantee a result of extreme formal cleanliness.

STRIP LED SUPPORT






0,060 Kg/0,0032 m³

Length	Width	Finish		Code	€
5000 mm	8 mm	Steel		344935	152
		White		344928	152
		Black		344911	152






0,080 Kg/0,0033 m³

Length	Width	Finish		Code	€
10000 mm	8 mm	Steel		344904	168
		White		344898	168
		Black		344881	168

RECOMMENDED STRIP LED AND DRIVER

SMD 2835 180 LED/m - 50.000h



Power	IP	Lumen	CCT	Measure	Code	€
8 W/m	IP20	670 lm/m	2700 K	5x5000mm	345772	50
		700 lm/m	3000 K	5x5000mm	345789	50
		750 lm/m	4000 K	5x5000mm	345796	50

DRIVER ON/OFF

Power	Output	Class	Measure (LxHxW)	Driver box	Code	€
30 W	24 Vdc	⧈	140 x 28 x 45 mm	255 x 55 x 75 mm	124070	17
60 W	24 Vdc	⧈	186 x 33 x 50 mm	255 x 55 x 75 mm	124087	26
150 W	24 Vdc	⏚	268 x 31 x 45 mm	330 x 60 x 80 mm	124117	46



Light beam: INDIRECT






Tesi 20mm

STRIP LED SUPPORT






0,350 Kg/0,0032 m³

Length	Width	Finish		Code	€
5000 mm	20 mm	Steel		258300	160
		White		302256	160
		Black		302263	160






0,450 Kg/0,0032 m³

Length	Width	Finish		Code	€
10000 mm	20 mm	Steel		302270	178
		White		302287	178
		Black		302294	178

RECOMMENDED STRIP LED AND DRIVER

SMD 2835 120 LED/m - 50.000h



Power	IP	Lumen	CCT	Measure	Code	€
5 W/m	IP20	470 lm/m	2700 K	8x5000mm	346328	50
		490 lm/m	3000 K	8x5000mm	346335	50
		510 lm/m	4000 K	8x5000mm	346359	50
	IP65	460 lm/m	3000 K	8x5000mm	346342	60
		500 lm/m	4000 K	8x5000mm	346366	60
10 W/m	IP20	910 lm/m	2700 K	8x5000mm	346373	50
		940 lm/m	3000 K	8x5000mm	346380	50
		970 lm/m	4000 K	8x5000mm	346403	50
	IP65	960 lm/m	3000 K	8x5000mm	346397	60
		1040 lm/m	4000 K	8x5000mm	346410	60
15 W/m	IP20	1400 lm/m	2700 K	10x5000mm	272498	55
		1450 lm/m	3000 K	10x5000mm	272481	55
		1600 lm/m	4000 K	10x5000mm	272474	55
	IP65	1400 lm/m	3000 K	10x5000mm	272504	75
		1480 lm/m	4000 K	10x5000mm	287959	75

DRIVER ON/OFF




Light beam: INDIRECT



Power	Output	Class	Measure (LxHxW)	Driver box	Code	€
30 W	24 Vdc	⧈	140 x 28 x 45 mm	255 x 55 x 75 mm	124070	17
60 W	24 Vdc	⧈	186 x 33 x 50 mm	255 x 55 x 75 mm	124087	26
150 W	24 Vdc	⏚	268 x 31 x 45 mm	330 x 60 x 80 mm	124117	46







Slot

Extruded aluminium profile with anodised or powder-coated surface, available in white, black and aluminium finishes, with satin-finish PMMA diffuser. Bars are available in different sections and lengths in the RECESSED version for recessed installation in plasterboard ceilings and in the SURFACE version for wall or ceiling installation. The ANGULAR models are designed with an internal angle of inclination of the light source for optimal lighting inside light veils and wall chase. The linear profiles are available in lengths of 2000 and 3000 mm, can be assembled according to the desired design and can be cut to size. LED strips and drivers must be combined to complete the installation. The accessories included with the profiles are not sold separately.


Model	Recessed / Surface / Angular
Width	6 / 31 mm
Material	Aluminum





Slot Recessed Trim






PROFILE 6 mm Recommended Strip LED max 8 W/m

Length	Weight	Volume	Finish	Code	€
2000 mm	0,72 Kg	0,0003 m³	White	346212	9
3000 mm	1,23 Kg	0,0005 m³	White	346229	13






PROFILE 12 mm Recommended Strip LED max 15 W/m

Length	Weight	Volume	Finish	Code	€
2000 mm	0,33 Kg	0,0007 m³	White	203102	25
3000 mm	0,48 Kg	0,0010 m³	White	204611	40

Slot Recessed Trimless






PROFILE 11 mm Recommended Strip LED max 8 W/m

Length	Weight	Volume	Finish	Code	€
2000 mm	0,50 Kg	0,0021 m³	White	346274	45
3000 mm	1,45 Kg	0,0021 m³	White	346281	65





PROFILE 21 mm Recommended Strip LED max 15 W/m

Length	Weight	Volume	Finish	Code	€
2000 mm	0,60 Kg	0,0021 m³	White	346762	60
3000 mm	0,88 Kg	0,0055 m³	White	346779	80

KIT PROFILE

	Required	Code	€
 LINEAR JOINT	Yes - 1 Kit x connection	223766	6
 L-JOINT	Yes - 1 Kit x connection	223759	6
 WALL-CEILING JOINT	Yes - 1 Kit x connection	223742	6

346212
203102




Mounting kit included

346762
346779




Slot Surface






PROFILE 6 mm Recommended Strip LED max 8 W/m

Length	Weight	Volume	Finish	Code	€
2000 mm	0,16 Kg	0,0003 m³	White	346243	8
	0,16 Kg	0,0003 m³	Black	346236	8
3000 mm	0,40 Kg	0,0002 m³	White	346267	12
	0,40 Kg	0,0002 m³	Black	346250	12



PROFILE 11 mm Recommended Strip LED max 15 W/m


Length	Weight	Volume	Finish	Code	€
2000 mm	0,22 Kg	0,0022 m³	White	203089	20
	0,22 Kg	0,0022 m³	Aluminu.	203072	20
3000 mm	0,42 Kg	0,0022 m³	White	204598	30
	0,42 Kg	0,0022 m³	Aluminu.	204581	30



PROFILE 14 mm Recommended Strip LED max 15 W/m

Measure	Weight	Volume	Finish	Code	€
2000x15mm	0,42 Kg	0,0008 m³	White	307145	25
2000x22mm	0,51 Kg	0,0012 m³	White	307152	25





PROFILE 31 mm Recommended Strip LED max 40 W/m

Length	Weight	Volume	Finish	Code	€
2000 mm	1,41 Kg	0,0036 m³	White	270524	75
	1,41 Kg	0,0036 m³	Black	270517	75
3000 mm	1,97 Kg	0,0047 m³	White	270548	105
	1,97 Kg	0,0047 m³	Black	270531	105

	Required	N° Cables	Cables Length	Code	€
 SUSPENSION KIT	No - 1 Kit x 2000 mm	2	3000 mm	270449	18
 MECHANICAL JOINT	Yes - 1 Kit x connection			270463	6





Mounting kit included




307145



270517

Slot Angular Recessed





PROFILE 17 mm Recommended Strip LED max 15 W/m


Length	Weight	Volume	Finish	Code	€
2000 mm	0,82 Kg	0,0042 m³	White	339788	65
3000 mm	1,05 Kg	0,0052 m³	White	339795	90

KIT PROFILE

	Required	Code	€
 LINEAR JOINT	Yes - 1 Kit x connection	223766	6
 L-JOINT	Yes - 1 Kit x connection	223759	6
 WALL-CEILING JOINT	Yes - 1 Kit x connection	223742	6

Slot Angular Surface






PROFILE 10 mm Recommended Strip LED max 15 W/m

Length	Weight	Volume	Finish	Code	€
2000 mm	0,16 Kg	0,0003 m³	White	346298	20
3000 mm	0,22 Kg	0,0004 m³	White	346304	30





PROFILE 16 mm Recommended Strip LED max 15 W/m

Length	Weight	Volume	Finish	Code	€
2000 mm	0,26 Kg	0,0002 m³	White	203126	25
3000 mm	0,41 Kg	0,0013 m³	White	204635	40

339788
339795



Mounting kit included

346298
346304





339788
339795



Spotlights and Tracks

Indoors

Alphabetical index

Display	680
Dynamite	676
Eos	666
Fox	658
Link	688
Look	679
Play	674
Pov	672
Smile	650
Spike	678

Typology index



Smile 650

new



Fox 658



Eos 666



Pov 672

new



Play 674

new



Dynamite 676



Spike 678



Look 679

new



Display 680





Link 3-Phase 688 Link 1-Phase 694

Smile

Cylindrical aluminum projector (extrusion + CNC manufacturing + forging) suitable for installation on three-phase track. White or black powder coating, 350 ° rotating head and 90 ° adjustable, the power driver is included and is located in the cylindrical body of the projector itself; light source with integrated LED COB technology, available with a color temperature of 3000 K or 4000 K and with color rendering index up to 90; starting binning ≤ 4-Step MacAdam; symmetrical beam optic with three different emission angles and glare control (UGR <19); assembly and disassembly without tools; IP 20 protection; insulation class II; LED useful life 50.000 h L70B50.
Ideal for the installation in big rooms, where great flexibility and color rendering is required, such as MUSEUM, COMMERCIAL and RETAIL spaces.

UGR Product with UGR <19.

Source	LED COB
Power	15W / 20W / 30W
Driver included	On/Off
Drivers available	No
Track	Link 3-Phase
CCT	3000 K / 4000 K
CRI	≥80 / ≥90
LED life	50.000 h
Insulation class	II
IP	20
Material	Aluminum
Warranty	5 years




Link 3-Phase - Page 688



Smile 15W





90° 350°

0,610 Kg/0,0053 m³

3-PHASE LED COB PHILIPS Driver TRIDONIC ON/OFF included

CRI ≥90

Power	Beam	Lumen	CCT	Finish		Code	€
15 W	24°	1700 lm	3000 K	White		189598	120
				Black	■	189604	120
	36°	1700 lm	3000 K	White		189772	120
				Black	■	189789	120
	50°	1700 lm	3000 K	White		189970	120
				Black	■	189987	120

CRI ≥80

Power	Beam	Lumen	CCT	Finish		Code	€
15 W	24°	2050 lm	3000 K	White		189574	120
				Black	■	189581	120
		2250 lm	4000 K	White		189611	120
				Black	■	189628	120
	36°	2050 lm	3000 K	White		189758	120
				Black	■	189765	120
		2250 lm	4000 K	White		189796	120
				Black	■	189802	120
	50°	2050 lm	3000 K	White		189932	120
				Black	■	189949	120
		2250 lm	4000 K	White		189956	120
				Black	■	189963	120




CEILING CONNECTION

Required	Driver	Finish		Code	€
No	On/Off	White		170145	23
		Black	■	170152	23



Light beam: SPOT




m	lx	øm
1	4362	0,47
2	1090	0,94
3	484	1,41
4	272	1,88
5	174	2,35



CRI≥80 15W 24° 2050lm 3000K



Light beam: ACCENT




m	lx	øm
1	2923	0,64
2	730	1,29
3	324	1,94
4	182	2,58
5	116	3,23



CRI≥80 15W 36° 2050lm 3000K



Light beam: WIDE



m	lx	øm
1	1611	0,89
2	402	1,79
3	179	2,69
4	100	3,59
5	64	4,49



CRI≥80 15W 50° 2050lm 3000K










Smile 20W





0,870 Kg/0,0052 m³

3-PHASE LED COB PHILIPS Driver TRIDONIC ON/OFF included

CRI ≥90

Power	Beam	Lumen	CCT	Finish		Code	€
20 W	24°	2550 lm	3000 K	White		189659	135
				Black	■	189666	135
	36°	2550 lm	3000 K	White		189833	135
				Black	■	189840	135
	50°	2550 lm	3000 K	White		190037	135
				Black	■	190044	135

CRI ≥80

Power	Beam	Lumen	CCT	Finish		Code	€
20 W	24°	3000 lm	3000 K	White		189635	135
				Black	■	189642	135
		3150 lm	4000 K	White		189673	135
				Black	■	189680	135
	36°	3000 lm	3000 K	White		189819	135
				Black	■	189826	135
		3150 lm	4000 K	White		189857	135
				Black	■	189864	135
	50°	3000 lm	3000 K	White		189994	135
				Black	■	190006	135
		3150 lm	4000 K	White		190013	135
				Black	■	190020	135




CEILING CONNECTION

Required	Driver	Finish		Code	€
No	On/Off	White		170145	23
		Black	■	170152	23



Light beam: SPOT




m	lx	øm
1	8787	0,42
2	2196	0,85
3	976	1,28
4	549	1,71
5	351	2,14



CRI≥80 20W 24° 3000lm 3000K



Light beam: ACCENT




m	lx	øm
1	4526	0,64
2	1131	1,28
3	502	1,92
4	282	2,56
5	181	3,20



CRI≥80 20W 36° 3000lm 3000K



Light beam: WIDE



m	lx	øm
1	2657	0,93
2	664	1,87
3	295	2,81
4	166	3,75
5	106	4,69



CRI≥80 20W 50° 3000lm 3000K










Smile 30W





0,870 Kg/0,0052 m³

3-PHASE LED COB PHILIPS Driver TRIDONIC ON/OFF included

CRI ≥90

Power	Beam	Lumen	CCT	Finish		Code	€
30 W	24°	3500 lm	3000 K	White		189710	150
				Black	■	189727	150
	36°	3500 lm	3000 K	White		189918	150
				Black	■	189925	150
	50°	3500 lm	3000 K	White		190099	150
				Black	■	190105	150

CRI ≥80

Power	Beam	Lumen	CCT	Finish		Code	€
30 W	24°	4000 lm	3000 K	White		189697	150
				Black	■	189703	150
		4200 lm	4000 K	White		189734	150
				Black	■	189741	150
	36°	4000 lm	3000 K	White		189871	150
				Black	■	189888	150
		4200 lm	4000 K	White		189895	150
				Black	■	189901	150
	50°	4000 lm	3000 K	White		190051	150
				Black	■	190068	150
		4200 lm	4000 K	White		190075	150
				Black	■	190082	150




CEILING CONNECTION

Required	Driver	Finish		Code	€
No	On/Off	White		170145	23
		Black	■	170152	23



Light beam: SPOT




m	lx	øm
1	12955	0,39
2	3238	0,79
3	1439	1,19
4	809	1,59
5	518	1,99



CRI≥80 30W 24° 4000lm 3000K



Light beam: ACCENT




m	lx	øm
1	6240	0,62
2	1560	1,24
3	693	1,86
4	390	2,48
5	249	3,10



CRI≥80 30W 36° 4000lm 3000K



Light beam: WIDE



m	lx	øm
1	3740	0,88
2	935	1,76
3	415	2,65
4	233	3,53
5	149	4,42



CRI≥80 30W 50° 4000lm 3000K





Fox new

Cylindrical extruded aluminum projector suitable for installation on single-phase and three-phase LINK track. White, black or satin brass powder coating, 350° rotating head and 90 ° adjustable. 1-10 V or DALI dimmable versions available. Light source with integrated LED COB technology, available with 3 different powers and with color temperatures of 2700 K, 3000 K or 4000 K and with color rendering index CRI ≥ 80 or CRI ≥ 90; starting binning ≤ 3-Step MacAdam; medium beam with accessories optics with narrow beam. Assembly and disassembly without tools. IP 20 protection; LED useful life 50.000 h L70B50. Perfect for lighting the small and medium size environments that require wide flexibility for arrangement, such as COMMERCIAL and RETAIL spaces, and an optimal performance-price ratio.

Source	LED COB
Power	8W / 15W / 25W
Driver included	On/Off / 1-10V / DALI
Drivers available	No
Track	Link 3-Phase / 1-Phase
MacAdam	SDCM 3
CCT	2700 K / 3000 K / 4000 K
CRI	≥80 / ≥90
LED life	50.000 h
Insulation class	I - II
IP	20
Material	Aluminum
Warranty	5 years



Link 3-Phase - Page 688




Link 1-Phase - Page 694




Hot Drinks
Espresso 1.30 · 2.00
Espresso macchiato 1.00 · 2.30
Americano 1.00
Cappuccino 2.10
Caffè latte 2.20
Flat White 2.00
Chai Latte 2.00
Hot Chocolate 2.20
Cold Drinks
Mineral Water 0.33 l 2.00
Afri Cola 0.2 l 2.00
Sprudelgold Lemo 0.33 l 2.40
Homemade Tamarind-Lemonaid 0.33 l 3.00
Juice 0.2 l 2.00
Juice w. sparkling Water 0.33 l 2.80
Lemonaid 0.33 l 2.10
Club Mate 0.33 l 2.20
Homemade Gingerbeer (no alcohol) 0.33 l 3.00
Acai-Mango-Zinger, Honey-Vanilla-Chamomile, Sleepy-Time, Tension-Tamer, Authentic Green, Black-Cherry-Berry, Apple Cinnamon, Chai Bengal Spice
Fresh Tea 2.50
Ginger, Mint or Lemon

Fox 8W





0,300 Kg/0,0015 m³

3-PHASE LED COB BRIDGELUX Driver included

CRI ≥90

Power	Beam	Driver	Lumen	CCT	Finish	Code	€
8 W	41°	On-Off	950 lm	2700 K	White	340845	45
					Black	340838	45
			1000 lm	3000 K	White	285368	45
					Black	285351	45
			1050 lm	4000 K	White	322339	45
					Black	322322	45
		1-10V	1000 lm	3000 K	White	302546	85
					Black	302539	85

CRI ≥80

Power	Beam	Driver	Lumen	CCT	Finish	Code	€
8 W	41°	On-Off	1150 lm	3000 K	White	250410	45
					Black	250403	45
					Brass	283920	49
			1200 lm	4000 K	White	271453	45
					Black	271446	45

1-PHASE LED COB BRIDGELUX Driver included

CRI ≥90

Power	Beam	Driver	Lumen	CCT	Finish	Code	€	
8 W	54°	On-Off	1000 lm	3000 K	White	371924	35	new
					Black	348308	35	



LENS




CEILING CONNECTION

Model	Required	Beam	Driver	Finish	Code	€
On/Off	No	23°		Clear	349121	5
1-10V	No			Clear	302744	5
3-Phase	No		On/Off	White	170145	23
	No			Black	170152	23



Light beam: ACCENT



m	lx	øm
1	2067	0,77
2	517	1,54
3	230	2,30
4	129	3,07
5	83	3,84



CRI≥90 8W 41° 950lm 3000K

* The optional lens must be ordered in concomitance with the product and will be mounted inside the product as replacement for the default one.










Fox 15W





0,380 Kg/0,0020 m³

3-PHASE LED COB BRIDGELUX Driver included

CRI ≥90

Power	Beam	Driver	Lumen	CCT	Finish		Code	€
15 W	41°	On-Off	1550 lm	2700 K	White		340883	50
					Black		340876	50
			1600 lm	3000 K	White		285382	50
					Black		285375	50
			1700 lm	4000 K	White		322360	50
					Black		322346	50
		1-10V	1600 lm	3000 K	White		302560	80
					Black		302553	80
		DALI	1600 lm	3000 K	White		302584	110
					Black		302577	110

CRI ≥80

Power	Beam	Driver	Lumen	CCT	Finish		Code	€
15 W	41°	On-Off	1900 lm	3000 K	White		250434	50
					Black		250427	50
					Brass		283937	55
			2000 lm	4000 K	White		267784	50
					Black		267777	50

1-PHASE LED COB BRIDGELUX Driver included

CRI ≥90

Power	Beam	Driver	Lumen	CCT	Finish		Code	€
15 W	39°	On-Off	1600 lm	3000 K	Black		348315	40



LENS

Model	Required	Beam	Driver	Finish		Code	€
On/Off	No	15°		Clear		349138	5
1-10V / DALI	No			Clear		302751	5




CEILING CONNECTION

Model	Required	Beam	Driver	Finish		Code	€
3-Phase	No		On/Off	White		170145	23
	No			Black		170152	23



Light beam: ACCENT



m	lx	øm
1	3204	0,80
2	801	1,60
3	356	2,40
4	200	3,20
5	128	4,00



CRI≥80 15W 41° 1850lm 3000K










Fox 25W





0,540 Kg/0,0027 m³

3-PHASE LED COB BRIDGELUX Driver included

CRI ≥90

Power	Beam	Driver	Lumen	CCT	Finish	Code	€
25 W	35°	On-Off	2800 lm	2700 K	White	340944	55
					Black	340937	55
			2900 lm	3000 K	White	285405	55
					Black	285399	55
			3050 lm	4000 K	White	322391	55
					Black	322377	55
		1-10V	2900 lm	3000 K	White	302607	100
					Black	302591	100
		DALI	2900 lm	3000 K	White	302621	115
					Black	302614	115

CRI ≥80

Power	Beam	Driver	Lumen	CCT	Finish	Code	€
25 W	35°	On-Off	3300 lm	3000 K	White	250458	55
					Black	250441	55
					Brass	283944	60
			3500 lm	4000 K	White	267807	55
					Black	267791	55

1-PHASE LED COB BRIDGELUX Driver included

CRI ≥90

Power	Beam	Driver	Lumen	CCT	Finish	Code	€
25 W	35°	On-Off	3000 lm	3000 K	Black	348322	45



LENS




CEILING CONNECTION

Model	Required	Beam	Driver	Finish	Code	€
On/Off	No	15°		Clear	349145	5
1-10V / DALI	No			Clear	302768	5
3-Phase	No		On/Off	White	170145	23
	No			Black	170152	23



Light beam: ACCENT



m	lx	øm
1	8140	0,61
2	2035	1,22
3	904	1,82
4	509	2,43
5	326	3,04



CRI≥90 25W 35° 2950lm 3000K





Eos

Extruded aluminum cylindrical tracklight with variable opening beam from narrow to wide (20°-55°), suitable for single-phase or three-phase LINK track installation. White or black powder coating, 355° turning head and 90° adjustable. Dimmable 1-10 V or DALI versions available. Light source with integrated COB LED technology, available with two different powers and color temperature of 2700 K, 3000 K and 4000 K and chromatic index ≥ 90; starting binning ≤3-Step MacAdam. Assembly, disassembly and adjustment of the beam opening without tools. IP20 protection; LED useful life 30.000 h L70B50. Ideal for installation in big rooms, where great flexibility and high color rendering is required, such as EXHIBITION, MUSEUMS and COMMERCIAL.

Source	LED COB
Power	15W / 25W
Driver included	On/Off / 1-10V / DALI
Drivers available	No
Track	Link 3-Phase / 1-Phase
MacAdam	SDCM 3
CCT	2700 K / 3000 K / 4000 K
CRI	≥90
LED life	50.000 h
Insulation class	I - II
IP	20
Material	Aluminum
Warranty	5 years



Link 3-Phase - Page 688




Link 1-Phase - Page 694



Eos 15W





0,710 Kg/0,0038 m³

3-PHASE LED COB BRIDGELUX Driver included

Power	Beam	Driver	Lumen	CCT	Finish	Code	€
15 W	20-55°	On-Off	1650 lm	2700 K	White	340807	73
					Black	340791	73
			1700 lm	3000 K	White	286594	73
					Black	276182	73
			1850 lm	4000 K	White	322094	73
					Black	322087	73
		1-10V	1700 lm	3000 K	White	302959	116
					Black	302942	116
		DALI	1700 lm	3000 K	White	302997	135
					Black	302980	135

1-PHASE LED COB BRIDGELUX Driver included


Power	Beam	Driver	Lumen	CCT	Finish	Code	€
15 W	20-55°	On-Off	1700 lm	3000 K	Black	337579	65

CEILING CONNECTION

Model	Required	Beam	Driver	Finish	Code	€
3-Phase	No		On/Off	White	170145	23
	No			Black	170152	23



Light beam: from SPOT to WIDE



m	lx	øm
1	1774	1,10
2	444	2,20
3	197	3,30
4	111	4,40
5	71	5,50



CRI≥90 15W 20-55° 1450lm 3000K










Eos 25W





1,100 Kg/0,0051 m³

3-PHASE LED COB BRIDGELUX Driver included

Power	Beam	Driver	Lumen	CCT	Finish		Code	€
25 W	20-55°	On-Off	2900 lm	2700 K	White		340821	92
					Black		340814	92
			2950 lm	3000 K	White		286600	92
					Black		276243	92
			3100 lm	4000 K	White		322124	92
					Black		322100	92
		1-10V	2950 lm	3000 K	White		302973	135
					Black		302966	135
		DALI	2950 lm	3000 K	White		303017	155
					Black		303000	155

1-PHASE LED COB BRIDGELUX Driver included


Power	Beam	Driver	Lumen	CCT	Finish		Code	€
25 W	20-55°	On-Off	2900 lm	3000 K	Black		342740	85

CEILING CONNECTION

Model	Required	Beam	Driver	Finish		Code	€
3-Phase	No		On/Off	White		170145	23
	No			Black		170152	23



Light beam: from SPOT to WIDE



m	lx	øm
1	3594	1,10
2	899	2,20
3	399	3,30
4	225	4,40
5	144	5,50



CRI≥90 25W 20-55° 2500lm 3000K










Pov

Source	LED COB	**CRI**	≥95
Power	22W	**LED life**	30.000 h
Driver included	On/Off	**Insulation class**	II
Drivers available	No	**IP**	20
Track	Link 3-Phase	**Material**	Aluminum
MacAdam	SDCM 3	**Warranty**	5 years
CCT	3000 K		






0,370 Kg/0,0039 m³

3-PHASE LED COB CREE Driver PHILIPS ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
22 W	36°	2000 lm	3000 K	White		296340	135
				Black		296333	135





0,490 Kg/0,0039 m³

3-PHASE LED COB CREE Driver PHILIPS ON/OFF included


Power	Beam	Lumen	CCT	Finish		Code	€
22 W	36°	2000 lm	3000 K	White		296364	135
				Black		296357	135



Link 3-Phase - Page 688



Light beam: ACCENT



m	lx	øm
1	3646	0,65
2	911	1,30
3	405	1,90
4	228	2,60
5	146	3,20



CRI≥95 22W 36° 1750lm 3000K










Play Spot new

Source	LED COB	CRI	≥90
Power	7W / 13W	LED life	50.000 h
Driver included	On/Off	Insulation class	II
Drivers available	No	IP	20
Track	Link 3-Phase	Material	Aluminum
MacAdam	SDCM 3	Warranty	5 years
CCT	3000 K		






90° 355°

0,240 Kg/0,0008 m³

3-PHASE LED COB Driver PHILIPS ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€	
7W	16°	520 lm	3000 K	White	364698	70	new
				Black	370903	70	new





90° 355°

0,240 Kg/0,0008 m³

3-PHASE LED COB Driver PHILIPS ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€	
13W	18°	900 lm	3000 K	White	364704	75	new
				Black	370927	75	new



CEILING CONNECTION


Required	Driver	Finish	Code	€
No	On/Off	White	170145	23
		Black	170152	23



Link 3-Phase - Page 688



Light beam: SPOT



m	lx	øm
1	5141	0,25
2	1285	0,50
3	571	0,75
4	321	1,00
5	206	1,20



CRI≥95 22W 36° 1750lm 3000K


P. 312 P. 762



Dynamite Spot new

Source	GU10
Power	max 28 W
Track	Link 3-Phase / 1-Phase
Insulation class	II
IP	20
Material	Aluminum






0,200 Kg/0,0020 m³

GU10 Not included - Recommended bulb 123943

Power	Track	Finish	Code	€	
max 28W	3-Phase	White	274508	36	
		Black	274515	36	
	1-Phase	White	371443	36	new
		Black	337524	36	






0,150 Kg/0,0016 m³

GU10 Not included - Recommended bulb 339771

Power	Track	Finish	Code	€	
max 28W	3-Phase	White	371450	25	new
		Black	371474	25	new





0,240 Kg/0,0022 m³

GU10 Not included - Recommended bulb 123943

Power	Track	Finish	Code	€	
max 28W	3-Phase	White	371498	38	new
		Black	371528	38	new

CEILING CONNECTION

Model	Required	Beam	Driver	Finish	Code	€
3-Phase	No		On/Off	White	170145	23
	No			Black	170152	23



Link 3-Phase - Page 688



Link 1-Phase - Page 694


P. 100 P. 310 P. 412





Spike Spot





0,370 Kg/0,0031 m³

GX53 Bulbs LED GX53 9W 3000K CRI80 included. Code **123936**

IP20

Power	Track	Finish		Code	€
max 9W	3-Phase	White		344942	60
		Black	■	336626	60

P. 308



CEILING CONNECTION

Required	Driver	Finish		Code	€
No	On/Off	White		170145	23
		Black	■	170152	23




Link 3-Phase - Page 688



Look Track





0,930 Kg/0,0033 m³

GU10 Bulbs LED GU10 7W 3000 K included. Code **123943**

IP20

Power	Track	Finish		Code	€
max 28W	3-Phase	White		231662	80
		Black		231631	80



CEILING CONNECTION

Required	Driver	Finish		Code	€
No	On/Off	White		170145	23
		Black		170152	23



Link 3-Phase - Page 688

P. 082 P. 296 P. 372 P. 506

Display new

Linear projector in painted aluminium for LINK 3-phase track, white or black finish, PMMA diffusers. Available in the WIDE model with flat and diffusing optics, in the UGR model with microprismatic diffuser and in the ACCENT model with recessed optics (UGR < 16). The integrated power driver is allocated inside the track to minimise the visible footprint of the product. Light source with integrated COB LED technology in colour temperatures of 3000 K and 4000 K with high colour rendering CRI ≥90; initial binning SDCM ≤ 3; LED useful life 50.000 h L70B50. Suitable for lighting OFFICES, COMMERCIAL spaces and EXHIBITION areas, also ideal in combination with other focused light projectors.

PRO High-tech product with high quality materials, intended for professional use.

UGR Product with UGR <16 (Accent), <22 (UGR).

Source	LED SMD
Power	14W / 42W
Driver included	On/Off / DALI
Drivers available	No
Track	Link 3-Phase
MacAdam	SDCM 3
CCT	3000 K / 4000 K
CRI	≥90
UGR	<16 (Accent) / <22 (UGR)
LED life	50.000 h
Insulation class	II
IP	20
Material	Aluminum
Warranty	5 years




Link 3-Phase - Page 688



Display Accent






0,681 Kg/0,0028 m³

3-PHASE LED SMD SAMSUNG Driver ON/OFF included - UGR <16

Power	Beam	Driver	Lumen	CCT	Finish		Code	€	
14 W	60°	On-Off	1400 lm	3000 K	White		283593	170	
					Black	■	283609	170	
			1550 lm	4000 K	White		283616	170	
					Black	■	283623	170	
		DALI	1400 lm	3000 K	White		375267	225	new
					Black	■	375243	225	new
			1550 lm	4000 K	White		375304	225	new
					Black	■	375281	225	new






1,120 Kg/0,0072 m³

3-PHASE LED SMD SAMSUNG Driver ON/OFF included - UGR <16

Power	Beam	Driver	Lumen	CCT	Finish		Code	€	
28 W	60°	On-Off	2800 lm	3000 K	White		283524	265	
					Black	■	276267	265	
			3100 lm	4000 K	White		283531	265	
					Black	■	283548	265	
		DALI	2800 lm	3000 K	White		375342	305	new
					Black	■	375328	305	new
			3100 lm	4000 K	White		375373	305	new
					Black	■	375359	305	new






1,570 Kg/0,0100 m³

3-PHASE LED SMD SAMSUNG Driver ON/OFF included - UGR <16

Power	Beam	Driver	Lumen	CCT	Finish		Code	€	
42 W	60°	On-Off	4200 lm	3000 K	White		283555	370	
					Black	■	283562	370	
			4650 lm	4000 K	White		283579	370	
					Black	■	283586	370	




Light beam: ACCENT



m	lx	øm
1	1330	1,20
2	332	2,40
3	148	3,50
4	83	4,70
5	53	5,90



CRI≥90 14W 60° 1350lm 3000K




m	lx	øm
1	3598	1,30
2	900	2,50
3	400	3,80
4	225	5,00
5	144	6,30



CRI≥90 42W 60° 3750lm 3000K





Display Accent 535 mm



Display Accent 1065 mm




Display Accent 1595 mm



Display Wide






0,430 Kg/0,0026 m³

3-PHASE LED SMD SAMSUNG Driver ON/OFF included

Power	Beam	Driver	Lumen	CCT	Finish		Code	€	
21 W	125°	On-Off	2550 lm	3000 K	White		283753	140	
					Black	■	283760	140	
			2900 lm	4000 K	White		276274	140	
					Black	■	283777	140	
		DALI	2550 lm	3000 K	White		375335	190	new
					Black	■	375311	190	new
			2900 lm	4000 K	White		375380	190	new
					Black	■	375366	190	new






0,770 Kg/0,0050 m³

3-PHASE LED SMD SAMSUNG Driver ON/OFF included

Power	Beam	Driver	Lumen	CCT	Finish		Code	€	
40 W	125°	On-Off	5500 lm	3000 K	White		283722	215	
					Black	■	283050	215	
			5800 lm	4000 K	White		283739	215	
					Black	■	283746	215	
		DALI	5500 lm	3000 K	White		375410	260	new
					Black	■	375403	260	new
			5800 lm	4000 K	White		375458	260	new
					Black	■	375434	260	new


Light beam: WIDE



m	lx	øm
1	473	5,20
2	118	6,50
3	53	9,70
4	30	13,00
5	19	16,00



CRI≥90 21W 125° 2550lm 3000K




m	lx	øm
1	897	3,10
2	224	6,10
3	100	9,20
4	56	12,00
5	36	15,00



CRI≥90 40W 125° 4600lm 3000K





Display Wide 565 mm




Display Wide 1125 mm



Display UGR

3-PHASE LED SMD SAMSUNG Driver ON/OFF included - UGR <22






0,650 Kg/0,0028 m³

Power	Beam	Driver	Lumen	CCT	Finish		Code	€	
14 W	70°	On-Off	1900 lm	3000 K	White		283685	150	
					Black	■	283692	150	
			2000 lm	4000 K	White		283708	150	
					Black	■	283715	150	
		DALI	1900 lm	3000 K	White		375427	210	new
					Black	■	375397	210	new
			2000 lm	4000 K	White		375465	210	new
					Black	■	375441	210	new

3-PHASE LED SMD SAMSUNG Driver ON/OFF included - UGR <22






1,120 Kg/0,0050 m³

Power	Beam	Driver	Lumen	CCT	Finish		Code	€	
25 W	70°	On-Off	3800 lm	3000 K	White		283647	235	
					Black	■	283630	235	
			4000 lm	4000 K	White		276281	235	
					Black	■	283258	235	
		DALI	3800 lm	3000 K	White		375250	280	new
					Black	■	375236	280	new
			4000 lm	4000 K	White		375298	280	new
					Black	■	375274	280	new

3-PHASE LED SMD SAMSUNG Driver ON/OFF included - UGR <22






1,570 Kg/0,0173 m³

Power	Beam	Driver	Lumen	CCT	Finish		Code	€	
40 W	70°	On-Off	5700 lm	3000 K	White		283654	330	
					Black	■	283067	330	
			6000 lm	4000 K	White		283661	330	
					Black	■	283678	330	


Light beam: WIDE



m	lx	øm
1	854	1,40
2	213	2,80
3	95	4,20
4	53	5,70
5	34	7,10




CRI≥90 14W 70° 1750lm 3000K



m	lx	øm
1	1636	1,40
2	409	2,80
3	182	4,20
4	102	5,70
5	65	7,10



CRI≥90 25W 70° 3550lm 3000K



m	lx	øm
1	2419	1,40
2	605	2,80
3	269	4,20
4	151	5,70
5	97	7,10



CRI≥90 40W 70° 5350lm 3000K





Display UGR 535 mm



Display UGR 1065 mm



Display UGR 1595 mm



Link 3-Phase


Three-phase electrified track with extruded aluminum profile; black or white powder coated, optimized for standard 3-Phase or equivalent projectors; available in ceiling, suspension or recessed versions with edge for installation on plasterboard ceilings; suitable for continuous lines systems, standard modules of 1000mm, 2000mm or 3000mm modules length. Ideal for installation in big spaces where flexibility and long connection distances are required, for example MUSEUM, COMMERCIAL and RETAIL spaces.

Insulation class	I
IP	20






Link 3-Phase Trimless On/Off







TRACK

Length	Weight	Volume	Finish		Code	€
1000 mm	0,91 Kg	0,0016 m³	White		243269	30
			Black	■	243252	30
2000 mm	1,81 Kg	0,0025 m³	White		187976	60
			Black	■	187983	60
3000 mm	2,71 Kg	0,0037 m³	White		187990	95
			Black	■	188003	95

	Required	N° Cables	Cables Length	Finish	Code	€
CEILING MOUNTING KIT	Yes - 1 Kit x 1000 mm			White	169972	5
				Black	169989	5
SUSPENSION KIT	Yes - 1 Kit x 1000 mm	1	3000 mm	White	242705	13
				Black	243283	13
		1	5000 mm	White	243245	15
				Black	243238	15
END CAP	Yes			White	169613	2
				Black	169620	2






POWER SUPPLY END

0,060 Kg/0,0001 m³

169583	L	€	9
169576 ■	L	€	9
169590	R	€	9
169606 ■	R	€	9






POWER SUPPLY CENTRAL JOINT

0,120 Kg/0,0002 m³

227580	€	17
227597 ■	€	17






L-JOINT EXTERNAL (L) INTERNAL (R)

0,120 Kg/0,0003 m³

169705	L	€	17
169712 ■	L	€	17
169736	R	€	17
169729 ■	R	€	17






LINEAR JOINT

0,030 Kg/0,0001 m³

169637	€	7
169644 ■	€	7






TRACK ADAPTOR 3 POLES


0,080 Kg/0,0004 m³

194257	€	9
194301 ■	€	9

Link 3-Phase Trimless DALI - 1-10V








TRACK

Length	Weight	Volume	Finish		Code	€
1000 mm	0,94 Kg	0,0016 m³	White		246468	38
			Black	■	246451	38
2000 mm	1,93 Kg	0,0032 m³	White		247007	80
			Black	■	246901	80
3000 mm	2,87 Kg	0,0048 m³	White		247625	115
			Black	■	247618	115

	Required	N° Cables	Cables Length	Finish	Code	€
CEILING MOUNTING KIT	Yes - 1 Kit x 1000 mm			White	169972	5
				Black	169989	5
SUSPENSION KIT	Yes - 1 Kit x 1000 mm	1	3000 mm	White	242705	13
				Black	243283	13
		1	5000 mm	White	243245	15
				Black	243238	15
END CAP	Yes			White	169613	2
				Black	169620	2






POWER SUPPLY END

0,080 Kg/0,0003 m³

246529		L	€ 13
246512	■	L	€ 13
246543		R	€ 13
246536	■	R	€ 13






POWER SUPPLY CENTRAL JOINT

0,130 Kg/0,0003 m³

246581			€ 25
246574	■		€ 25






L-JOINT EXTERNAL (L) INTERNAL (R)

0,130 Kg/0,0005 m³

246604		L	€ 25
246598	■	L	€ 25
246628		R	€ 25
246611	■	R	€ 25






LINEAR JOINT

0,050 Kg/0,0001 m³

246567			€ 9
246550	■		€ 9






TRACK ADAPTOR 5 POLES


0,070 Kg/0,0002 m³

246505			€ 15
246499	■		€ 15

Link 3-Phase Trim On/Off







TRACK

Length	Weight	Volume	Finish		Code	€
2000 mm	1,92 Kg	0,0050 m³	White		188010	60
			Black	■	188027	60



RECESSED MOUNTING KIT
END CAP

Required	Finish	Code	€
Yes - 1 Kit x 1000 mm	Aluminum	188195	5
Yes	White	169613	2
	Black	169620	2



POWER SUPPLY END

0,070 Kg/0,0002 m³

188072	L	€	7
188089 ■	L	€	7
188058	R	€	7
188065 ■	R	€	7



POWER SUPPLY CENTRAL JOINT

0,220 Kg/0,0005 m³

227689	€	15
227672 ■	€	15



L-JOINT EXTERNAL (L) INTERNAL (R)

0,130 Kg/0,0006 m³

188119	L	€	15
188126 ■	L	€	15
188096	R	€	15
188102 ■	R	€	15



LINEAR JOINT

0,030 Kg/0,0001 m³

169637	€	7
169644 ■	€	7




TRACK ADAPTOR 3 POLES


0,080 Kg/0,0004 m³

194257	€	9
194301 ■	€	9

Link 3-Phase Trim DALI - 1-10V








TRACK

Length	Weight	Volume	Finish		Code	€
2000 mm	2,11 Kg	0,0042 m³	White		246895	75
			Black	■	249629	75



RECESSED MOUNTING KIT
END CAP


Required	Finish	Code	€
Yes - 1 Kit x 1000 mm	Aluminum	188195	5
Yes	White	169613	2
	Black	169620	2



POWER SUPPLY END

0,090 Kg/0,0003 m³


256085		L	€ 10
256078	■	L	€ 10
256146		R	€ 10
256122	■	R	€ 10



POWER SUPPLY CENTRAL JOINT

0,150 Kg/0,0005 m³


256115		€ 25
256092	■	€ 25



L-JOINT EXTERNAL (L) INTERNAL (R)

0,150 Kg/0,0005 m³


256030		L	€ 25
255996	■	L	€ 25
256061		R	€ 25
256047	■	R	€ 25



LINEAR JOINT

0,050 Kg/0,0001 m³

246567		€ 9
246550	■	€ 9



TRACK ADAPTOR 5 POLES


0,070 Kg/0,0002 m³


246505		€ 15
246499	■	€ 15

Link 1-Phase


Single-phase electrified track with extruded aluminum profile; black powder coated; available in ceiling or recessed versions with edge for installation on plasterboard ceilings; suitable for continuous lines systems, standard modules of 1000mm, 2000mm or 3000mm length. Ideal for installation in environments where flexibility and compactness are required, for example RESIDENTIAL, COMMERCIAL and RETAIL spaces.

Insulation class	I
IP	20






Link 1-Phase Surface On/Off








TRACK No mounting kit required, direct ceiling installation.

Length	Weight	Volume	Finish		Code	€
1000 mm	0,42 Kg	0,0012 m³	Black	■	337371	13
2000 mm	0,83 Kg	0,0024 m³	Black	■	342801	24
3000 mm	1,22 Kg	0,0036 m³	Black	■	344973	35

	Required	Finish	Code	€
END CAP	Yes	Black	337395	3






POWER SUPPLY END

0,060 Kg/0,0001 m³

337388 ■ **€ 3**






POWER SUPPLY CENTRAL JOINT

0,070 Kg/0,0001 m³

337425 ■ **€ 5**






LINEAR JOINT

0,040 Kg/0,0001 m³

337418 ■ **€ 3**






L-JOINT

0,060 Kg/0,0001 m³


337401 ■ **€ 3**

Link 1-Phase Recessed On/Off



TRACK






Length	Weight	Volume	Finish		Code	€
1000 mm	0,49 Kg	0,0012 m³	Black	■	342818	14
2000 mm	0,94 Kg	0,0024 m³	Black	■	342825	28
3000 mm	1,39 Kg	0,0036 m³	Black	■	344966	42



RECESSED MOUNTING KIT
END CAP

Required	Finish	Code	€
Yes - 1 Kit x 1000 mm	Aluminum	188195	5
Yes	Black	337395	3






POWER SUPPLY END

0,070 Kg/0,0001 m³

342832 ■ € 5






LINEAR JOINT

0,040 Kg/0,0001 m³

342856 ■ € 3





L-JOINT

0,100 Kg/0,0003 m³

342849 ■ € 4



Recessed lights

Indoors

Alphabetical index

Basic	754
Bento	708
Beyond	764
Blues	796
Deep	752
Dynamic	714
Funky	794
Game	722
Groove	760
Infinity	742
Jazz	794
Led panel	774
Lika	778
Nova	770
Off	748
Play	762
Polka	797
Quark	738
Room-65	795
Samba	790
Swing	794
Tag	734
Virus	736
Walky	792
Zephyr	788
Zeus	700

Typology index



Zeus 700



Bento 708



Dynamic 714

Game 722

Tag 734

Virus 736

Quark 738

new

Infinity 742



Off 748



Deep 752

Basic 754

Groove 760

new



Play 762

new



Beyond 764

new



Nova 770

new

Led Panel 774

new

Lika 778

new



Zephyr 788

Samba 790



Walky 792



Jazz 794



Swing 794



Funky 794

Room-65 795



Blues 796



Polka 797

Zeus

Modular system of recessed elements consisting of an adjustable source, reflector and round or square ring, with optional shielding lenses and accessories; white and black finish; ring available in TRIM version with frame or TRIMLESS without frame for installation in plasterboard false ceilings; two different emission angles to choose from. Light source with integrated COB LED technology, available with a color temperature of 2700 K, 3000 K or 4000K and high color rendering CRI ≥ 90; insulation class II; LED useful life 50.000 h L70B50. Also available in dimmable 1-10V, DALI and PUSH versions. Suitable for installations in indoor environments in the SERVICES and RETAIL sectors.

PRO High-tech product with high quality materials, intended for professional use.


UGR Product with UGR <19.

DIY Modular product

Source	LED COB
Power	13W / 21W
Driver included	On/Off
Drivers available	1-10V / DALI / Push
MacAdam	SDCM 3
CCT	2700 K / 3000 K / 4000 K
CRI	≥90
UGR	<19
LED life	50.000 h
Insulation class	II
IP	20
Material	Aluminum
Warranty	5 years









		Required	Model	Finish		Code	€
	**LENS 20°**	No	13 W	Clear		323688	4
			21 W	Clear		323985	6
	**HONEYCOMB**	No	13 W	Black	■	323671	4
			21 W	Black	■	323961	6

Zeus - Source









0,300 Kg/0,0015 m³


LED COB CITIZEN Required - Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
13 W	40°	1000 lm	2700 K	Grey		324807	66
		1050 lm	3000 K	Grey		324814	66
		1150 lm	4000 K	Grey		324821	66

DIMMABLE DRIVER* Optional

	Power	Output	Measure (L x H x W)	Code	€
1-10V	21 W	350 mA	125 x 26 x 45 mm	324906	26
DALI/Push	20 W	350 mA	120 x 29 x 51 mm	324913	46





0,590 Kg/0,0032 m³


LED COB CITIZEN Required - Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
21 W	40°	2000 lm	2700 K	Grey		324838	106
		2100 lm	3000 K	Grey		324845	106
		2300 lm	4000 K	Grey		324852	106

DIMMABLE DRIVER* Optional

	Power	Output	Measure (L x H x W)	Code	€
1-10V/Push	20 W	500 mA	110 x 22 x 52 mm	324920	61
DALI/Push	20 W	500 mA	120 x 29 x 51 mm	324937	71


Light beam: ACCENT



m	lx	øm
1	1714	0,76
2	429	1,50
3	190	2,30
4	107	3,10
5	69	3,80



CRI≥90 13W 40° 1020lm 3000K



m	lx	øm
1	3174	0,81
2	794	1,60
3	353	2,40
4	198	3,20
5	127	4,00




CRI≥90 21W 40° 2000lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply. ** Lens 40° included.

Zeus Round

TRIM ROUND FRAME






⌀ 70 mm

0,100 Kg/0,0002 m³

13 W

Finish	Code	€
White	324869	15
Black	323527	15





⌀ 100 mm


0,130 Kg/0,0005 m³

21 W

Finish	Code	€
White	324883	18
Black	324005	18

TRIMLESS ROUND FRAME






⌀ 73 mm

0,120 Kg/0,0005 m³

13 W

Finish	Code	€
White	323541	18





⌀ 105 mm


0,160 Kg/0,0008 m³

21 W

Finish	Code	€
White	323725	35

ROUND REFLECTOR Required






0,030 Kg/0,0003 m³

13 W

Finish	Code	€
White	323589	8
Black	323619	8
Gold	323602	8





0,040 Kg/0,0007 m³

21 W

Finish	Code	€
White	323763	12
Black	323770	12
Gold	323794	12










Zeus Square





68 x 68 mm


0,100 Kg/0,0003 m³

TRIM SQUARE FRAME

13 W

Finish	Code	€
White	324876	15
Black	323534	15






96 x 96 mm

0,140 Kg/0,0010 m³

21 W

Finish	Code	€
White	324890	18
Black	323718	18





68 x 68 mm


0,120 Kg/0,0005 m³

TRIMLESS SQUARE FRAME

13 W

Finish	Code	€
White	323558	18






96 x 96 mm

0,160 Kg/0,0008 m³

21 W

Finish	Code	€
White	323732	35






0,030 Kg/0,0003 m³

SQUARE REFLECTOR Required

13 W

Finish	Code	€
White	323633	8
Black	323657	8
Gold	323640	8





0,050 Kg/0,0007 m³

21 W

Finish	Code	€
White	323800	12
Black	323817	12
Gold	323831	12









Bento

Modular recessed lighting system consisting of adjustable light sources, reflector and frame; white and black finish; recessed frame available in single round or square shape, or rectangular in double or triple version for the installation of multiple independent light sources. Light source with integrated COB LED technology in 3000 K colour temperature with high colour rendering CRI ≥90; initial binning SDCM ≤ 3; insulation class II; LED lifetime 50.000 h L70B50. Available in 1-10V, DALI and PUSH dimmable versions. Its compact size and great versatility make it ideal for installation in DOMESTIC, OFFICE and RETAIL interiors.

PRO High-tech product with high quality materials, intended for professional use.

UGR Product with UGR <19.


DIY Modular product


Source	LED COB
Power	9W / 13W
Driver included	On/Off
Drivers available	1-10V / DALI / Push
MacAdam	SDCM 3
CCT	3000 K
CRI	≥90
UGR	<19
LED life	50.000 h
Insulation class	II
IP	20
Material	Aluminum
Warranty	5 years






Bento - Source









30° 355°

0,400 Kg/0,0030 m³


LED COB CITIZEN Required - Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
9 W	36°	700 lm	3000 K	Black	279596	46

DIMMABLE DRIVER* Optional

	Power	Output	Measure (L x H x W)	Code	€
1-10V	12 W	250 mA	122 x 25 x 40 mm	287843	35
DALI / Push	20 W	250 mA	120 x 29 x 51 mm	287850	87





30° 355°

0,400 Kg/0,0032 m³

LED COB CITIZEN Required - Driver TRIDONIC ON/OFF included


Power	Beam	Lumen	CCT	Finish	Code	€
13 W	36°	1000 lm	3000 K	Black	279602	51

DIMMABLE DRIVER* Optional

	Power	Output	Measure (L x H x W)	Code	€
1-10V / Push	20 W	350 mA	108 x 22 x 52 mm	287867	75
DALI / Push	20 W	350 mA	120 x 29 x 51 mm	287874	90




Light beam: ACCENT



m	lx	øm
1	1312	0,71
2	328	1,40
3	146	2,10
4	82	2,80
5	52	3,50



CRI≥90 9W 36° 750lm 3000K



m	lx	øm
1	1846	0,65
2	461	1,30
3	205	1,90
4	115	2,60
5	74	3,20



CRI≥90 13W 36° 1000lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.


SOURCE 9W/13W
REFLECTOR ROUND/SQUARE
FRAME ROUND/SQUARE








Bento - Frame and Reflector






0,020 Kg/0,0001 m³

ROUND REFLECTOR Required

Finish		Code	€
White		279633	6
Black	■	279640	6






68 mm

0,060 Kg/0,0002 m³

SINGLE ROUND FRAME Required

Finish		Code	€
White		287898	12
Black	■	287881	12






0,020 Kg/0,0001 m³

SQUARE REFLECTOR Required

Finish		Code	€
White		279671	8
Black	■	279688	8






68 x 68 mm

0,050 Kg/0,0002 m³

SINGLE SQUARE FRAME Required

Finish		Code	€
White		287911	14
Black	■	287904	14






134 x 71 mm

0,110 Kg/0,0008 m³

DOUBLE SQUARE FRAME Required

Finish		Code	€
White		287935	24
Black	■	280233	24





197 x 71 mm

0,300 Kg/0,0014 m³

TRIPLE SQUARE FRAME Required

Finish		Code	€
White		287928	30
Black	■	280240	30



Dynamic

Modular system of recessed aluminium elements consisting of a light source, reflector and round or square frame, available in white or black finishes. Light source with integrated COB LED technology 3000 K or 4000 K with high colour rendering CRI ≥ 90, initial binning SDCM ≤ 3; IP54 front protection when installed; insulation class II; LED useful life 50.000 h L70B50. Ideal for indoor RESIDENTIAL installations with humidity.

PRO High-tech product with high quality materials, intended for professional use.

UGR Product with UGR <19.

IP54 Protection degree IP54.

DIY Modular product


Source	LED COB
Power	9W / 10W / 15W
Driver included	On/Off
Drivers available	No
MacAdam	SDCM 3
CCT	2700 K / 3000 K / 4000 K
CRI	≥90
UGR	<19
LED life	50.000 h
Insulation class	II
IP	54
Material	Aluminum
Warranty	5 years





Dynamic - Source






0,180 Kg/0,0030 m³

LED COB CITIZEN Required - Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
9 W	35°	880 lm	3000 K	Black	■	252988	46
		920 lm	4000 K	Black	■	252995	46






0,150 Kg/0,0030 m³

LED COB CITIZEN Required - Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
10 W	35°	1050 lm	3000 K	Black	■	208558	66
		1100 lm	4000 K	Black	■	208565	66






0,350 Kg/0,0030 m³

LED COB CITIZEN Required - Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
15 W	35°	1400 lm	3000 K	Black	■	208589	91
		1500 lm	4000 K	Black	■	208596	91




Light beam: ACCENT



m	lx	øm
1	1653	0,72
2	413	1,44
3	184	2,16
4	103	2,88
5	66	3,60




CRI≥90 9W 35° 950lm 3000K



m	lx	øm
1	1643	0,66
2	410	1,32
3	182	1,98
4	102	2,64
5	65	3,30



CRI≥90 10W 35° 1050lm 3000K



m	lx	øm
1	2294	0,64
2	573	1,29
3	254	1,93
4	143	2,58
5	91	3,23




CRI≥90 15W 35° 1550lm 3000K



SOURCE 9W/10W/15W
REFLECTOR ROUND/SQUARE
FRAME ROUND/SQUARE

Dynamic Round










0,020 Kg/0,0002 m³

REFLECTOR Required

Finish		Code	€
White		211787	8
Black		211794	8





⌀ 80 mm

0,060 Kg/0,0004 m³

FRAME Required

Finish		Code	€
White		208695	17
Black		208701	17












Dynamic Square










0,020 Kg/0,0001 m³

REFLECTOR Required

Finish		Code	€
White		211817	8
Black		211824	8





90 mm

0,050 Kg/0,0006 m³

FRAME Required

Finish		Code	€
White		208725	20
Black		208732	20









Game

Die-cast aluminum recessed spotlight with round or square ring, suitable for installation on plasterboard or paneled ceilings. Available finishes: matt silver, matt white RAL 9001, matt black RAL 9011 and matt gold RAL 1032. Available versions: with external frame (TRIM), retractable without frame for plasterboard (TRIMLESS), or with frame and improved frontal protection (IP65). COB LED technology; available in 2700K, 3000K or 4000K color temperature; SMD LED technology, CCT 2700K, 3000K or 4000K; color rendering index CRI ≥ 90, starting binning ≤ 3Step MacAdam; IP20 protection; insulation class II; LED useful life 50,000 h L70B50. Dimmable 1-10V, DALI and PUSH versions available. Due to its compact size and great versatility it is ideal for installations in RESIDENTIAL, COMMERCIAL and RETAIL indoor environments.

UGR Product with UGR <19.

Source	LED COB
Power	5W / 11W / 20W
Driver included	On/Off
Drivers available	1-10V/Push / DALI/Push
CCT	2700 K / 3000 K / 4000 K
CRI	≥90
UGR	<19
LED life	50.000 h
Insulation class	II
IP	20 / 65
Material	Aluminum
Warranty	5 years






Game Trim Round

LED COB CREE Driver ON/OFF included






⌀ 50 mm
0,200 Kg/0,0009 m³

Power	Beam	Lumen	CCT	Finish		Code	€
5 W	36°	650 lm	3000 K	White	+	337142	35
				Gold	+	349084	35

LED COB CREE Driver ON/OFF included






⌀ 50 mm
0,200 Kg/0,0010 m³

Power	Beam	Lumen	CCT	Finish		Code	€
5 W	36°	650 lm	3000 K	Black	+	349060	35
				Gold	+	349077	35



Light beam: ACCENT



m	lx	øm
1	1125	0,72
2	281	1,40
3	125	2,20
4	70	2,90
5	45	3,60



CRI≥90 5W 36° 650lm 3000K










Game Trim Round






⌀ 75 mm
0,350 Kg/0,0016 m³

LED COB CREE Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
11 W	36°	900 lm	2700 K	White	+	285429	45
		950 lm	3000 K	White	+	192291	45
				Black	+	192277	45
				Gold	+	192307	45
		1100 lm	4000 K	White	+	267975	45
				Gold	+	341361	45





⌀ 75 mm
0,350 Kg/0,0016 m³

LED COB CREE Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
11 W	36°	900 lm	2700 K	Black	+	285412	45
		950 lm	3000 K	White	+	192338	45
				Black	+	192314	45
				Gold	+	192345	45
		1100 lm	4000 K	Black	+	267968	45
				Gold	+	341354	45

IP65


Power	Beam	Lumen	CCT	Finish		Code	€
11 W	36°	950 lm	3000 K	White	+	313191	75
				Black	+	327754	75

DIMMABLE DRIVER* Optional

	Power	Output	Measure (L x H x W)	Code	€
1-10V/Push	20 W	250 mA	111 x 22 x 52 mm	217253	60
DALI/Push	12 W	250 mA	132 x 20 x 30 mm	202396	60



Light beam: ACCENT



m	lx	øm
1	1545	0,69
2	386	1,38
3	171	2,07
4	96	2,77
5	61	3,46



CRI≥90 11W 36° 950lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.










Game Trim Round






110 mm
0,660 Kg/0,0016 m³

LED COB BRIDGELUX Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
20W	27°	2250 lm	3000 K	White	+	273174	90
				Gold	+	341422	90






110 mm
0,660 Kg/0,0016 m³

LED COB BRIDGELUX Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
20W	27°	2250 lm	3000 K	Black	+	273167	90
				Gold	+	341415	90



Light beam: SPOT



m	lx	øm
1	8645	0,41
2	2161	0,83
3	961	1,20
4	540	1,70
5	346	2,10



CRI≥90 20W 24° 2250lm 3000K








Game Trim Square






75 x 75 mm
0,310 Kg/0,0016 m³

LED COB CREE Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
11 W	36°	950 lm	3000 K	White	+	192376	50
				Black	+	192352	50





75 x 75 mm
0,310 Kg/0,0016 m³

LED COB CREE Driver ON/OFF included


Power	Beam	Lumen	CCT	Finish		Code	€
11 W	36°	950 lm	3000 K	White	+	192406	50
				Black	+	192383	50

DIMMABLE DRIVER* Optional

	Power	Output	Measure (L x H x W)	Code	€
1-10V/Push	20 W	250 mA	111 x 22 x 52 mm	217253	60
DALI/Push	12 W	250 mA	132 x 20 x 30 mm	202396	60



Light beam: ACCENT



m	lx	øm
1	1545	0,69
2	386	1,38
3	171	2,07
4	96	2,77
5	61	3,46



CRI≥90 11W 36° 950lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.










Game Trimless






75 mm
0,300 Kg/0,0012 m³

LED COB CREE Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
11 W	36°	950 lm	3000 K	White		319667	50
				Black		319650	50





75 x 75 mm
0,300 Kg/0,0012 m³

LED COB CREE Driver ON/OFF included


Power	Beam	Lumen	CCT	Finish		Code	€
11 W	36°	950 lm	3000 K	White		319681	50
				Black		319674	50

DIMMABLE DRIVER* Optional

	Power	Output	Measure (L x H x W)	Code	€
1-10V/Push	20 W	250 mA	111 x 22 x 52 mm	217253	60
DALI/Push	12 W	250 mA	132 x 20 x 30 mm	202396	60



Light beam: ACCENT



m	lx	øm
1	1609	0,60
2	402	1,20
3	179	1,80
4	101	2,40
5	64	3,00



CRI≥80 11W 36° 950lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.










Tag

Source	LED SMD	**LED life**	30.000 h
Power	7W	**Insulation class**	II
Driver included	On/Off	**IP**	20
Drivers available	No	**Material**	Aluminum
CCT	2700 K / 3000 K / 4000 K	**Warranty**	5 years
CRI	≥90		





75 mm


0,140 Kg/0,0010 m³

LED DOB

Power	Beam	Lumen	CCT	Finish		Code	€
7W	50°	740 lm	2700 K	White		344850	15
				Black	■	344843	15
		750 lm	3000 K	White		331263	15
				Black	■	331256	15
		800 lm	4000 K	White		344874	15
				Black	■	344867	15



Light beam: ACCENT



m	lx	øm
1	838	0,98
2	209	2,00
3	93	2,90
4	52	3,90
5	34	4,90



CRI≥90 7W 50° 830m 3000K










Virus

Source	LED SMD	**LED life**	50.000 h
Power	3W	**Insulation class**	II
Driver included	On/Off	**IP**	20
Drivers available	No	**Material**	Aluminum
CCT	3000 K	**Warranty**	5 years
CRI	≥90		






Ⓘ 30 mm
0,070 Kg/0,0004 m³

LED SMD OSRAM Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
3 W	20°	210 lm	3000 K	White		244808	32
				Black		244846	32



Light beam: SPOT



m	lx	øm
1	1374	0,30
2	344	0,60
3	153	0,91
4	86	1,20
5	55	1,50



CRI≥90 3W 20° 210lm 3000K

244808



244846










Quark

Source	LED COB / SMD	LED life	50.000 h
Power	2,8W / 12W	Insulation class	II
Driver included	On/Off	IP	20
Drivers available	No	Material	Aluminum
CCT	3000 K	Warranty	5 years
CRI	≥90		






⌀ 18 mm

0,020 Kg/0,0004 m³

LED SMD BRIDGELUX Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
2,8 W	30°	160 lm	3000 K	White		327471	30
				Black		305844	30






⌀ 25 mm

0,070 Kg/0,0004 m³

LED SMD BRIDGELUX Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
3 W	25°	230 lm	3000 K	White		327488	35
				Black		305851	35





⌀ 35 mm


0,140 Kg/0,0005 m³

LED SMD BRIDGELUX Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
5 W	30°	510 lm	3000 K	White		307756	50
				Black		327495	50



Light beam: SPOT



m	lx	øm
1	1220	0,35
2	305	0,70
3	136	1,00
4	76	1,40
5	49	1,70



CRI≥90 8W 30° 320lm 3000K










Quark






45 mm

0,190 Kg/0,0009 m³

LED COB Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
9 W	25°	950 lm	3000 K	White		344836	55
				Black		322889	55




20° 52 mm

0,210 Kg/0,0009 m³

LED COB Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
9 W	25°	950 lm	3000 K	White		344829	60
				Black		322971	60






45 mm

0,190 Kg/0,0009 m³

LED COB Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
12 W	25°	1200 lm	3000 K	White		344812	60
				Black		322919	60



20° 52 mm


0,250 Kg/0,0009 m³

LED COB Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
12 W	25°	1200 lm	3000 K	White		344805	65
				Black		323008	65



Light beam: SPOT




m	lx	øm
1	2760	0,48
2	690	0,97
3	306	1,46
4	172	1,95
5	110	2,92



CRI≥90 9W 25° 950lm 3000K



Light beam: SPOT



m	lx	øm
1	3914	0,48
2	978	0,96
3	434	1,44
4	244	1,92
5	156	2,40



CRI≥90 12W 25° 1200lm 3000K

322971

322971





322919



Infinity new

Recessed spotlight in die-cast aluminium with round ring with trim or trimless with invisible light source, suitable for installation in plasterboard false ceilings. Matt white or matt black finish, COB LED technology; CCT 3000 K, CRI ≥ 90/95, SDCM ≤ 3; LED lifetime 50,000 h L70B50, also available in dimmable 1-10 V, DALI and PUSH versions.

Source	LED COB
Power	7W / 12W
Driver included	On/Off
Drivers available	1-10V / DALI / Push
CCT	3000 K
CRI	≥90 / ≥95
UGR	<16
LED life	50.000 h
Insulation class	II
IP	20
Material	Aluminum
Warranty	5 years






Infinity Trim

Source	LED COB	**LED life**	50.000 h
Power	7W / 12W	**Insulation class**	II
Driver included	On/Off	**IP**	20
Drivers available	1-10V / DALI / Push	**Material**	Aluminum
CCT	3000 K	**Warranty**	5 years
CRI	≥90 / ≥95		





⌀ 55 mm
0,140 Kg/0,0009 m³


LED COB Driver ON/OFF included - CRI ≥95

Power	Beam	Lumen	CCT	Finish		Code	€	
7 W	28°	530 lm	3000 K	White		356105	26	new
				Black		355702	26	new

DIMMABLE DRIVER* Optional

	Power	Output	Measure (L x H x W)	Code	€	
1-10V / Push	12 W	150 mA	122 x 25 x 40 mm	370088	22	new
DALI/Push	20 W	150 mA	40 x 22 x 88 mm	370156	28	new





⌀ 75 mm
0,350 Kg/0,0012 m³

LED COB Driver ON/OFF included - CRI ≥90


Power	Beam	Lumen	CCT	Finish		Code	€	
12 W	36°	1050 lm	3000 K	White		356112	28	new
				Black		368740	28	new

DIMMABLE DRIVER* Optional

	Power	Output	Measure (L x H x W)	Code	€	
1-10V / Push	12 W	250 mA	122 x 25 x 40 mm	370088	22	new
DALI/Push	20 W	250 mA	40 x 22 x 88 mm	370156	28	new




Light beam: SPOT



m	lx	øm
1	1362	0,44
2	340	0,88
3	151	1,30
4	85	1,80
5	54	2,20



CRI≥90 7W 28° 620lm 3000K



m	lx	øm
1	2150	0,63
2	538	1,20
3	239	1,80
4	134	2,50
5	86	3,10




CRI≥90 12W 36° 1050lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.








Infinity Trimless

Source	LED COB	**LED life**	50.000 h
Power	7W / 12W	**Insulation class**	II
Driver included	On/Off	**IP**	20
Drivers available	1-10V / DALI / Push	**Material**	Aluminum
CCT	3000 K	**Warranty**	5 years
CRI	≥90 / ≥95		





⌀ 60 mm
0,170 Kg/0,0007 m³


LED COB Driver ON/OFF included - CRI ≥95

Power	Beam	Lumen	CCT	Finish	Code	€	
7 W	28°	530 lm	3000 K	White	356136	29	new
				Black	356129	29	new

DIMMABLE DRIVER* Optional

	Power	Output	Measure (L x H x W)	Code	€	
1-10V / Push	12 W	150 mA	122 x 25 x 40 mm	370088	22	new
DALI/Push	20 W	150 mA	40 x 22 x 88 mm	370156	28	new





⌀ 80 mm
0,380 Kg/0,0014 m³

LED COB Driver ON/OFF included - CRI ≥90


Power	Beam	Lumen	CCT	Finish	Code	€	
12 W	36°	1050 lm	3000 K	White	356143	32	new
				Black	368764	32	new

DIMMABLE DRIVER* Optional

	Power	Output	Measure (L x H x W)	Code	€	
1-10V / Push	12 W	250 mA	122 x 25 x 40 mm	370088	22	new
DALI/Push	20 W	250 mA	40 x 22 x 88 mm	370156	28	new




Light beam: SPOT



m	lx	øm
1	1362	0,44
2	340	0,88
3	151	1,30
4	85	1,80
5	54	2,20



CRI≥90 7W 28° 620lm 3000K



m	lx	øm
1	2150	0,63
2	538	1,20
3	239	1,80
4	134	2,50
5	86	3,10



CRI≥90 12W 36° 1050lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.







Off

Unmovable aluminum recessed fitting with round ring in three different dimensions, suitable for plasterboard ceilings installation. Matt black RAL 9005 and matt white ral 9016 finishes, Passively cooled integrated LED ; COB (Chip on Board) technology for maximum efficiency; UGR < 19; starting binning ≤ 3-Step MacAdam; available with 3000 K and 4000 K color temperature; CRI ≥ 90; front protection IP54 (after installation of the product); insulation class II; dimmable options: 1-10V, DALI and Push; LED useful life 50.000 h L80B50. Suited for OFFICES and MANAGERIAL environments and in general where computers are present and there is the necessity to guarantee a great glare control. The high color rendering level makes it ideal even for exhibiting spaces and for the enhancement of the products in a showroom and sales area of the RETAIL sector.

PRO High-tech product with high quality materials, intended for professional use.

UGR Product with UGR <19.

IP54 Protection degree IP54.


Source	LED COB
Power	15W / 28W / 42W
Driver included	On/Off
Drivers available	No
MacAdam	SDCM 3
CCT	3000 K / 4000 K
CRI	≥90
UGR	<19
LED life	50.000 h
Insulation class	II
IP	54
Material	Aluminum
Warranty	5 years





Off






100 mm
0,460 Kg/0,0022 m³

LED COB CITIZEN Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
15 W	50°	1300 lm	3000 K	White	266497	87
				Black	266558	87
		1400 lm	4000 K	White	266503	87
				Black	266565	87






150 mm
0,990 Kg/0,0046 m³

LED COB CITIZEN Driver TRIDONIC ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
28 W	60°	2650 lm	3000 K	White	266510	130
				Black	266572	130
		3100 lm	4000 K	White	266527	130
				Black	266589	130




Light beam: WIDE



m	lx	øm
1	1688	0,93
2	422	1,90
3	188	2,80
4	105	3,70
5	68	4,60



CRI≥90 15W 50° 1350lm 3000K



m	lx	øm
1	2457	1,30
2	614	2,50
3	273	3,80
4	154	5,10
5	98	6,40



CRI≥90 28W 60° 2900lm 3000K










Deep

Source	LED SMD	**LED life**	50.000 h
Power	10W / 20W / 30W	**Insulation class**	II
Driver included	On/Off	**IP**	20
Drivers available	No	**Material**	Aluminum
CCT	3000 K / 4000 K	**Warranty**	5 years
CRI	≥90		






⌀ 90 mm
0,280 Kg/0,0016 m³

LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
10 W	70°	1450 lm	3000 K	White	249018	35
		1600 lm	4000 K	White	249025	35






⌀ 145 mm
0,360 Kg/0,0040 m³

LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
20 W	77°	3000 lm	3000 K	White	249032	70
		3300 lm	4000 K	White	249049	70






⌀ 200 mm
0,650 Kg/0,0052 m³

LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
30 W	77°	4650 lm	3000 K	White	248783	90
		4850 lm	4000 K	White	248790	90




Light beam: WIDE



m	lx	øm
1	625	1,43
2	156	2,86
3	69	4,30
4	39	5,73
5	25	7,16




CRI≥80 10W 70° 1300lm 3000K



m	lx	øm
1	1056	1,60
2	264	3,20
3	117	4,81
4	66	6,41
5	42	8,01



CRI≥80 20W 77° 2650lm 3000K



m	lx	øm
1	1644	1,60
2	411	3,20
3	183	4,81
4	103	6,41
5	66	8,01



CRI≥80 30W 77° 4000lm 3000K








Basic

Die-cast aluminum recessed spotlight with round seal. Suitable for the installation on plasterboard ceiling. Matt white finish; COB Chip on Board and SMD technology; available in different color temperatures 3000 K and with three different optics; CRI ≥ 90; front protection IP44 (after installation of the product); insulation class II; LED useful life 30.000 h L70B50.

IP44 Protection degree IP44.


Source	LED COB / SMD
Power	10,5W / 15W / 20W
Driver included	On/Off
Drivers available	No
MacAdam	SDCM 3
CCT	3000 K
CRI	≥90
LED life	30.000 h
Insulation class	II
IP	44
Material	Aluminum
Warranty	5 years





Basic Accent






90 mm
0,400 Kg/0,0017 m³

LED COB PHILIPS Driver PHILIPS ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
10,5 W	45°	1050 lm	3000 K	White	193458	68






125 mm
0,660 Kg/0,0027 m³

LED COB PHILIPS Driver PHILIPS ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
15 W	52°	1450 lm	3000 K	White	193465	85
20 W		1950 lm	3000 K	White	193472	90




Light beam: ACCENT



m	lx	øm
1	533	0,81
2	133	1,62
3	59	2,44
4	33	3,25
5	21	4,07



CRI≥90 10,5W 45° 950lm 3000K



m	lx	øm
1	719	0,98
2	179	1,96
3	79	2,95
4	44	3,93
5	28	4,92



CRI≥90 15W 52° 1400lm 3000K










Basic Wide






⌀ 90 mm
0,370 Kg/0,0017 m³

LED SMD SAMSUNG Driver PHILIPS ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
10 W	85°	1100 lm	3000 K	White	193519	65






⌀ 125 mm
0,630 Kg/0,0027 m³

LED SMD SAMSUNG Driver PHILIPS ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€
15 W	87°	1550 lm	3000 K	White	193526	80
20 W		2150 lm	3000 K	White	193533	85




Light beam: WIDE



m	lx	øm
1	188	1,84
2	47	3,69
3	20	5,54
4	11	7,39
5	7	9,24



CRI≥90 10W 85° 1100lm 3000K



m	lx	øm
1	318	1,72
2	79	3,44
3	35	5,17
4	19	6,89
5	12	8,61



CRI≥90 15W 87° 1650lm 3000K










Groove

IP40 CRI ≥80 30.000 h ALUMINUM






100 mm

0,220 Kg/0,0012 m³

LED SMD Driver included

Power	Beam	Lumen	CCT	Finish	Code	€
10 W	110°	1250 lm	3000 K	White	123974	29
		1350 lm	4000 K	White	147666	29






150 mm

0,410 Kg/0,0024 m³

LED SMD Driver included

Power	Beam	Lumen	CCT	Finish	Code	€
20 W	110°	2600 lm	3000 K	White	123998	35
		2700 lm	4000 K	White	147673	35






205 mm

0,660 Kg/0,0036 m³

LED SMD Driver included

Power	Beam	Lumen	CCT	Finish	Code	€
30 W	110°	3800 lm	3000 K	White	124018	46
		4050 lm	4000 K	White	147680	46




100 x 100 mm

0,270 Kg/0,0012 m³

LED SMD Driver included

Power	Beam	Lumen	CCT	Finish	Code	€
10 W	110°	1200 lm	3000 K	White	123981	30




150 x 150 mm

0,540 Kg/0,0022 m³

LED SMD Driver included

Power	Beam	Lumen	CCT	Finish	Code	€
20 W	110°	2450 lm	3000 K	White	124001	36



205 x 205 mm

0,850 Kg/0,0036 m³

LED SMD Driver included

Power	Beam	Lumen	CCT	Finish	Code	€
30 W	110°	3900 lm	3000 K	White	124025	49



Light beam: WIDE










Play new

Source	LED COB	LED life	50.000 h
Power	7W / 13W	Insulation class	II
Driver included	On/Off	IP	20
Drivers available	DALI / Push	Material	Aluminum
CCT	3000 K / 4000 K	Warranty	5 years
CRI	≥90		






90° 355° 45 mm
0,220 Kg/0,0010 m³

LED COB Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish	Code	€	
7W	16°	520 lm	3000 K	White	258270	61	
				Black	268088	61	
		560 lm	4000 K	White	364766	61	new
				Black	370835	61	new





90° 355° 45 mm
0,240 Kg/0,0010 m³

LED COB Driver ON/OFF included


Power	Beam	Lumen	CCT	Finish	Code	€	
13 W	18°	900 lm	3000 K	White	364674	64	new
				Black	364667	64	new
		1050 lm	4000 K	White	370880	64	new
				Black	370866	64	new

DIMMABLE DRIVER* Optional

	Power	Output	Measure (L x H x W)	Code	€	
DALI/Push	7 W	150 mA	142 x 20 x 22 mm	370736	50	new
	12 W	300 mA	85 x 21 x 40 mm	370804	55	new




Light beam: SPOT



m	lx	øm
1	2632	0,31
2	658	0,63
3	292	0,94
4	164	1,30
5	105	1,60



CRI≥90 7W 17° 520lm 3000K



m	lx	øm
1	7506	0,25
2	1876	0,50
3	834	0,75
4	469	1,00
5	300	1,20



CRI≥90 13W 18° 1100lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.



P. 312 P. 674

Beyond new

Recessed or semi-recessed projector consisting of adjustable light sources that can be quickly inserted and removed without tools; trim, trimless or plaster frame available for invisible installation, in single round or square version or in double rectangular version for the installation of multiple and independent light sources. Light source with integrated COB LED technology with a colour temperature of 3000 K and high colour rendering CRI ≥90; initial binning SDCM ≤ 3; insulation class II; LED lifetime 50,000 h L70B50.

DIY Modular product


Source	LED COB
Power	7W / 10W
Driver included	On/Off
Drivers available	No
MacAdam	SDCM 3
CCT	3000 K
CRI	≥90
LED life	50.000 h
Insulation class	II
IP	40
Material	Aluminum
Warranty	5 years





Beyond 7W






0,070 Kg/0,0004 m³

LED COB BRIDGELUX Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€	
7W	36°	700 lm	3000 K	White		355894	65	new
				Black		355887	65	new






40 mm

0,080 Kg/0,0017 m³

FRAME TRIM Required

Finish		Code	€	
White		355863	23	new
Black		355856	23	new






40 mm

0,080 Kg/0,0017 m³

FRAME TRIMLESS Required

Finish		Code	€	
White		355849	23	new





80 mm

0,150 Kg/0,0031 m³


FRAME GYPSUM Required

GYPSUM

Finish		Code	€	
White		355870	37	new



Light beam: SPOT



m	lx	øm
1	1152	0,66
2	288	1,30
3	128	2,00
4	72	2,60
5	46	3,30



CRI≥90 7W 36° 700lm 3000K





355863


355849


355870

Beyond 10W






0,230 Kg/0,0063 m³

LED COB BRIDGELUX Driver ON/OFF included - UGR <19

Power	Beam	Lumen	CCT	Finish		Code	€	
10 W	36°	950 lm	3000 K	White		355986	111	new
				Black		355979	111	new






⌀ 75 mm

0,120 Kg/0,0040 m³

FRAME TRIM SINGLE Required

Finish		Code	€	
White		370064	29	new
Black		355900	29	new






⌀ 147 x 75 mm

0,430 Kg/0,0056 m³

FRAME TRIM TWIN Required

Finish		Code	€	
White		355931	57	new
Black		370026	57	new





⌀ 105 mm


0,240 Kg/0,0044 m³

FRAME TRIMLESS Required

Finish		Code	€	
White		355948	37	new



Light beam: SPOT



m	lx	øm
1	1971	0,65
2	493	1,30
3	219	1,90
4	123	2,60
5	79	3,20



CRI≥90 10W 36° 950lm 3000K










Nova new

Source	LED COB	LED life	50.000 h
Power	6W/ 12W / 20W / 30W	Insulation class	II
Driver included	On/Off	IP	20
Drivers available	1-10V / DALI / Push	Material	Aluminum
CCT	3000 K / 4000 K	Warranty	5 years
CRI	≥90		





90° 360° 55 mm
0,250 Kg/0,0010 m³


LED COB LUMILEDS Driver ON/OFF included - UGR <19

Power	Beam	Lumen	CCT	Finish	Code	€	
6 W	28°	530 lm	3000 K	White	364339	80	new
				Black	364360	80	new
		590 lm	4000 K	White	364353	80	new
				Black	370132	80	new

DIMMABLE DRIVER* Optional

	Power	Output	Measure (L x H x W)	Code	€	
1-10V	12 W	150 mA	135 x 20 x 30 mm	370040	50	new
DALI/Push	8 W	150 mA	119 x 20 x 22 mm	364384	55	new





90° 360° 90 mm
0,554 Kg/0,0016 m³

LED COB LUMILEDS Driver ON/OFF included - UGR <19


Power	Beam	Lumen	CCT	Finish	Code	€
12 W	38°	1300 lm	3000 K	White	248165	85
				Black	248189	85
		1400 lm	4000 K	White	267937	85
				Black	267920	85

DIMMABLE DRIVER* Optional

	Power	Output	Measure (L x H x W)	Code	€
1-10V / Push	15 W	300 mA	111 x 22 x 52 mm	243993	60
DALI/Push	12 W	300 mA	132 x 20 x 30 mm	243986	65




Light beam: ACCENT



m	lx	øm
1	1640	0,48
2	410	0,96
3	182	1,40
4	103	1,90
5	66	2,40



CRI≥90 6W 28° 530lm 3000K



m	lx	øm
1	1768	0,66
2	442	1,32
3	196	1,97
4	111	2,63
5	71	3,29



CRI≥90 12W 38° 1200lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.



364339



364339




248165



248165

Nova





90° 360° 140 mm
1,200 Kg/0,0045 m³


LED COB LUMILEDS Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€	
20 W	56°	1950 lm	3000 K	White		364407	113	new
				Black		364438	113	new
		2100 lm	4000 K	White		364421	113	new
				Black		370187	113	new

DIMMABLE DRIVER* Optional

	Power	Output	Measure (L x H x W)	Code	€	
1-10V / Push	20 W	500 mA	108 x 22 x 52 mm	370101	75	new
DALI/Push	35 W	500 mA	135 x 20 x 72 mm	364452	80	new





90° 360° 140 mm
1,160 Kg/0,0039 m³

LED COB LUMILEDS Driver ON/OFF included - UGR <22


Power	Beam	Lumen	CCT	Finish		Code	€
30 W	38°	3000 lm	3000 K	White		248172	125
				Black		248196	125
		3300 lm	4000 K	White		267951	125
				Black		267944	125

DIMMABLE DRIVER* Optional

	Power	Output	Measure (L x H x W)	Code	€
1-10V / Push	36 W	700 mA	167 x 32 x 41 mm	248370	105
DALI/Push	36 W	700 mA	135 x 24 x 72 mm	248592	110




Light beam: ACCENT



m	lx	øm
1	3752	0,63
2	938	1,30
3	417	1,90
4	235	2,50
5	150	3,20



CRI≥90 20W 56° 1950lm 3000K



m	lx	øm
1	4671	0,64
2	1168	1,28
3	519	1,93
4	292	2,57
5	187	3,21



CRI≥90 30W 38° 3150lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.










Led Panel new

Source	LED SMD	UGR	<19
Power	31W / 40W	LED life	30.000 h
Driver included	On/Off	Insulation class	II
Drivers available	1-10V / DALI / Push	IP	20
CCT	3000 K / 4000 K	Material	Aluminum
CRI	≥80 / ≥90	Warranty	5 years



1,560 Kg/0,0164 m³


LED SMD Driver ON/OFF included

CRI ≥90

Power	Beam	Lumen	CCT	Finish	Code	€	
31 W	90°	4550 lm	3000 K	White	363981	35	new
		4750 lm	4000 K	White	363974	35	new

DIMMABLE DRIVER* Optional

	Power	Output	Measure (L x H x W)	Code	€	
1-10V	31 W	750 mA	50 x 30 x 142 mm	364025	28	new
DALI/Push	31 W	750 mA	70 x 30 x 106 mm	364018	61	new



2,200 Kg/0,0144 m³

Purchase Qty. 2 pieces

LED SMD Driver ON/OFF included

CRI ≥90

Power	Beam	Lumen	CCT	Finish	Code	€
40 W	90°	6000 lm	3000 K	White	246390	37
		6450 lm	4000 K	White	244181	37

CRI ≥80

Power	Beam	Lumen	CCT	Finish	Code	€
40 W	90°	6700 lm	3000 K	White	249711	37
		7250 lm	4000 K	White	249728	37

DIMMABLE DRIVER* Optional


	Power	Output	Measure (L x H x W)	Code	€
1-10V	42 W	1000 mA	125 x 26 x 83 mm	247854	29
DALI/Push	45 W	1000 mA	106 x 28 x 69 mm	247847	72



	Required	N° Cables	Cables Length	Code	€
SUSPENSION KIT	No	4	1000 mm	244198	10
RECESSED MOUNTING KIT	No			244204	10
RECESSED FRAME**	No			267692	20



Light beam: WIDE



m	lx	øm
1	1470	1,79
2	367	3,59
3	163	5,38
4	92	7,18
5	59	8,97



CRI≥80 40W 81° 6000lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.

**RECESSED FRAME ⎍ 607 x 607 mm










Led Panel

Source	LED SMD	**UGR**	<19
Power	40W	**LED life**	50.000 h
Driver included	On/Off	**Insulation class**	II
Drivers available	1-10V / DALI / Push	**IP**	20
CCT	3000 K / 4000 K	**Material**	Aluminum
CRI	≥90	**Warranty**	5 years





1,600 Kg/0,0159 m³

LED SMD Driver ON/OFF included

CRI ≥90

Power	Beam	Lumen	CCT	Finish	Code	€	
40 W	90°	6950 lm	3000 K	White	363998	42	new
		6700 lm	4000 K	White	364001	42	new


DIMMABLE DRIVER* Optional

	Power	Output	Measure (L x H x W)	Code	€
1-10V	42 W	1000 mA	125 x 26 x 83 mm	247854	29
DALI/Push	45 W	1000 mA	106 x 28 x 69 mm	247847	72



	Required	N° Cables	Cables Length	Code	€	
SUSPENSION KIT	No	4	1000 mm	244198	10	
RECESSED MOUNTING KIT	No			244204	10	
RECESSED FRAME**	No			377773	23	new

Light beam: WIDE



m	lx	øm
1	1769	2,10
2	442	4,30
3	197	6,40
4	111	8,50
5	71	11,00



CRI≥90 40W 90° 6700lm 4000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.

**RECESSED FRAME 327 x 1227 mm









Lika new

Recessed LED spotlight in black or white painted die-cast aluminium, with black polycarbonate reflector. Available in a range from 2 to 10 lights, in TRIMLESS versions with concealed recessed edge for installation on plasterboard ceilings, or in TRIM and SLIM versions with frame for installation on panels or ceilings. The smaller SLIM version comes in linear or square (SQUARE) models, while the TRIM version also includes a model for asymmetrical lighting of vertical walls (WALLWASHER). Specially designed to avoid glare (UGR optics < 16), it is best suited for use in OFFICES and COMMERCIAL spaces or in minimalist RESIDENTIAL environments. Integrated LED light sources with colour temperatures of 3000 K and 4000 K; high colour rendering CRI ≥ 90, initial binning SDCM ≤ 3; IP20 protection, insulation class II; LED lifetime 50,000 h L70B50. Also available in DALI and PUSH dimmable versions.

UGR Product with UGR <16.


Source	LED COB / SMD
Power	6W / 8W / 12W / 20W
Driver included	On/Off
Drivers available	DALI / Push
CCT	2700 K / 3000 K / 4000 K
CRI	≥90
UGR	<16
LED life	50.000 h
Insulation class	II
IP	20
Material	Aluminum
Warranty	5 years

P. 306



Lika Trim






68 x 37 mm
0,130 Kg/0,0009 m³

LED SMD OSRAM Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€	
6 W	29°	400 lm	3000 K	Black	+	206196	45	
		460 lm	4000 K	Black	+	267869	45	






100 x 38 mm
0,250 Kg/0,0129 m³

LED SMD OSRAM Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€	
8 W	29°	500 lm	3000 K	Black	+	367309	58	new
		540 lm	4000 K	Black	+	367316	58	new






140 x 37 mm
0,320 Kg/0,0014 m³

LED SMD OSRAM Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
12 W	29°	1000 lm	3000 K	Black	+	206219	70
		1150 lm	4000 K	Black	+	267876	70





273 x 37 mm
0,480 Kg/0,0022 m³

LED SMD OSRAM Driver ON/OFF included


Power	Beam	Lumen	CCT	Finish		Code	€
20 W	29°	2000 lm	3000 K	Black	+	206233	110
		2250 lm	4000 K	Black	+	267883	110

DIMMABLE DRIVER* Optional

Model	Control	Power	Output	Measure (L x H x W)	Code	€
6/8/12W	DALI	12 W	700 mA	132 x 20 x 30 mm	267982	56
20 W	DALI/Push	25 W	600 mA	135 x 24 x 72 mm	268002	75



Light beam: ACCENT



m	lx	øm
1	2091	0,58
2	523	1,16
3	232	1,74
4	131	2,32
5	70	2,90



CRI≥90 12W 29° 880lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.










Lika Trimless






75 x 70 mm
0,220 Kg/0,0009 m³

LED SMD OSRAM Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€	
6 W	29°	400 lm	3000 K	Black	■	206202	60	
		460 lm	4000 K	Black	■	267890	60	






105 x 70 mm
0,360 Kg/0,0129 m³

LED SMD OSRAM Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€	
8 W	29°	500 lm	3000 K	Black	+ ■	367347	75	new
		540 lm	4000 K	Black	+ ■	369747	75	new






145 x 70 mm
0,390 Kg/0,0014 m³

LED SMD OSRAM Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
12 W	29°	1000 lm	3000 K	Black	■	206226	95
		1150 lm	4000 K	Black	■	267906	95





278 x 70 mm
0,720 Kg/0,0022 m³

LED SMD OSRAM Driver ON/OFF included


Power	Beam	Lumen	CCT	Finish		Code	€
20 W	29°	2000 lm	3000 K	Black	■	206240	150
		2250 lm	4000 K	Black	■	267913	150

DIMMABLE DRIVER* Optional

Model	Control	Power	Output	Measure (L x H x W)	Code	€
6/8/12W	DALI	12 W	700 mA	132 x 20 x 30 mm	267982	56
20 W	DALI/Push	25 W	600 mA	135 x 24 x 72 mm	268002	75



Light beam: ACCENT




m	lx	øm
1	2786	0,58
2	696	1,16
3	309	1,74
4	174	2,32
5	111	2,90



CRI≥90 12W 29° 880lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.










Lika Slim






60 x 60 mm
0,200 Kg/0,0011 m³

LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€	
10 W	32°	1050 lm	3000 K	White		367286	98	new
				Black	■	369518	98	new






117 x 23 mm
0,180 Kg/0,0014 m³

LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
10 W	32°	1000 lm	3000 K	White		327501	66
				Black	■	305813	66






231 x 23 mm
0,300 Kg/0,0022 m³

LED SMD Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
20 W	32°	2000 lm	3000 K	White		327518	110
				Black	■	305837	110




Light beam: ACCENT



m	lx	øm
1	1958	0,55
2	489	1,10
3	218	1,70
4	122	2,20
5	78	2,80



CRI≥90 10W 32° 1000lm 3000K



m	lx	øm
1	1745	0,68
2	436	1,40
3	194	2,00
4	109	2,70
5	70	3,40



CRI≥90 10W 32° 1000lm 3000K





367286




305813



Lika Wallwasher






140 x 38 mm
0,310 Kg/0,0129 m³

LED SMD Driver ON/OFF included

Power	Lumen	CCT	Finish	Code	€	
12,5 W	800 lm	3000 K	White	367323	66	new





273 x 38 mm
0,600 Kg/0,0022 m³


LED SMD Driver ON/OFF included

Power	Lumen	CCT	Finish	Code	€	
21 W	1400 lm	3000 K	White	367330	109	new

DIMMABLE DRIVER* Optional

Model	Control	Power	Output	Measure (L x H x W)	Code	€
12,5 W	DALI	10 W	700 mA	132 x 20 x 30 mm	267982	56
21 W	DALI/Push	25 W	600 mA	135 x 24 x 72 mm	268002	75

Light beam: ASYMMETRICAL



CRI≥90 10W 32° 1000lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.






787





Zephyr

IP20 GYPSUM




123 x 123 mm
0,880 Kg/0,0023 m³

GU10 Not included - Recommended bulb 108292

Power	Finish	Code	€
max 35W	White	150284	11






20° 110° 207 x 207 mm
1,350 Kg/0,0063 m³

GU10 Not included - Recommended bulb 108292

Power	Finish	Code	€
max 35W	White	155722	30






141 x 141 mm
0,920 Kg/0,0036 m³

LED COB CREE Driver ON/OFF included — CRI ≥90 50.000 h

Power	Lumen	CCT	Finish	Code	€
12 W	1200 lm	3000 K	White	331225	75





141 x 241 mm
1,180 Kg/0,0063 m³


LED COB CREE Drivers ON/OFF included — CRI ≥90 50.000 h

Power	Lumen	CCT	Finish	Code	€	
24 W	2400 lm	3000 K	White	361307	145	new

DIMMABLE DRIVER* Optional

	Power	Output	Measure (L x H x W)	Code	€	
1-10V	15 W	300 mA	125 x 26 x 45 mm	376820	31	new
DALI/Push	21 W	300 mA	97 x 33 x 44 mm	376837	59	new

Light beam: ACCENT



m	lx	øm
1	1596	1,10
2	399	2,20
3	177	3,20
4	100	4,30
5	64	5,40



CRI≥90 12W 56° 1200lm 3000K

* The dimmable power supplies must be ordered in concomitance with the product and will be included inside the fittings by replacing the on-off power supply.




155722

331225

Samba

IP20 GYPSUM






83 x 83 mm

GU10 Not included - Recommended bulb 108292

Power	Weight	Volume	Finish	Code	€
max 35W	0,360 Kg	0,0016 m³	White	230580	8






103 mm

Power	Weight	Volume	Finish	Code	€
max 35W	0,240 Kg	0,0011 m³	White	150307	9






125 mm

Power	Weight	Volume	Finish	Code	€
max 35W	0,450 Kg	0,0032 m³	White	150130	10






123 mm

Power	Weight	Volume	Finish	Code	€
max 50W	0,420 Kg	0,0017 m³	White	139012	11

GU10 Not included - Recommended bulb 108292






83 x 83 mm

Power	Weight	Volume	Finish	Code	€
max 35W	0,330 Kg	0,0018 m³	White	229997	9






103 x 103 mm

Power	Weight	Volume	Finish	Code	€
max 35W	0,330 Kg	0,0020 m³	White	150291	10






123 x 123 mm

Power	Weight	Volume	Finish	Code	€
max 50W	0,430 Kg	0,0017 m³	White	139029	11






123 x 123 mm

Power	Weight	Volume	Finish	Code	€
max 35W	0,600 Kg	0,0017 m³	White	150116	12

Glass diffuser








Walky

IP20 CRI ≥90 50.000 h GYPSUM






100 x 100mm

0,580 Kg/0,0033 m³

LED SMD Driver included

Power	Lumen	CCT	Finish	Code	€
1W	55 lm	3000 K	White	249834	47






81 x 166 mm

0,580 Kg/0,0027 m³

LED SMD Driver included

Power	Lumen	CCT	Finish	Code	€
1W	55 lm	3000 K	White	249827	47


Light beam: ASYMMETRICAL



Jazz

IP20 ZINC





60 mm
0,110 Kg/0,0018 m³
Purchase Qty. 3 pieces


GU10 Not included - Recommended bulb 108292

Power	Finish		Code	€
max 50W	White		083117	7
	Ant. Brass		083124	7
	Chrome		083070	7
	Black		243818	7
	Nickel		083087	7

Swing

IP20 ZINC





45° 70 mm
0,200 Kg/0,0020 m³
Purchase Qty. 3 pieces


GU10 Not included - Recommended bulb 108292

Power	Finish		Code	€
max 28W	White		083179	10
	Ant. Brass		083186	10
	Chrome		083131	10
	Black		243825	10
	Nickel		083148	10

Funky

IP20 IRON





80 x 68 mm
0,300 Kg/0,0012 m³

GU10 Not included - Recommended bulb 108292


Power	Finish		Code	€
max 50W	Aluminum		083223	17
	White		083230	17
	Ant. Brass		083247	17
	Chrome		083193	17
	Black		243849	17



Room-65

IP65 CRI ≥90 50.000 h ALUMINUM






68 mm
0,220 Kg/0,0013 m³

LED COB Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
7,5 W	38°	750 lm	3000 K	White		252025	77
				Black		252032	77



68 mm
0,240 Kg/0,0018 m³

LED COB Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
7,5 W	38°	750 lm	3000 K	White		252049	77
				Black		252056	77


Light beam: ACCENT



Blues

IP20 GLASS






60 mm
0,280 Kg/0,0007 m³
Purchase Qty. 3 pieces

GU10 Not included - Recommended bulb 108292

Power	Finish	Code	€
max 50W	Clear	083254	25
	White	113999	25
	Smoky Grey	113982	25





60 mm
0,340 Kg/0,0007 m³
Purchase Qty. 3 pieces

GU10 Not included - Recommended bulb 108292


Power	Finish	Code	€
max 50W	Clear	114019	25



Polka

IP20





65 mm

0,250 Kg/0,0010 m³

GU10 Not included - Recommended bulb **108292**

Power	Material	Finish		Code	€
max 50W	Gypsum	White		115597	16
	Aluminum	Brass		115610	16
	Aluminum	Ant. Brass		115580	16



115597



115610



115580





Suspensions and ceiling

Outdoors

Alphabetical index

Bubble	810
Clio	804
Fiesta	811
Gun	808
Luna	802
Mib	810
Snow	803
Sole	800
Techo	806
Urano	809

Typology index

Sole 800

Luna 802

Snow 803


Clio 804


Clio 804


Techo 806


Gun 808


Urano 809

Bubble 810


Mib 810


Fiesta 811



Sole

Plastic opal color diffuser.
Aluminum base for the suspended model. PVC electrical wire.



IP44


2,970 Kg / 0,1379 m³
E27 max 1 x 42W

€ 180

136011 White

4000 K
1020 lm

151991 **€ 2,00**



IP44


1,690 Kg / 0,0723 m³
E27 max 1 x 42W

€ 110

136004 White

4000 K
1020 lm

151991 **€ 2,00**



IP44


1,360 Kg / 0,0338 m³
E27 max 1 x 42W

€ 95

135991 White

4000 K
1020 lm

151991 **€ 2,00**



IP44

1,300 Kg / 0,0101 m³
E27 max 1 x 42W

€ 90

318837 White

4000 K
580 lm

151960 **€ 2,00**


P. 877



Luna

Turned die-cast aluminum body with powder coating. Opal color plastic diffuser.

LED Bulbs LED G9 3W 4000 K included in **213200** model. Cod. **209036**



IP44

1,470 Kg / 0,0126 m³
E27 max 1 x 42W

€ 115

213194 White

4000 K
1000 lm

151991 **€ 2,00**

IP44 INCLUSA

0,400 Kg / 0,0021 m³
G9 max 1 x 5W

€ 100

213200 White

4000 K
530 lm

307879 **€ 6,10**


P. 878



Snow

White polycarbonate base and diffuser. Jointed fixing, without visible screws. Color: white.

LED source 3000 K / 4000 K, 50.000 h life.



IP65

0,790 Kg / 0,0073 m³
LED 18W / 1950/2050 lm

€ 60

326238	**White**	**3000K**
326245	**White**	**4000K**

P. 855





P. 856 P. 908

Clio

Modular fitting with turned die-cast aluminum frame, finished with anthracite, white, black anda coffee powder coating. Plastic diffuser with matt white finish.


116716


145068


145020

144252


136073


144245


326801



IP44


0,200 Kg / 0,0021 m³
E27 max 1 x 42W

€ 56

148847 White
148861 Anthracit.
148878 Black
326795 Coffee

4000 K
580 lm

151960 € 2,00



IP44


0,580 Kg / 0,0021 m³
E27 max 1 x 42W

€ 75

144252 White
136073 Anthracit.
144245 Black
326801 Coffee

4000 K
580 lm


151960 € 2,00



0,540 Kg / 0,0177 m³

€ 40


145068 White



0,520 Kg / 0,0147 m³

€ 40


116716 White



0,610 Kg / 0,0221 m³


€ 40


145020 White



Techo

Powder-coated die-cast aluminum body. Frosted clear tempered glass diffuser. Colors: anthracite, white, coffee or black.





IP54


1,700 Kg / 0,0065 m³
GU10 max 1 x 20W

€ 115

251523	White
326887	Grey
251516	Anthracit.
251530	Black
251547	Coffee

4000 K
780 lm

253398 € 11,00



IP54


0,600 Kg / 0,0021 m³
GU10 max 1 x 20W

€ 64

251561	White
326894	Grey
251554	Anthracit.
251578	Black
251592	Coffee

4000 K
430 lm

253497 € 2,50



IP54


1,500 Kg / 0,0065 m³
GU10 max 1 x 20W

€ 115

342689	White
342702	Grey
318103	Anthracit.
342719	Black
342696	Coffee

4000 K
780 lm

253398 € 11,00



IP54

0,550 Kg / 0,0019 m³
GU10 max 1 x 20W

€ 64

318127	White
342726	Grey
318110	Anthracit.
318141	Black
318134	Coffee

4000 K
430 lm

253497 € 2,50



Gun

Aluminum body with brushed natural finish or with varnish or various finishes. Pyrex glass diffuser.



122663 092324 163642 236865 122687 163666



IP55

0,490 Kg / 0,0030 m³
GU10 max 1 x 28W

€ 54

122663 White
092324 Aluminum
163642 Grey
236865 Anthracit.
122687 Black
163666 Coffee

4000 K
430 lm

253497 € 2,50

P. 832




Urano

Powder painted turned aluminum body with anthracite or white matt finish. Satin and clear acrylic diffuser.


168050



168135








1,200 Kg / 0,0035 m³
GX53 max 1 x 15W

€ 95


168050 White
168135 Anthracit.

4000 K
1000 lm

154008 € 5,00







0,630 Kg / 0,0020 m³
GX53 max 1 x 15W

€ 70

168036 White
168111 Anthracit.


4000 K
1000 lm

154008 € 5,00

Bubble

Turned die-cast aluminum body with powder coating. Matt white plastic diffuser.





IP44

1,730 Kg / 0,0246 m³
E27 max 1 x 60W

€ 125

135250 White

4000 K
580 lm


151960 **€ 2,00** P. 854

Mib

White powder coated aluminum base. Opal color plastic diffuser. Integrated LED source.

LED source 3000/4000 K, 35.000 h life.






IP65

1,620 Kg / 0,0086 m³
LED 18W / 1850/2150 lm

€ 150

269115 White		3000K
202945 White		4000K



IP65

1,820 Kg / 0,0092 m³
LED 18W / 1950/2250 lm


€ 150

269122 White		3000K
202921 White		4000K



Fiesta

Black plastic electric cable, bulb socket and grapping eyelets.
Supplied with plug for outdoor.



IP44


1,530 Kg / 0,0066 m³
E27 max 10 x 15W

€ 100

246796 Black

3000 K
340 lm

101286 € 2,00



IP44

0,600 Kg / 0,0049 m³
E27 max 5 x 15W

€ 65

159836 Black

3000 K
340 lm

101286 € 2,00





Wall lamps

Outdoors

Alphabetical index

Andromeda	847	Snow	855
Apollo	830	Style	824
Argo	844	Swipe	823
Atom	840	Terra	820
Base	831	Tetris	845
Bubble	854	Toffee	835
Cima	857	Tronco	826
Clio	856	Twin	846
Cometa	852	Up	844
Dafne	857	Xeno	822
Dedra	859		
Down	858		
Elio	818		
Etere	827		
Febe	858		
Felix	849		
Gas	821		
Giove	848		
Gun	832		
Iko	838		
Keope	830		
Linea	836		
Litio	819		
Omega	817		
O-zone	816		
Polar	853		
Post-it	842		
Punto	834		
Rex	850		
Sirio	839		
Snif	828		



Post-it

Pag 842


O-zone 816


Omega 817


Tronco 826


Etere 827


Linea 836


Iko 838


Andromeda 847


Giove 848


Cima 857


Dafne 857

Outdoors

Typology index


Elio 818


Litio 819


Terra 820


Gas 821


Xeno 822


Swipe 823


Style 824


Snif 828


Keope 830


Apollo 830


Base 831


Gun 832


Punto 834


Toffee 835


Sirio 839

new


Atom 840

new


Post-it 842


Up 844


Argo 844


Tetris 845


Twin 846


Felix 849

new


Rex 850


Cometa 852


Polar 853

Bubble 854


Snow 855


Clio 856


Down 858


Febe 858


Dedra 859




O-zone

Powder coated die-cast aluminum body. Adjustable diffuser with clear tempered glass diffuser. Color: black.

LED source 3000 K, 50.000 h life.





IP66

0,800 Kg / 0,0066 m³
LED 13W / 1100 lm

€ 135


337548 Black

P. 916

Omega Round

Powder painted aluminum body. Reclinable diffuser with glass screen. Available finishes: anthracite, white, coffee or black.

LED source 3000/4000 K, 25.000 h life.



IP54

0,500 Kg / 0,0012 m³
LED 7W / 560/610 lm

€ 90

285474	White	3000K
285481	White	4000K
285450	Anthracit.	3000K
285467	Anthracit.	4000K
285504	Black	4000K
285498	Coffee	4000K






Omega Square

Powder painted aluminum body. Reclinable diffuser with glass screen. Available finishes: anthracite, white or black.

LED source 4000 K, 25.000 h life.



IP54

0,600 Kg / 0,0012 m³
LED 7W / 610 lm

€ 90

285528	White	
285511	Anthracit.	
285535	Black	








Elio

High performance resin body and diffuser: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C. Adjustable diffuser.

LED Bulbs LED GU10 3,5W included.
Settable CCT: 2700 K, 4000 K.



096483 **096476**



0,500 Kg / 0,0027 m³
GU10 max 1 x 6W

€ 82

096483 White
096476 Black

4000 K
430 lm

253497 **€ 2,50**

P. 926



Litio

High performance resin body and diffuser: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C. Adjustable diffuser.

LED Bulbs LED GX53 7W included. Settable CCT: 3000 K, 4000 K, 6500 K.




145303



145327



145341



IP66 INCLUSA

0,690 Kg / 0,0043 m³
GX53 max 1 x 10W

€ 100

145303 White
145327 Grey
145341 Black

4000 K
1000 lm


154008 **€ 5,00**

P. 926



Terra

Cast aluminum painted frame.
Adjustable body. Transparent
Pyrex glass diffuser.



IP65


1,140 Kg / 0,0058 m³
E27 max 1 x 42W

€ 85

046167 Anthracit.

4000 K
580 lm

151960 € 2,00



IP65

0,530 Kg / 0,0040 m³
GU10 max 1 x 28W

€ 45

046181 Anthracit.

4000 K
430 lm

253497 € 2,50

P. 925




Gas

Powder coated die-cast aluminum body. Tempered and sandblasted clear glass diffuser. Available finishes: anthracite, white, coffee or black.



091518 091525 020228 213095 P. 891



IP43

0,320 Kg / 0,0020 m³
GU10 max 1 x 28W

€ 50

091518 White
091525 Anthracit.
020228 Black
213095 Coffee

4000 K
430 lm

253497 € 2,50

Xeno

Aluminum base with matt powder coating. Tempered clear glass adjustable diffusers. Available finishes: white, grey or black.





IP44

0,360 Kg / 0,0014 m³
GU10 max 1 x 28W

€ 40

129488 White
129471 Grey
129464 Black

4000 K
430 lm

253497 € 2,50




Swipe

Powder-coated aluminium body. Adjustable diffuser with shiny opal color polycarbonate screen. Available with twilight and motion sensor. Available finishes: anthracite, white, grey, coffee or black.

LED source 3000 K, 50.000 h life.

Lamp with presence detector included PIR (Passive InfraRed).






IP54

1,200 Kg / 0,0057 m³
LED 20,5W / 2300 lm

€ 122

287690	White
326863	Grey
287683	Anthracit.
287706	Black
307169	Coffee



IP54

1,300 Kg / 0,0057 m³
LED 21W / 2300 lm

€ 132

287720	White
326870	Grey
287713	Anthracit.
287737	Black
307176	Coffee

Style


Powder coated aluminum body. Opal color plastic shade. Integrated LED source. AP Sensor model with PIR sensor. Available finishes: anthracite, white, coffee, grey or black.

LED source 3000/4000 K, 30.000 h life.

Lamp with presence detector included PIR (Passive InfraRed).

Source	LED SMD	**LED life**	30.000 h
Power	8,5W / 9W	**Insulation class**	I
Driver included	On/Off	**IP**	54
Drivers available	No	**Material**	Aluminum
MacAdam	SDCM 3		
CCT	3000 K / 4000 K		
CRI	≥90		






0,390 Kg / 0,0019 m³

LED SMD Driver included

Power	Driver	Lumen	CCT	Finish		Code	€
8,5 W	On-Off	950 lm	3000 K	White		269139	128
				Grey		322650	128
				Anthracit		246857	128
				Black		322636	128
				Coffee		322704	128
		1050 lm	4000 K	White		221502	128
				Grey		322643	128
				Anthracit		209845	128
				Black		322629	128
				Coffee		322681	128





0,400 Kg / 0,0018 m³

LED SMD Driver included

Power	Driver	Lumen	CCT	Finish		Code	€
9 W	On-Off	950 lm	3000 K	White		269146	157
				Anthracit		246864	157
		1050 lm	4000 K	White		209852	157
				Anthracit		221519	157

P. 884





269146
269139
322650
246857
322636
322704




Tronco

Varnished die-cast aluminum body with different finishes: anthracite, white, coffee, grey or black. Pyrex glass diffuser with aluminum elements inside.







IP44

1,110 Kg / 0,0103 m³
E27 max 1 x 42W

€ 65

118659	White
026978	Grey
027005	Anthracit.
004716	Black
326962	Coffee

4000 K
490 lm

153957 € 2,00

P. 898




Etere

Powder coated die-cast aluminum body. Satin opal polycarbonate glass diffusers. Black PVC cables. Colors: anthracite, coffee or black.

LED source 3000/4000 K, 25.000 h life.





IP44

0,590 Kg / 0,0027 m³
LED 9,5W / 1000/1100 lm

€ 90


246925	Anthracit.	3000K
172408	Anthracit.	4000K
322193	Black	3000K
322209	Black	4000K
269153	Coffee	3000K
246949	Coffee	4000K

P. 904

Snif Round

Varnished die-cast aluminum body. Transparent Pyrex glass up-and-down double diffuser. Available finishes: anthracite, white, grey or black.





IP54

0,750 Kg / 0,0027 m³
G9 max 1 x 40W

€ 50

144283 White
061474 Grey
061467 Anthracit.
061450 Black

4000 K
530 lm


307879 € 6,10



Snif Square

Varnished die-cast aluminum body. Transparent Pyrex glass up-and-down double diffuser. Available finishes: anthracite, white, grey or black.





IP44

0,600 Kg / 0,0023 m³
G9 max 1 x 40W

€ 50

144276 White
118666 Grey
121963 Anthracit.
123080 Black


4000 K
530 lm

307879 € 6,10

Keope

High performance resin body and diffuser: resistant to corrosion caused by atmospheric agents; colors stabilized during U.V. treatment; thermal shock resistance from -60°C to + 90°C. Transparent satin acrylic diffusers.

LED Bulbs LED GU10 3,5W included.
Settable CCT: 2700 K, 4000 K.



IP55


0,450 Kg / 0,0034 m³
GU10 max 2 x 6W

€ 66

147772 White
147796 Grey
147819 Black

3000 K
410 lm

108292 **€ 2,50**



IP55

0,350 Kg / 0,0034 m³
GU10 max 1 x 6W

€ 44

147765 White

3000 K
410 lm


108292 **€ 2,50**



Apollo

Die-cast aluminum reflecting body with matt black powder coating. Up-and-down light emission.

LED LED source 4000 K, 30.000 h life.



IP44

0,540 Kg / 0,0010 m³
LED 6W / 800 lm

€ 90

137391 Black






Base

Powder coated die-cast aluminum body. Clear tempered glass diffusers. Colors: black or white.



129457 **129433**



IP44

0,610 Kg / 0,0017 m³
GU10 max 2 x 28W

€ 40

129457 White
129433 Black

4000 K
430 lm

253497 **€ 2,50**



Gun

Aluminum body with brushed natural finish or with varnish or various finishes. Pyrex glass diffuser. Up-and-down light emission.



100388



033013



163628




236841



100395



163635



IP54


1,350 Kg / 0,0067 m³
E27 max 2 x 60W

€ 72

092300 White
033020 Aluminum
163604 Grey
236858 Anthracit.
092317 Black
163611 Coffee

4000 K
580 lm

151960 € 2,00



IP44

0,720 Kg / 0,0021 m³
GU10 max 2 x 35W

€ 65

100388 White
033013 Aluminum
163628 Grey
236841 Anthracit.
100395 Black
163635 Coffee

4000 K
430 lm

253497 € 2,50

P. 808




Punto

Powder coated aluminum base and body. Glass diffusers. Indirect light emission. Finishes: anthracite, white, coffee, black.

LED LED source 3000 K, 30.000 h life.



313528 313511 313542 313535




IP54

2,090 Kg / 0,0095 m³
LED 16W / 1750 lm

€ 152

328553 White
313566 Anthracit.
328577 Black
328560 Coffee




IP54

1,280 Kg / 0,0049 m³
LED 12W / 1250 lm

€ 127

328522 White
313559 Anthracit.
328546 Black
328539 Coffee



IP54

0,820 Kg / 0,0018 m³
LED 9W / 950 lm

€ 66


313528 White
313511 Anthracit.
313542 Black
313535 Coffee



Toffee

Powder-coated aluminum base and body. Clear tempered glass diffuser. Indirect light emission. Colors: anthracite, white, coffee or black.

LED LED source 3000 K, 50.000 h life.



IP65

0,400 Kg / 0,0014 m³
LED 8W / 900 lm

€ 75

347738 White
321189 Anthracit.
321202 Black
321196 Coffee



347738 **321189** **321202** **321196**

P. 866 P. 866




Linea

Powder coated aluminum base and body. Glass diffusers. Indirect light emission. Finishes: anthracite, white, coffee, black.

LED LED source 3000 K, 30.000 h life.





IP54

1,750 Kg / 0,0165 m³
LED 23W / 2400 lm

€ 188

328584 White
313504 Anthracit.
328607 Black
328591 Coffee

IP54

1,430 Kg / 0,0088 m³
LED 20W / 1950 lm

€ 147


313474 White
313467 Anthracit.
313498 Black
313481 Coffee



Iko

Powder coated die-cast aluminum body. Tempered and frosted clear glass up-and-down double diffuser. Available finishes: anthracite, white or grey.





IP54

0,600 Kg / 0,0042 m³
E27 max 1 x 60W

€ 50

018522 White
092218 Grey
018515 Anthracit.


4000 K
580 lm

151960 € 2,00



Sirio

Powder coated die-cast aluminum body. Clear tempered glass diffuser. GX53 source. Colors: anthracite, white, coffee, gray or black.



IP65

0,820 Kg / 0,0018 m³
GX53 max 1 x 9W

€ 80

318226 White
345611 Grey
318202 Anthracit.
318219 Black
318196 Coffee

4000 K
1000 lm

154008 € 5,00



318226 318196 345611 318219 318202

P. 886 P. 924

Atom new

Powder coated aluminum body. Glass diffusers. Double light beam, up and down with adjustable width and movable wings.

LED source 3000/4000 K, 30.000 h life.

Source	LED COB	LED life	30.000 h
Power	12W / 25W	Insulation class	I
Driver included	On/Off	IP	54
Drivers available	No	Material	Aluminum
MacAdam	SDCM 3		
CCT	3000 K / 4000 K		
CRI	≥90		




0,650 Kg / 0,0013 m³

LED COB Driver included

Power	Driver	Lumen	CCT	Finish		Code	€	
12 W	On-Off	1050 lm	3000 K	White		313436	71	
				Grey		366821	71	new
				Anthracit		313429	71	
				Black		313450	71	
				Coffee		313443	71	
		1100 lm	4000 K	White		366807	71	new
				Grey		366838	71	new
				Anthracit		366791	71	new
				Black		366845	71	new
				Coffee		366814	71	new





1,160 Kg / 0,0025 m³

LED COB Driver included

Power	Driver	Lumen	CCT	Finish		Code	€	
25 W	On-Off	2100 lm	3000 K	White		328652	137	
				Grey		366883	137	new
				Anthracit		313412	137	
				Black		328676	137	
				Coffee		328669	137	
		2250 lm	4000 K	White		366869	137	new
				Grey		366890	137	new
				Anthracit		366852	137	new
				Black		366906	137	new
				Coffee		366876	137	new



313436



366821



313429



313450



313443







369372 335957

Post-it new

Light body in solid powder-coated or plated aluminum. Single light source protected by clear polycarbonate diffuser. Remote driver. Available colours; White, Black, Coffee, Steel, Brass.

LED LED source 3000 K, 50.000 h life.



369372


369273


369419


335933


369396




IP65

0,450 Kg / 0,0009 m³
LED 6W / 750 lm

€ 60

369372	White	new
369419	Black	new
369396	Coffee	new




IP65

1,400 Kg / 0,0009 m³
LED 6W / 750 lm

€ 130

369273	Steel	new
335933	Brass	new




IP65

0,200 Kg / 0,0005 m³
LED 3W / 370 lm

€ 40

335957	White	new
335919	Black	new
335896	Coffee	new



IP65

0,500 Kg / 0,0005 m³
LED 3W / 370 lm

€ 90

335865	Steel	new
335926	Brass	new


Driver
Not included
Required

€ 30 / 35 / 42

369143	18W	new
369099	30W	new
373041	60W	new

Up

Powder coated die-cast aluminum body. Clear Pyrex glass diffusers. Available finishes: anthracite, white, coffee or black.



IP44


0,520 Kg / 0,0019 m³
G9 max 2 x 15W

€ 40

115320	White	
115337	Anthracit.	
115344	Black	
213354	Coffee	

4000 K
530 lm

307879 € 6,10



IP44

0,320 Kg / 0,0011 m³
G9 max 1 x 15W

€ 25

115290	White	
115306	Anthracit.	
115313	Black	
213347	Coffee	

4000 K
530 lm


307879 € 6,10



Argo

Powder coated die-cast aluminum body. Clear tempered glass diffuser with white inner reflector. Available in anthracite or white finish.

LED LED source 3000/4000 K, 30.000 h life.




IP65

0,600 Kg / 0,0011 m³
LED 11W / 1000/1150 lm

€ 81

268309	White	3000K
268316	White	4000K
250946	Anthracit.	3000K
268293	Anthracit.	4000K



IP65

0,600 Kg / 0,0011 m³
LED 6W / 550/570 lm


€ 71

317564	White	3000K
321691	White	4000K
321646	Anthracit.	3000K
317571	Anthracit.	4000K



Tetris-1

Aluminum body with matt powder coating. Clear tempered glass diffuser. Available finishes: anthracite, white, coffee, grey or black.



IP44

0,390 Kg / 0,0017 m³
G9 max 1 x 15W

€ 82

114293 White
113760 Grey
113753 Anthracit.
326955 Black
213323 Coffee


4000 K
530 lm

307879 **€ 6,10**



Tetris-2

Aluminum body with matt anthracite or white powder coating. Clear tempered glass diffuser. Up-and-down light emission.



IP44


0,520 Kg / 0,0011 m³
G9 max 2 x 15W

€ 91

269221 White
113791 Anthracit.

4000 K
530 lm


307879 **€ 6,10**





Twin

Anthracite, white, coffee, grey or black powder coated die-cast aluminum body. Double, top and bottom, clear frosted Pyrex glass diffuser.




115351

326979

115368

115375

213330



IP44

0,510 Kg / 0,0029 m³
G9 max 1 x 28W

€ 55

115351	White
326979	Grey
115368	Anthracit.
115375	Black
213330	Coffee

4000 K
530 lm

307879 **€ 6,10**



Andromeda

Die-cast aluminum body light with varnish finish. Double frosted Pyrex glass, up-and-down. Available finishes: anthracite, white, coffee, grey or black.

100364



163543



092355



100371



163550





IP55

1,630 Kg / 0,0052 m³
E27 max 2 x 60W

€ 85

100364	White
163543	Grey
092355	Anthracit.
100371	Black
163550	Coffee

4000 K
580 lm

151960 € 2,00

IP55

1,000 Kg / 0,0039 m³
E27 max 1 x 60W

€ 55

066868	White
158822	Grey
061580	Anthracit.
061597	Black
163536	Coffee

4000 K
580 lm

151960 € 2,00

Giove

Powder coated die-cast aluminum body. Double, top and bottom, frosted tempered clear glass diffuser. Available finishes: anthracite, white, coffee or black.




092195

092188

092201

163598



IP54

0,900 Kg / 0,0043 m³
E27 max 1 x 60W

€ 70

092195 White
092188 Anthracit.
092201 Black
163598 Coffee

4000 K
580 lm

151960 € 2,00



Felix

High performance resin body: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C.

LED Bulbs LED E27 8W Goccia included in **123745** model. Settable CCT: 2700 K, 4000 K, 6500 K.




123776



123769



123783



IP66 INCLUSA


0,520 Kg / 0,0050 m³
E27 max 1 x 23W

€ 52

123745 White

4000 K
580 lm

151960 **€ 2,00**



IP66

0,610 Kg / 0,0048 m³
E27 max 1 x 23W

€ 35

123776 White
123769 Grey
123783 Black

4000 K
580 lm


151960 **€ 2,00**



Rex new

Powder coated die-cast aluminum body available in different colors: anthracite, white, coffee, grey or black. White acrylic diffuser.





IP44

0,600 Kg / 0,005 m³
E27 max 1 x 60W

€ 42

092393	White	
322735	Grey	
092409	Anthracit.	
322728	Black	
213217	Coffee	

4000 K
1020 lm

151991 € 2,00

IP44

0,600 Kg / 0,0065 m³
E27 max 1 x 60W

€ 42

092416	White	
370965	Grey	new
092423	Anthracit.	
118635	Black	new
370941	Coffee	new

4000 K
1020 lm

151991 € 2,00

IP44

0,600 Kg / 0,0065 m³
E27 max 1 x 60W

€ 42

092430	White	
370972	Grey	new
092447	Anthracit.	
118642	Black	new
213224	Coffee	new


4000 K
1020 lm

151991 € 2,00



Cometa

Powder coated die-cast aluminum body. White PVC diffuser. It is not recommended to expose the article to direct contact with sunlight.
Color: anthracite



IP54

1,500 Kg / 0,0115 m³
E14 max 3 x 28W

€ 100

082240 Anthracit.

3000 K
420 lm


101217 **€ 2,00**



096735 096704 096681 096674

Polar

High performance resin body and diffuser: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C.



IP66


0,800 Kg / 0,0109 m³
E27 max 1 x 23W

€ 26

096711 White
096704 Black

4000 K
1020 lm

151991 € 2,00



IP66


0,800 Kg / 0,0109 m³
E27 max 1 x 23W

€ 26

096735 White
096728 Black

4000 K
1020 lm

151991 € 2,00



IP66


0,800 Kg / 0,0106 m³
E27 max 1 x 23W

€ 37

096667 White
096674 Black

4000 K
1020 lm

151991 € 2,00



IP66

0,800 Kg / 0,0106 m³
E27 max 1 x 23W

€ 37

096681 White
096698 Black


4000 K
1020 lm

151991 € 2,00



Bubble

Turned die-cast aluminum body with powder coating. Matt white plastic diffuser.



IP54

0,480 Kg / 0,0036 m³
G9 max 2 x 15W

€ 72

158907 White

4000 K
530 lm

307879 **€ 6,10**

P. 810




Snow

White polycarbonate base and diffuser. Jointed fixing, without visible screws. Color: white.

LED source 3000 K / 4000 K, 50.000 h life.





IP65

0,170 Kg / 0,0013 m³
LED 6W / 600/660 lm

€ 27


326214	**White**	**3000K**
326221	**White**	**4000K**

P. 803



Clio

Modular fitting with turned die-cast aluminum frame, finished with anthracite, white, black and coffee powder coating. Plastic diffuser with matt white finish.



IP44


0,680 Kg / 0,0035 m³
E27 max 1 x 42W

€ 80

146775 White
145228 Anthracit.
146799 Black
326788 Coffee

4000 K
580 lm


151960 € 2,00



0,540 Kg / 0,0171 m³

€ 40


145068 White



0,520 Kg / 0,0144 m³

€ 40

116716 White



0,610 Kg / 0,0231 m³


€ 40

145020 White

P. 804 P. 804 P. 908

Cima

Totally die-cast aluminum frame. Anthracite, coffee or black and gold finish. Transparent acrylic diffuser.



IP43

1,840 Kg / 0,0516 m³
E27 max 1 x 52W

€ 61

246819 Anthracit.
024134 Black
246826 Coffee

4000 K
980 lm

153964 **€ 3,50**

P. 910



Dafne

High performance resin body: resistant to corrosion, colours stabilized during UV rays treatment, thermal shock resistence from -60° to +90°C. Methacrylate non-yellowing diffuser.



IP55


1,000 Kg / 0,0106 m³
E27 max 1 x 23W

€ 35

120423 White
101491 Black

4000 K
980 lm

153964 **€ 3,50**



IP55

0,600 Kg / 0,0118 m³
E27 max 1 x 23W

€ 29

120430 White
101552 Black

4000 K
980 lm


153964 **€ 3,50**

P. 911



Down

Die-cast aluminum body light with anthracite or white powder coat finish. Acrylic diffuser.



IP44

0,270 Kg / 0,0012 m³
G9 max 1 x 28W

€ 30

115382 White
122045 Anthracit.

4000 K
530 lm


307879 **€ 6,10**



Febe

Surface-mounted luminaire with powder-coated die-cast aluminum body. Clear tempered glass diffuser. Color: anthracite.

LED source 3000 K, 30.000 h life.




IP65

0,760 Kg / 0,0012 m³
LED 6W / 550lm

€ 76

250854 Anthracit.




IP65

0,760 Kg / 0,0013 m³
LED 6W / 550 lm

€ 76

268354 Anthracit.






Dedra

Powder coated die-cast aluminum body. Clear acrylic diffuser. Indirect light emission. Finishes: white, anthracite, coffee.

LED LED source 3000 K, 20.000 h life.






IP65

0,200 Kg / 0,0005 m³
LED 1,5W / 160 lm

€ 48

328638 White
316871 Anthracit.
328621 Coffee



IP65

0,170 Kg / 0,0007 m³
LED 1,5W / 160 lm

€ 44

316901 White
328645 Anthracit.
316895 Coffee



Bollard and Table lamps

Outdoors



Alphabetical index

Acqua	902	Toffee	866
Agos	882	Torre	906
Arcadia	880	Tronco	898
Atena	900	Twiggy	874
Boeing	896	Vega	893
Cima	910		
Clio	908		
Cosmo	907		
Cute	868		
Dafne	911		
Doris	876		
Edo	901		
Enya	872		
Etere	904		
Gas	891		
Hub	891		
Ipotesi	873		
Jedi	894		
Kurt	889		
Lolita	870		
Luna	878		
Mercurio	902		
Pulsar	903		
Pure	864		
Sasso	879		
Sirio	886		
Sole	877		
Style	884		
Tesla	890		
Tifone	892		
Titano	888		



Arcadia

Pag 872









Pure 864 Toffee 866 Cute 868 Lolita 870

new



new



new



new



Arcadia 880 Agos 882 Style 884 Sirio 886

new





new





Jedi 894 Boeing 896 Tronco 898 Atena 900

Outdoors
Typology index


Enya 872


Ipotesi 873

Twiggy 874

Doris 876

Sole 877

Luna 878


Sasso 879


Titano 888


Kurt 889


Tesla 890


Gas 891


Hub 891


Tifone 892


Vega 893


Edo 901


Acqua 902


Mercurio 902


Pulsar 903


Etere 904


Torre 906


Cosmo 907


Clio 908


Cima 910


Dafne 911



Pure

Matt varnished metal base, stem and shade. Acrylic diffuser. Table lamp with rechargeable battery and integrated touch switch. Finishes: white, coffee, black. Battery charging time 5 hours.

LED LED source 3000 K, 30.000 h life.


ON OFF Lamp with integrated switch.

Lamp with dimmer.

Lamp with touch dimmer.

Lamp with rechargeable battery included. 6 hours life.






IP54

1,580 Kg / 0,0058 m³
LED 1,5W / 220 lm

€ 117

311708 White
328515 Black
328508 Coffee



IP54

0,840 Kg / 0,0056 m³
LED 1,5W / 220 lm

€ 86

311685 White
311678 Black
311661 Coffee



Toffee

Rechargeable battery-operated table lamp. Powder coated aluminum body. Acrylic diffuser. Colors: white, coffee or black.


LED LED source 3000 K, 20.000 h life.

ON OFF Lamp with integrated switch.
Cod. **328614**, **311715**, **347868**

Lamp with touch dimmer.
Cod. **328614**, **311715**, **347868**

Lamp with rechargeable battery included. 8 hours life.
Cod. **328614**, **311715**, **347868**






IP65

1,400 Kg / 0,0263 m³
LED 11W / 1200 lm

€ 106

347837 Anthracit.
347851 Black
347844 Coffee



IP65

1,220 Kg / 0,0394 m³
LED 11W / 1200 lm

€ 102

347806 Anthracit.
347820 Black
347813 Coffee




IP65

0,950 Kg / 0,0240 m³
LED 8W / 900 lm

€ 84

347776 Anthracit.
347790 Black
347783 Coffee




IP65

0,830 Kg / 0,0153 m³
LED 8W / 800 lm

€ 80

347745 Anthracit.
347769 Black
347752 Coffee



IP54

0,460 Kg / 0,0051 m³
LED 2W / 320 lm

€ 90

311715 White
328614 Black
347868 Coffee

P. 835



348377

Cute

Rechargeable lamp with a refill base. Powder coated metal frame. Acrylic diffuser with downward light emission. Colors: white, black, coffee, chrome and gold.

LED source 2200 K / 2700 K, 50.000 h life.

Lamp with integrated switch.

Lamp with dimmer.

Lamp with touch dimmer.

Lamp with rechargeable battery included. 9,5 hours life.



346915




346892




346908



346939





IP65

IP20

0,440 Kg / 0,0026 m³
LED 2,5W / 220 lm

€ 86

346892 White
346908 Black
346915 Coffee
346939 Gold

1,920 Kg / 0,0092 m³

€ 183

348377 Black



Lolita

Table lamp with rechargeable battery with white, grey, black or coffee finish. Plastic base. Metal frame. Plastic diffuser. The table lamp has 8 hours autonomy. Battery charging time 4 hours.

LED source 3000 K, 25.000 h life.

Lamp with integrated switch.


Lamp with dimmer.

Lamp with touch dimmer.

Lamp with rechargeable battery included. 8 hours life.



286723 **286730** **286716** **286747**



IP54

0,550 Kg / 0,0080 m³
LED 1,8W / 200 lm

€ 56

286723 White
286730 Grey
286716 Black
286747 Coffee




Enya

Portable lamp with rechargeable battery. Powder coated aluminum body. Black rubber handle. Tempered glass diffuser. Downward light emission. Switch with dimmer. Colors: white, black, coffee.

- LED source 3000 K, 35.000 h life.
- Lamp with integrated switch.
- Lamp with touch dimmer.
- Lamp with rechargeable battery included. 12 hours life.





IP54

1,490 Kg / 0,0092 m³
LED 5W / 300 Lm

€ 117


323251 White
323237 Black
323244 Coffee



Ipotesi

Total powder painted aluminium frame. Opal polycarbonate diffuser. Black rubber cable with switch, external incorporated driver and plug. Colours: black.

LED LED source 3000 K, 30.000 h life.




IP44

5,100 Kg / 0,1027 m³
LED 16W / 1700 Lm

€ 335

282251 ■ **Black**



IP44

4,940 Kg / 0,1432 m³
LED 16W / 1700 Lm

€ 435

300658 ■ **Black**




Twiggy

Powder coated aluminum frame.
Satin acrylic diffuser. Equipped
with spike. Colors: black and coffee.

LED LED source 3000 K, 30.000 h life.



347905 **347875**




IP65

0,290 Kg / 0,0031 m³
LED 1,5W / 110 lm

€ 52

348346 Black
348339 Coffee




IP65

0,031 Kg / 0,0033 m³
LED 1,5W / 110 lm

€ 63

348360 Black
348353 Coffee




IP65

0,210 Kg / 0,0033 m³
LED 1,5W / 110 lm

€ 47

347882 Black
347875 Coffee




IP65

0,230 Kg / 0,0020 m³
LED 1,5W / 110 lm

€ 58

347905 Black
347899 Coffee



Driver
Not included
Required


€ 12

276205



Doris

Multi-greys plastic diffuser with granite effect. Supplied with plug and spike for ground installation.



IP44


7,600 Kg / 0,5447 m³
E27 max 1 x 60W

€ 545

195506 White

4000 K
1020 lm

151991 **€ 2,00**



IP44


4,050 Kg / 0,2422 m³
E27 max 1 x 60W

€ 325

195490 White

4000 K
1020 lm

151991 **€ 2,00**



IP44

3,000 Kg / 0,1339 m³
E27 max 1 x 60W

€ 215

195483 White

4000 K
1020 lm

151991 **€ 2,00**



IP44

1,210 Kg / 0,0327 m³
E27 max 1 x 60W

€ 127

214009 White


4000 K
1020 lm

151991 **€ 2,00**



Sole

Opal color plastic diffuser. Supplied with cable, plug and picket for the installation on the ground.



IP44


4,500 Kg / 0,1379 m³
E27 max 1 x 42W

€ 225

191614 White

4000 K
1020 lm

151991 **€ 2,00**



IP44


3,900 Kg / 0,0741 m³
E27 max 1 x 42W

€ 150

191621 White

4000 K
1020 lm

151991 **€ 2,00**



IP44


2,700 Kg / 0,0371 m³
E27 max 1 x 42W

€ 120

191638 White

4000 K
1020 lm

151991 **€ 2,00**



IP44

1,200 Kg / 0,0144 m³
E27 max 1 x 42W

€ 110

318820 White

4000 K
580 lm


151960 **€ 2,00**

P. 800



Luna

Opal colour plastic frame-diffuser.
Supplied with power cable, plug and picket for installation on the ground.



IP44


6,700 Kg / 0,1639 m³
E27 max 1 x 60W

€ 290

191607 White

4000 K
1020 lm

151991 **€ 2,00**



IP44


4,700 Kg / 0,1005 m³
E27 max 1 x 60W

€ 210

191584 White

4000 K
1020 lm

151991 **€ 2,00**



IP44

2,700 Kg / 0,0416 m³
E27 max 1 x 60W

€ 150

191577 White

4000 K
1020 lm


151991 **€ 2,00**

P. 802



Sasso

Opal color plastic diffuser. Supplied with power cable, plug and picket for installation on the ground.



IP44


1,500 Kg / 0,0444 m³
E27 max 1 x 40W

€ 205

161778 White

4000 K
1020 lm

151991 **€ 2,00**



IP44


0,900 Kg / 0,0209 m³
E27 max 1 x 40W

€ 145

161761 White

4000 K
1020 lm

151991 **€ 2,00**



IP44

0,710 Kg / 0,0134 m³
G9 max 1 x 15W

€ 105

161754 White

4000 K
530 lm

307879 **€ 6,10**




Arcadia new

Powder coated metal base and stem. PMMA white diffuser. Neoprene cable with plug. Finish: white, anthracite.



365749

298597



IP44

6,500 Kg / 0,0525 m³
E27 max 1 x 42W

€ 152

365749 White new
298610 Anthracit.

4000 K
1020 lm

151991 € 2,00

IP44

2,940 Kg / 0,0247 m³
E27 max 1 x 42W

€ 117

365756 White new
298597 Anthracit.

4000 K
1020 lm

151991 € 2,00



Agos

Powder coated die-cast aluminum body. Satin clear acrylic diffuser. Anthracite, coffee or black color.

LED LED source 3000 K, 25.000 h life.




254388



326696



326689




IP54

1,100 Kg / 0,0179 m³
LED 6,5W / 670 lm

€ 102

254319 Anthracit.
326733 Black
326726 Coffee



IP54

0,950 Kg / 0,0127 m³
LED 6,5W / 670 lm

€ 81

254388 Anthracit.
326696 Black
326689 Coffee


Style new

Powder coated aluminum body. Opal color plastic shade. Integrated LED source. Available finishes: anthracite, white, coffee, grey or black.

LED source 3000/4000 K, 30.000 h life.

Source	LED SMD	LED life	30.000 h
Power	8,5W	Insulation class	I
Driver included	On/Off	IP	54
Drivers available	No	Material	Aluminum
MacAdam	SDCM 3		
CCT	3000 K / 4000 K		
CRI	≥90		






0,620 Kg / 0,0074 m³

LED SMD Driver included

Length	Power	Driver	Lumen	CCT	Finish	Code	€	
300 mm	8,5 W	On-Off	950 lm	3000 K	White	369594	129	new
					Grey	369648	129	new
					Anthracit	364841	129	new
					Black	369662	129	new
					Coffee	369624	129	new






1,200 Kg / 0,0122 m³

LED SMD Driver included

Length	Power	Driver	Lumen	CCT	Finish	Code	€
500 mm	8,5 W	On-Off	950 lm	3000 K	White	318691	138
					Grey	322551	138
					Anthracit	322612	138
					Black	322537	138
					Coffee	322575	138
			1050 lm	4000 K	White	322582	138
					Grey	322544	138
					Anthracit	322599	138
					Black	322506	138
					Coffee	322568	138





1,680 Kg / 0,0241 m³

LED SMD Driver included

Length	Power	Driver	Lumen	CCT	Finish	Code	€
500 mm	8,5 W	On-Off	950 lm	3000 K	White	318707	180
					Grey	322384	180
					Anthracit	246871	180
					Black	322230	180
					Coffee	322452	180
			1050 lm	4000 K	White	322483	180
					Grey	322353	180
					Anthracit	209906	180
					Black	322216	180
					Coffee	322438	180

P. 824




318691
322551
322612
322537
322575



P. 839 P. 886

Sirio new

Powder painted aluminum body. Clear tempered glass diffuser for the integrated LED version, sandblasted for the model with bulb. Available in anthracite, white, coffee, grey, or black finishes.

LED

LED source 3000 K, 30.000 h life.
Cod. **365404**, **365411**, **339634**, **365398**, **365428**, **365367**, **365374**, **339627**, **365350**, **365381**



115085 **246963** **115061** **115108** **213262**




IP65

2,300 Kg / 0,0170 m³
LED 13W / 1100 lm

€ 200

365404	White	new
365411	Grey	new
339634	Anthracit.	new
365398	Black	new
365428	Coffee	new




IP65

1,760 Kg / 0,0128 m³
LED 13W / 1100 lm

€ 190

365367	White	new
365374	Grey	new
339627	Anthracit.	new
365350	Black	new
365381	Coffee	new



IP65


1,880 Kg / 0,0179 m³
GX53 max 1 x 9W

€ 150

115085	White
246963	Grey
115061	Anthracit.
115108	Black
213262	Coffee

4000 K
1000 lm

154008 **€ 5,00**



IP65


1,550 Kg / 0,0136 m³
GX53 max 1 x 9W

€ 130

115092	White
246970	Grey
115078	Anthracit.
115115	Black
213279	Coffee

4000 K
1000 lm

154008 **€ 5,00**



IP65

0,400 Kg / 0,0066 m³
GX53 max 1 x 9W

€ 100

365671	White	new
369891	Grey	new
369860	Anthracit.	new
369914	Black	new
369884	Coffee	new

4000 K
1000 lm

154008 **€ 5,00**




Titano

Porous resin body. Matt black varnished metal base and diffuser's detail. Downward light emission. Integrated LED source.

LED source 3000/4000 K, 50.000 h life.






IP55

9,220 Kg / 0,0540 m³
LED 8,5W / 560/580 lm

€ 350

246987	Granite	3000K
187327	Granite	4000K



IP55

6,800 Kg / 0,0363 m³
LED 8,5W / 560/580 lm

€ 275

246994	Granite	3000K
157856	Granite	4000K



Kurt

Powder-coated aluminum base and body. Clear tempered glass diffuser. Downward lights emission. Colors: anthracite, white, coffee or black.

LED source 3000/4000 K, 30.000 h life.




IP54

1,930 Kg / 0,0066 m³
LED 11W / 1050/1100 lm

€ 127

306841	White	3000K	306872	Black	3000K
294049	White	4000K	293172	Black	4000K
306834	Anthracit.	3000K	306858	Coffee	3000K
294025	Anthracit.	4000K	294001	Coffee	4000K




306841 306834 306872 306858



Tesla

Powder painted aluminum body.
White plastic screen diffuser.
Downward light emission. Available finishes: anthracite, white, coffee or black.





IP44

3,000 Kg / 0,0366 m³
G9 max 4 x 15W

€ 155

153179 White
153162 Anthracit.
316055 Black
326924 Coffee

4000 K
530 lm

307879 € 6,10



IP44

2,560 Kg / 0,0278 m³
G9 max 4 x 15W

€ 145


153209 White
153193 Anthracit.
326917 Black
316048 Coffee

4000 K
530 lm

307879 € 6,10

Gas

Powder coated die-cast aluminum body. Tempered and sandblasted clear glass diffuser. Available finishes: anthracite, white, coffee, grey or black.



IP43

1,790 Kg / 0,0214 m³
GU10 max 1 x 35W

€ 116

139470 Anthracit.
322421 Black
213101 Coffee

4000 K
430 lm

253497 **€ 2,50**


P. 821



Hub

Powder coated aluminum base, pole and body. Orientable diffuser with clear tempered glass screen. Supplied with picket for installation on the ground. Available finish: anthracite.

LED source 3000 K, 30.000 h life.




IP54

0,850 Kg / 0,0065 m³
LED 4,5W / 390 lm

€ 134

251257 Anthracit.



IP54

0,720 Kg / 0,0076 m³
LED 4,5W / 390 lm

€ 122


251226 Anthracit.



Base
Not included
Optional

€ 32

251295 Anthracit.





Tifone

Powder coated die-cast aluminum base and frame with anthracite finish. Clear tempered glass diffuser. Downward light emission.

LED LED source 3000 K, 20.000 h life.




IP65

1,250 Kg / 0,0066 m³
LED 8,5W / 710 Lm

€ 124

250953 Anthracit.



IP65

1,010 Kg / 0,0029 m³
LED 8,5W / 710 Lm

€ 106

250977 Anthracit.




Vega

Aluminum body with matt powder coating. Clear tempered glass diffuser. Available finishes: anthracite, white, coffee, grey or black.



136035 136042 136028 136059 213361



IP44

1,150 Kg / 0,0098 m³
G9 max 1 x 15W

€ 180

136035 White
136042 Grey
136028 Anthracit.
136059 Black
213361 Coffee

4000 K
530 lm

307879 € 6,10



Jedi new

Powder-coated aluminium base and body. Shiny opal color polycarbonate diffuser. Supplied with piquet for ground installation. Available finishes: anthracite, black, coffee.

LED LED source 3000 K, 50.000 h life.



306803



293202



372297




IP65

1,280 Kg / 0,0065 m³
LED 25W / 2600 Lm

€ 163

306803 Anthracit.
293202 Black
372297 Coffee new




IP65

1,030 Kg / 0,0050 m³
LED 19W / 2050 Lm

€ 131

306797 Anthracit.
293196 Black
372280 Coffee new




IP65

0,760 Kg / 0,0036 m³
LED 12W / 1250 Lm

€ 95

306780 Anthracit.
293189 Black
372273 Coffee new



IP65

0,440 Kg / 0,0022 m³
LED 7W / 720 Lm

€ 74

363721 Anthracit. new
372266 Black new
372259 Coffee new



Base
Not included
Optional

€ 13

308227 Anthracit.
308234 Black
372242 Coffee new



Boeing

Powder coated die-cast aluminum body. Diffuser made of an external smoked clear polycarbonate protection and satin opal acrylic inner element which orientate the light downward. Colors: anthracite, coffee, black.

LED LED source 3000 K, 50.000 h life.






IP65

4,000 Kg / 0,0203 m³
LED 14W / 1700 lm

€ 210

327266 Anthracit.
346731 Black
346724 Coffee



IP65

3,100 Kg / 0,0164 m³
LED 14W / 1700 lm

€ 180

327259 Anthracit.
346717 Black
346700 Coffee



IP65

2,200 Kg / 0,0090 m³
LED 14W / 1700 lm

€ 160

327242 Anthracit.
346694 Black
346687 Coffee



IP65

1,350 Kg / 0,0037 m³
LED 14W / 1700 lm

€ 140


346656 Anthracit.
346670 Black
346663 Coffee



Tronco new

Varnished die-cast aluminum body with different finishes: anthracite, white, coffee, grey or black. Pyrex glass diffuser with aluminum elements inside.





IP65


2,490 Kg / 0,0254 m³
E27 max 1 x 42W

€ 160

109138	White	
026961	Grey	
026992	Anthracit.	
004723	Black	
163741	Coffee	

4000 K
490 lm

153957 € 2,00



IP65


1,970 Kg / 0,0185 m³
E27 max 1 x 42W

€ 138

109145	White	
026954	Grey	
026985	Anthracit.	
004730	Black	
163758	Coffee	

4000 K
490 lm

153957 € 2,00



IP65

0,590 Kg / 0,0124 m³
E27 max 1 x 42W

€ 125

248264	White	
248288	Grey	
248257	Anthracit.	
248295	Black	
248271	Coffee	

4000 K
490 lm

153957 € 2,00



IP65

1,200 Kg / 0,0078 m³
E27 max 1 x 42W

€ 109

366050	White	new
369815	Grey	new
369761	Anthracit.	new
369846	Black	new
369792	Coffee	new

4000 K
490 lm

153957 € 2,00


P. 826

Atena

High performance resin body and diffuser: resistant to corrosion, colors stabilized during U.V. rays treatment, resistant to temperatures between -60° C and +90° C.

LED Bulbs LED E27 8W Goccia included.
Settable CCT: 2700 K, 4000 K, 6500 K.





IP55

1,070 Kg / 0,0220 m³
E27 max 1 x 23W

€ 87

198644 White
198637 Grey
198620 Black

4000 K
1020 lm


151991 € 2,00



Edo

Die-cast aluminum structure finished with anthracite, white or coffee powder coating. White polycarbonate diffuser.





IP65


1,600 Kg / 0,0257 m³
GX53 max 1 x 15W

€ 139

135755 White
138510 Anthracit.
213071 Coffee

4000 K
1000 lm

154008 € 5,00



IP65

2,670 Kg / 0,0243 m³
GX53 max 1 x 15W

€ 139


142999 White
135762 Anthracit.
213088 Coffee

4000 K
1000 lm

154008 € 5,00

Acqua

Turned aluminum reflecting body with matt paint, available finishes: anthracite or coffee. Tempered glass diffuser.



IP44

1,500 Kg / 0,0142 m³
G9 max 1 x 15W

€ 160

135205 Anthracit.
246918 Coffee


4000 K
530 lm

307879 **€ 6,10**



Mercurio

Powder coated aluminum body with anthracite finish. Clear Pyrex glass diffuser.



IP44

1,540 Kg / 0,0056 m³
G9 max 1 x 15W

€ 160

114347 Anthracit.

4000 K
530 lm


307879 **€ 6,10**





Pulsar

Cast aluminum body with powder coating. Satin opal polycarbonate diffuser. Colors: anthracite.



IP44

1,900 Kg / 0,0118 m³
E27 max 1 x 42W

€ 200

135908 Anthracit.

4000 K
580 lm

151960 € 2,00



Etere

Powder coated die-cast aluminum body. Satin opal polycarbonate glass diffusers. Black PVC cables. Colors: anthracite, coffee or black.

LED LED source 3000/4000 K, 25.000 h life.





IP44

1,100 Kg / 0,0099 m³
LED 9,5W / 1000/1100 lm

€ 121

246932	Anthracit.	3000K
172439	Anthracit.	4000K
322261	Black	3000K
322278	Black	4000K
269160	Coffee	3000K
246956	Coffee	4000K

P. 827



Torre

Turned powder painted aluminum body with anthracite, white, coffee, grey or black. Plastic diffuser with opal effect.



321950 158891 186979 321981



IP65

2,600 Kg / 0,0306 m³
E27 max 1 x 15W

€ 180

321851 Grey
321882 Anthracit.
321639 Black
321868 Coffee

4000 K
580 lm

151960 € 2,00



IP65


2,100 Kg / 0,0242 m³
E27 max 1 x 15W

€ 168

321905 Grey
162492 Anthracit.
186955 Black
321929 Coffee

4000 K
580 lm

151960 € 2,00



IP65

0,870 Kg / 0,0056 m³
E27 max 1 x 15W

€ 144

321950 Grey
158891 Anthracit.
186979 Black
321981 Coffee

4000 K
580 lm

151960 € 2,00



Cosmo

Resin body resistant to corrosion, UV and temperature between -60° and +90° C. Anti-yellowing transparent diffuser.

LED Bulbs LED GX53 10W included.
Settable CCT: 3000 K, 4000 K, 6500 K.



187877 187884 187891



IP55 INCLUSA

2,150 Kg / 0,0220 m³
GX53 max 1 x 10W

€ 121

187877 White
187884 Grey
187891 Black

4000 K
1000 lm

154008 € 5,00




P. 804 P. 804 P. 856

Clio

Modular fitting with turned die-cast aluminum frame, finished with anthracite, white, black anda coffee powder coating. Plastic diffuser with matt white finish.







IP44


1,360 Kg / 0,0081 m³
E27 max 1 x 42W

€ 95

249469 White
249452 Anthracit.
249483 Black
328829 Coffee

4000 K
580 lm

151960 **€ 2,00**



IP44


7,250 Kg / 0,0403 m³
E27 max 2 x 42W

€ 285

249506 White
249490 Anthracit.
249520 Black
328836 Coffee

4000 K
580 lm


151960 **€ 2,00**



0,540 Kg / 0,0171 m³

€ 40


145068 White



0,520 Kg / 0,0144 m³

€ 40

116716 White



0,610 Kg / 0,0231 m³

€ 40

145020 White




Cima

Totally die-cast aluminum frame.
Anthracite, coffee or black and gold finish. Transparent acrylic diffuser.



246833 024097 246840



IP43

3,340 Kg / 0,1443 m³
E27 max 2 x 52W

€ 330

246833 Anthracit.
024097 Black
246840 Coffee

4000 K
980 lm

153964 € 3,50

P. 857



Dafne

High performance resin body: resistant to corrosion, colours stabilized during UV rays treatment, thermal shock resistence from -60° to +90°C. Methacrylate non-yellowing diffuser.


LED Bulbs LED E27 8W Goccia included.
Settable CCT: 2700 K, 4000 K, 6500 K.



120454



101514



IP55 INCLUSA

2,500 Kg / 0,0464 m³
E27 max 1 x 23W

€ 89

120454 White
101514 Black

4000 K
980 lm

153964 **€ 3,50**

P. 857





Spotlights

Outdoors

Alphabetical index

Elio	926
Inside	927
Koala	920
Litio	926
O-zone	916
Sirio	924
Starlight	918
Terra	925
Thor	914
Ulex	922

Typology index



Thor 914



O-zone 916



Starlight 918



Koala 920



Ulex 922



Sirio 924



Terra 925



Elio 926



Litio 926



Inside 927

Thor


Adjustable linear projector for surface installation with oblique light effect. Die-cast aluminum body, clear glass diffuser, 24 Vdc power supply DC, IP65 protection index, IK06 impact resistance. SMD LED technology; CCT 3000 K, CRI ≥ 90, SDCM ≤ 3; LED useful life 50.000 h L70B50. Optionally available with anti-glare visor.

Source	LED SMD	**LED life**	50.000 h
Power	20W / 40W	**Insulation class**	III
Driver included	No	**IP**	65
Drivers available	On/Off	**Material**	Aluminum
MacAdam	SDCM 3		
CCT	3000 K		
CRI	≥90		

PRO High-tech product with high quality materials, intended for professional use.

LED SMD OSRAM Driver not included






1,490 Kg/0,0088 m³
Cable lenght 500 mm

Power	Beam	Lumen	CCT	Finish	Code	€
20 W	28°	2100 lm	3000 K	Anthracite	261331	218

LED SMD OSRAM Driver not included





2,460 Kg/0,0176 m³
Cable lenght 500 mm

Power	Beam	Lumen	CCT	Finish	Code	€
40 W	28°	4200 lm	3000 K	Anthracite	261355	330

OPTIONAL Not included



		Finish	Code	€
Visor	20W	Anthracite	261362	18
	40W	Anthracite	261379	30

ON/OFF DRIVER Not included/Required

Power	Output	Measure	Code	€
40 W	24 Vdc	171 x 37 x 61 mm	272108	100
100 W	24 Vdc	220 x 39 x 68 mm	226200	190
185 W	24 Vdc	220 x 39 x 68 mm	226217	210

P. 932






O-zone

Powder coated die-cast aluminum body. Adjustable diffuser with clear tempered glass diffuser. Color: black.

LED LED source 3000 K, 50.000 h life.



325019




IP66

1,200 Kg / 0,0058 m³
LED 19W / 1700 lm

€ 203

337531 ■ Black



IP66

0,800 Kg / 0,0060 m³
LED 13W / 1100 lm

€ 137

325019 ■ Black



0,090 Kg / 0,0013 m³

€ 10

345673 ■ Black

P. 816


Starlight

Aluminum adjustable tracklight with ceiling or peg installation; dark gray anodized and powder coated surface; integrated energy-efficient LED source with high color rendering; available with 3000k and 4000k color temperature; LED useful life 50.000 h. Optional anti-glare screen.

PRO High-tech product with high quality materials, intended for professional use.

Source	LED COB	**LED life**	50.000 h
Power	5,5W / 10W	**Insulation class**	III
Driver included	No	**IP**	67
Drivers available	On/Off	**Material**	Aluminum
MacAdam	SDCM 3		
CCT	3000 K / 4000 K		
CRI	≥90		






0,280 Kg/0,0011 m³

LED COB CREE Driver not included

Power	Beam	Lumen	CCT	Finish	Code	€
5,5 W	30°	470 lm	3000 K	Dark Gray	248394	122
		560 lm	4000 K	Dark Gray	245041	122





0,950 Kg/0,0019 m³

LED COB BRIDGELUX Driver not included

Power	Beam	Lumen	CCT	Finish	Code	€
10 W	30°	1050 lm	3000 K	Dark Gray	248387	254
		1250 lm	4000 K	Dark Gray	245072	254

OPTIONAL Not included



		Finish	Code	€
Visor	5,5W	Dark Gray	245096	35
	10W	Dark Gray	245102	35



	Finish	Code	€
Peg	Dark Gray	245089	18

ON/OFF DRIVER Not included/Required

Power	Output	Measure	Code	€
20 W	24 Vdc	118 x 26 x 35 mm	226187	75
40 W	24 Vdc	148 x 30 x 40 mm	226194	80
100 W	24 Vdc	220 x 39 x 68 mm	226200	190
185 W	24 Vdc	220 x 39 x 68 mm	226217	210




Koala

Powder coated die-cast aluminum body. Clear tempered glass diffuser. Available with base for wall and floor fixing and with strap for trees and poles fixing. Color: black.

LED LED source 3000 K, 35.000 h life.

Source	LED SMD/COB	**LED life**	35.000 h
Power	3W / 7W	**Insulation class**	III
Driver included	No	**IP**	65
Drivers available	On/Off	**Material**	Aluminum
MacAdam	SDCM 3		
CCT	3000 K		
CRI	≥90		






0,520 Kg/0,0014 m³

LED SMD Driver not included

Power	Beam	Lumen	CCT	Finish		Code	€
3W	32°	250 lm	3000 K	Black	■	331355	66






0,640 Kg/0,0014 m³

LED COB Driver not included

Power	Beam	Lumen	CCT	Finish		Code	€
7W	35°	630 lm	3000 K	Black	■	345666	81






0,600 Kg/0,0014 m³

LED COB Driver not included

Power	Beam	Lumen	CCT	Finish		Code	€
7W	35°	630 lm	3000 K	Black	■	349596	76





0,600 Kg/0,0014 m³

LED COB Driver not included

Power	Beam	Lumen	CCT	Finish		Code	€
7W	35°	630 lm	3000 K	Black	■	331386	76

ON/OFF DRIVER Not included/Required

Power	Output	Measure	Code	€
20 W	24 Vdc	118 x 26 x 35 mm	226187	75
40 W	24 Vdc	148 x 30 x 40 mm	226194	80
100 W	24 Vdc	220 x 39 x 68 mm	226200	190
185 W	24 Vdc	220 x 39 x 68 mm	226217	210


331355 / 345666


349596


Ulex

Orientable projector for surface installation, suited for a general or accent outdoor lighting. Die-cast aluminum body, clear glass diffuser. Light source with integrated led available in two different powers. Protection index IP65, resistance to impact IK06, 3000 K color temperature; LED useful life 50.000 h. Optionally available with wiring base, piquet for ground installation and anti-glare installation.

PRO High-tech product with high quality materials, intended for professional use.

Source	LED SMD	**Insulation class**	I
Power	8,5W / 15W	**IP**	65
Driver included	On/Off	**Material**	Aluminum
Drivers available	No		
CCT	3000 K		
CRI	≥90		
LED life	50.000 h		






0,660 Kg/0,0030 m³
Cable lenght 2000 mm

LED SMD OSRAM Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
8,5 W	30°	550 lm	3000 K	Anthracite		261287	147





1,190 Kg/0,0036 m³
Cable lenght 2000 mm

LED SMD OSRAM Driver ON/OFF included

Power	Beam	Lumen	CCT	Finish		Code	€
15 W	30°	1150 lm	3000 K	Anthracite		261294	223

OPTIONAL Not included



		Finish		Code	€
Peg	8,5 W	Anthracite		268163	14
	15 W	Anthracite		268194	17




		Finish		Code	€
Visor	8,5 W	Anthracite		268170	17
	15 W	Anthracite		268200	25





Sirio

Adjustable powder-coated die-cast aluminum body. Clear tempered glass diffuser. GX53 source. Colors: anthracite, white, coffee, gray or black.



IP65

1,070 Kg / 0,0025 m³
GX53 max 1 x 9W

€ 100

345628 White
345642 Grey
318233 Anthracit.
345659 Black
345635 Coffee

4000 K
1000 lm

154008 € 5,00



345628 345635 345642 345659 318233

P. 839 P. 886



Terra

Cast aluminum painted frame. Adjustable body. Transparent Pyrex glass diffuser.



106205



033037




163727



046211

P. 820



IP65


1,230 Kg / 0,0094 m³
E27 max 1 x 42W

€ 96

033044 Anthracit.
321622 Coffee

4000 K
580 lm

151960 € 2,00



IP65

0,520 Kg / 0,0042 m³
GU10 max 1 x 28W

€ 59

106205 White
033037 Anthracit.
046211 Black
163727 Coffee


4000 K
430 lm

253497 € 2,50

Elio

High performance resin body and diffuser: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C. Adjustable diffuser.

LED Bulbs LED GU10 3,5W included.
Settable CCT: 2700 K, 4000 K.



IP66

0,360 Kg / 0,0027 m³
GU10 max 1 x 6W

€ 82

120218 White
120201 Black

4000 K
430 lm

253497 **€ 2,50**

P. 818




120218 **120201**

Litio

High performance resin body and diffuser: resistant to corrosion caused by both atmospheric agents and chemical fertilizers, colors stabilized during UV rays treatment, thermal shock resistance from -60° to +90°C. Adjustable diffuser.

LED Bulbs LED GX53 10W included.
Settable CCT: 3000 K, 4000 K, 6500 K.



IP66

0,730 Kg / 0,0046 m³
GX53 max 1 x 10W

€ 94

145310 White
145334 Grey
145358 Black


4000 K
1000 lm

154008 **€ 5,00**

P. 819




145310 **145334** **145358**



Inside

Powder coated cast aluminum frame with anthracite, coffee or grey finish. Adjustable body. Clear Pyrex glass diffuser. Provided with peg to plant in the ground.





IP54

0,370 Kg / 0,0019 m³
G9 max 1 x 15W

€ 40

115412 Anthracit.
115429 Black
247045 Coffee

4000 K
530 lm

307879 **€ 6,10**





Downlights

Outdoors

Alphabetical index

Bit	930
Floor	933
Indio	931
Park	936
Rocket	940
Taurus	934
Thor	932
Way	938
Wire	930

Typology index




Bit 930 | Wire 930 | Indio 931





Thor 932 | Floor 933 | Taurus 934

new

new


new


Park 936 | Way 938 | Rocket 940

Bit

Recessed body made of powder coated die-cast aluminum. Clear tempered glass diffuser. Available in anthracite or white finish.

LED LED source 3000 K, 35.000 h life.




IP65

0,300 Kg / 0,0006 m³
LED 3W / 450 lm

€ 55

269023 White
269009 Anthracit.



Driver
Not included
Required

€ 12

276205




269023 **269009**

Wire

Recessed body made of powder coated die-cast aluminum. Clear tempered glass diffuser. Available in anthracite or white finish.

LED LED source 3000 K, 20.000 h life.




IP65

0,460 Kg / 0,0018 m³
LED 4W / 180 lm

€ 57

268989 White
255514 Anthracit.



IP65

0,220 Kg / 0,0009 m³
LED 1,5W / 90 lm

€ 39

268996 White
255521 Anthracit.






268996 **255521**



Indio

Recessed body made of powder coated die-cast aluminum.
Tempered white screen-printed glass diffuser.

LED LED source 3000 K, 35.000 h life.



IP65

1,090 Kg / 0,0024 m³
LED 8W / 920 lm

€ 144

255804 White

IP65

0,540 Kg / 0,0012 m³
LED 5W / 420 lm

€ 95


255781 White



Thor

Linear projector for floor recessed installation. Die-cast aluminum body, 316L stainless steel ring, glass diffuser, IP67 protection index, IK08 impact resistance, formwork included. Optical block adjustable by +/- 20° for asymmetric light effect. SMD LED technology; CCT 3000K, CRI ≥ 90, SDCM ≤ 3; LED useful life 50.000 h L70B50.


LED LED source 3000 K, 50.000 h life.



3,100 Kg / 0,0144 m³
LED 19W / 1700 lm

€ 415

351285 Steel



2,000 Kg / 0,0072 m³
LED 10W / 850 lm

€ 250

351278 Steel


P. 914



Floor

Outdoor unmovable recessed fitting made of die cast aluminum with round ring available in three dimensions. Suitable for ground and floor installation. Anodized aluminum finish with extra-clear tempered glass diffuser. Integrated LED passively cooled with 30° optics; available color temperature of 3000 k and CRI ≥ 80; protection degree IP 67; IK10.

LED LED source 3000 K, 25.000 h life.




IP67

0,960 Kg / 0,0049 m³
LED 12W / 1340 Lm

€ 106

255682 Steel




IP67

0,640 Kg / 0,0025 m³
LED 6W / 670 Lm

€ 73

255668 Steel



IP67

0,390 Kg / 0,0016 m³
LED 3,5W / 330 Lm

€ 55

255651 Steel


Taurus

Recessed projector for floor, wall or ceiling installation. Die-cast aluminum body, 316L stainless steel ring, glass diffuser, walkable (IP67, IK10), formwork included. Light modules individually adjustable +/- 30° using an external pin to narrow or direct the light beam. SMD LED technology; CCT 3000K, CRI ≥ 90, SDCM ≤ 3; LED useful life 50.000 h L70B50.

Source	LED SMD	Insulation class	I
Power	6W / 20W	IP	67
Driver included	On/Off	Material	Aluminum
Drivers available	No		
CCT	3000 K		
CRI	≥90		
LED life	50.000 h		

S316 Item made of stainless steel 316.






1,460 Kg/0,0067 m³

LED SMD OSRAM Driver ON/OFF included


Power	Lumen	CCT	Finish	Code	€
6 W	450 lm	3000 K	Steel	277004	210



1,980 Kg/0,0082 m³

LED SMD OSRAM Driver ON/OFF included


Power	Lumen	CCT	Finish	Code	€
11 W	900 lm	3000 K	Steel	277011	320



3,250 Kg/0,0142 m³

LED SMD OSRAM Driver ON/OFF included

Power	Lumen	CCT	Finish	Code	€
12 W	1350 lm	3000 K	Steel	277028	405



3,500 Kg/0,0169 m³

LED SMD OSRAM Driver ON/OFF included


Power	Lumen	CCT	Finish	Code	€
20 W	2000 lm	3000 K	Steel	277035	530





Park new

Recessed spotlight. PVC external body. Aluminum reflecting parabola. Glazed steel glass-setting frame. Clear glass. Walkable.



IP67


1,210 Kg / 0,0064 m³
E27 max 1 x 28W

€ 85

032825 Steel

4000 K
980 lm

153964 € 3,50



IP67


0,580 Kg / 0,0026 m³
GU10 max 1 x 20W

€ 57

032832 Steel

4000 K
430 lm

253497 € 2,50



IP67


0,600 Kg / 0,0022 m³
GU10 max 1 x 20W

€ 51

351780 Steel new

4000 K
430 lm

253497 € 2,50



IP54


0,900 Kg / 0,0031 m³
G9 max 1 x 15W

€ 80

117881 Steel

4000 K
530 lm

307879 € 6,10



IP67

0,650 Kg / 0,0022 m³
GU10 max 1 x 20W

€ 59

351797 Steel new

4000 K
430 lm

253497 € 2,50


Way new

Family of recessed floor projectors for outdoor use, walkable or driveable, suitable for harsh environmental conditions. Body and diffuser in high-performance, anti-corrosion and UV-stabilised resin. Resistance to temperature changes from -60 °C to +90 °C; class II, IP67.

Source	G9 / GU10 / GX53
Power	max 1,7 / 6 / 10 W
CCT	Settable
Insulation class	II
IP	67
Material	Resin


LED Bulbs LED GU10 3,5W, LED GX53 10W and LED G9 1,7W included. Settable CCT for GU10 and GX53 LED bulbs.

50mm Recommended bulb: 270104, 3000 K, 150 lm € 6,5
270111, 4000 K, 160 lm € 6,5




Shape	Optics	Power	Weight	Volume	Finish	Code	€	
Round	Wide	G9 max1 x 1,7W	0,10 Kg	0,0006 m³	Black	269726	32	
	Single	G9 max1 x 1,7W	0,08 Kg	0,0005 m³	Black	269504	32	
	Double	G9 max1 x 1,7W	0,08 Kg	0,0006 m³	Black	269702	32	
Square	Wide	G9 max1 x 1,7W	0,08 Kg	0,0006 m³	Black	351513	32	new

90mm Recommended bulb: 253497, 4000 K, 430 lm € 2,50




Shape	Optics	Power	Weight	Volume	Finish	Code	€	
Round	Wide	GU10 max 1 x 6W	0,27 Kg	0,0019 m³	Black	120249	65	
	Double	GU10 max 1 x 6W	0,26 Kg	0,0018 m³	Black	120287	65	
	Triple	GU10 max 1 x 6W	0,27 Kg	0,0019 m³	Black	351575	65	new
Square	Wide	GU10 max 1 x 6W	0,27 Kg	0,0018 m³	Black	120317	65	

120mm Recommended bulb: 154008, 4000 K, 1000 lm € 5,00



Shape	Optics	Power	Weight	Volume	Finish	Code	€	
Round	Wide	GX53 max 1 x 3W	0,37 Kg	0,0023 m³	Black	351544	72	new
	Double	GX53 max 1 x 3W	0,35 Kg	0,0022 m³	Black	351551	72	new
	Triple	GX53 max 1 x 3W	0,37 Kg	0,0022 m³	Black	351582	72	new
Square	Wide	GX53 max 1 x 3W	0,36 Kg	0,0022 m³	Black	351537	72	new

160mm Recommended bulb: 154008, 4000 K, 1000 lm € 5,00



Shape	Optics	Power	Weight	Volume	Finish	Code	€	
Round	Wide	GX53 max 1 x 10W	0,67 Kg	0,0044 m³	Black	120324	95	
	Double	GX53 max 1 x 10W	0,75 Kg	0,0044 m³	Black	351568	115	new
	Triple	GX53 max 1 x 10W	0,74 Kg	0,0042 m³	Black	120362	115	
Square	Wide	GX53 max 1 x 10W	0,70 Kg	0,0042 m³	Black	120386	95	




WIDE
SINGLE
DOUBLE
TRIPLE

Rocket new

Light body in steel (diameters 92 and 55) or aluminum (diameters 40 and 28). Diffuser in tempered glass. Walkable. Colour: brushed Steel.

LED source 3000/4000 K, 30.000 h life.


Source	LED SMD / COB	**Insulation class**	I-III
Power	1,3W / 3W	**IP**	67
Driver included	No	**Material**	Aluminum
Drivers available	On/Off		
CCT	3000 K / 4000 K		
CRI	≥90		
LED life	30.000 h		



0,210 Kg / 0,0006 m³

28mm Driver not included


Power	Optics	Lumen	CCT	Finish		Code	€	
1,3W	Wide	100 lm	3000 K	Steel		325132	45	
		110 lm	4000 K	Steel		371061	45	new



0,210 Kg / 0,0006 m³

40mm Driver not included


Power	Optics	Lumen	CCT	Finish		Code	€	
2,5W	Wide	180 lm	3000 K	Steel		325156	65	
		200 lm	4000 K	Steel		371085	65	new



Wide 0,360 Kg / 0,0008 m³
Single 0,400 Kg / 0,0008 m³
Double 0,380 Kg / 0,0008 m³

55mm Driver not included

Power	Optics	Lumen	CCT	Finish		Code	€	
2W	Wide	130 lm	3000 K	Steel		370989	100	new
		160 lm	4000 K	Steel		212647	100	
	Single	130 lm	3000 K	Steel		371016	130	new
		160 lm	4000 K	Steel		222820	130	
	Double	130 lm	3000 K	Steel		371047	150	new
		160 lm	4000 K	Steel		222837	150	



Wide 1,250 Kg / 0,0038 m³
Single 0,560 Kg / 0,0034 m³
Double 0,560 Kg / 0,0034 m³

92mm Driver not included in models: **370996, 371009**

Power	Optics	Lumen	CCT	Finish		Code	€	
3W	Wide	900 lm	3000 K	Steel		370996	150	new
		930 lm	4000 K	Steel		371009	150	new
	Single	260 lm	3000 K	Steel		247144	153	
		280 lm	4000 K	Steel		122014	153	
	Double	260 lm	3000 K	Steel		247151	158	
		280 lm	4000 K	Steel		122021	158	



ON/OFF DRIVER Not included/Required



Power	Output	Measure	Code	€
3 W	24 Vdc	47 x 23 x 21 mm	325163	10
3,5 W	24 Vdc	45 x 21 x 23 mm	276205	12
20 W	24 Vdc	118 x 26 x 35 mm	226187	75
40 W	24 Vdc	148 x 30 x 40 mm	226194	80
100 W	24 Vdc	220 x 39 x 68 mm	226200	190
185 W	24 Vdc	220 x 39 x 68 mm	226217	210





Light bulbs* and accessories



E14 944



E27 946

new



G4 952

G9 952



GX53 953

R7s 953

new



GU10 954



Kit Emergency 955

new



Ceiling Cups 956



Bulb Holders 960



Cables 960




Cables Holders 960

* No further promotions can be applied to bulbs recommended prices.


Bulbs E14






Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€
E14	4 W	480 lm	3000 K	80		25.000 h	10	101200	2,00
E14	4 W	400 lm	3000 K	80	TRIAC	15.000 h	10	188935	2,50
E14	4 W	520 lm	4000 K	80		25.000 h	10	153926	2,00
E14	4 W	440 lm	3000 K	90		25.000 h	10	271620	2,00






E14	4 W	340 lm	2200 K	80		15.000 h	10	151656	2,00






E14	4 W	410 lm	3000 K	80		25.000 h	10	101217	2,00
E14	4 W	340 lm	3000 K	80	TRIAC	25.000 h	10	289229	2,50
E14	4 W	480 lm	4000 K	80		25.000 h	10	253411	2,00
E14	4 W	340 lm	3000 K	90		25.000 h	10	289212	2,00






E14	6 W	550 lm	3000 K	80		25.000 h	10	151731	2,00
E14	6 W	580 lm	4000 K	80		25.000 h	10	151946	2,00





E14	4 W	370 lm	3000 K	80		25.000 h	10	101262	2,00






E14	4 W	350 lm	3000 K	80		25.000 h	10	101255	2,50

Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€
E14	4 W	470 lm	3000 K	80		25.000 h	10	101248	2,00
E14	4 W	420 lm	3000 K	80	TRIAC	15.000 h	10	188911	2,50
E14	4 W	490 lm	4000 K	80		25.000 h	10	153940	2,00










E14	4 W	400 lm	2200 K	80		15.000 h	10	151663	2,00






E14	4 W	440 lm	3000 K	80		25.000 h	10	151793	2,00


Bulbs E14






Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€
E14	4 W	470 lm	2700 K	80		25.000 h	10	270944	2,00
E14	4 W	480 lm	3000 K	80		25.000 h	10	101224	2,00
E14	4 W	440 lm	3000 K	90		25.000 h	10	271644	2,00
E14	4 W	320 lm	3000 K	80	TRIAC	15.000 h	10	188928	2,50
E14	4 W	490 lm	4000 K	80		25.000 h	10	153933	2,00






E14	4 W	400 lm	2200 K	80		15.000 h	10	151649	2,00






E14	4 W	440 lm	3000 K	80		25.000 h	10	101231	2,00





E14	4 W	430 lm	3000 K	80		15.000 h	10	326610	2,00





E14	6 W	540 lm	3000 K	80		25.000 h	10	151748	2,00
E14	6 W	560 lm	4000 K	80		25.000 h	10	151953	2,00



Plastic 151731



Glass 101217



Glass 151793











Plastic 151748






Glass satin 326610

Bulbs E27

		Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€
		E27	4 W	470 lm	2700 K	80		25.000 h	10	271637	2,00
		E27	4 W	470 lm	3000 K	80		25.000 h	10	101279	2,00
		E27	4 W	400 lm	3000 K	80	TRIAC	15.000 h	10	188942	2,50
		E27	4 W	490 lm	4000 K	80		25.000 h	10	153957	2,00
		E27	4 W	340 lm	2200 K	80		15.000 h	10	151861	2,50
		E27	4 W	400 lm	3000 K	80		25.000 h	10	101286	2,00
		E27	6 W	550 lm	3000 K	80		25.000 h	10	151755	2,00
		E27	6 W	580 lm	4000 K	80		25.000 h	10	151960	2,00
		E27	4 W	490 lm	3000 K	80		25.000 h	10	101293	2,00
		E27	4 W	520 lm	4000 K	80		25.000 h	10	253428	2,00
		E27	8 W	1060 lm	2700 K	80		25.000 h	10	270951	3,50
		E27	8 W	1080 lm	3000 K	80		25.000 h	10	119571	3,50
		E27	8 W	710 lm	3000 K	80	TRIAC	15.000 h	10	188973	5,00
		E27	8 W	980 lm	4000 K	80		25.000 h	10	153964	3,50
		E27	8 W	880 lm	3000 K	90		25.000 h	10	271613	3,50
		E27	10 W	1350 lm	3000 K	80		25.000 h	10	256528	4,50
		E27	10 W	1400 lm	4000 K	80		25.000 h	10	270920	4,50
		E27	10 W	1200 lm	2700 K	90		25.000 h	10	342870	4,50
		E27	4 W	500 lm	3000 K	80		25.000 h	1	335261	2,50
		E27	4 W	370 lm	2200 K	80		15.000 h	10	151687	2,50
		E27	8 W	820 lm	3000 K	80		25.000 h	10	123899	3,50
		E27	8 W	820 lm	3000 K	80	TRIAC	25.000 h	10	252209	5,00
		E27	8 W	840 lm	4000 K	80		25.000 h	10	253459	3,50
		E27	9 W	970 lm	3000 K	80		25.000 h	10	151762	2,00
		E27	9 W	1020 lm	4000 K	80		25.000 h	10	151991	2,00









Bulbs E27

		Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€
		E27	8 W	920 lm	3000 K	80		25.000 h	10	305622	5,00
		E27	10 W	1200 lm	3000 K	80		25.000 h	10	305639	4,50
		E27	8 W	810 lm	3000 K	80		25.000 h	10	123882	3,50
		E27	14 W	1450 lm	2700 K	90		25.000 h	10	345857	15,50
		E27	14 W	1650 lm	3000 K	90		25.000 h	10	337135	15,50
		E27	14 W	1750 lm	4000 K	90		25.000 h	10	345864	15,50



Glass 101286 | Plastic 151755 | Glass 123899 | Plastic 151762 | Glass 335261 | Satin 305622

Bulbs E27


		Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€
		E27	8 W	1100 lm	3000 K	80		25.000 h	10	101323	4,50
		E27	8 W	1050 lm	3000 K	90		25.000 h	10	271606	4,50
		E27	8W	710 lm	3000 K	80	TRIAC	15.000 h	10	188966	6,50
		E27	8 W	1150 lm	4000 K	80		25.000 h	10	153971	4,50
		E27	4 W	550 lm	3000 K	80		25.000 h	10	345840	6,00
		E27	4 W	400 lm	2200 K	80		15.000 h	10	151717	5,00
		E27	4 W	330 lm	2200 K	80	TRIAC	15.000 h	10	223933	6,00
		E27	8 W	950 lm	3000 K	80		25.000 h	10	101330	4,50
		E27	8 W	860 lm	3000 K	80	TRIAC	25.000 h	10	252186	7,00
		E27	8 W	1060 lm	4000 K	80		25.000 h	10	253442	4,50
		E27	14 W	1630 lm	3000 K	80		25.000 h	10	151779	4,00
		E27	14 W	1820 lm	4000 K	80		25.000 h	10	151977	4,00
		E27	8 W	900 lm	3000 K	80	TRIAC	15.000 h	10	277790	8,00
		E27	8 W	1100 lm	3000 K	80		25.000 h	10	157597	8,00
		E27	8 W	930 lm	3000 K	80		25.000 h	10	135526	6,00



Glass 101323 | Glass 345840 | Plastic 101330 | Plastic 151779 | Glass satin 277790 | Glass satin 157597


Bulbs E27






Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€
E27	8 W	950 lm	2700 K	90		25.000 h	10	342863	7,00
E27	8 W	1100 lm	3000 K	80		25.000 h	10	101347	6,00
E27	8 W	860 lm	3000 K	90		25.000 h	10	271590	6,00
E27	8 W	680 lm	3000 K	80	TRIAC	15.000 h	10	188959	7,00
E27	8 W	1150 lm	4000 K	80		25.000 h	10	153988	6,00






E27	4 W	480 lm	2200 K	80		15.000 h	10	151724	6,00
E27	4 W	330 lm	2200 K	80	TRIAC	15.000 h	10	223926	7,00






E27	8 W	950 lm	3000 K	80		25.000 h	10	101354	6,00
E27	8 W	1050 lm	4000 K	80		25.000 h	10	253435	6,00






E27	18 W	2210 lm	3000 K	80		25.000 h	10	151786	6,00
E27	18 W	2300 lm	4000 K	80		25.000 h	10	152004	6,00





E27	8 W	900 lm	3000 K	80	TRIAC	15.000 h	10	277813	10,00





E27	8 W	1050 lm	3000 K	80		25.000 h	10	157580	10,00



Glass 101347



Glass 101354



Plastic 151786








Glass satin 277813



Glass satin 157580

Bulbs E27

		Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€
		E27	4 W	330 lm	2200 K	80		15.000 h	10	151700	4,00
		E27	4 W	440 lm	2200 K	80		15.000 h	10	151694	4,00
		E27	4 W	330 lm	2200 K	80	TRIAC	15.000 h	10	223919	5,00
		E27	4 W	360 lm	1800 K	80		15.000 h	10	201283	5,00
		E27	4 W	360 lm	1800 K	80		15.000 h	10	201269	9,50
		E27	4 W	360 lm	1800 K	80		15.000 h	10	201290	10,00
		E27	4 W	360 lm	1800 K	80		15.000 h	10	201276	10,00



151700



151694



201283



201269









201290



201276

Bulbs E27

		Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€
		E27	6 W	450 lm	1800 K	80		15.000 h	10	201252	11,00
		E27	4 W	320 lm	1800 K	80		15.000 h	1	130170	33,00
		E27	4 W	320 lm	1800 K	80		15.000 h	1	129877	33,00
		E27	4 W	330 lm	2200 K	80	TRIAC	15.000 h	1	223940	33,00
		E27	4 W	400 lm	2200 K	80		25.000 h	1	130187	25,00
		E27	4 W	330 lm	2200 K	80	TRIAC	15.000 h	1	223834	30,00
		E27	4 W	320 lm	2200 K	80		25.000 h	1	237251	22,50
		E27	8 W	800 lm	2200 K	80		25.000 h	1	130163	25,00



201252



130170



129877



130187






237251



130163




Bulbs G4



		Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€
		G4	1,5 W	160 lm	3000 K	80		15.000 h	20	188980	4,50
		G4	2 W	200 lm	3000 K	80		20.000 h	20	222257	4,00
		G4	2 W	200 lm	3000 K	80	Phase-cut	20.000 h	20	266282	5,00

Bulbs G9




		Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€	
		G9	1,7 W	150 lm	3000 K	80		15.000 h	1	270104	6,50	new
		G9	1,7 W	160 lm	4000 K	80		15.000 h	1	270111	6,50	new
		G9	2,5 W	170 lm	3000 K	80		25.000 h	20	122168	3,60	
		G9	2,5 W	180 lm	4000 K	80		25.000 h	20	253381	3,60	
		G9	3 W	350 lm	2700 K	80		15.000 h	20	270968	3,60	
		G9	3 W	370 lm	3000 K	80		15.000 h	20	209043	3,60	
		G9	3 W	350 lm	3000 K	80	TRIAC	25.000 h	20	288215	5,10	
		G9	3 W	390 lm	4000 K	80		15.000 h	20	209036	3,60	
		G9	3,5 W	310 lm	3000 K	90		15.000 h	20	288208	3,60	
		G9	4 W	500 lm	2700 K	90		15.000 h	20	342887	6,10	
		G9	4 W	510 lm	3000 K	80		15.000 h	20	305486	6,10	
		G9	3,5 W	420 lm	3000 K	80	TRIAC	15.000 h	20	305431	8,60	
		G9	4 W	530 lm	4000 K	80		15.000 h	20	307879	6,10	
		G9	3,5 W	440 lm	4000 K	80	TRIAC	15.000 h	20	307886	8,60	


Bulbs GX53

101385 123936











Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€
GX53	7 W	730 lm	3000 K	80		25.000 h	10	101385	5,00
GX53	7 W	760 lm	4000 K	80		25.000 h	10	253404	5,00
GX53	9 W	910 lm	3000 K	80		25.000 h	10	123936	5,00
GX53	9 W	890 lm	3000 K	80	TRIAC	25.000 h	10	252551	9,00
GX53	9 W	1000 lm	4000 K	80		25.000 h	10	154008	5,00
GX53	9 W	900 lm	4000 K	80	TRIAC	25.000 h	10	252568	9,00
GX53	9 W	800 lm	2700 K	90		25.000 h	10	342900	5,00
GX53	9 W	940 lm	3000 K	90		25.000 h	10	288383	5,00

Bulbs R7s


189109 307862











Lamp socket	Power	Flux	CCT	CRI	Dimmable	Life	Min Qty.	Code	€
R7s	5 W	560 lm	3000 K	80		20.000 h	10	189109	11,00
R7s	6 W	450 lm	3000 K	80	TRIAC	20.000 h	10	266770	12,00
R7s	7 W	580 lm	4000 K	80		20.000 h	10	272375	11,00
R7s	6 W	480 lm	4000 K	80	TRIAC	20.000 h	10	272382	12,00
R7s	13 W	760 lm	3000 K	80		20.000 h	10	189093	14,00
R7s	8 W	580 lm	3000 K	80	TRIAC	20.000 h	10	266763	15,00
R7s	13 W	830 lm	4000 K	80		20.000 h	10	253480	14,00
R7s	8 W	640 lm	4000 K	80	TRIAC	20.000 h	10	266756	15,00
R7s	14 W	1700 lm	3000 K	80		15.000 h	10	307862	11,00
R7s	14 W	2100 lm	3000 K	80	TRIAC	15.000 h	10	307855	11,00
R7s	14 W	1700 lm	4000 K	80		15.000 h	10	296869	11,00
R7s	14 W	2450 lm	4000 K	80	TRIAC	15.000 h	10	296876	11,00

Bulbs GU10

	Lamp socket	Power	Flux	CCT	CRI	Beam	Dimm.	Life	Min Qty.	Code	€	
	GU10	4 W	250 lm	3000 K	90	38°	TRIAC	15.000 h	10	356532	4,50	new
	GU10	4 W	280 lm	3000 K	90	60°		25.000 h	10	339771	2,50	
	GU10	6 W	430 lm	3000 K	90	50°	TRIAC	25.000 h	10	266251	4,50	
	GU10	5 W	430 lm	4000 K	90	50°		25.000 h	10	253497	2,50	
	GU10	6 W	450 lm	4000 K	90	50°	TRIAC	25.000 h	10	285566	4,50	
	GU10	7 W	540 lm	3000 K	90	50°		25.000 h	10	123943	2,50	
	GU10	7 W	460 lm	3000 K	90	50°	TRIAC	25.000 h	10	288239	4,50	
	GU10	7 W	620 lm	3000 K	90	108°		25.000 h	10	101378	2,50	
	GU10	7 W	650 lm	4000 K	90	108°		25.000 h	10	117652	2,50	
	GU10	8 W	580 lm	3000 K	90	56°		25.000 h	10	189062	3,00	
	GU10	8 W	620 lm	4000 K	90	56°		25.000 h	10	270975	3,00	
	GU10	5 W	380 lm	2700 K	95	50°		25.000 h	10	307619	2,50	
	GU10	5 W	410 lm	3000 K	90	50°		25.000 h	10	108292	2,50	
	GU10	7 W	540 lm	4000 K	90	50°		25.000 h	10	224367	2,50	
	GU10	7 W	600 lm	2700 K	95	108°		25.000 h	10	307626	2,50	


108292


101378


189062


307619


307626

Bulbs GU10



Lamp socket	Power	Flux	CCT	CRI	Beam	Dimm.	Life	Min Qty.	Code	€
GU10	12 W	1030 lm	3000 K	90	40°		25.000 h	10	327037	11,00
GU10	12 W	790 lm	3000 K	90	22°	TRIAC	25.000 h	10	326290	12,00
GU10	12 W	970 lm	4000 K	90	20°		25.000 h	10	327051	11,00



GU10	12 W	1050 lm	2700 K	90	40°		25.000 h	10	342894	11,00
GU10	12 W	1050 lm	3000 K	90	40°		25.000 h	10	327044	11,00
GU10	12 W	1000 lm	3000 K	90	40°	TRIAC	25.000 h	10	327075	12,00
GU10	12 W	1120 lm	4000 K	90	40°		25.000 h	10	327068	11,00



GU10	10 W	750 lm	3000 K	80	22°		15.000 h	10	189031	11,00
GU10	10 W	720 lm	3000 K	80	22°	TRIAC	15.000 h	10	288543	12,00
GU10	10 W	780 lm	4000 K	80	22°		15.000 h	10	253398	11,00



327037



342894





189031

Kit emergency

Emergency kit for LED modules.
Includes inverter and battery.
From two to three hours autonomy and recharging time respectively of 12 and 24 hours. It operates for emergency only or as continuous light (continuous light combined with electronic power supply and dimmable electronic power supply).
Insulation class II.



INVERTER	GROUP BATTERY
	
	
IP20	
0,185 Kg / 0,0009 m³	0,305 Kg / 0,0010 m³
52 mm	65 mm


€ 135

221595 White

For further information please contact the technical office.

Ceiling roses


Magnetic Ceiling roses





1 cable


244235	€ 13,00	244259	€ 13,00	249315	€ 15,00	249308	€ 15,00	244242	€ 13,00





1 cable


311265	€ 14,00	328683	€ 14,00	328706	€ 16,00	328690	€ 16,00	311272	€ 14,00





6 cables


303390	€ 14,50	303406	€ 14,50	307091	€ 21,00	307084	€ 21,00	307077	€ 14,50





8 cables

272429	€ 16,50	272436	€ 16,50	272443	€ 23,50	272450	€ 23,50	272467	€ 16,50






12 cables

370729	€ 26,00 new	370743	€ 26,00 new	370798	€ 35,00 new	370781	€ 35,00 new	370767	€ 26,00 new


All in linear ceiling roses





4 cables

304038	€ 60,00	328713	€ 60,00	328744	€ 70,00	328737	€ 70,00	328720	€ 60,00






6 cables

328751	€ 90,00	304045	€ 90,00	328782	€ 110,00	328775	€ 110,00	328768	€ 90,00

Ceiling roses


Standard Ceiling roses





1 cable


122823	€ 10,00	122830	€ 10,00	249278	€ 11,00	249261	€ 11,00	123295	€ 10,00





3 cables

285580	€ 33,00	285597	€ 33,00	285627	€ 50,00	285610	€ 50,00	285603	€ 33,00






5 cables

285634	€ 60,00	285641	€ 60,00	285672	€ 80,00	285665	€ 80,00	285658	€ 60,00


Standard linear ceiling roses





3 cables

122854	€ 33,00	122861	€ 33,00	249292	€ 55,00	249285	€ 55,00	123301	€ 33,00






5 cables

285689	€ 60,00	285696	€ 60,00	285726	€ 75,00	285719	€ 75,00	285702	€ 60,00

Ceiling roses


Drop Ceiling roses





3 cables


344171 € 61,00 new 344188 € 61,00 new 344218 € 65,00 new 344201 € 65,00 new 344195 € 61,00 new





5 cables


344225 €83,00 new 344232 €83,00 new 344249 € 98,00 new 364865 € 98,00 new 364858 €83,00 new





7 cables


344256 €120,00 new 344287 €120,00 new 344294 €125,00 new 364889 €125,00 new 364872 €120,00 new





9 cables


344300 €139,00 new 344317 €139,00 new 344324 €165,00 new 364919 €165,00 new 364902 €139,00 new





13 cables

344331 €242,00 new 344348 €242,00 new 344355 €253,00 new 364940 €253,00 new 364933 €242,00 new






25 cables

370613 €467,00 new 370644 €467,00 new 370705 €480,00 new 370682 €480,00 new 370675 €467,00 new



Ceiling roses

Recessed Ceiling roses














1 cable

301594 € 5,00	307107 € 5,00	307138 € 5,00	307121 € 5,00	307114 € 5,00


Accessories

Bulb holders





249186 € 13,00 | 249193 € 13,00 | 249223 € 13,00 | 249216 € 13,00 | 249209 € 13,00






242569 € 5,00 | 249230 € 5,00 | 249254 € 5,00 | 249247 € 5,00 | 242576 € 5,00

Cables


2 x 0,75 mm²
FEP T180°
PVC T90°
*only PVC





301624 € 11,00 | 301662* € 15,00 | 301655 € 12,00 | 301648 € 12,00 | 301631 € 11,00


2 x 0,75 mm²
FEP T180°
PVC T90°
*only PVC





301679 € 22,00 | 301716* € 30,00 | 301709 € 24,00 | 301693 € 24,00 | 301686 € 22,00

2 x 0,75 mm²
FEP T180°
PVC T90°
*only PVC





303062 € 30,00 | 306421 € 30,00 | 303093 € 32,00 | 303086 € 32,00 | 303079 € 30,00

Cable holders





143200 € 5,00 | 143224 € 5,00 | 249339 € 5,00 | 249322 € 5,00 | 143217 € 5,00





285887 € 5,00 | 285894 € 5,00 | 285924 € 5,00 | 285917 € 5,00 | 285900 € 5,00



Restaurant Oca Bianca
Mirano, VE


Dorica

Pag 504



Families' index

Angolo


328


471


495


283


283


283


326


326


422

Binomio


330



330


330


330


330

Birds


426


426


466


466


496


496


107


324


420


469


494

Bloom


142


142


142


142


288


288

Arizona


152


152

Atlas


106


106


Axel


473


524

Families' index

Indoor, outdoor

Bloom

385 385 462 462 499

Bubble

810 854

Candy

154 154 285 464

Cantina

136 424

Carlton

199 199 343


343 435

Carta

174 174 174 174 287 386


386 464 464

Cima

857 910

Chalet

226 226 226 440

Clio



804 804 856 908 908

Corte



209 209 209 437

Cotton



155 155 155 286 286 286



384 384 384

Cylinder



191 528

Craft




098 358 515

Dafne



857 857 911

Desk



098 358

Diamond



105 105 105 460

Families' index

Indoor, outdoor

Diesis 128 455 511

Dodo 414 509

Dorica 080 080 371 452 504 504

Driftwood 227 478 524 524

Dubai 204 204 342 342 342 435

Dynamite 100 100 100 100 310 310

310 310 310 310 412 412


412 412 412 676 676 676

Easy 454 510


Ego 486 554


Elio



818



926

Equinoxe



112



112



112


112


112


112


112


423


491

Essence


096


096


390



390



390



390


390


390


451


451



502


502


502

Etere


827


904

Firenze


222



222



440


478


530

Florian


214


214


214


438

Frida


122


418


Futura



456


514

Families' index

Indoor, outdoor

Frame

078 078 078 242 242


242 500


Gas

821 891

Gemini

060 060 060 060 276


276 276

Gioconda

213 213


213 439

Glory

151 151


151 280 280 280

Gun

808 832 832

Harem

225 225 442

Koala




920 920 920 920

Lika



306 306 306 780 780 780



780 782 782 782 782



784 784 784 786 786

Lingotto



102 102 102 329 329 329



469 469

Litio



819 926

London




474 525

Lumiere



180 180 180




459 490

Families' index

Indoor, outdoor


Look




082 082 082 082 082 082



082 082 296 296 296 296



296 372 372 372 372



506 679

Luna

802 802



878 878 878

Martinez



200 343

Mapa



158 287 382 382 382 382



465 465 465 465

Mix Up



130 292 507

Newton



424 516

Negresco


211


211


438

Ninfea


333



333


428


428


472

Nodi


110


110


321


321

Nordik


191


191


432


475


528

Oby


312


312


417


417

Opera


198


198


198


436


480


529

Ovalino

153

153


290


290

380

Families' index

Indoor, outdoor

Oracle Slim



070 070 070 070 074 074



074 234 234 234 234

Oz



064 064 064 064

O-Zone



238 238 238 238 350 448



816 916

Pashà



202 202 202



337 337 337 434

Pegaso



206 206 206 436 480 480

Pure



864 864

Perlage


108


108


108


108


108


108


322


322



322


322


421


421


470


470


492

Play


312


674


674


762


762

Queen


481


481


481


529

Rudy


316


316


316


415

Set Up


192 - 194 - 196


192 - 194 - 196


192 - 194 - 196


264 - 266 - 268



264 - 266 - 268


264 - 266 - 268

Families' index

Indoor, outdoor

Set Up



430 430 476 476 526



192 264 430 476 526



194 266 196 268

Sirio



839 886 886 886 886 886



924

Smarties



150 150 150 282 282 282



282 386 461 461 461

Snow



803 855

Sole



800 800 800 800 877 877

877 877

Spike




308 308 308 678

Steel



359 359 618 618 620 620



620 620 622 622 626 626

Strauss



218 218 218 439

Style



824 824 884 884 884

Terra



820 820 925 925

Families' index

Indoor, outdoor

Thor

914

914

932

932

Toffee

835

866

866

866


866

866

Topico

145

289

289

Triumph

102

320

422

422

Tronco

826

898

898


898

Winery

314

416

Yoko

097

501

501



Mapa

Pag 158


ideal lux

Code index

SKU	Pag
000206	465
000657	336
002880	530
003528	516
004716	826
004723	898
004730	898
005386	396
005881	209
005898	209
005911	224
007021	396
007045	396
007960	294
007977	294
007984	294
007991	294
008608	295
008615	295
008622	295
009087	158
009131	465
009148	158
009155	465
009223	282
010861	294
012865	222
012872	222
012889	478
012902	440
013046	443
013060	443
013657	458
014166	357
014609	525
014814	386
015286	516
016399	424
016863	188
017303	397
017310	397
017518	356
018508	294
018515	838
018522	838
019734	151
019741	151
019758	280
019765	280
020228	821
020822	222
020839	222
020846	440
020853	478
020877	530
022222	340
022239	340
024097	910
024134	857
025438	191
026473	387
026480	387
026558	387
026787	137
026954	898
026961	898
026978	826
026985	898
026992	898
027005	826
027081	388
027098	388
027104	388
027852	424
027876	424
028460	437
030326	137
030784	340
031361	357
031460	401
031477	401
031743	189
031750	189
031996	150
032009	150
032016	150
032023	282
032030	282
032047	282
032078	461
032122	158
032139	158
032368	474
032382	525
032825	936
032832	936
033013	832
033020	832
033037	925
033044	925
034546	355
035574	208
035581	208
035604	214
035611	214
035628	214
035635	214
035642	438
035659	438
035666	137
035680	137
035697	137
035710	137
035727	148
035949	433
035956	433
038025	380
041742	520
044255	219
044279	274
044286	274
044293	274
044910	439
044927	213
044934	213
045030	458
045627	389
045634	389
046167	820
046181	820
046211	925
046471	520
046723	520
049229	357
049236	357
051444	356
051741	523
051765	523
052786	148
052809	176
052816	176
057187	209
057194	209
057200	437
059211	436
059235	206
059242	206
059259	480
059266	480
059679	147
059808	382
059815	382
059822	382
059839	287
060491	439
060507	213
060514	213
061115	517
061122	517
061139	517
061191	457
061450	828
061467	828
061474	828
061580	847
061597	847
066448	206
066868	847
068169	148
068268	436
068275	529
068299	198
068305	480
073187	338
073255	338
073262	338
073712	321
074139	153
074245	138
074313	138
074337	138
074702	468
074726	468
075150	214
075181	214
075211	441
075389	338
075402	338
075419	338
077734	481
077741	481
077758	481
077765	529
077796	341
077802	341
077819	341
080932	341
081526	210
082059	110
082073	110
082158	202
082172	202
082196	202
082240	852
082257	202
082264	434
082288	434
082783	341
082790	341
083070	794
083087	794
083117	794
083124	794
083131	794
083148	794
083179	794
083186	794
083193	794
083223	794
083230	794
083247	794
083254	796
086736	154
086743	154
086781	285
086804	464
087368	443
087375	443
087757	438
087764	211
087771	211
087818	184
087863	336
087870	336
088266	357
088273	357
090481	153
091129	357
091136	357
091518	821
091525	821
092188	848
092195	848
092201	848
092218	838
092300	832
092317	832
092324	808
092355	847
092393	850
092409	850
092416	850
092423	850
092430	850
092447	850
093659	134
093697	134
093963	290
093994	223
094007	223
094014	290
094137	176
094182	372
094229	176
094236	176
094649	341
094663	341
094786	224
095226	152
095998	372
096018	372
096476	818
096483	818
096667	853
096674	853
096681	853
096698	853
096704	853
096711	853
096728	853

Code index

SKU	Pag
096735	853
097183	398
097190	398
097206	398
097664	209
097671	209
098616	152
100364	847
100371	847
100388	832
100395	832
100746	337
100784	337
100791	337
100807	337
101125	151
101132	280
101200	944
101217	944
101224	944
101231	944
101248	944
101255	944
101262	944
101279	946
101286	946
101293	946
101323	946
101330	946
101347	946
101354	946
101378	954
101385	953
101491	857
101514	911
101552	857
103204	433
103983	188
104928	82
104935	82
104942	82
105710	380
105727	380
106205	925
108292	954
109138	898
109145	898
110233	525
110240	525
110356	522
110363	522
110417	124
110424	124
110431	124
110462	124
110530	474
110554	474
111452	528
111841	184
111858	184
111865	184
111872	208
111896	208
111902	176
111919	176
112305	187
112312	187
112336	187
112343	187
112626	424
112695	424
112701	136
112732	136
113302	122
113319	122
113753	845
113760	845
113791	845
113975	226
113982	796
113999	796
114019	796
114170	210
114293	845
114347	902
114729	205
114736	205
114743	205
115061	886
115078	886
115085	886
115092	886
115108	886
115115	886
115290	844
115306	844
115313	844
115320	844
115337	844
115344	844
115351	846
115368	846
115375	846
115382	858
115412	927
115429	927
115498	226
115504	226
115511	440
115580	797
115597	797
115610	797
115962	442
115979	225
116006	225
116112	294
116716	804
117652	954
117737	199
117881	936
118635	850
118642	850
118659	826
118666	828
119427	419
119465	419
119502	419
119571	946
120201	926
120218	926
120249	938
120287	938
120317	938
120324	938
120362	938
120386	938
120423	857
120430	857
120454	911
120898	187
120904	187
121130	396
121147	396
121154	396
121161	396
121178	396
121338	396
121352	401
121963	828
122014	940
122021	940
122045	858
122083	122
122106	122
122168	952
122663	808
122687	808
122823	956
122830	956
122854	956
122861	956
123080	828
123295	956
123301	956
123745	849
123769	849
123776	849
123783	849
123882	946
123899	946
123936	953
123943	954
123974	760
123981	760
123998	760
124001	760
124018	760
124025	760
124070	632
124087	632
124117	632
125503	335
125510	335
126883	372
126890	372
126906	82
126913	82
129082	124
129099	124
129433	831
129457	831
129464	822
129471	822
129488	822
129570	478
129877	946
130163	946
130170	946
130187	946
133393	321
135205	902
135250	810
135526	946
135755	901
135762	901
135908	903
135991	800
136004	800
136011	800
136028	893
136035	893
136042	893
136059	893
136073	804
137391	830
137681	133
138237	98
138251	358
138305	176
138510	901
138596	270
138602	270
138619	270
138633	270
138640	270
138657	270
139012	790
139029	790
139425	122
139470	891
140179	295
140186	295
140193	295
140599	439
140605	218
140612	218
140629	218
140841	307
140872	307
140902	307
140933	307
141794	82
141800	82
141817	82
141855	82
142241	406
142258	406
142265	395
142272	395
142289	395
142296	395
142579	406
142586	406
142692	400
142708	400
142906	82
142913	82
142999	901
143200	960
143217	960
143224	960
144245	804
144252	804
144276	828
144283	828
144917	397
145020	804
145068	804
145228	856
145303	819
145310	926
145327	819
145334	926
145341	819
145358	926
146775	856
146799	856
147666	760
147673	760
147680	760
147765	830
147772	830
147796	830
147819	830
148151	119
148175	119
148502	119
148847	804
148861	804
148878	804
148939	524
149585	176
149592	176
149622	321
150116	790
150130	790
150284	788
150291	790
150307	790
151649	944
151656	944
151663	944
151687	946
151694	946
151700	946
151717	946
151724	946
151731	944
151748	944
151755	946
151762	946
151779	946
151786	946
151793	944
151861	946
151946	944
151953	944
151960	946
151977	946
151991	946
152004	946
153162	890
153179	890
153193	890
153209	890
153926	944
153933	944
153940	944
153957	946
153964	946
153971	946
153988	946
154008	953
155142	314
155227	314
155722	788
155791	296
155869	296
155968	118
156026	118
156033	118
156682	82
156699	82
157580	946
157597	946
157856	888
158242	432
158822	847
158891	906
158907	854
159423	389
159508	389
159522	389
159836	811
159843	121
159850	121
159867	121
159942	220
159973	220
159997	417
160214	422
160245	422
160269	102
160313	320
161648	191
161662	191
161686	475
161716	528
161754	879
161761	879
161778	879
162492	906
162737	203
162751	203
163321	418
163338	418
163536	847
163543	847
163550	847
163598	848
163604	832
163611	832

163628 832
163635 832
163642 808
163666 808
163727 925
163741 898
163758 898
164823 372
164847 372
164953 213
164960 213
164977 202
164984 202
164991 337
165004 337
165011 198
166247 199
166285 343
166360 200
167121 416
167152 416
167244 216
167251 216
167268 216
167398 216
167404 216
167411 216
167497 119
168036 809
168050 809
168111 809
168135 809
168753 212
168777 212
168913 435
168920 343
168937 343
169576 688
169583 688
169590 688
169606 688
169613 688
169620 688
169637 688
169644 688
169705 688
169712 688
169729 688
169736 688
169972 688
169989 688
170145 688
170152 688
170589 82
170923 357
172408 827
172439 904
173245 98
173252 358
174204 146
174211 146
174228 146
174235 146
174396 190
174402 190
179292 366
179308 366
179315 366
179322 366
179643 425
179681 389
179858 175
180298 416
180304 416
180922 227
180946 524
182179 198
186955 906
186979 906
187327 888
187365 357
187877 907
187884 907
187891 907
187976 688
187983 688
187990 688
188003 688
188010 688
188027 688
188058 688
188065 688
188072 688
188089 688
188096 688
188102 688
188119 688
188126 688
188195 688
188911 944
188928 944
188935 944
188942 946
188959 946
188966 946
188973 946
188980 952
189031 954
189062 954
189093 953
189109 953
189574 650
189581 650
189598 650
189604 650
189611 650
189628 650
189635 650
189642 650
189659 650
189666 650
189673 650
189680 650
189697 650
189703 650
189710 650
189727 650
189734 650
189741 650
189758 650
189765 650
189772 650
189789 650
189796 650
189802 650
189819 650
189826 650
189833 650
189840 650
189857 650
189864 650
189871 650
189888 650
189895 650
189901 650
189918 650
189925 650
189932 650
189949 650
189956 650
189963 650
189970 650
189987 650
189994 650
190006 650
190013 650
190020 650
190037 650
190044 650
190051 650
190068 650
190075 650
190082 650
190099 650
190105 650
191171 608
191188 608
191508 608
191577 878
191584 878
191607 878
191614 877
191621 877
191638 877
191997 608
192277 722
192291 722
192307 722
192314 722
192338 722
192345 722
192352 722
192376 722
192383 722
192406 722
192437 608
192482 608
192505 608
192550 608
192567 608
192604 608
192628 608
192642 608
192666 608
192673 608
192697 608
192703 608
192710 608
192741 608
192758 608
193458 754
193465 754
193472 754
193519 754
193526 754
193533 754
193991 457
194189 82
194202 82
194257 688
194301 688
194806 82
195483 876
195490 876
195506 876
195704 352
195711 352
195728 352
195735 352
195742 352
195759 352
195766 352
195773 352
196688 417
196695 417
196701 312
196718 312
197319 116
197333 116
197654 189
197661 189
197708 436
197715 206
197722 206
197739 206
197753 480
198095 140
198125 102
198132 329
198149 329
198156 329
198620 900
198637 900
198644 900
199375 221
199382 221
199405 221
199412 221
200118 112
200125 112
200132 423
200149 423
200194 315
200200 315
200217 315
200231 315
200248 315
200255 315
200484 321
200491 110
200996 342
201016 342
201023 435
201252 946
201269 946
201276 946
201283 946
201290 946
202396 722
202921 810
202945 810
203072 640
203089 640
203102 640
203126 640
203171 398
203188 398
203195 398
204581 640
204598 640
204611 640
204635 640
204888 456
204895 456
204949 514
204956 514
205281 120
205298 120
205304 120
205311 120
205977 302
205984 302
205991 302
206004 302
206011 302
206028 302
206035 302
206042 302
206196 778
206202 778
206219 778
206226 778
206233 778
206240 778
207155 435
207162 342
207186 342
207216 204
208558 714
208565 714
208589 714
208596 714
208695 714
208701 714
208725 714
208732 714
208794 434
209036 952
209043 952
209845 824
209852 824
209906 884
211381 76
211398 76
211404 76
211787 714
211794 714
211817 714
211824 714
212647 940
213071 901
213088 901
213095 821
213101 891
213194 802
213200 802
213217 850
213224 850
213262 886
213279 886
213323 845
213330 846
213347 844
213354 844
213361 893
213491 435
213507 343
213521 199
213569 343
213583 200
214009 876
214474 152
214481 152
214498 283
214504 283
214511 283
214672 370
214689 370
214696 370
215693 433
215709 433
215761 274
215778 274
215785 274
215969 204
216270 608
216287 608
217253 722
219875 190
220826 608
221502 824
221519 824
221595 955
222097 76
222103 76
222110 76
222257 952
222820 940
222837 940
223155 554
223162 554
223179 554
223186 254
223193 254

Code index

SKU	Pag
223209	254
223216	254
223223	254
223230	254
223742	640
223759	640
223766	640
223834	946
223919	946
223926	946
223933	946
223940	946
224275	554
224367	954
224541	141
224930	394
224954	394
224985	394
224992	394
225005	394
225029	394
226026	174
226033	174
226040	174
226187	940
226194	940
226200	940
226217	940
227580	688
227597	688
227672	688
227689	688
229010	415
229027	415
229034	415
229041	415
229058	316
229065	316
229072	316
229089	316
229461	70
229478	70
229485	70
229492	70
229508	70
229515	70
229997	790
230580	790
230702	242
230726	242
231228	123
231259	123
231273	123
231297	123
231341	100
231372	100
231396	100
231433	100
231471	412
231495	412
231556	127
231563	127
231570	127
231631	679
231662	679
232041	133
232690	126
232713	126
232720	126
232744	126
233062	296
233079	296
233192	296
233215	296
233321	296
233352	296
233765	296
233772	296
233826	296
233833	296
233840	359
233970	296
234007	296
235455	103
235486	103
235516	103
235547	103
236841	832
236858	832
236865	808
237251	946
237398	186
237428	186
237442	186
237497	186
237510	186
237794	201
237800	201
238104	135
238135	135
238173	135
238210	135
238944	429
238975	429
239521	432
239576	432
240367	270
240374	270
241012	110
241036	110
241050	321
241296	342
241968	616
241975	616
241982	616
241999	616
242002	616
242019	359
242569	960
242576	960
242705	688
243238	688
243245	688
243252	688
243269	688
243283	688
243450	307
243498	342
243528	204
243566	342
243597	204
243665	608
243818	794
243825	794
243849	794
243924	307
243931	307
243948	307
243986	770
243993	770
244181	774
244198	774
244204	774
244235	956
244242	956
244259	956
244549	632
244556	632
244563	632
244570	632
244587	632
244594	632
244624	100
244648	100
244662	412
244808	736
244846	736
244884	306
245041	918
245072	918
245089	918
245096	918
245102	918
245331	479
245348	479
245393	479
246390	774
246451	688
246468	688
246499	688
246505	688
246512	688
246529	688
246536	688
246543	688
246550	688
246567	688
246574	688
246581	688
246598	688
246604	688
246611	688
246628	688
246796	811
246819	857
246826	857
246833	910
246840	910
246857	824
246864	824
246871	884
246895	688
246901	688
246918	902
246925	827
246932	904
246949	827
246956	904
246963	886
246970	886
246987	888
246994	888
247007	688
247045	927
247144	940
247151	940
247229	60
247236	60
247243	60
247250	60
247267	60
247274	60
247281	60
247618	688
247625	688
247779	334
247847	774
247854	774
248165	770
248172	770
248189	770
248196	770
248257	898
248264	898
248271	898
248288	898
248295	898
248370	770
248387	918
248394	918
248530	306
248554	186
248592	770
248783	752
248790	752
249018	752
249025	752
249032	752
249049	752
249056	135
249063	135
249070	135
249087	135
249186	960
249193	960
249209	960
249216	960
249223	960
249230	960
249247	960
249254	960
249261	956
249278	956
249285	956
249292	956
249308	956
249315	956
249322	960
249339	960
249452	908
249469	908
249483	908
249490	908
249506	908
249520	908
249629	688
249711	774
249728	774
249827	792
249834	792
250106	405
250113	405
250120	405
250311	176
250328	176
250359	176
250403	658
250410	658
250427	658
250434	658
250441	658
250458	658
250854	858
250946	844
250953	892
250977	892
251127	469
251226	891
251257	891
251295	891
251516	806
251523	806
251530	806
251547	806
251554	806
251561	806
251578	806
251592	806
252025	795
252032	795
252049	795
252056	795
252186	946
252209	946
252551	953
252568	953
252988	714
252995	714
253381	952
253398	954
253404	953
253411	944
253428	946
253435	946
253442	946
253459	946
253480	953
253497	954
253589	78
253596	78
253664	64
253671	64
253688	238
253695	350
253886	632
253893	632
254272	244
254289	244
254319	882
254388	882
255019	242
255514	930
255521	930
255651	933
255668	933
255682	933
255781	931
255804	931
255996	688
256030	688
256047	688
256061	688
256078	688
256085	688
256092	688
256115	688
256122	688
256146	688
256528	946
257235	353
257242	353
257617	554
257624	554
257631	554
257648	554
257655	554
257662	554
257686	554
257709	554
257716	554
257730	554
257747	554
257792	554
257839	554
257846	554
257877	554
257990	554
258027	554
258140	554
258171	554
258232	554
258256	554
258270	762
258287	312
258300	636
258751	76
258768	76
258775	76
258874	501
258898	97
258904	501
258928	97

259154 70
259161 70
259178 70
259185 70
259192 70
259208 70
259222 469
259239 82
259345 354
259352 354
259376 554
259765 430
259772 430
259796 430
259802 430
259819 430
259826 430
259833 430
259857 430
259864 476
259871 476
259895 476
259901 476
259918 476
259925 476
259949 476
259956 476
259963 526
259970 526
259994 526
260006 526
260013 192
260020 192
260044 192
260051 192
260068 430
260075 430
260082 430
260136 526
260235 526
260242 526
260327 430
260334 430
260341 430
260358 430
260433 430
260440 430
260457 192
260464 192
260471 192
260488 192
260600 402
260617 402
260624 402
260631 402
260648 402
260655 402
260662 402
260679 402
260853 554
260860 554
261164 281
261188 281
261195 175
261287 922
261294 922
261331 914
261355 914
261362 914
261379 914
263434 82
263519 290
263663 82
263670 82
263687 82
263700 82
264523 147
264547 147
265278 457
265575 390
265643 390
265803 284
265827 284
265841 284
265896 554
265957 70
265971 234
265988 234
265995 234
266008 234
266015 234
266022 234
266121 554
266145 554
266183 554
266251 954
266282 952
266497 748
266503 748
266510 748
266527 748
266558 748
266565 748
266572 748
266589 748
266756 953
266763 953
266770 953
267128 616
267135 616
267142 616
267159 616
267203 554
267210 554
267227 554
267234 554
267241 554
267258 554
267692 774
267777 658
267784 658
267791 658
267807 658
267869 778
267876 778
267883 778
267890 778
267906 778
267913 778
267920 770
267937 770
267944 770
267951 770
267968 722
267975 722
267982 778
268002 778
268071 359
268088 762
268095 359
268101 312
268118 616
268149 616
268163 922
268170 922
268194 922
268200 922
268217 616
268231 616
268293 844
268309 844
268316 844
268354 858
268989 930
268996 930
269009 930
269023 930
269115 810
269122 810
269139 824
269146 824
269153 827
269160 904
269221 845
269337 78
269351 78
269375 78
269382 78
269399 350
269405 350
269412 238
269429 238
269436 64
269443 64
269450 64
269467 64
269474 448
269481 448
269498 448
269504 938
269702 938
269726 938
269825 242
269832 60
269849 60
269856 70
269863 70
269870 70
269986 430
270005 430
270012 192
270029 192
270036 430
270043 192
270050 192
270104 952
270111 952
270173 616
270180 616
270197 616
270203 616
270210 616
270241 244
270258 244
270265 244
270272 244
270289 244
270296 244
270302 244
270319 244
270326 244
270333 244
270340 244
270357 244
270364 244
270371 244
270388 244
270395 244
270401 244
270449 640
270463 640
270517 640
270524 640
270531 640
270548 640
270586 244
270593 244
270661 242
270678 242
270715 244
270876 608
270920 946
270937 608
270944 944
270951 946
270968 952
270975 954
271002 244
271187 628
271194 628
271200 628
271217 628
271316 144
271385 108
271392 108
271408 108
271422 108
271439 421
271446 658
271453 658
271538 313
271545 313
271590 946
271606 946
271613 946
271620 944
271637 946
271644 944
271712 616
271750 616
272030 399
272078 456
272085 514
272108 914
272139 174
272238 473
272245 524
272375 953
272382 953
272429 956
272436 956
272443 956
272450 956
272467 956
272474 632
272481 632
272498 632
272504 632
272511 632
272528 632
272535 632
272542 632
273167 722
273174 722
273631 324
273648 107
273655 420
273662 494
273679 469
273693 327
273709 327
274508 676
274515 676
275178 112
275215 112
275369 97
275376 97
275543 185
275567 185
275581 185
276182 666
276205 930
276243 666
276267 680
276274 680
276281 680
276304 616
276311 616
276328 554
276335 608
276342 608
277004 934
277011 934
277028 934
277035 934
277219 366
277226 366
277233 366
277240 366
277257 366
277288 264
277370 112
277387 112
277394 112
277417 308
277790 946
277813 946
277912 608
277929 608
277967 492
278704 308
279596 708
279602 708
279633 708
279640 708
279671 708
279688 708
279770 128
279794 128
279800 511
280233 708
280240 708
280998 407
281001 407
281568 132
281582 132
282084 524
282091 473
282107 107
282114 107
282121 366
282138 366
282251 873
282633 554
282640 554
282657 554
282664 554
282671 554
282688 554
282695 554
282701 554
282718 554
282725 554
282749 554
282756 554
282770 554
282787 554
282824 554
282848 554
282862 554
282879 554
282886 554
282893 554
282909 554
282916 554
282923 554
282930 554
282947 554
282954 554
282961 554
282978 554
282985 554
282992 554
283029 554

Code index

SKU	Pag
283036	554
283043	554
283050	680
283067	680
283104	554
283111	554
283258	680
283333	455
283524	680
283531	680
283548	680
283555	680
283562	680
283579	680
283586	680
283593	680
283609	680
283616	680
283623	680
283630	680
283647	680
283654	680
283661	680
283678	680
283685	680
283692	680
283708	680
283715	680
283722	680
283739	680
283746	680
283753	680
283760	680
283777	680
283784	421
283791	108
283807	108
283814	108
283821	108
283920	658
283937	658
283944	658
284002	99
284019	99
284286	328
284309	495
284316	471
284330	328
284354	495
284361	471
284460	98
284477	358
284484	515
285061	70
285078	70
285085	96
285092	96
285108	390
285115	390
285122	128
285139	132
285146	132
285153	132
285160	132
285184	147
285191	147
285207	290
285214	296
285238	308
285320	399
285337	511
285344	511
285351	658
285368	658
285375	658
285382	658
285399	658
285405	658
285412	722
285429	722
285450	817
285467	817
285474	817
285481	817
285498	817
285504	817
285511	817
285528	817
285535	817
285566	954
285580	956
285597	956
285603	956
285610	956
285627	956
285634	956
285641	956
285658	956
285665	956
285672	956
285689	956
285696	956
285702	956
285719	956
285726	956
285887	960
285894	960
285900	960
285917	960
285924	960
285993	554
286006	554
286051	554
286068	554
286075	554
286082	554
286099	554
286105	554
286112	554
286129	554
286167	554
286204	554
286211	554
286228	554
286259	554
286266	554
286297	554
286303	554
286310	554
286327	554
286334	554
286341	554
286358	554
286365	554
286372	554
286389	554
286396	554
286402	554
286419	554
286426	554
286433	554
286440	554
286495	554
286501	554
286518	554
286525	554
286532	554
286549	554
286594	666
286600	666
286662	520
286679	520
286686	520
286716	870
286723	870
286730	870
286747	870
287072	366
287300	411
287317	411
287560	356
287577	356
287584	356
287591	362
287607	362
287614	362
287621	362
287638	362
287645	362
287652	396
287669	396
287676	396
287683	823
287690	823
287706	823
287713	823
287720	823
287737	823
287768	388
287775	388
287782	388
287843	708
287850	708
287867	708
287874	708
287881	708
287898	708
287904	708
287911	708
287928	708
287935	708
287959	632
287966	632
288208	952
288215	952
288239	954
288260	332
288277	332
288383	953
288390	130
288406	130
288420	130
288437	130
288444	130
288451	130
288475	130
288543	954
289151	450
289168	450
289212	944
289229	944
289298	554
289304	554
289489	325
289496	325
289786	158
289861	158
289878	158
289908	158
289915	158
289939	158
290614	554
290959	491
290966	491
291093	455
291109	455
291345	77
291376	77
291406	77
291789	410
291796	410
292205	244
292236	244
292250	244
292403	421
292410	421
292441	470
292458	470
292465	470
292472	470
292830	292
292847	292
292922	554
292939	632
292953	632
293004	430
293172	889
293189	894
293196	894
293202	894
293646	428
293653	333
293660	333
293769	260
293776	260
293783	260
293790	260
294001	889
294025	889
294049	889
294766	415
294803	415
294810	316
294827	316
295213	498
295473	510
295497	510
295503	510
295510	454
295534	454
295541	454
296302	554
296333	672
296340	672
296357	672
296364	672
296678	512
296685	512
296746	108
296753	108
296869	953
296876	953
297101	291
297149	291
297743	286
297767	155
297781	155
298597	880
298610	880
299402	302
299419	302
299617	500
299624	500
300504	554
300528	554
300535	554
300658	873
300764	554
301051	502
301068	502
301075	502
301594	956
301624	960
301631	960
301648	960
301655	960
301662	960
301679	960
301686	960
301693	960
301709	960
301716	960
302225	395
302232	395
302256	636
302263	636
302270	636
302287	636
302294	636
302348	554
302355	554
302362	554
302379	554
302539	658
302546	658
302553	658
302560	658
302577	658
302584	658
302591	658
302607	658
302614	658
302621	658
302744	658
302751	658
302768	658
302942	666
302959	666
302966	666
302973	666
302980	666
302997	666
303000	666
303017	666
303062	960
303079	960
303086	960
303093	960
303314	306
303321	306
303390	956
303406	956
303499	554
303505	554
303512	554
303529	554
303574	554
303598	554
303604	554
303611	554
303628	554
303635	554
303642	554
303659	554
303666	554
303673	554
303680	554
303697	554
303703	554
303710	554
303727	554
303741	554
303789	554
303796	554
303802	554
303819	554
303826	554
303833	554
303895	60
304038	956
304045	956
304113	430

304120 526
304137 329
304144 102
304151 469
304168 518
304366 70
304373 70
304380 70
304397 70
304403 70
304410 70
304427 70
304434 70
304441 70
304458 70
304465 70
304472 70
304489 350
304496 350
304502 350
304519 238
304526 238
304533 238
304540 64
304557 64
304564 64
304571 64
304588 64
304595 64
304601 430
304618 430
304625 192
304632 192
304649 518
304694 60
304700 60
304717 60
304724 60
304731 60
304748 60
304915 506
304922 506
305431 952
305486 952
305608 554
305615 554
305622 946
305639 946
305813 778
305837 778
305844 738
305851 738
306421 960
306452 512
306469 512
306537 112
306544 112
306551 112
306575 244
306582 244
306599 244
306605 244
306612 244
306629 244
306636 244
306643 244
306650 244
306667 244
306674 244
306681 244
306698 244
306780 894
306797 894
306803 894
306810 410
306827 410
306834 889
306841 889
306858 889
306872 889
306940 428
306957 333
306964 333
306988 492
306995 107
307008 107
307015 362
307022 362
307039 362
307046 362
307053 362
307060 362
307077 956
307084 956
307091 956
307107 956
307114 956
307121 956
307138 956
307145 640
307152 640
307169 823
307176 823
307206 260
307213 260
307244 244
307404 130
307411 130
307428 130
307510 554
307527 554
307534 554
307541 554
307558 554
307565 554
307572 554
307589 554
307596 554
307602 554
307619 954
307626 954
307695 60
307701 60
307756 738
307855 953
307862 953
307879 952
307886 952
308227 894
308234 894
309262 322
309279 322
309286 322
309798 181
309804 181
309811 181
310138 390
310145 390
310152 390
310589 129
310596 129
310602 129
310664 426
310671 330
310688 330
310787 382
310800 158
310817 465
310886 308
310893 308
311265 956
311272 956
311319 426
311340 326
311357 326
311364 326
311661 864
311678 864
311685 864
311708 864
311715 866
311760 390
311777 390
311784 390
312323 262
312330 262
312347 262
312354 262
312361 262
312378 262
313191 722
313252 330
313283 330
313290 330
313313 496
313320 466
313412 840
313429 840
313436 840
313443 840
313450 840
313467 836
313474 836
313481 836
313498 836
313504 836
313511 834
313528 834
313535 834
313542 834
313559 834
313566 834
313771 117
313788 117
314099 414
314105 414
314129 414
314136 414
314143 180
314167 180
314174 180
314198 490
314204 459
314716 318
314723 318
314921 68
314938 68
314945 141
314952 141
314969 141
315805 339
315812 339
316048 890
316055 890
316307 554
316680 332
316697 332
316789 362
316871 859
316895 859
316901 859
317007 332
317090 386
317106 386
317113 287
317151 464
317168 464
317243 112
317250 112
317267 117
317274 117
317281 117
317489 308
317496 308
317502 308
317564 844
317571 844
317793 108
317809 421
317816 492
317823 470
317908 260
317953 554
317960 554
317977 554
317984 554
317991 554
318103 806
318110 806
318127 806
318134 806
318141 806
318196 839
318202 839
318219 839
318226 839
318233 924
318264 256
318325 472
318691 884
318707 884
318820 877
318837 800
319568 302
319575 302
319582 302
319650 722
319667 722
319674 722
319681 722
319797 302
319803 302
320373 264
320434 554
320441 554
320458 554
320465 554
320472 554
320489 554
320496 554
320502 554
320519 554
320526 554
320533 554
320540 554
320557 554
320564 554
320571 554
320588 554
320595 554
320601 554
320618 554
320625 554
320717 554
320724 554
320731 554
320748 554
321042 94
321172 104
321189 835
321196 835
321202 835
321462 136
321479 136
321509 415
321516 316
321523 316
321530 415
321547 356
321554 356
321561 356
321615 260
321622 925
321639 906
321646 844
321653 554
321660 270
321684 270
321691 844
321707 270
321714 554
321738 270
321745 270
321752 270
321769 270
321776 270
321783 82
321806 554
321813 82
321844 554
321851 906
321868 906
321882 906
321905 906
321929 906
321950 906
321967 554
321981 906
321998 554
322056 554
322070 554
322087 666
322094 666
322100 666
322124 666
322193 827
322209 827
322216 884
322230 884
322261 904
322278 904
322322 658
322339 658
322346 658
322353 884
322360 658
322377 658
322384 884
322391 658
322421 891
322438 884
322452 884
322476 554
322483 884
322490 554
322506 884
322513 554
322537 884
322544 884
322551 884
322568 884
322575 884
322582 884
322599 884
322612 884
322629 824
322636 824
322643 824
322650 824
322667 332
322674 332
322681 824
322698 332
322704 824

Code index

SKU	Pag
322711	302
322728	850
322735	850
322742	421
322759	470
322766	108
322773	108
322780	108
322797	108
322803	136
322810	554
322841	554
322858	554
322889	738
322919	738
322971	738
323008	738
323237	872
323244	872
323251	872
323527	700
323534	700
323541	700
323558	700
323589	700
323596	554
323602	700
323619	700
323633	700
323640	700
323657	700
323671	700
323688	700
323718	700
323725	700
323732	700
323763	700
323770	700
323794	700
323800	700
323817	700
323831	700
323961	700
323985	700
324005	700
324807	700
324814	700
324821	700
324838	700
324845	700
324852	700
324869	700
324876	700
324883	700
324890	700
324906	700
324913	700
324920	700
324937	700
325019	916
325132	940
325156	940
325163	940
325750	554
325767	554
325804	69
325828	69
325835	69
325934	632
325941	632
325958	632
325965	632
325972	632
325989	632
326214	855
326221	855
326238	803
326245	803
326290	954
326351	112
326368	112
326610	944
326658	508
326665	508
326672	508
326689	882
326696	882
326726	882
326733	882
326788	856
326795	804
326801	804
326863	823
326870	823
326887	806
326894	806
326917	890
326924	890
326955	845
326962	826
326979	846
327037	954
327044	954
327051	954
327068	954
327075	954
327242	896
327259	896
327266	896
327402	158
327419	158
327426	158
327433	158
327440	158
327457	158
327471	738
327488	738
327495	738
327501	778
327518	778
327525	554
327532	554
327549	554
327556	554
327563	256
327570	256
327600	256
327686	256
327693	256
327716	428
327754	722
327778	390
327785	390
327792	390
327808	322
327815	322
327822	322
327853	329
327860	329
327877	469
327884	155
327891	286
327907	461
327914	461
327921	414
327938	414
327945	390
328010	276
328027	276
328034	276
328041	276
328058	276
328065	276
328072	276
328089	276
328096	276
328102	117
328119	117
328126	117
328133	117
328140	262
328157	262
328164	507
328171	507
328188	318
328195	318
328201	326
328218	326
328225	326
328232	330
328249	330
328256	330
328263	330
328270	330
328287	330
328294	466
328300	466
328317	496
328324	496
328331	129
328348	129
328355	129
328379	322
328386	322
328393	322
328409	322
328416	322
328423	322
328430	330
328447	330
328454	330
328461	330
328478	426
328485	327
328492	339
328508	864
328515	864
328522	834
328539	834
328546	834
328553	834
328560	834
328577	834
328584	836
328591	836
328607	836
328614	866
328621	859
328638	859
328645	859
328652	840
328669	840
328676	840
328683	956
328690	956
328706	956
328713	956
328720	956
328737	956
328744	956
328751	956
328768	956
328775	956
328782	956
328799	308
328812	308
328829	908
328836	908
328942	276
328959	276
328966	276
328973	276
328980	276
329260	276
329444	594
329451	594
329468	594
329475	594
329505	594
329512	594
329529	594
329536	594
329574	594
329581	594
329598	594
329604	594
329635	594
329642	594
329666	594
329673	594
329703	594
329710	594
330358	594
330365	594
330730	554
330754	554
331225	788
331256	734
331263	734
331355	920
331386	920
331690	395
332062	554
332079	554
332086	554
332093	554
332109	554
332116	554
332239	632
332246	632
332406	275
332413	275
332420	275
332451	554
332475	534
332482	534
332499	534
332512	534
332529	534
332536	534
332581	534
332628	534
332635	534
332659	534
332703	534
332710	534
332734	534
332758	534
332765	534
332789	534
332802	534
332819	534
332833	534
332840	534
332864	534
332871	534
332895	534
332901	534
332925	534
332932	534
332949	534
333007	289
333014	289
333045	145
335261	946
335865	842
335896	842
335919	842
335926	842
335933	842
335957	842
336008	308
336176	616
336183	616
336190	616
336206	616
336220	512
336510	362
336534	426
336626	678
336664	426
336671	426
336770	408
336787	408
336794	408
336800	408
336817	408
337104	554
337135	946
337142	722
337371	688
337388	688
337395	688
337401	688
337418	688
337425	688
337524	676
337531	916
337548	816
337579	666
338767	149
338774	149
339047	176
339054	176
339061	176
339139	68
339146	68
339252	192
339269	192
339283	192
339290	192
339313	192
339337	192
339368	534
339375	534
339382	534
339399	534
339405	534
339412	534
339429	534
339627	886
339634	886
339696	112
339702	112
339726	82
339733	82
339740	82
339771	954
339788	640
339795	640
339863	554
340043	554
340067	554
340081	554
340104	554
340180	554
340197	554
340241	554
340265	554
340364	554
340388	554
340401	554

340425 554
340562 554
340586 554
340609 554
340623 554
340647 554
340791 666
340807 666
340814 666
340821 666
340838 658
340845 658
340876 658
340883 658
340937 658
340944 658
340999 390
341002 390
341019 390
341026 390
341033 96
341040 96
341095 82
341101 82
341118 502
341125 502
341132 502
341149 244
341156 244
341163 244
341170 244
341187 244
341194 244
341200 244
341217 244
341224 244
341231 244
341248 244
341255 244
341309 242
341316 242
341323 242
341354 722
341361 722
341415 722
341422 722
341439 276
341446 276
341453 276
341460 276
341477 276
341484 276
341491 276
341507 276
341514 276
341521 60
341538 60
341545 60
341552 60
341569 60
341576 60
341583 60
341590 60
341606 60
341613 60
341620 60
341637 60
341781 302
341798 302
341880 234
341897 234
341903 234
341910 234
341927 234
341934 234
341941 234
341958 234
341965 234
341972 234
341989 234
341996 234
342009 70
342016 70
342023 70
342030 70
342047 70
342054 70
342061 70
342078 70
342108 70
342115 70
342122 70
342139 70
342160 70
342177 70
342184 70
342191 70
342221 350
342238 350
342245 350
342252 350
342269 350
342276 350
342283 238
342290 238
342306 238
342313 238
342320 238
342337 238
342344 64
342351 64
342368 64
342375 64
342382 64
342399 64
342405 64
342412 64
342429 64
342436 64
342443 64
342450 64
342467 448
342474 448
342481 448
342498 448
342504 448
342511 448
342641 366
342658 366
342665 366
342689 806
342696 806
342702 806
342719 806
342726 806
342740 666
342757 554
342788 302
342795 302
342801 688
342818 688
342825 688
342832 688
342849 688
342856 688
342863 946
342870 946
342887 952
342894 954
342900 953
342993 104
343310 82
343402 68
343457 105
343464 105
343471 105
343488 460
343501 594
343518 594
343525 594
343532 594
344171 956
344188 956
344195 956
344201 956
344218 956
344225 956
344232 956
344249 956
344256 956
344287 956
344294 956
344300 956
344317 956
344324 956
344331 956
344348 956
344355 956
344591 155
344751 554
344768 554
344775 486
344782 554
344799 554
344805 738
344812 738
344829 738
344836 738
344843 734
344850 734
344867 734
344874 734
344881 636
344898 636
344904 636
344911 636
344928 636
344935 636
344942 678
344966 688
344973 688
344980 594
344997 594
345000 594
345017 594
345024 594
345031 594
345048 594
345055 594
345062 594
345079 594
345086 594
345093 594
345130 395
345147 395
345154 362
345161 362
345178 362
345185 362
345192 362
345208 362
345215 58
345222 58
345239 58
345246 58
345253 58
345260 58
345277 58
345284 58
345291 58
345307 512
345314 508
345321 423
345338 423
345345 112
345352 112
345369 112
345376 112
345383 112
345390 112
345406 112
345413 112
345420 112
345437 112
345468 308
345475 308
345482 408
345499 408
345505 408
345512 94
345611 839
345628 924
345635 924
345642 924
345659 924
345666 920
345673 916
345765 632
345772 632
345789 632
345796 632
345840 946
345857 946
345864 946
345918 192
345925 192
345932 192
345970 192
345987 192
345994 192
346007 192
346014 192
346038 192
346045 192
346052 192
346069 192
346083 192
346090 192
346113 192
346120 192
346137 192
346144 192
346151 192
346168 192
346175 192
346182 192
346205 192
346212 640
346229 640
346236 640
346243 640
346250 640
346267 640
346274 640
346281 640
346298 640
346304 640
346328 632
346335 632
346342 632
346359 632
346366 632
346373 632
346380 632
346397 632
346403 632
346410 632
346427 632
346434 632
346441 632
346458 632
346465 632
346472 632
346489 632
346496 632
346502 632
346519 632
346526 472
346533 428
346656 896
346663 896
346670 896
346687 896
346694 896
346700 896
346717 896
346724 896
346731 896
346762 640
346779 640
346847 192
346854 82
346892 868
346908 868
346915 868
346939 868
347462 404
347479 404
347486 404
347493 404
347639 412
347646 412
347653 412
347738 835
347745 866
347752 866
347769 866
347776 866
347783 866
347790 866
347806 866
347813 866
347820 866
347837 866
347844 866
347851 866
347868 866
347875 874
347882 874
347899 874
347905 874
348193 192
348209 192
348216 192
348223 192
348230 192
348247 192
348254 192
348261 192
348278 264
348285 491
348292 491
348308 658
348315 658
348322 658
348339 874
348346 874
348353 874
348360 874
348377 868
348384 616
348391 616
348407 616
348414 616

Code index

SKU	Pag
348674	158
348681	158
348698	158
349060	722
349077	722
349084	722
349121	658
349138	658
349145	658
349190	156
349206	156
349213	156
349220	156
349237	156
349596	920
350233	402
350240	402
350264	402
350523	361
350554	361
350752	361
351278	932
351285	932
351346	554
351513	938
351537	938
351544	938
351551	938
351568	938
351575	938
351582	938
351629	82
351636	82
351643	82
351650	82
351773	262
351780	936
351797	936
352008	422
352046	106
352053	106
352114	82
352121	82
352152	509
352237	82
352244	82
352251	82
352268	82
352312	384
352329	384
352336	384
352411	64
352428	238
352435	64
352442	238
352459	238
352572	178
352589	178
352619	178
352640	178
352657	178
352664	95
352671	95
352688	95
352848	462
352961	372
353203	466
353210	496
353258	466
353265	496
353302	466
353319	296
353326	296
353333	372
353340	372
353357	372
353364	372
353616	182
353623	138
353630	138
353647	138
353821	296
353838	296
353845	296
353852	296
353869	94
353883	94
353890	94
353937	372
353944	372
354149	452
354163	371
354217	80
354545	360
354552	360
354637	381
354644	381
354651	381
354668	504
355702	742
355740	296
355757	296
355764	296
355771	296
355849	764
355856	764
355863	764
355870	764
355887	764
355894	764
355900	764
355931	764
355948	764
355979	764
355986	764
356105	742
356112	742
356129	742
356136	742
356143	742
356532	954
356679	366
356686	366
356693	366
357096	362
357119	362
357126	362
359465	182
359526	182
359540	182
359571	182
359588	182
359618	182
359632	182
359663	182
359670	182
359694	182
359724	182
359748	182
359779	182
359793	182
359816	182
359861	182
359885	182
359915	182
359939	182
359960	182
359984	182
360003	182
360027	182
360034	182
360041	182
360058	182
360065	182
360072	182
360089	182
361192	82
361307	788
361918	366
361925	366
361932	366
361949	366
362496	82
362502	371
362533	452
362540	452
362557	452
362564	452
362861	499
363370	108
363387	108
363721	894
363974	774
363981	774
363998	774
364001	774
364018	774
364025	774
364063	594
364070	594
364087	594
364094	594
364100	594
364117	594
364124	594
364131	594
364148	594
364155	594
364162	594
364339	770
364353	770
364360	770
364384	770
364407	770
364421	770
364438	770
364452	770
364520	366
364667	762
364674	762
364698	674
364704	674
364766	762
364810	402
364827	112
364834	112
364841	884
364858	956
364865	956
364872	956
364889	956
364896	64
364902	956
364919	956
364926	64
364933	956
364940	956
364957	64
364964	68
364971	64
364988	68
364995	238
365008	68
365015	68
365022	238
365039	238
365046	238
365053	238
365060	238
365077	422
365084	422
365091	106
365107	106
365114	106
365121	106
365350	886
365367	886
365374	886
365381	886
365398	886
365404	886
365411	886
365428	886
365671	886
365749	880
365756	880
366050	898
366074	452
366081	452
366098	452
366104	452
366111	504
366128	504
366135	504
366142	504
366159	504
366166	504
366203	504
366210	504
366227	504
366234	504
366241	504
366258	371
366265	371
366326	371
366333	371
366357	371
366364	371
366371	371
366388	80
366401	80
366418	80
366425	80
366432	80
366449	80
366456	80
366463	80
366470	80
366487	80
366494	80
366500	462
366517	462
366524	462
366531	385
366548	385
366555	385
366562	385
366579	288
366586	288
366593	288
366609	288
366616	499
366623	142
366630	142
366647	142
366654	142
366661	142
366678	142
366685	142
366692	142
366739	362
366746	362
366753	362
366760	362
366777	362
366791	840
366807	840
366814	840
366821	840
366838	840
366845	840
366852	840
366869	840
366876	840
366883	840
366890	840
366906	840
366944	158
366968	82
366975	82
366982	82
366999	82
367019	616
367064	96
367149	451
367156	451
367163	502
367170	502
367286	778
367309	778
367316	778
367323	778
367330	778
367347	778
367354	306
367361	306
367378	412
367385	412
367392	412
367408	310
367415	310
367422	310
367439	310
367446	310
367453	100
367460	100
367552	296
367576	359
367590	616
367606	616
367965	158
368238	158
368245	158
368252	158
368269	158
368276	158
368641	488
368658	488
368665	488
368672	488
368733	158
368740	742
368757	158
368764	742
368771	616
368788	158
368795	616
368801	158
368818	616
368825	158
368832	616
368849	616
368856	158
368863	616
368870	158
368887	359
368894	359
368900	158
368917	359
368924	158
368931	616
368948	158

368955	616	369686	158	370354	372	371030	82	371689	390	372730	594
368962	158	369709	158	370361	234	371047	940	371696	82	373041	158
368979	616	369716	362	370378	534	371054	82	371702	82	373058	158
368986	616	369730	158	370392	372	371061	940	371719	390	373065	158
368993	158	369747	778	370408	70	371078	82	371726	390	373515	628
369006	616	369754	158	370415	70	371085	940	371733	158	373522	628
369013	158	369761	898	370422	509	371108	82	371740	502	374291	594
369020	616	369778	362	370439	372	371115	82	371757	158	374307	594
369037	158	369785	158	370446	70	371122	82	371764	158	375236	680
369044	616	369792	898	370453	594	371139	82	371771	502	375243	680
369068	158	369808	158	370460	372	371146	82	371788	158	375250	680
369099	158	369815	898	370477	509	371153	82	371795	96	375267	680
369112	628	369822	362	370484	70	371160	412	371801	158	375274	680
369129	628	369839	158	370491	594	371177	82	371818	158	375281	680
369136	628	369846	898	370514	70	371184	82	371825	96	375298	680
369143	158	369853	158	370538	70	371191	412	371832	158	375304	680
369150	628	369860	886	370545	594	371207	296	371849	158	375311	680
369167	360	369877	306	370552	372	371214	412	371856	96	375328	680
369174	158	369884	886	370569	70	371221	412	371863	158	375335	680
369204	158	369891	886	370583	108	371238	412	371870	451	375342	680
369228	158	369907	534	370590	372	371245	412	371887	158	375359	680
369242	158	369914	886	370606	262	371252	310	371894	158	375366	680
369266	158	369921	594	370613	956	371269	310	371900	451	375373	680
369273	842	369938	534	370620	372	371276	310	371917	158	375380	680
369280	158	369945	306	370637	262	371283	310	371924	658	375397	680
369297	158	369952	594	370644	956	371290	310	371931	158	375403	680
369303	158	369969	594	370651	372	371306	310	371948	158	375410	680
369310	158	369976	534	370668	262	371313	310	371955	158	375427	680
369327	496	369983	594	370675	956	371320	310	371962	158	375434	680
369334	158	369990	372	370682	956	371337	310	371979	158	375441	680
369341	158	370002	110	370699	372	371344	310	371986	158	375458	680
369358	158	370019	534	370705	956	371351	310	371993	158	375465	680
369365	158	370026	764	370712	372	371368	310	372006	158	376820	788
369372	842	370033	372	370729	956	371375	310	372013	158	376837	788
369389	158	370040	770	370736	762	371382	100	372020	158		
369396	842	370057	534	370743	956	371399	100	372037	276		
369402	158	370064	764	370750	372	371405	296	372044	276		
369419	842	370071	372	370767	956	371412	100	372051	276		
369426	158	370088	742	370774	372	371429	100	372068	276		
369433	366	370095	534	370781	956	371436	296	372075	276		
369440	158	370101	770	370798	956	371443	676	372082	276		
369457	366	370118	372	370804	762	371450	676	372099	276		
369464	158	370125	372	370811	296	371467	296	372105	276		
369471	366	370132	770	370828	594	371474	676	372112	276		
369488	158	370149	534	370835	762	371481	296	372129	60		
369495	366	370156	742	370842	296	371498	676	372136	60		
369501	362	370163	372	370859	594	371504	296	372143	60		
369518	778	370170	534	370866	762	371511	296	372150	60		
369525	158	370187	770	370873	296	371528	676	372167	60		
369532	366	370194	372	370880	762	371535	296	372174	60		
369549	158	370200	616	370897	296	371542	82	372181	60		
369556	366	370217	234	370903	674	371559	82	372198	60		
369563	362	370224	534	370910	82	371566	82	372204	60		
369570	366	370231	372	370927	674	371573	82	372211	60		
369587	158	370248	234	370934	82	371580	82	372228	60		
369594	884	370255	372	370941	850	371597	82	372235	60		
369600	158	370262	534	370958	82	371603	82	372242	894		
369617	362	370279	234	370965	850	371610	82	372259	894		
369624	884	370286	616	370972	850	371627	82	372266	894		
369631	158	370293	372	370989	940	371634	82	372273	894		
369648	884	370309	534	370996	940	371641	82	372280	894		
369655	158	370316	234	371009	940	371658	82	372297	894		
369662	884	370330	234	371016	940	371665	390	372686	158		
369679	362	370347	534	371023	82	371672	82	372693	158		

List of finishes

Clear

White

Opal


Iridescent


Fade Chrome


Steel


Silver



Chrome


Concrete


Aluminum


Grey



Bronze


Nickel


Smoky Grey


Shaded Smoky Gray


Granite


Lead


Anthracite


Black

Ivory

Amber

Shaded Amber


Alabaster


Beige



Canvas



Wood


Dove Grey



Rope


Gold


Brass


Copper


Coffee


Antique Brass


Rust

Notes

The finishes represented are for illustrative purpose only. The tones are subjected to variations due to the material type used and to its manufacturing which can modify the output, as a consequence the items classified under the same finish can present some differences concerning color perception.

Technical icons

Class I Elctrical safety guaranteed by main insulation and additional protective conductor (earthing) connected with metal lamp frame. Earthing is obligatory.

Class II Elctrical safety guaranteed by main insulation and double or reinforced insulation. Earthing not necessary.

Class III Electrical safety guaranted by very low power supply (less than 50 Volt). Earthing excluded.

Item not appropriate for direct or recessed installation on normally flammable surfaces.

Mark of conformity to European Community Safety regulations.

Symbols

Bulb included.

LED Items with LED lights: very low consumption, highly bright and focused light, strength and durability.

ON OFF Integrated switch button.

Lamp with touch switch: switching on and dimmering by touching the base with a finger.

Luminaire with dimmer.

USB Lamp with integrated USB socket.

Up-light included.

DIY Modular product

PRO High-tech product with high quality materials, intended for professional use.

UGR Product with UGR.

Item suitable for painting and varnishing.

IP ... Protection degree.

S316 Item made of stainless steel 316.

Lamp with presence detector included PIR (Passive InfraRed).

Lamp with rechargeable battery included

Notes

-The indicated prices are public prices VAT excluded.

-Ideal lux s.r.l. reserves the right to make, at any time and without notice, all the changes necessary to improve the quality of the items included in this catalogue. For the most updated features, please check the documentation available on our website (www.ideal-lux.com).
-Our products with Class I and II work with nominal Voltage of 220-240 Vac 50/60 Hz. All our products comply with EU legislation.
-Whenever purchased separately as "optional", the DIMMABLE DRIVER will be already included in the product as replacement for the default on-off driver: only one driver will be supplied.
-The Watt indicated in the catalogue express the NOMINAL power of the lighting fitting including source and driver, when present. The Lumen measures referred to the lighting fittings with integrated LED source are nominal, namely referred to the source. We kindly invite you to check photometry files for the actual Lumen of the single lighting fittings. For further information and updates.
-The UGR rate is not a characteristic of the fitting itself, but of the installation. The UGR values reported in this catalogue are calculated taking into consideration an ideal installation and are regrouped into blocks <10 <13 <16 <19 <22. It is recommended to calculate the specific UGR according to your installation.
-The useful life of the LED sources of all the products in the catalogue refers, when it is not differently declared, to the L70B50 value.

Ideal Lux s.r.l.

Headquarter
Via Taglio Destro, 32
30035 Mirano — Venezia
P.I. / C.F. 02420040277
8.00 - 12.00 / 13.30 - 17.30

Warehouse
Via delle Industrie, 8/D
30036 Santa Maria di Sala — Venezia
8.00 - 12.00 / 13.00 - 17.00

E info@ideal-lux.com
T +39 041 5790500
F +39 041 8872349

ideal.lux
Ideal Lux

www.ideal-lux.com

Community Design Pending Nr. 001996372 002943449 003734342 004558609 006083655
Copyright 2026 © IDEAL LUX S.r.l. – All rights reserved – Tutti i diritti sono riservati

IUX

LED Zona®
ОСВЕТИТЕЛНИ РЕШЕНИЯ

Харесахте ли нещо от каталога?

Разгледайте и поръчайте продукти на Ideal Lux онлайн
на led-zona.bg – с актуални цени и наличности.

Продуктите на Ideal Lux

Сканирайте или кликнете

Разгледайте продуктите →

Каталози на Ideal Lux

Сканирайте или кликнете

Още каталози →

www.led-zona.bg

T: 0888 065 970 | E: sales@led-zona.bg

Сфера Лайт ООД · гр. София, ж.к. Банишора, ул. Опълченска, бл. 54 (до 7-ма поликлиника)