Kanlux

Catalogue
projects

more than
light.



more than light.

more than light.



350 experts you can rely on

99% reliable products

98% shipments with in 24 hours nationwide

and so for **36 years**



Professional

products for every project.

MADE IN EU

5 WARRANTY 5 years

BRANDED components

DALI system









Kanlux LAB

The **reliability** of our products and your **safety** is our priority. This is why we established the **Kanlux research laboratory.** We thoroughly test all our products and diligently examine their parameters. You can be sure that you are getting a **product that will meet your expectations.** In addition, we will provide you with our support from the start of your project, through the entire purchasing path, to the after-sale service.


Kanlux
FACTORY





Own production line in Poland - our asset that works to your advantage. We can adjust the product to your project on an ongoing basis and manufacture it locally. The **Kanlux Factory** allows us to quickly provide you with custom products. Our machinery and in-house powder coating plant are a **guarantee of product repeatability** - whether you need 100 or 1,000 luminaires.





ALIN


KANLUX ALIN was designed with the aim of being the perfect luminaire. It was created by Kanlux designers who combined innovation with over 30 years of experience. KANLUX ALIN is a luminaire that is developed in Poland, at the heart of our company, from the idea to the execution. We can therefore customise it to your specifications. It is designed and manufactured by us, so we can tailor it to the individual requirements of each client and each project. Confident in the reliability of KANLUX ALIN luminaires, we give you a 5-year warranty.

FUTURIO

KANLUX FUTURIO LED is a series of LED hermetic luminaires. FUTURIO is a step into the future that meets the highest expectations. The highest quality combined with impressive performance and state-of-the-art optics is created for you in Poland, at the Kanlux factory.

FUTURIO LED is great to work with. Easy and quick access to the luminaire's essential connection elements allows it to be mounted in under three minutes.







OFIS

Kanlux **OFIS LED** is a perfect combination of effective lighting and modern design. The use of branded components and on-site production at the Polish Kanlux factory enable us to fully tailor these luminaires to the needs of the client and the specific project in terms of the expected parameters and functionality. The cleverly-designed solutions make mounting easier and faster, with the added advantage of exceptionally low housing that enables low-rise installation.



DISTRIBUTION BOARDS

of KP-DB Ideal TS series by Kanlux

KP-DB metal housings with DIN rails for the installation of modular equipment are manufactured at the Kanlux factory in Poland. They are designed for public and office buildings. Their range allows 24 to 144 modules to be mounted, thereby also enabling you to carry out installations in areas such as extensive residential installations.

Professional
luminaires for every project



Surface-mounted LED office fixture

Kanlux OFIS

The Kanlux OFIS LED office luminaire is a solution that works well in workplaces where aesthetics and proven solutions matter. An additional advantage is low unified glare rating (UGR).




RAIL-MOUNTED LUMINAIRES

Kanlux ACORD + TEAR

Rail systems allow luminaires to be added, removed or moved in order to adapt to the changing shop display. Well-chosen light will allow you to highlight colours (CRI>90), making the illuminated objects appear more attractive.





LINEAR LUMINAIRES

Kanlux ALIN LED

Luminaires made of aluminium are elegant solutions that add prestige to the rooms where they are used. At the same time, a very wide range and variety of different versions of linear luminaires make it possible to select the perfect lighting of the highest quality.



DOWNLIGHT

Kanlux MATEO

A series of luminaires with two-axis adjustment. Recommended for illuminating the interior of spaces where it is particularly important to highlight horizontal and vertical planes.

Professional
luminaires for every project



TRI-PROOF LUMINAIRES

Kanlux TP STRONG LED

Kanlux TP STRONG luminaires will help to illuminate rooms with high humidity and dust concentration, such as industrial halls, warehouses, workshops or garages.



PROFESSIONAL FLOODLIGHTS

Kanlux FL AGOR LED

The main advantage of floodlights is the many different ways of installation, both on the facade and the ceiling, and the possibility to direct the light beam in the chosen direction. Kanlux offers a wide range of different models, including versions with asymmetrical light distribution.







HIGH BAY

Kanlux HB PRO LED HI

Kanlux HB PRO series luminaires ensure easy connection and installation. High-performance LED modules ensure high energy efficiency and a large amount of light necessary in warehouses and production halls.



HERMETIC LUMINAIRES

Kanlux FUTURIO LED

Kanlux FUTURIO series includes luminaires for special applications. Perfect for work in harsh working conditions (IP65) and tall rooms where a very high luminous flux of up to 10,000 lm is needed.

Professional
luminaires for every project



Surface-mounted LED office fixture

Kanlux OFIS

The Kanlux OFIS LED office luminaire is a solution that works well in workplaces where aesthetics and proven solutions matter. An additional advantage is low unified glare rating (UGR).



PANELS

Kanlux BLINGO LED


We offer a very wide selection of surface-mounted and flush-mounted office luminaires. We guarantee the highest quality of light and control system (DALI). We will be happy to help you choose the perfect product that will meet your requirements.



RAIL-MOUNTED LUMINAIRES

Kanlux TEAR + ATL/BTL luminaires

The main advantage of the rail-mounted systems is the combination of modern design and enormous flexibility of arrangement. The elegant and simple design of the luminaires and the possibility of creating any shape with the rails make it a perfect solution for office spaces.







LINEAR LUMINAIRES

Kanlux ALIN LED

This luminaire type can generate a long, continuous line of light, even several metres long. The absence of visible gaps and the ability to select the colour of both the luminaire and the light make it a perfect solution to increase the prestige of the project where they will be installed.



DOWNLIGHT

Kanlux HIMA LED

Integrated lighting ensures high luminous efficiency and even light distribution. The luminaires are ideal for illuminating internal building passageways or rooms with high humidity (IP65/20).

Professional
luminaires for every project



ELECTRICAL SWITCHGEARS AND BOARDS

IDEAL TS by Kanlux

Our brand of modular devices includes primarily switchgears IDEALly tailored to your needs as well as full accompanying equipment.

CEILING LIGHT FITTINGS FOR YOUR PROJECT


Kanlux DABA PRO





Kanlux TYBIA

Ceiling-mounted LED luminaires and products with replaceable light source are universal lighting solutions. Our ceiling-mounted luminaires have outstanding performance characteristics, precise finishing and perfect design. We will be happy to help you choose the perfect product that will meet your requirements.



FACADE LUMINAIRES

Kanlux REKA

Our facade luminaires will help you illuminate your terrace, balcony or building facade. You can freely choose between different shapes and lighting effects.

PARKING LIGHTING

Kanlux STRETON

Outdoor car park lighting is particularly important in autumn and winter. Choose car park lighting from Kanlux which is characterised by high luminous flux and resistance to weather conditions.

Professional
luminaires for every project



RAIL-MOUNTED LUMINAIRES

Kanlux TEAR + ATL/BTL luminaires


Rail-mounted luminaires are indispensable elements of shops - such luminaires can be moved freely and used to highlight selected areas and products.



FLOODLIGHTS PROFESSIONAL

Kanlux FL AGOR LED

Floodlights can help you illuminate small or large areas - depending on the power and luminous flux you choose. Those designed for outdoor use are characterised by high durability and weather resistance.





LINEAR LUMINAIRES

Kanlux ALIN LED

With in-house manufacturing, we can tailor linear luminaires to your project and its needs. We can change its length, adjust its parameters, equip it with the DALI control system and much more.



PARKING LIGHTING

Kanlux STRETON

Good and even lighting in an above-ground car park is essential. Thanks to these luminaires, our clients will feel safe and comfortable.

Professional
luminaires for every project



HERMETIC LUMINAIRES

Kanlux MAH HI; Kanlux FUTURIO




TRI-PROOF LUMINAIRES

Kanlux TP STRONG



TRI-PROOF LUMINAIRES

Kanlux TP SLIM



Good lighting in an underground car park is essential. Our LED luminaires guarantee low operating costs and reliable operation despite harsh working conditions.





EMERGENCY LUMINAIRES

ONTEC

Emergency luminaires are not only useful, but also obligatory. We offer you a whole range of emergency and anti-panic luminaires.



ELECTRICAL ACCESSORIES

MOWION by Kanlux seria TEKNO


TEKNO by the MOWION by Kanlux brand is a series of accessories used on external walls and facades. It stands out due to its tightness and safety.

EXTERNAL CEILING LIGHT FITTINGS

Kanlux BENO

Kanlux BENO luminaires are characterised by unique design and special lighting effect. They have been created by Kanlux designers - their designs have been registered with the patent office. Kanlux BENO LED is highly resistant to weather conditions, so it can be used both indoors and outdoors. It is also quick and easy to install and has an adjustable motion sensor.








ARCHITECTURAL LUMINAIRES

Kanlux INVO

Architectural luminaires are not just for illuminating the paths and grounds around the house, they can also decorate the landscape. Kanlux INVO are two series of architectural luminaires with replaceable light sources. Outdoor posts and facade luminaires are very effective for distributing light in the garden, but they can also illuminate alleys, paths or walking routes.





FACADE LUMINAIRES

Kanlux REKA

Kanlux REKA LED creates a unique light effect. Thanks to the masking flaps at the bottom and top of the luminaire, you can choose the direction and width of the light yourself. Kanlux REKA shines in two directions - up and down - and the light outputs can be adjusted independently of each other to create, for example, a perfectly thin luminous line at the top and wide light cascading from the lamp to the ground at the bottom. Facade luminaires create a light decoration on the walls of houses or garden structures, and additionally provide security by illuminating dark areas.



GARDEN LUMINAIRES

Kanlux STONO

Garden luminaires are an essential part of the space around the house. Kanlux STONO are stone-imitating light balls that will perfectly blend into rockeries or shrubby surroundings. Each is equipped with a base for embedding the luminaire in the ground.

Professional
luminaires for every project



CEILING SPOTLIGHT LUMINAIRE

Kanlux ELICEO DSO

The new rings are very different from those of 20 years ago. Nowadays, these are truly designer luminaires in various forms. Kanlux ELICEO are decorative rings (fixed downlights) with an unusual lighting effect. In addition to the main light source, they also have two luminous rings in the housing, which gives a unique decorative effect.



PENDANT LAMPS

Kanlux GALOBA C

Pendant lamps are an indispensable part of any home. Kanlux GALOBA C are pendant lamps that can be successfully used to illuminate islands or tables. You can also match wall lamps and spotlights to them. All luminaires from the Kanlux GALOBA series have a detachable lampshade, thanks to which the light sources can be quickly and comfortably replaced. We recommend using Kanlux iQ-LED LIFE sources (IQ LED L GU10).





ELECTRICAL ACCESSORIES

MOWION by Kanlux DOMO

DOMO are details that bring beauty and security into your interior. These are ambitious solutions for residents and installers who believe that quality-based solutions will always prove to be the best - during installation and over decades of use.



X LED LIGHT SOURCES

Kanlux XLED combines the best features of traditional light bulbs and modern LED light sources. That's why we say it's the first real „LED bulb". Glass shaped like a traditional incandescent light bulb and LEDs arranged in such a way that the light spreads in all directions and the beam angle can have up to 320 degrees!

LOGI



MOWION by Kanlux

ELECTRICAL ACCESSORIES

MOWION by Kanlux

MOWION by Kanlux is a brand of electrical accessories. The brand's four series are dedicated to different applications:
LOGI – perfect for public buildings DOMO – elegant series for domestic use TEKNO – hermetic series
BIURO – innovative series for offices.



BIURO





Kanlux **SMART**



KANLUX SMART CONTROLLERS

MOWION by Kanlux DOMO series

SMART HOME devices are popular solutions nowadays. Relay for controlling motors of flush-mounted roller blinds and shutters (fi 60 boxes). It allows you to control roller blinds from the level of the application installed on your mobile device.

IDEAL TS by Kanlux





MODULAR EQUIPMENT

Ideal TS by Kanlux

The brand IDEAL TS by Kanlux is designed for professionals. We offer a comprehensive selection of electrical modular devices that meet all required standards and have been tested in professional testing laboratories.

Find out

how we handle
projects.









30-35 Trzy Fale" Water Park - Słupsk

36-41 ST_Art Piątkowo by Nickel Development

42-47 Public Library in Kórnik - Branch in Bnin

48-53 Don Bosco Library - Salesian Pontifical University in Rome

54-57 Likmere factory in Ukmergė, Lithuania

58-61 FUK - Railway Equipment Plant in Przysieka Polska

62-67 House surroundings - Tarnów

68-71 G1 office building in Gorzów Wielkopolski

72-77 „Koło Brzegu" apartments - Kołobrzeg

78-81 ALIN LED LINE - linear lighting system


NIEPUBLICZNY ZAK
EKI ZDROW
REHABILITACJ


„TRZY FALE” WATER PARK
Słupsk

The „Trzy Fale” Water Park in Słupsk is a unique venue that combines many attractions and zones at one address.

It's not just a swimming pool. It also features an extensive relaxation area, a place to work hard on your figure, and a rehabilitation zone where you can take care of your health.
Design the lighting for this place was a challenge, but also a pleasure, since so many different needs also mean many product possibilities.


We opted for proven solutions that, apart from a sufficient amount of light, guaranteed: reliability, long service life and a visually pleasing effect. Our choice was LED panels, which met with the investor's approval. We primarily used the AVAR and BRAVO panels. LED panels are very popular lighting elements and have largely replaced louvre luminaires due to their durability, energy efficiency and aesthetics. Kanlux AVAR LED is a panel that is characterised not only by modern technology, but also by its frame-like shape that provides strong and impressive light.

see VIDEO



Kanlux BRAVO LED

LED panel



Kanlux AVAR LED

LED panel





STREFA
ZMIANY OBUWIA




INETY
PA






ST_ART PIĄTKOWO
by Nickel Development

This time we will show you a newly constructed 15-storey building in the Piątkowo neighbourhood. It offers an incredible view of the Poznań skyline and right here, in the new residential building, our lights illuminate Noriaki's street art, among other things.


We have perfectly matched a whole range of proven solutions to this project. Our ALIN luminaires are ideal for passageways, i.e. all common spaces: staircases, halls and around lifts. Such places are generally deprived of natural light and this was one of the key aspects when choosing the right lighting.

In this case, we opted for Kanlux ALIN 4LED luminaires with a replaceable T8 LED light source, thanks to which we achieved a fashionable and functional light line. A small art gallery with expressionist works by the Poznań painter Art Gruz is illuminated by integrated luminaires on a track system - Track Light Kanlux ACORD. In the underground car parks, we opted for Kanlux MAH PLUS 4LED hermetic luminaires. Meanwhile, part of the facade and external paths are illuminated by Kanlux ANTEM LED. These floodlights are first and foremost easy to connect, and with the integrated junction box you can also avoid an unsightly cable connection.


LOKATORSKIE
-2A
EWAKUACJA
EWAKUACJA


-2B





Kanlux ALIN 4LED


linear luminaire





Kanlux ALIN LED

linear luminaires



Public Library in Kórnik
Branch in Bnin

The Public Library in Bnin is a branch of the library in Kórnik. The building itself made a huge impression on us. Not only because of its size, but also architectural form. The investor chose Kanlux as the main lighting supplier because we were one of the few companies that meet all the design expectations of the client. At the client's request, we met at the construction site and listened to their needs. The key element was that, as always, we were open and fully committed.

The idea was clear: all lighting must be consistent with the roof structure. In addition, the contractor required a five--year product warranty and the luminaires used for the lighting were to be white and support DALI control.

We quickly responded to the request, presenting a design and total quotation. In the final analysis, our products proved to be the most affordable in terms of value for money. For this project, we used Kanlux ALIN LED. These are luminaires which were designed in our own factory in Radzionków and, thanks to in-house production, we are able to adapt them to almost any project and design. The Dali control system was also very important for the investor who planned that the building would use daylight to minimise operating costs. The luminaires used in this case are customised products.

All luminaires were to be surface-mounted, directly to the cable routes. For this purpose, we prepared a design with an average light intensity of 550 lx and uniformity of 0.48, in the colour 4000K. We designed all the light lines between the planned racks for better illumination of the traffic routes.

The implementation went very smoothly. We owe it to several factors:

- in-house team of lighting designers which, once a design has been prepared and consulted with the client, can respond to changes made to the design on an ongoing basis,


- in-house production, which makes it possible to tailor the luminaires to project needs and to manufacture them with appropriate parameters,

- appointed project manager who visits the site several times to manage all the details and respond to incidents as needed.


The product portfolio also plays an important role. Thanks to these factors, we were able to carry out the entire process smoothly and without hindrance, to the client's satisfaction.











Don Bosco Library
Salesian Pontifical University in Rome

Salesian Pontifical University in Rome celebrated its 80th anniversary in May 2020. The university consists of 5 different faculties: theology, philosophy, educational sciences, Christian and classical literature and social communication sciences.

The aim of the investment was to modernise and improve the functionality and efficiency by upgrading the lighting: in the library, throughout the building of the Communication Faculty, in the teaching rooms of the building of the Education and Theology Faculty, as well as in the new office complex opposite the rector's office. Our products were applied in both student and staff spaces in a wide variety of settings. The project developed for over a year and ultimately included more than 2000 different products.

The main products were BRAVO LED panels (over 400 pcs) which not only reduced energy costs but also made the whole structure more modern. We also used ADTR frames which transformed our panels into functional ceiling lights with a non-invasive design that formed a harmonious whole with the surroundings. Where replacing the existing ceiling lights was impossible, we opted to integrate existing solutions with Kanlux T8 LED GLASS „fluorescent LEDs" of various wattages. Luminous efficacy combined with durability has helped to reduce the costs associated with replacing ordinary traditional light sources. We have also modernised emergency lighting - ONTEC lamps.

In the area adjacent to the university, we used KANLUX STREET LED 8000 which illuminated pavements and car parks.

The implementation of this project was very rewarding and the scale of the project allowed us to demonstrate the size of our product range and our ability to respond to project and client requirements.



Kanlux BRAVO LED

LED panels














Likmere factory
in Ukmergė, Lithuania


The Likmere factory is located in the Lithuanian town of Ukmergė. This is the place where birch wood is processed into plywood.

The manufacturer set us the task of replacing the old fluorescent lighting with one that was ecological, cost-efficient, smart and, of course, dustproof. Lighting was replaced throughout the factory. We proposed a design based on a smart lighting system with the DALI control system. Sensors that monitor the area, dimming or switching off lighting in areas where no one is present. This solution was well-received. For its implementation, we used hermetic luminaires from the Kanlux factory - Kanlux FUTURIO. These luminaires allowed us to use the DALI control system and select the right parameters to illuminate such large areas. Energy--efficient Kanlux FUTURIO LED luminaires adapted to the DALI control system reduced energy consumption to 30% of the initial value. This also reduced CO2 emissions by 50 tonnes per annum.










check out **OUR CONFIGURATOR**

Choose the perfect luminaire for your needs.

FUK - Railway Equipment Plant in Przysieka Polska

The lighting upgrade at the Railway Equipment Plant was carried out in the finished interiors. The lighting had to primarily match their character, design and details.


Suspended ALIN LED luminaires met all formal requirements, and their design was approved. The problem we encountered was the colour - the investor insisted that the luminaires match the orange details of the rooms. We managed to solve this by changing one element of the luminaire - the power supply cable - without interfering with its construction. In-house production at the Kanlux factory in Radzionków allows us to fulfil such Client requests as well.






Kanlux ALIN LED

linear luminaires









Kanlux INVO TR

garden luminaires

House surroundings
Tarnów

This cooperation was pure pleasure for us. Ms Joanna who runs @ hashtag.dom on Instagram has used it for several years to present the construction of her house.

We observed the great ideas she implemented in the interior. We were very impressed with the unusual light installation in the kitchen, where Kanlux XLED light sources were used.

When Ms Joanna approached us and asked for advice on garden lighting, we were very happy.
We used Kanlux STONO luminaires to impressively illuminate areas with low greenery as well as Kanlux INVO posts which functionally but also stylishly illuminate the path to the house and the driveway. We matched the posts with wall lamps of the same series.


















G1 office building
in Gorzów Wielkopolski


Alteration of the former ZWCh Stilon building in Gorzów Wielkopolski into an office and commercial building took two years. Offices, conference rooms and open-space offices were created in the G1 office building. All systems and the building's facade were modernised so that they fit into the image of a modern neighbourhood. The performance characteristics, quality, and appearance of the proposed lighting - both exterior and interior - were important. Therefore, to implement the project we used LED panels in the form of frames - Kanlux AVAR. Not only did the lighting meet all requirements of the investor but it also fit into the modern concept of the building design. The appearance of the office building after modernisation was very positively received by the residents of Gorzów Wielkopolski.

Kanlux AVAR LED

frame-LED panel







Kanlux AVAR LED


LED panels





Kanlux REKA LED

facade luminaires



„KOŁO BRZEGU” APARTMENTS


Kołobrzeg

New additions to Podczele in Kołobrzeg are holiday apartments that function on a „rent like home” basis. This solution is already very popular in Poland and it’s still growing; both among landlords and holidaymakers who are looking for such places. We had the opportunity to work on this project. „Koło Brzegu” are premium investment apartments with shared lobby space, a FUN and SPA area with a „solar lounge”, sauna and jacuzzi. These two facilities are linked by underground garages.

The developer gave us the task of illuminating the common areas of these apartment buildings, i.e. lobby space, passageways, underground garages, as well as the SPA area. The representative character of the lobby interiors is emphasised by luminaires from the Kanlux ALIN4LED series. From this zone, we move seamlessly into the passageways, where the same luminaires also light our way, along with some additional lighting effects, accentuated by LED strips to create light tunnels. Kanlux REKA LED luminaires have been integrated perfectly into the SPA area, where we have created a unique atmosphere that helps users relax thanks to unobtrusive spotlights on the walls and in the floor (with Kanlux MORO luminaires).

The lighting gives the interior a cosy feel, while enhancing the positive atmosphere of this place.





Kanlux ALIN LED

linear luminaires


CHILLOUT
APARTAMENTY
KOŁO
BRZEGU



APARTAMENTY
KOŁO
BRZEGU
BY NICKEL
SAUNA





Kanlux ALIN LED LINE

linear lighting system



ALIN LED LINE
linear lighting system

KANLUX ALIN LED LINE is a light line of interconnected luminaires that forms a single unit. The length of such a line, i.e. a single lamp that is assembled on site, can even reach several dozen meters. This opens up entirely new possibilities for the arrangement of lighting in large, open spaces.

At the designers' request, we went a step further and created the Kanlux **ALIN LTX**, system, i.e. extension of the range to include connectors and fittings that allow the light line to be „broken" at right angles (90 degrees). We offer L-shaped fittings – the line turns at a right angle, T-shaped fittings – the line branches into two more, and X-shaped fittings – 4 light lines converge or diverge.


SKEMA
BELPOL




Kanlux

FACTORY




ALIN LED ... NT

SURFACE-MOUNTED



ALIN LED ... PT


FLUSH-MOUNTED



SUSPENDED



ALIN LED ... NT + ALIN CORD + ROPE



WALL-MOUNTED



ALIN LED ... NT + ALIN GRIP


Kanlux
FACTORY

ALIN LED | ALIN LED LINE
linear LED luminaire

Kanlux ALIN LED was designed with the aim of being the perfect luminaire. It was created by Kanlux designers who combined innovation with over 30 years of experience. The branded components and perfect workmanship ensure the aesthetics and durability of Kanlux ALIN luminaires for many years.

A wide range of models makes it possible to adjust the luminaire to the needs of every project.

5-year warranty under the terms of the warranty statement available at our website: www.kanlux.com



UNLIMITED LENGTH OF
LIGHT LINE

custom product

POSSIBILITY TO COMBINE
1120MM ALIN LEDLUMINAIRES INTO A LINE

► KEY

AL	KANLUX ALIN LED
ALD	KANLUX ALIN LED DALI
S	580mm
M	1140mm
L	1700mm
S	super low power
L	low power
M	medium power
H	high power
WW	3000K Ra ≥ 80
NW	4000K Ra ≥ 80
MAT	matt lampshade
MPR	microprismatic lampshade
W	housing colour: white
B	housing colour: black
S	housing colour: silver
PT	flush-mounted
NT	surface-mounted
SE	motion sensor
TW	tunable white
AS	asymmetrical optical system
ALIN +ALIN CORD +ROPE	suspended
ALIN +ALIN NT GRIP	wall-mounted

Kanlux FACTORY

MADE IN EU

5 WARRANTY 5 years

BRANDED components

up to 140 lm/W

	[W]	MAT [lm]		MPR [lm]	
		WW (830)	NW (840)	WW (830)	NW (840)
SL	10W	1150LM	1300LM	1050LM	1200LM
SH	19W	2250LM	2550LM	2050LM	2350LM
MS	18W	2150LM	2400LM	2050LM	2250LM
ML	25W	2980LM	3250LM	2750LM	3000LM
MM	29W	3450LM	3900LM	3170LM	3600LM
MH	40W	4500LM	5050LM	4150LM	4650LM
LL	33W	4100LM	4550LM	3750LM	4150LM
LH	52W	5600LM	6300LM	5150LM	5800LM

We will adjust the light to your needs

CONFIGURE THE PERFECT LUMINAIRE YOURSELF

CONFIGURATOR

We will make a perfect luminaire for you. Create it with our configurator.



OSRAM/TRIDONIC POWER SUPPLY UNITS


OPTIONAL DALI CONTROL

HIGH QUALITY LED MODULES

WHAT MAKES US UNIQUE?



THREE LENGTHS



TWO COLOURS OF LIGHT AND TUNABLE WHITE OPTION

4000K

3000K

WW NW CW


COLOR option

HOUSING COLOUR CUSTOMISATION

WW NW CW changeable COLOUR temperature


TUNABLE WHITE OPTION

TWO TYPES OF DIFFUSER



MAT

MATT



MPR

MICROPRISMATIC

AL LED NT

33900	AL-SL-NW-MAT-W-NT
33901	AL-SH-NW-MAT-W-NT
33902	AL-SL-WW-MAT-W-NT
33903	AL-SH-WW-MAT-W-NT
33904	AL-SL-NW-MPR-W-NT
33905	AL-SH-NW-MPR-W-NT
33906	AL-SL-WW-MPR-W-NT
33907	AL-SH-WW-MPR-W-NT
33912	AL-SL-NW-MAT-B-NT
33913	AL-SH-NW-MAT-B-NT
33914	AL-SL-WW-MAT-B-NT
33915	AL-SH-WW-MAT-B-NT
33916	AL-SL-NW-MPR-B-NT
33917	AL-SH-NW-MPR-B-NT
33918	AL-SL-WW-MPR-B-NT
33919	AL-SH-WW-MPR-B-NT
33924	AL-SL-NW-MAT-S-NT
33925	AL-SH-NW-MAT-S-NT
33926	AL-SL-WW-MAT-S-NT
33927	AL-SH-WW-MAT-S-NT
33928	AL-SL-NW-MPR-S-NT
33929	AL-SH-NW-MPR-S-NT
33930	AL-SL-WW-MPR-S-NT
33931	AL-SH-WW-MPR-S-NT
33972	AL-ML-NW-MAT-W-NT
33973	AL-MH-NW-MAT-W-NT
33974	AL-ML-WW-MAT-W-NT
33975	AL-MH-WW-MAT-W-NT
33976	AL-ML-NW-MPR-W-NT
33977	AL-MH-NW-MPR-W-NT
33978	AL-ML-WW-MPR-W-NT
33979	AL-MH-WW-MPR-W-NT
33984	AL-ML-NW-MAT-B-NT
33985	AL-MH-NW-MAT-B-NT
33986	AL-ML-WW-MAT-B-NT
33987	AL-MH-WW-MAT-B-NT
33988	AL-ML-NW-MPR-B-NT
33989	AL-MH-NW-MPR-B-NT
33990	AL-ML-WW-MPR-B-NT
33991	AL-MH-WW-MPR-B-NT
33996	AL-ML-NW-MAT-S-NT
33997	AL-MH-NW-MAT-S-NT
33998	AL-ML-WW-MAT-S-NT
33999	AL-MH-WW-MAT-S-NT
34000	AL-ML-NW-MPR-S-NT
34001	AL-MH-NW-MPR-S-NT
34002	AL-ML-WW-MPR-S-NT
34003	AL-MH-WW-MPR-S-NT
34044	AL-MM-NW-MAT-W-NT
34045	AL-MM-WW-MAT-W-NT
34046	AL-MM-NW-MPR-W-NT
34047	AL-MM-WW-MPR-W-NT
34050	AL-MM-NW-MAT-B-NT
34051	AL-MM-WW-MAT-B-NT
34052	AL-MM-NW-MPR-B-NT
34053	AL-MM-WW-MPR-B-NT
34056	AL-MM-NW-MAT-S-NT
34057	AL-MM-WW-MAT-S-NT
34058	AL-MM-NW-MPR-S-NT
34059	AL-MM-WW-MPR-S-NT
34080	AL-LL-NW-MAT-W-NT
34081	AL-LH-NW-MAT-W-NT
34082	AL-LL-WW-MAT-W-NT
34083	AL-LH-WW-MAT-W-NT
34084	AL-LL-NW-MPR-W-NT
34085	AL-LH-NW-MPR-W-NT
34086	AL-LL-WW-MPR-W-NT
34087	AL-LH-WW-MPR-W-NT
34092	AL-LL-NW-MAT-B-NT
34093	AL-LH-NW-MAT-B-NT
34094	AL-LL-WW-MAT-B-NT
34095	AL-LH-WW-MAT-B-NT
34096	AL-LL-NW-MPR-B-NT
34097	AL-LH-NW-MPR-B-NT
34098	AL-LL-WW-MPR-B-NT
34099	AL-LH-WW-MPR-B-NT
34104	AL-LL-NW-MAT-S-NT
34105	AL-LH-NW-MAT-S-NT
34106	AL-LL-WW-MAT-S-NT
34107	AL-LH-WW-MAT-S-NT
34108	AL-LL-NW-MPR-S-NT
34109	AL-LH-NW-MPR-S-NT
34110	AL-LL-WW-MPR-S-NT
34111	AL-LH-WW-MPR-S-NT
34152	ALD-SL-NW-MAT-W-NT
34153	ALD-SH-NW-MAT-W-NT
34154	ALD-SL-WW-MAT-W-NT
34155	ALD-SH-WW-MAT-W-NT
34156	ALD-SL-NW-MPR-W-NT
34157	ALD-SH-NW-MPR-W-NT
34158	ALD-SL-WW-MPR-W-NT
34159	ALD-SH-WW-MPR-W-NT
34164	ALD-SL-NW-MAT-B-NT
34165	ALD-SH-NW-MAT-B-NT
34166	ALD-SL-WW-MAT-B-NT
34167	ALD-SH-WW-MAT-B-NT
34168	ALD-SL-NW-MPR-B-NT
34169	ALD-SH-NW-MPR-B-NT
34170	ALD-SL-WW-MPR-B-NT
34171	ALD-SH-WW-MPR-B-NT
34176	ALD-SL-NW-MAT-S-NT
34177	ALD-SH-NW-MAT-S-NT
34178	ALD-SL-WW-MAT-S-NT
34179	ALD-SH-WW-MAT-S-NT
34180	ALD-SL-NW-MPR-S-NT
34181	ALD-SH-NW-MPR-S-NT
34182	ALD-SL-WW-MPR-S-NT
34183	ALD-SH-WW-MPR-S-NT
34224	ALD-ML-NW-MAT-W-NT
34225	ALD-MH-NW-MAT-W-NT
34226	ALD-ML-WW-MAT-W-NT
34227	ALD-MH-WW-MAT-W-NT
34228	ALD-ML-NW-MPR-W-NT
34229	ALD-MH-NW-MPR-W-NT
34230	ALD-ML-WW-MPR-W-NT
34231	ALD-MH-WW-MPR-W-NT
34236	ALD-ML-NW-MAT-B-NT
34237	ALD-MH-NW-MAT-B-NT
34238	ALD-ML-WW-MAT-B-NT
34239	ALD-MH-WW-MAT-B-NT
34240	ALD-ML-NW-MPR-B-NT
34241	ALD-MH-NW-MPR-B-NT
34242	ALD-ML-WW-MPR-B-NT
34243	ALD-MH-WW-MPR-B-NT
34248	ALD-ML-NW-MAT-S-NT
34249	ALD-MH-NW-MAT-S-NT
34250	ALD-ML-WW-MAT-S-NT
34251	ALD-MH-WW-MAT-S-NT
34252	ALD-ML-NW-MPR-S-NT
34253	ALD-MH-NW-MPR-S-NT
34254	ALD-ML-WW-MPR-S-NT
34255	ALD-MH-WW-MPR-S-NT
34296	ALD-MM-NW-MAT-W-NT
34297	ALD-MM-WW-MAT-W-NT
34298	ALD-MM-NW-MPR-W-NT
34299	ALD-MM-WW-MPR-W-NT
34302	ALD-MM-NW-MAT-B-NT
34303	ALD-MM-WW-MAT-B-NT
34304	ALD-MM-NW-MPR-B-NT
34305	ALD-MM-WW-MPR-B-NT
34308	ALD-MM-NW-MAT-S-NT
34309	ALD-MM-WW-MAT-S-NT
34310	ALD-MM-NW-MPR-S-NT
34311	ALD-MM-WW-MPR-S-NT
34332	ALD-LL-NW-MAT-W-NT
34333	ALD-LH-NW-MAT-W-NT
34334	ALD-LL-WW-MAT-W-NT
34335	ALD-LH-WW-MAT-W-NT
34336	ALD-LL-NW-MPR-W-NT
34337	ALD-LH-NW-MPR-W-NT
34338	ALD-LL-WW-MPR-W-NT
34339	ALD-LH-WW-MPR-W-NT
34344	ALD-LL-NW-MAT-B-NT
34345	ALD-LH-NW-MAT-B-NT
34346	ALD-LL-WW-MAT-B-NT
34347	ALD-LH-WW-MAT-B-NT
34348	ALD-LL-NW-MPR-B-NT
34349	ALD-LH-NW-MPR-B-NT
34350	ALD-LL-WW-MPR-B-NT
34351	ALD-LH-WW-MPR-B-NT
34356	ALD-LL-NW-MAT-S-NT
34357	ALD-LH-NW-MAT-S-NT
34358	ALD-LL-WW-MAT-S-NT
34359	ALD-LH-WW-MAT-S-NT
34360	ALD-LL-NW-MPR-S-NT
34361	ALD-LH-NW-MPR-S-NT
34362	ALD-LL-WW-MPR-S-NT
34363	ALD-LH-WW-MPR-S-NT
35592	AL-MS-NW-MAT-B-NT
35596	AL-MS-NW-MAT-S-NT
35588	AL-MS-NW-MAT-W-NT
35594	AL-MS-NW-MPR-B-NT
35598	AL-MS-NW-MPR-S-NT
35590	AL-MS-NW-MPR-W-NT
35593	AL-MS-WW-MAT-B-NT
35597	AL-MS-WW-MAT-S-NT
35589	AL-MS-WW-MAT-W-NT
35595	AL-MS-WW-MPR-B-NT
35599	AL-MS-WW-MPR-S-NT
35591	AL-MS-WW-MPR-W-NT
35604	ALD-MS-NW-MAT-B-NT
35608	ALD-MS-NW-MAT-S-NT
35600	ALD-MS-NW-MAT-W-NT
35606	ALD-MS-NW-MPR-B-NT
35610	ALD-MS-NW-MPR-S-NT
35602	ALD-MS-NW-MPR-W-NT
35605	ALD-MS-WW-MAT-B-NT
35609	ALD-MS-WW-MAT-S-NT
35601	ALD-MS-WW-MAT-W-NT
35607	ALD-MS-WW-MPR-B-NT
35611	ALD-MS-WW-MPR-S-NT
35603	ALD-MS-WW-MPR-W-NT

ACCESSORIES

32540	ALIN CORD 1F-W
32541	ALIN CORD 1F-B
32542	ALIN CORD 1F-SR
32543	ALIN CORD DALI 1F-W
32544	ALIN CORD DALI 1F-B
32545	ALIN CORD DALI 1F-SR
29557	ALIN-NT-GRIP
7871	ROPE-NT-150-SINGLE

AL LED PT

33936	AL-SL-NW-MAT-W-PT
33937	AL-SH-NW-MAT-W-PT
33938	AL-SL-WW-MAT-W-PT
33939	AL-SH-WW-MAT-W-PT
33940	AL-SL-NW-MPR-W-PT
33941	AL-SH-NW-MPR-W-PT
33942	AL-SL-WW-MPR-W-PT
33943	AL-SH-WW-MPR-W-PT
33948	AL-SL-NW-MAT-B-PT
33949	AL-SH-NW-MAT-B-PT
33950	AL-SL-WW-MAT-B-PT
33951	AL-SH-WW-MAT-B-PT
33952	AL-SL-NW-MPR-B-PT
33953	AL-SH-NW-MPR-B-PT
33954	AL-SL-WW-MPR-B-PT
33955	AL-SH-WW-MPR-B-PT
33960	AL-SL-NW-MAT-S-PT
33961	AL-SH-NW-MAT-S-PT
33962	AL-SL-WW-MAT-S-PT
33963	AL-SH-WW-MAT-S-PT
33964	AL-SL-NW-MPR-S-PT
33965	AL-SH-NW-MPR-S-PT
33966	AL-SL-WW-MPR-S-PT
33967	AL-SH-WW-MPR-S-PT
34008	AL-ML-NW-MAT-W-PT
34009	AL-MH-NW-MAT-W-PT
34010	AL-ML-WW-MAT-W-PT
34011	AL-MH-WW-MAT-W-PT
34012	AL-ML-NW-MPR-W-PT
34013	AL-MH-NW-MPR-W-PT
34014	AL-ML-WW-MPR-W-PT
34015	AL-MH-WW-MPR-W-PT
34020	AL-ML-NW-MAT-B-PT
34021	AL-MH-NW-MAT-B-PT
34022	AL-ML-WW-MAT-B-PT
34023	AL-MH-WW-MAT-B-PT
34024	AL-ML-NW-MPR-B-PT
34025	AL-MH-NW-MPR-B-PT
34026	AL-ML-WW-MPR-B-PT
34027	AL-MH-WW-MPR-B-PT
34032	AL-ML-NW-MAT-S-PT
34033	AL-MH-NW-MAT-S-PT
34034	AL-ML-WW-MAT-S-PT
34035	AL-MH-WW-MAT-S-PT
34036	AL-ML-NW-MPR-S-PT
34037	AL-MH-NW-MPR-S-PT
34038	AL-ML-WW-MPR-S-PT
34039	AL-MH-WW-MPR-S-PT
34062	AL-MM-NW-MAT-W-PT
34063	AL-MM-WW-MAT-W-PT
34064	AL-MM-NW-MPR-W-PT
34065	AL-MM-WW-MPR-W-PT
34068	AL-MM-NW-MAT-B-PT
34069	AL-MM-WW-MAT-B-PT
34070	AL-MM-NW-MPR-B-PT
34071	AL-MM-WW-MPR-B-PT
34074	AL-MM-NW-MAT-S-PT
34075	AL-MM-WW-MAT-S-PT
34076	AL-MM-NW-MPR-S-PT
34077	AL-MM-WW-MPR-S-PT
34116	AL-LL-NW-MAT-W-PT
34117	AL-LH-NW-MAT-W-PT
34118	AL-LL-WW-MAT-W-PT
34119	AL-LH-WW-MAT-W-PT
34120	AL-LL-NW-MPR-W-PT
34121	AL-LH-NW-MPR-W-PT
34122	AL-LL-WW-MPR-W-PT
34123	AL-LH-WW-MPR-W-PT
34128	AL-LL-NW-MAT-B-PT
34129	AL-LH-NW-MAT-B-PT
34130	AL-LL-WW-MAT-B-PT
34131	AL-LH-WW-MAT-B-PT
34132	AL-LL-NW-MPR-B-PT
34133	AL-LH-NW-MPR-B-PT
34134	AL-LL-WW-MPR-B-PT
34135	AL-LH-WW-MPR-B-PT
34140	AL-LL-NW-MAT-S-PT
34141	AL-LH-NW-MAT-S-PT
34142	AL-LL-WW-MAT-S-PT
34143	AL-LH-WW-MAT-S-PT
34144	AL-LL-NW-MPR-S-PT
34145	AL-LH-NW-MPR-S-PT
34146	AL-LL-WW-MPR-S-PT
34147	AL-LH-WW-MPR-S-PT
34188	ALD-SL-NW-MAT-W-PT
34189	ALD-SH-NW-MAT-W-PT
34190	ALD-SL-WW-MAT-W-PT
34191	ALD-SH-WW-MAT-W-PT
34192	ALD-SL-NW-MPR-W-PT
34193	ALD-SH-NW-MPR-W-PT
34194	ALD-SL-WW-MPR-W-PT
34195	ALD-SH-WW-MPR-W-PT
34200	ALD-SL-NW-MAT-B-PT
34201	ALD-SH-NW-MAT-B-PT
34202	ALD-SL-WW-MAT-B-PT
34203	ALD-SH-WW-MAT-B-PT
34204	ALD-SL-NW-MPR-B-PT
34205	ALD-SH-NW-MPR-B-PT
34206	ALD-SL-WW-MPR-B-PT
34207	ALD-SH-WW-MPR-B-PT
34212	ALD-SL-NW-MAT-S-PT
34213	ALD-SH-NW-MAT-S-PT
34214	ALD-SL-WW-MAT-S-PT
34215	ALD-SH-WW-MAT-S-PT
34216	ALD-SL-NW-MPR-S-PT
34217	ALD-SH-NW-MPR-S-PT
34218	ALD-SL-WW-MPR-S-PT
34219	ALD-SH-WW-MPR-S-PT
34260	ALD-ML-NW-MAT-W-PT
34261	ALD-MH-NW-MAT-W-PT
34262	ALD-ML-WW-MAT-W-PT
34263	ALD-MH-WW-MAT-W-PT
34264	ALD-ML-NW-MPR-W-PT
34265	ALD-MH-NW-MPR-W-PT
34266	ALD-ML-WW-MPR-W-PT
34267	ALD-MH-WW-MPR-W-PT
34272	ALD-ML-NW-MAT-B-PT
34273	ALD-MH-NW-MAT-B-PT
34274	ALD-ML-WW-MAT-B-PT
34275	ALD-MH-WW-MAT-B-PT
34276	ALD-ML-NW-MPR-B-PT
34277	ALD-MH-NW-MPR-B-PT
34278	ALD-ML-WW-MPR-B-PT
34279	ALD-MH-WW-MPR-B-PT
34284	ALD-ML-NW-MAT-S-PT
34285	ALD-MH-NW-MAT-S-PT
34286	ALD-ML-WW-MAT-S-PT
34287	ALD-MH-WW-MAT-S-PT
34288	ALD-ML-NW-MPR-S-PT
34289	ALD-MH-NW-MPR-S-PT
34290	ALD-ML-WW-MPR-S-PT
34291	ALD-MH-WW-MPR-S-PT
34314	ALD-MM-NW-MAT-W-PT
34315	ALD-MM-WW-MAT-W-PT
34316	ALD-MM-NW-MPR-W-PT
34317	ALD-MM-WW-MPR-W-PT
34320	ALD-MM-NW-MAT-B-PT
34321	ALD-MM-WW-MAT-B-PT
34322	ALD-MM-NW-MPR-B-PT
34323	ALD-MM-WW-MPR-B-PT
34326	ALD-MM-NW-MAT-S-PT
34327	ALD-MM-WW-MAT-S-PT
34328	ALD-MM-NW-MPR-S-PT
34329	ALD-MM-WW-MPR-S-PT
34368	ALD-LL-NW-MAT-W-PT
34369	ALD-LH-NW-MAT-W-PT
34370	ALD-LL-WW-MAT-W-PT
34371	ALD-LH-WW-MAT-W-PT
34372	ALD-LL-NW-MPR-W-PT
34373	ALD-LH-NW-MPR-W-PT
34374	ALD-LL-WW-MPR-W-PT
34375	ALD-LH-WW-MPR-W-PT
34380	ALD-LL-NW-MAT-B-PT
34381	ALD-LH-NW-MAT-B-PT
34382	ALD-LL-WW-MAT-B-PT
34383	ALD-LH-WW-MAT-B-PT
34384	ALD-LL-NW-MPR-B-PT
34385	ALD-LH-NW-MPR-B-PT
34386	ALD-LL-WW-MPR-B-PT
34387	ALD-LH-WW-MPR-B-PT
34392	ALD-LL-NW-MAT-S-PT
34393	ALD-LH-NW-MAT-S-PT
34394	ALD-LL-WW-MAT-S-PT
34395	ALD-LH-WW-MAT-S-PT
34396	ALD-LL-NW-MPR-S-PT
34397	ALD-LH-NW-MPR-S-PT
34398	ALD-LL-WW-MPR-S-PT
34399	ALD-LH-WW-MPR-S-PT
35616	AL-MS-NW-MAT-B-PT
35620	AL-MS-NW-MAT-S-PT
35612	AL-MS-NW-MAT-W-PT
35618	AL-MS-NW-MPR-B-PT
35622	AL-MS-NW-MPR-S-PT
35614	AL-MS-NW-MPR-W-PT
35617	AL-MS-WW-MAT-B-PT
35621	AL-MS-WW-MAT-S-PT
35613	AL-MS-WW-MAT-W-PT
35619	AL-MS-WW-MPR-B-PT
35623	AL-MS-WW-MPR-S-PT
35615	AL-MS-WW-MPR-W-PT
35628	ALD-MS-NW-MAT-B-PT
35632	ALD-MS-NW-MAT-S-PT
35624	ALD-MS-NW-MAT-W-PT
35630	ALD-MS-NW-MPR-B-PT
35634	ALD-MS-NW-MPR-S-PT
35626	ALD-MS-NW-MPR-W-PT
35629	ALD-MS-WW-MAT-B-PT
35633	ALD-MS-WW-MAT-S-PT
35625	ALD-MS-WW-MAT-W-PT
35631	ALD-MS-WW-MPR-B-PT
35635	ALD-MS-WW-MPR-S-PT
35627	ALD-MS-WW-MPR-W-PT


Kanlux

FACTORY



ALIN 4LED





ALIN 4LED ... NT




ALIN 4LED ... NT + ALIN GRIP

Kanlux
FACTORY

ALIN 4LED | ALIN 4LED LINE
T8 LED tube linear luminaire

The Kanlux ALIN 4LED is a luminaire adapted to T8 LED tubes. It is a solution for those who appreciate a replaceable light source. The branded components and perfect workmanship ensure aesthetics and the durability of operation for many years. With a wide range of models, the luminaire can be tailored to the needs of every project.


5-year warranty under the terms of the warranty statement available at our website: www.kanlux.com



UNLIMITED LENGTH
OF LIGHT LINE

custom product

POSSIBLE LINEAR CONNECTION
OF ALIN 4LED LUMINAIRES
WITH A LENGTH OF 1230 MM



Kanlux
FACTORY

MADE IN EU

5 WARRANTY 5 years


KEY	
AL 4LED	KANLUX ALIN 4LED
MAT	matt lampshade
MPR	microprismatic lampshade
W	housing colour: white
B	housing colour: black
S	housing colour: silver
NT	surface-mounted
ALIN NT +ALIN NT GRIP	wall-mounted
SE	motion sensor

We will adjust the light to your needs

CONFIGURE THE PERFECT LUMINAIRE YOURSELF


CONFIGURATOR

We will make a perfect luminaire for you. Create it with our configurator.



MATT MICROPRISMATIC

TWO TYPES OF DIFFUSER




WHITE BLACK SILVER

THREE HOUSING COLOURS


WHAT MAKES US UNIQUE?



THREE LUMINAIRE LENGTHS




THREE MOUNTING METHODS



SURFACE-MOUNTED WALL-MOUNTED SUSPENDED

UNIQUE LIGHT LINE





AL 4LED

		28440	AL 4LED 60-MPR-W-NT
		27414	ALIN 4LED 1X120-B
28450	AL 4LED 120-MPR-B	27420	ALIN 4LED 1X120-B-NT
28447	AL 4LED 120-MPR-B-NT	27415	ALIN 4LED 1X120-SR
28451	AL 4LED 120-MPR-SR	27421	ALIN 4LED 1X120-SR-NT
28448	AL 4LED 120-MPR-SR-NT	27413	ALIN 4LED 1X120-W
28449	AL 4LED 120-MPR-W	27419	ALIN 4LED 1X120-W-NT
28446	AL 4LED 120-MPR-W-NT	27423	ALIN 4LED 1X150-B
28456	AL 4LED 150-MPR-B	27426	ALIN 4LED 1X150-B-NT
28453	AL 4LED 150-MPR-B-NT	27424	ALIN 4LED 1X150-SR
28457	AL 4LED 150-MPR-SR	27427	ALIN 4LED 1X150-SR-NT
28454	AL 4LED 150-MPR-SR-NT	27422	ALIN 4LED 1X150-W
28455	AL 4LED 150-MPR-W	27425	ALIN 4LED 1X150-W-NT
28452	AL 4LED 150-MPR-W-NT	27411	ALIN 4LED 1X60-B
28444	AL 4LED 60-MPR-B	27417	ALIN 4LED 1X60-B-NT
28441	AL 4LED 60-MPR-B-NT	27412	ALIN 4LED 1X60-SR
28445	AL 4LED 60-MPR-SR	27418	ALIN 4LED 1X60-SR-NT
28442	AL 4LED 60-MPR-SR-NT	27410	ALIN 4LED 1X60-W
28443	AL 4LED 60-MPR-W	27416	ALIN 4LED 1X60-W-NT

ACCESSORIES

29557	ALIN-NT-GRIP

Kanlux

FACTORY



Kanlux
FACTORY

OFIS
LED office luminaire

The Kanlux OFIS S LED is a series of modern luminaires designed primarily for office spaces. This simple, extremely flat housing makes the luminaire very elegant, so it blends perfectly into the ceiling plane. With various housing colours, diffusers and colour temperatures available, the luminaire is remarkably versatile, and the unique design makes mounting very fast. The new louvre generation made it possible to reduce the glare effect significantly.

5-year warranty under the terms of the warranty statement available at our website: www.kanlux.com



OFIS S LED ... NT...N1



OFIS S LED ... NT...N3



OFIS S LED ... PT...P1



OFIS S LED ... PT...P3

OS RST

35966	OS-H5D-NW-RST-B-N1
35967	OS-H5D-NW-RST-B-N3
35968	OS-H5D-NW-RST-B-P1
35969	OS-H5D-NW-RST-B-P3
35838	OS-H5D-NW-RST-W-N1
35839	OS-H5D-NW-RST-W-N3
35840	OS-H5D-NW-RST-W-P1
35841	OS-H5D-NW-RST-W-P3
36142	OS-H5D-WN-RST-B-N1
36143	OS-H5D-WN-RST-B-N3
36144	OS-H5D-WN-RST-B-P1
36145	OS-H5D-WN-RST-B-P3
36078	OS-H5D-WN-RST-W-N1
36079	OS-H5D-WN-RST-W-N3
36080	OS-H5D-WN-RST-W-P1
36081	OS-H5D-WN-RST-W-P3
35950	OS-H5D-WW-RST-B-N1
35951	OS-H5D-WW-RST-B-N3
35952	OS-H5D-WW-RST-B-P1
35953	OS-H5D-WW-RST-B-P3
35822	OS-H5D-WW-RST-W-N1
35823	OS-H5D-WW-RST-W-N3
35824	OS-H5D-WW-RST-W-P1
35825	OS-H5D-WW-RST-W-P3
35998	OS-H8D-NW-RST-B-N1
35999	OS-H8D-NW-RST-B-N3
36000	OS-H8D-NW-RST-B-P1
36001	OS-H8D-NW-RST-B-P3
35870	OS-H8D-NW-RST-W-N1
35871	OS-H8D-NW-RST-W-N3
35872	OS-H8D-NW-RST-W-P1
35873	OS-H8D-NW-RST-W-P3
36158	OS-H8D-WN-RST-B-N1
36159	OS-H8D-WN-RST-B-N3
36160	OS-H8D-WN-RST-B-P1
36161	OS-H8D-WN-RST-B-P3
36094	OS-H8D-WN-RST-W-N1
36095	OS-H8D-WN-RST-W-N3
36096	OS-H8D-WN-RST-W-P1
36097	OS-H8D-WN-RST-W-P3
35982	OS-H8D-WW-RST-B-N1
35983	OS-H8D-WW-RST-B-N3
35984	OS-H8D-WW-RST-B-P1
35985	OS-H8D-WW-RST-B-P3
35854	OS-H8D-WW-RST-W-N1
35855	OS-H8D-WW-RST-W-N3
35856	OS-H8D-WW-RST-W-P1
35857	OS-H8D-WW-RST-W-P3
35958	OS-L5D-NW-RST-B-N1
35959	OS-L5D-NW-RST-B-N3
35960	OS-L5D-NW-RST-B-P1
35961	OS-L5D-NW-RST-B-P3
35830	OS-L5D-NW-RST-W-N1
35831	OS-L5D-NW-RST-W-N3
35832	OS-L5D-NW-RST-W-P1
35833	OS-L5D-NW-RST-W-P3
36134	OS-L5D-WN-RST-B-N1
36135	OS-L5D-WN-RST-B-N3
36136	OS-L5D-WN-RST-B-P1
36137	OS-L5D-WN-RST-B-P3
36070	OS-L5D-WN-RST-W-N1
36071	OS-L5D-WN-RST-W-N3
36072	OS-L5D-WN-RST-W-P1
36073	OS-L5D-WN-RST-W-P3
35942	OS-L5D-WW-RST-B-N1
35943	OS-L5D-WW-RST-B-N3
35944	OS-L5D-WW-RST-B-P1
35945	OS-L5D-WW-RST-B-P3
35814	OS-L5D-WW-RST-W-N1
35815	OS-L5D-WW-RST-W-N3
35816	OS-L5D-WW-RST-W-P1
35817	OS-L5D-WW-RST-W-P3
35990	OS-L8D-NW-RST-B-N1
35991	OS-L8D-NW-RST-B-N3
35992	OS-L8D-NW-RST-B-P1
35993	OS-L8D-NW-RST-B-P3
35862	OS-L8D-NW-RST-W-N1
35863	OS-L8D-NW-RST-W-N3
35864	OS-L8D-NW-RST-W-P1
35865	OS-L8D-NW-RST-W-P3
36150	OS-L8D-WN-RST-B-N1
36151	OS-L8D-WN-RST-B-N3
36152	OS-L8D-WN-RST-B-P1
36153	OS-L8D-WN-RST-B-P3
36086	OS-L8D-WN-RST-W-N1
36087	OS-L8D-WN-RST-W-N3
36088	OS-L8D-WN-RST-W-P1
36089	OS-L8D-WN-RST-W-P3
35974	OS-L8D-WW-RST-B-N1
35975	OS-L8D-WW-RST-B-N3
35976	OS-L8D-WW-RST-B-P1
35977	OS-L8D-WW-RST-B-P3
35846	OS-L8D-WW-RST-W-N1
35847	OS-L8D-WW-RST-W-N3
35848	OS-L8D-WW-RST-W-P1
35849	OS-L8D-WW-RST-W-P3
35962	OS-M5D-NW-RST-B-N1
35963	OS-M5D-NW-RST-B-N3
35964	OS-M5D-NW-RST-B-P1
35965	OS-M5D-NW-RST-B-P3
35834	OS-M5D-NW-RST-W-N1
35835	OS-M5D-NW-RST-W-N3
35836	OS-M5D-NW-RST-W-P1
35837	OS-M5D-NW-RST-W-P3
36138	OS-M5D-WN-RST-B-N1
36139	OS-M5D-WN-RST-B-N3
36140	OS-M5D-WN-RST-B-P1
36141	OS-M5D-WN-RST-B-P3
36074	OS-M5D-WN-RST-W-N1
36075	OS-M5D-WN-RST-W-N3
36076	OS-M5D-WN-RST-W-P1
36077	OS-M5D-WN-RST-W-P3
35946	OS-M5D-WW-RST-B-N1
35947	OS-M5D-WW-RST-B-N3
35948	OS-M5D-WW-RST-B-P1
35949	OS-M5D-WW-RST-B-P3
35818	OS-M5D-WW-RST-W-N1
35819	OS-M5D-WW-RST-W-N3
35820	OS-M5D-WW-RST-W-P1
35821	OS-M5D-WW-RST-W-P3
35994	OS-M8D-NW-RST-B-N1
35995	OS-M8D-NW-RST-B-N3
35996	OS-M8D-NW-RST-B-P1
35997	OS-M8D-NW-RST-B-P3
35866	OS-M8D-NW-RST-W-N1
35867	OS-M8D-NW-RST-W-N3
35868	OS-M8D-NW-RST-W-P1
35869	OS-M8D-NW-RST-W-P3
36154	OS-M8D-WN-RST-B-N1
36155	OS-M8D-WN-RST-B-N3
36156	OS-M8D-WN-RST-B-P1
36157	OS-M8D-WN-RST-B-P3
36090	OS-M8D-WN-RST-W-N1
36091	OS-M8D-WN-RST-W-N3
36092	OS-M8D-WN-RST-W-P1
36093	OS-M8D-WN-RST-W-P3
35978	OS-M8D-WW-RST-B-N1
35979	OS-M8D-WW-RST-B-N3
35980	OS-M8D-WW-RST-B-P1
35981	OS-M8D-WW-RST-B-P3
35850	OS-M8D-WW-RST-W-N1
35851	OS-M8D-WW-RST-W-N3
35852	OS-M8D-WW-RST-W-P1
35853	OS-M8D-WW-RST-W-P3
35954	OS-S5D-NW-RST-B-N1
35955	OS-S5D-NW-RST-B-N3
35956	OS-S5D-NW-RST-B-P1
35957	OS-S5D-NW-RST-B-P3
35826	OS-S5D-NW-RST-W-N1
35827	OS-S5D-NW-RST-W-N3
35828	OS-S5D-NW-RST-W-P1
35829	OS-S5D-NW-RST-W-P3
36130	OS-S5D-WN-RST-B-N1
36131	OS-S5D-WN-RST-B-N3
36132	OS-S5D-WN-RST-B-P1
36133	OS-S5D-WN-RST-B-P3
36066	OS-S5D-WN-RST-W-N1
36067	OS-S5D-WN-RST-W-N3
36068	OS-S5D-WN-RST-W-P1
36069	OS-S5D-WN-RST-W-P3
35938	OS-S5D-WW-RST-B-N1
35939	OS-S5D-WW-RST-B-N3
35940	OS-S5D-WW-RST-B-P1
35941	OS-S5D-WW-RST-B-P3
35810	OS-S5D-WW-RST-W-N1
35811	OS-S5D-WW-RST-W-N3
35812	OS-S5D-WW-RST-W-P1
35813	OS-S5D-WW-RST-W-P3
35986	OS-S8D-NW-RST-B-N1
35987	OS-S8D-NW-RST-B-N3
35988	OS-S8D-NW-RST-B-P1
35989	OS-S8D-NW-RST-B-P3
35858	OS-S8D-NW-RST-W-N1
35859	OS-S8D-NW-RST-W-N3
35860	OS-S8D-NW-RST-W-P1
35861	OS-S8D-NW-RST-W-P3
36146	OS-S8D-WN-RST-B-N1
36147	OS-S8D-WN-RST-B-N3
36148	OS-S8D-WN-RST-B-P1
36149	OS-S8D-WN-RST-B-P3
36082	OS-S8D-WN-RST-W-N1
36083	OS-S8D-WN-RST-W-N3
36084	OS-S8D-WN-RST-W-P1
36085	OS-S8D-WN-RST-W-P3
35970	OS-S8D-WW-RST-B-N1
35971	OS-S8D-WW-RST-B-N3
35972	OS-S8D-WW-RST-B-P1
35973	OS-S8D-WW-RST-B-P3
35842	OS-S8D-WW-RST-W-N1
35843	OS-S8D-WW-RST-W-N3
35844	OS-S8D-WW-RST-W-P1
35845	OS-S8D-WW-RST-W-P3
36030	OSD-H5D-NW-RST-B-N1
36031	OSD-H5D-NW-RST-B-N3
36032	OSD-H5D-NW-RST-B-P1
36033	OSD-H5D-NW-RST-B-P3
35902	OSD-H5D-NW-RST-W-N1
35903	OSD-H5D-NW-RST-W-N3
35904	OSD-H5D-NW-RST-W-P1
35905	OSD-H5D-NW-RST-W-P3
36174	OSD-H5D-WN-RST-B-N1
36175	OSD-H5D-WN-RST-B-N3
36176	OSD-H5D-WN-RST-B-P1
36177	OSD-H5D-WN-RST-B-P3
36110	OSD-H5D-WN-RST-W-N1
36111	OSD-H5D-WN-RST-W-N3
36112	OSD-H5D-WN-RST-W-P1
36113	OSD-H5D-WN-RST-W-P3
36014	OSD-H5D-WW-RST-B-N1
36015	OSD-H5D-WW-RST-B-N3
36016	OSD-H5D-WW-RST-B-P1
36017	OSD-H5D-WW-RST-B-P3
35886	OSD-H5D-WW-RST-W-N1
35887	OSD-H5D-WW-RST-W-N3
35888	OSD-H5D-WW-RST-W-P1
35889	OSD-H5D-WW-RST-W-P3
36062	OSD-H8D-NW-RST-B-N1
36063	OSD-H8D-NW-RST-B-N3
36064	OSD-H8D-NW-RST-B-P1
36065	OSD-H8D-NW-RST-B-P3
35934	OSD-H8D-NW-RST-W-N1
35935	OSD-H8D-NW-RST-W-N3
35936	OSD-H8D-NW-RST-W-P1
35937	OSD-H8D-NW-RST-W-P3
36190	OSD-H8D-WN-RST-B-N1
36191	OSD-H8D-WN-RST-B-N3
36192	OSD-H8D-WN-RST-B-P1
36193	OSD-H8D-WN-RST-B-P3
36126	OSD-H8D-WN-RST-W-N1
36127	OSD-H8D-WN-RST-W-N3
36128	OSD-H8D-WN-RST-W-P1
36129	OSD-H8D-WN-RST-W-P3
36046	OSD-H8D-WW-RST-B-N1
36047	OSD-H8D-WW-RST-B-N3
36048	OSD-H8D-WW-RST-B-P1
36049	OSD-H8D-WW-RST-B-P3
35918	OSD-H8D-WW-RST-W-N1
35919	OSD-H8D-WW-RST-W-N3
35920	OSD-H8D-WW-RST-W-P1
35921	OSD-H8D-WW-RST-W-P3
36022	OSD-L5D-NW-RST-B-N1
36023	OSD-L5D-NW-RST-B-N3
36024	OSD-L5D-NW-RST-B-P1
36025	OSD-L5D-NW-RST-B-P3
35894	OSD-L5D-NW-RST-W-N1
35895	OSD-L5D-NW-RST-W-N3
35896	OSD-L5D-NW-RST-W-P1
35897	OSD-L5D-NW-RST-W-P3
36166	OSD-L5D-WN-RST-B-N1
36167	OSD-L5D-WN-RST-B-N3
36168	OSD-L5D-WN-RST-B-P1
36169	OSD-L5D-WN-RST-B-P3
36102	OSD-L5D-WN-RST-W-N1
36103	OSD-L5D-WN-RST-W-N3
36104	OSD-L5D-WN-RST-W-P1
36105	OSD-L5D-WN-RST-W-P3
36006	OSD-L5D-WW-RST-B-N1
36007	OSD-L5D-WW-RST-B-N3
36008	OSD-L5D-WW-RST-B-P1
36009	OSD-L5D-WW-RST-B-P3
35878	OSD-L5D-WW-RST-W-N1
35879	OSD-L5D-WW-RST-W-N3
35880	OSD-L5D-WW-RST-W-P1
35881	OSD-L5D-WW-RST-W-P3
36054	OSD-L8D-NW-RST-B-N1
36055	OSD-L8D-NW-RST-B-N3
36056	OSD-L8D-NW-RST-B-P1
36057	OSD-L8D-NW-RST-B-P3
35926	OSD-L8D-NW-RST-W-N1
35927	OSD-L8D-NW-RST-W-N3
35928	OSD-L8D-NW-RST-W-P1
35929	OSD-L8D-NW-RST-W-P3
36182	OSD-L8D-WN-RST-B-N1
36183	OSD-L8D-WN-RST-B-N3
36184	OSD-L8D-WN-RST-B-P1
36185	OSD-L8D-WN-RST-B-P3
36118	OSD-L8D-WN-RST-W-N1
36119	OSD-L8D-WN-RST-W-N3
36120	OSD-L8D-WN-RST-W-P1
36121	OSD-L8D-WN-RST-W-P3
36038	OSD-L8D-WW-RST-B-N1
36039	OSD-L8D-WW-RST-B-N3
36040	OSD-L8D-WW-RST-B-P1
36041	OSD-L8D-WW-RST-B-P3
35910	OSD-L8D-WW-RST-W-N1
35911	OSD-L8D-WW-RST-W-N3
35912	OSD-L8D-WW-RST-W-P1
35913	OSD-L8D-WW-RST-W-P3
36026	OSD-M5D-NW-RST-B-N1
36027	OSD-M5D-NW-RST-B-N3
36028	OSD-M5D-NW-RST-B-P1
36029	OSD-M5D-NW-RST-B-P3
35898	OSD-M5D-NW-RST-W-N1
35899	OSD-M5D-NW-RST-W-N3
35900	OSD-M5D-NW-RST-W-P1
35901	OSD-M5D-NW-RST-W-P3
36170	OSD-M5D-WN-RST-B-N1
36171	OSD-M5D-WN-RST-B-N3
36172	OSD-M5D-WN-RST-B-P1
36173	OSD-M5D-WN-RST-B-P3
36106	OSD-M5D-WN-RST-W-N1
36107	OSD-M5D-WN-RST-W-N3
36108	OSD-M5D-WN-RST-W-P1
36109	OSD-M5D-WN-RST-W-P3
36010	OSD-M5D-WW-RST-B-N1
36011	OSD-M5D-WW-RST-B-N3
36012	OSD-M5D-WW-RST-B-P1
36013	OSD-M5D-WW-RST-B-P3
35882	OSD-M5D-WW-RST-W-N1
35883	OSD-M5D-WW-RST-W-N3
35884	OSD-M5D-WW-RST-W-P1
35885	OSD-M5D-WW-RST-W-P3
36058	OSD-M8D-NW-RST-B-N1
36059	OSD-M8D-NW-RST-B-N3
36060	OSD-M8D-NW-RST-B-P1
36061	OSD-M8D-NW-RST-B-P3
35930	OSD-M8D-NW-RST-W-N1
35931	OSD-M8D-NW-RST-W-N3
35932	OSD-M8D-NW-RST-W-P1
35933	OSD-M8D-NW-RST-W-P3
36186	OSD-M8D-WN-RST-B-N1
36187	OSD-M8D-WN-RST-B-N3
36188	OSD-M8D-WN-RST-B-P1
36189	OSD-M8D-WN-RST-B-P3
36122	OSD-M8D-WN-RST-W-N1
36123	OSD-M8D-WN-RST-W-N3
36124	OSD-M8D-WN-RST-W-P1
36125	OSD-M8D-WN-RST-W-P3
36042	OSD-M8D-WW-RST-B-N1
36043	OSD-M8D-WW-RST-B-N3
36044	OSD-M8D-WW-RST-B-P1
36045	OSD-M8D-WW-RST-B-P3
35914	OSD-M8D-WW-RST-W-N1
35915	OSD-M8D-WW-RST-W-N3
35916	OSD-M8D-WW-RST-W-P1
35917	OSD-M8D-WW-RST-W-P3
36018	OSD-S5D-NW-RST-B-N1
36019	OSD-S5D-NW-RST-B-N3
36020	OSD-S5D-NW-RST-B-P1
36021	OSD-S5D-NW-RST-B-P3
35890	OSD-S5D-NW-RST-W-N1
35891	OSD-S5D-NW-RST-W-N3
35892	OSD-S5D-NW-RST-W-P1
35893	OSD-S5D-NW-RST-W-P3
36162	OSD-S5D-WN-RST-B-N1
36163	OSD-S5D-WN-RST-B-N3
36164	OSD-S5D-WN-RST-B-P1
36165	OSD-S5D-WN-RST-B-P3
36098	OSD-S5D-WN-RST-W-N1
36099	OSD-S5D-WN-RST-W-N3
36100	OSD-S5D-WN-RST-W-P1
36101	OSD-S5D-WN-RST-W-P3
36002	OSD-S5D-WW-RST-B-N1
36003	OSD-S5D-WW-RST-B-N3
36004	OSD-S5D-WW-RST-B-P1
36005	OSD-S5D-WW-RST-B-P3
35874	OSD-S5D-WW-RST-W-N1
35875	OSD-S5D-WW-RST-W-N3
35876	OSD-S5D-WW-RST-W-P1
35877	OSD-S5D-WW-RST-W-P3
36050	OSD-S8D-NW-RST-B-N1
36051	OSD-S8D-NW-RST-B-N3
36052	OSD-S8D-NW-RST-B-P1
36053	OSD-S8D-NW-RST-B-P3
35922	OSD-S8D-NW-RST-W-N1
35923	OSD-S8D-NW-RST-W-N3
35924	OSD-S8D-NW-RST-W-P1
35925	OSD-S8D-NW-RST-W-P3
36178	OSD-S8D-WN-RST-B-N1
36179	OSD-S8D-WN-RST-B-N3
36180	OSD-S8D-WN-RST-B-P1
36181	OSD-S8D-WN-RST-B-P3
36114	OSD-S8D-WN-RST-W-N1
36115	OSD-S8D-WN-RST-W-N3
36116	OSD-S8D-WN-RST-W-P1
36117	OSD-S8D-WN-RST-W-P3
36034	OSD-S8D-WW-RST-B-N1
36035	OSD-S8D-WW-RST-B-N3
36036	OSD-S8D-WW-RST-B-P1
36037	OSD-S8D-WW-RST-B-P3
35906	OSD-S8D-WW-RST-W-N1
35907	OSD-S8D-WW-RST-W-N3
35908	OSD-S8D-WW-RST-W-P1
35909	OSD-S8D-WW-RST-W-P3

OSD TW

36202	OSD-5D-TW-RST-B-N1
36203	OSD-5D-TW-RST-B-N3
36204	OSD-5D-TW-RST-B-P1
36205	OSD-5D-TW-RST-B-P3
36194	OSD-5D-TW-RST-W-N1
36195	OSD-5D-TW-RST-W-N3
36196	OSD-5D-TW-RST-W-P1
36197	OSD-5D-TW-RST-W-P3
36206	OSD-8D-TW-RST-B-N1
36207	OSD-8D-TW-RST-B-N3
36208	OSD-8D-TW-RST-B-P1
36209	OSD-8D-TW-RST-B-P3
36198	OSD-8D-TW-RST-W-N1
36199	OSD-8D-TW-RST-W-N3
36200	OSD-8D-TW-RST-W-P1
36201	OSD-8D-TW-RST-W-P3

OS MPR

35729	OS 40W-830-MPRM-B-N1
32819	OS 40W-830-MPRM-B-N3
35730	OS 40W-830-MPRM-B-P1
35731	OS 40W-830-MPRM-B-P3
35732	OS 40W-830-MPRM-W-N1
35733	OS 40W-830-MPRM-W-N3
35734	OS 40W-830-MPRM-W-P1
35735	OS 40W-830-MPRM-W-P3
32824	OS 40W-840-MPRM-B-N1
32825	OS 40W-840-MPRM-B-N3
32826	OS 40W-840-MPRM-B-P1
32827	OS 40W-840-MPRM-B-P3
32820	OS 40W-840-MPRM-W-N1
32821	OS 40W-840-MPRM-W-N3
32822	OS 40W-840-MPRM-W-P1
32823	OS 40W-840-MPRM-W-P3
36390	OSD 40W-830-MPRM-B-N1
36391	OSD 40W-830-MPRM-B-N3
36392	OSD 40W-830-MPRM-B-P1
36393	OSD 40W-830-MPRM-B-P3
36394	OSD 40W-830-MPRM-W-N1
36395	OSD 40W-830-MPRM-W-N3
36396	OSD 40W-830-MPRM-W-P1
36397	OSD 40W-830-MPRM-W-P3
36398	OSD 40W-840-MPRM-B-N1
36399	OSD 40W-840-MPRM-B-N3
36400	OSD 40W-840-MPRM-B-P1
36401	OSD 40W-840-MPRM-B-P3
36402	OSD 40W-840-MPRM-W-N1
36403	OSD 40W-840-MPRM-W-N3
36828	OSD 40W-840-MPRM-W-P1
36404	OSD 40W-840-MPRM-W-P3

KEY		LM
OS	OFIS S LED	
OSD	OFIS S LED DALI	
40W	power [W]	
S	ultra-low power 22W	3000
L	low power 31W	4000
M	medium power 39W	5000
H	high power 49W	6000
5D	optical system with 50° lens	
8D	optical system with 80° lens	
WW/830	Ra≥80 3000K	
WN	Ra≥80 3500K	
NW/840	Ra≥80 4000K	
TW	TUNABLE WHITE	
MPRM	microprismatic lampshade	
RST	louvre	
W	housing colour: white	
B	housing colour: black	
N1	surface-mounted 600x600	
N3	surface-mounted 595x595	
P1	flush-mounted 595x595	
P3	flush-mounted 1195x295	

		600x600
S/W	3200 lm	UGR ≤ 14
S/B	2800 lm	UGR ≤ 14
L/W	4300 lm	UGR ≤ 15
L/B	3800 lm	UGR ≤ 15
M/W	5400 lm	UGR ≤ 16
M/B	4800 lm	UGR ≤ 16
H/W	6300 lm	UGR ≤ 16
H/B	5600 lm	UGR ≤ 16

Kanlux FACTORY

MADE IN EU

5 WARRANTY 5 years

up to 140 lm/W

BRANDED components

We will adjust the light to your needs

CONFIGURE THE PERFECT LUMINAIRE YOURSELF

CONFIGURATOR

We will make a perfect luminaire for you Create it with our configurator.



Kanlux
FACTORY



FUTURIO
LED dustproof luminaire

Kanlux FUTURIO LED is a series of hermetic luminaires produced in the Kanlux factory. They are distinguished by high quality of workmanship and impressive parameters. The Kanlux FUTURIO LED is also quick and easy to mount. With a wide range of models, the luminaire can be tailored to the needs of every project. Specialist versions are also available: for use at high temperatures or with high luminous flux.

5-year warranty under the terms of the warranty statement available at our website: www.kanlux.com

28687	FT1200 26W-840-RYF
28850	FT1200 28W-840-OPL
28851	FT1200 28W-840-RYF
28852	FT1200 28W-840-INT
28853	FT1200 28W-840-ASY
28630	FT1200 37W-840-OPL
28631	FT1200 37W-840-RYF
28633	FT1200 37W-840-INT
28634	FT1200 37W-840-ASY
28644	FT1200 49W-840-OPL
28645	FT1200 49W-840-RYF
28647	FT1200 49W-840-INT
28648	FT1200 49W-840-ASY
28854	FTD1200 28W-840-OPL
28855	FTD1200 28W-840-RYF
28856	FTD1200 28W-840-INT
28857	FTD1200 28W-840-ASY
28637	FTD1200 37W-840-OPL
28638	FTD1200 37W-840-RYF
28640	FTD1200 37W-840-INT
28641	FTD1200 37W-840-ASY
28651	FTD1200 49W-840-OPL
28652	FTD1200 49W-840-RYF
28654	FTD1200 49W-840-INT
28655	FTD1200 49W-840-ASY
28858	FT1500 43W-840-OPL
28859	FT1500 43W-840-RYF
28860	FT1500 43W-840-INT
28861	FT1500 43W-840-ASY
28665	FT1500 55W-840-OPL
28659	FT1500 55W-840-RYF
28661	FT1500 55W-840-INT
28662	FT1500 55W-840-ASY
28686	FT1500 66W-840-RYF
28862	FTD1500 43W-840-OPL
28863	FTD1500 43W-840-RYF
28864	FTD1500 43W-840-INT
28865	FTD1500 43W-840-ASY
28658	FTD1500 55W-840-OPL
28666	FTD1500 55W-840-RYF
28668	FTD1500 55W-840-INT
28669	FTD1500 55W-840-ASY
28870	FTHT1500 43W-840-OPL
28871	FTHT1500 43W-840-RYF
28872	FTHT1500 43W-840-INT
28873	FTHT1500 43W-840-ASY
28866	FTHL1500 73W-840-OPL
28867	FTHL1500 73W-840-RYF
28868	FTHL1500 73W-840-INT
28869	FTHL1500 73W-840-ASY

KEY

FT	FUTURIO LED
FTD	FUTURIO LED DALI
26W - 73W	power [W]
840	Ra≥80 4000K
OPL	opal lampshade
RYF	prismatic structure lampshade
INT	narrow beam lens
ASY	asymmetrical lens
FTHL	special version with high luminous flux
SCF	simplified option corridor function

Kanlux FACTORY

MADE IN EU

5 WARRANTY 5 years

BRANDED components


up to 160 lm/W

We will adjust the light to your needs

CONFIGURATOR

CONFIGURE THE PERFECT LUMINAIRE YOURSELF

We will make a perfect luminaire for you. Create it with our configurator



ADDITIONAL DOOR EARTHING ENABLES THE INSTALLATION OF EXTERNAL SIGNALLING AND CONTROL DEVICES.





DISTRIBUTION BOARDS

of KP-DB Ideal TS series by Kanlux

KP-DB Metal Consumer Units with DIN rails for modular installation are manufactured at the Kanlux Factory in Poland. They are designed for public and office buildings. You can mount from 24 to 144 modules, making them suitable for extensive residential installations.



With an adjustable mounting frame, plaster unevenness in the range of 0-10 mm can be compensated. The housing, covers, frame and door are made of metal.



Additional perforations for convenient insertion of cables.



Specially profiled rail brackets increase the amount of space at the side edges, enabling convenient circuit distribution.





Side perforations for easy mounting.



Direct access to insulated distribution strips of PE and N circuits mounted at an angle.

Kanlux

FACTORY

CONFIGURATOR

Kanlux FACTORY

Let us light up
your company

We will adjust the light to your needs

CONFIGURE THE PERFECT LUMINAIRE YOURSELF

- LENGTH
- LAMPSHADE
- COLOUR TEMPERATURE
- POWER
- COLOUR
- MOUNTING METHOD


We will make a perfect luminaire for you. Create it with our configurator.



Kanlux **ALIN**



Kanlux **FUTURIO**



CONFIGURATOR

KANLUX SA
ul. Objazdowa 1 - 3, 41 - 922 Radzionków
POLSKA
tel. +48 32/388 74 00
fax +48 32/388 74 99
e-mail: kanlux@kanlux.pl

KANLUX LTD
2703 Sugar Mill Business Park
Oakhurst Ave,
Leeds LS11 7HL
United Kingdom
tel. +44 (0)77 2524 9456
e-mail: uk@kanlux.com

KANLUX S.R.O.
Sadová 618, 738 01 Frýdek-Místek
ČESKÁ REPUBLIKA
tel. +420 558 402 511, 603 504 218
fax +420 558 694 250
e-mail: kanlux.cz@kanlux.cz

KANLUX S.R.O.
Zlatovská 2179/28, 911 05 Trencín
SLOVENSKÁ REPUBLIKA
tel. +421 327 446 385-6
fax +421 327 446 387
e-mail: kanlux.sk@kanlux.sk

KANLUX KFT.
9026 Győr, Bácsai út 153/b
HUNGARY
tel. +36 96 525-467
fax +36 96 319-420
e-mail: info@kanlux.hu

ТОВ КАНЛЮКС
08130, Київська область, Києво-Святошинський район,
с.Петропавлівська Борщагівка, вул. Соборна,
будинок 1-Б, офіс 617 УКРАЇНА
тел. +38 (044) 585 33 19
факс +38 (44) 585 33 18
e-mail: kanlux_ua@kanlux.com

KANLUX EOOD
Warehouse area Gopet Logistics, 1532 Kazichene
Sofia BULGARIA
tel. +359 2 421 96 24
fax +359 2 421 96 23
e-mail: kanlux.bg@kanlux.com

KANLUX GMBH
Flugplatz 21, 44319 Dortmund
DEUTSCHLAND
Tel. +49 231 56557255
Fax +49 231 56557256
e-mail: kanlux.gmbh@kanlux.com

KANLUX LIGHTING SRL
Kanlux Lighting S.R.L.Oltenitei 249
Popesti Leordeni, 077160, Ilfov,
Romania
tel. +40 742 166 385
e-mail: ofertare@kanlux.com

KANLUX FRANCE SAS
224bis, rue Marcadet, 75018 Paris
FRANCE
tel +33 (0)6 51 64 28 79
e-mail: kanlux.fr@kanlux.com

KANLUX ITALY DISTRIBUTION
mob. +39 (0) 339 833 78 00
e-mail: kanlux.it@kanlux.com

KANLUX UK DISTRIBUTION
mob. 077 2524 9456
mob. 074 6679 1303
e-mail: kanlux.uk@kanlux.com

more than
more than light.
light.



LED Zona®
ОСВЕТИТЕЛНИ РЕШЕНИЯ

Харесахте ли нещо от каталога?

Разгледайте и поръчайте продукти на Kanlux онлайн
на led-zona.bg – с актуални цени и наличности.

Продуктите на Kanlux

Сканирайте или кликнете

Разгледайте продуктите →

Каталози на Kanlux

Сканирайте или кликнете

Още каталози →

www.led-zona.bg

T: 0888 065 970 | E: sales@led-zona.bg

Сфера Лайт ООД · гр. София, ж.к. Банишора, ул. Опълченска, бл. 54 (до 7-ма поликлиника)