LEDVANCE.COM



LEDVANCE

OSRAM

VINTAGE 1906 & DECORATIVE
LAMPS & LUMINAIRES
2025/26

LEDVANCE is a licensee for the product trademark OSRAM for lamps & luminaire products in general lighting.

LEDVANCE
POWER THROUGH LIGHT



A STRONG PARTNER IN THE LIGHTING INDUSTRY

LEDVANCE is a prominent player in the lighting industry, known for its innovative lighting products and smart, interconnected lighting solutions. Drawing from our comprehensive understanding of the general illumination market, current technologies, and evolving customer demands, we are committed to meeting the specific needs of both direct and indirect customers.

As a reliable local partner, we take an active role in supporting your efforts to impress customers with high-quality, long-lasting lighting concepts. Our aim is to help boost your lighting sales by offering attractive, user-friendly, and intelligent products.

Together, we can collaboratively shape the future of light – with agility, courage, speed, and flexibility. Join us on this journey as we pave the way towards a brighter tomorrow.

OUR STRENGTHS ARE **YOUR ADVANTAGE**

COOPERATIVE
As a dedicated and collaborative partner, LEDVANCE boasts a vast, worldwide sales team and over a century of experience, ensuring we stand by your side at all times.

VERSATILE
Modern, smart, decorative, functional, robust and practical – our extensive portfolio meets customer requirements in all categories and virtually every area of application.

SALES-BOOSTING
Attract attention, encourage purchases. We offer targeted support for your sales with creative, pre-tested marketing concepts.

CARING
We are committed to contributing to a greener planet by reducing CO_2 emissions and waste through sustainable products, solutions and processes. We empower our customers to use light more efficiently to save energy and reduce their environmental footprint.


UNIQUE
Fresh, dynamic, high-quality and bold – we know at an early stage what interests customers and where lighting trends are heading. LEDVANCE is unmistakably LEDVANCE.

INNOVATION MEETS TRADITION
We embody progress and the passion to shape the future of lighting actively. By blending our courage to explore new paths with our experience from more than 100 years of lighting expertise, we lead the way forward.

ALL IN ONE
At LEDVANCE, we've got everything you need from a single source – LED luminaires, lamps, and Smart Home products. We offer you a wide range of innovative and market-driven solutions, setting new trends along the way.

FIRST-CHOICE PARTNER
As the perfect strategic ally, we offer an extensive portfolio, a robust sales network, and unparalleled global market access to fulfill all your requirements.

GLOBAL PRESENCE



- Sales & Legal Entities
- Sales
- Not present

ACTIVE IN MORE THAN
140 COUNTRIES

OFFICES IN MORE THAN
50 COUNTRIES





SUCCESSFUL WITH **OSRAM** PRODUCTS FROM **LEDVANCE**



As an exclusive licence partner, LEDVANCE offers all its general lighting solutions in the well-known OSRAM brand, creating even greater potential and generating even higher sales.

OSRAM-BRANDED LIGHTING SOLUTIONS. A STRONG BRAND THAT IS THE KEY TO YOUR SUCCESS.





MAXIMUM BRAND AWARENESS:
LIGHT MEANS OSRAM

OSRAM is the ultimate lighting expert, setting standards in lighting technology around the world for well over 100 years and epitomising quality, efficiency and progressive ideas.



INNOVATION AND TRADITION:
THE CORNERSTONE OF YOUR SUCCESS

The licencing partnership with OSRAM allows LEDVANCE to offer you the best of both worlds – a well-known brand, innovative, sustainable products and a reliable partnership.

MANY PRODUCTS, ONE SUPPLIER:
MORE THAN 1,500 NEW OSRAM-BRANDED PRODUCTS

LEDVANCE offers a huge selection of OSRAM-branded luminaires, lamps and smart solutions – anything from decorative luminaires and work lights to outdoor lighting. And everything from a single source.









CONTENT

08 LUMINAIRES

40 LAMPS

106 POS CONCEPTS

108 GLOSSARY



STANDING OR HANGING EITHER WAY, THEY'RE ALREADY DESIGN CLASSICS

OSRAM Vintage Edition 1906 and DECOR luminaires from LEDVANCE are and will remain bestsellers. Hardly any other luminaire concept combines modern minimalist design and state-of-the-art LED technology with such authenticity, versatility and ease. Available either as DECOR STICK FLOOR luminaires or as Vintage Edition 1906 PenduLum luminaires, these stylish luminaires come in a high-quality, decorative look and can be combined, grouped or simply used on their own.

New in the portfolio: the 1906 EDISON TABLE and 1906 LETTER TABLE, the elegant DECOR MARBLE BASE, the dimmable DECOR STICK FLOOR and the DECOR NEEDLE PENDANT. These new luminaire models also radiate purist elegance and set modern accents – wherever light needs to make a statement. See for yourself!

LUMINAIRES

10 TABLE LUMINAIRES

16 FLOOR LUMINAIRES

22 PENDANT LUMINAIRES

38 CANOPIES






VINTAGE 1906 EDISON TABLE



1





E27 | MAX. 25 W | 1.2m | LAMP INCL. | LEDVANCE 5 year guarantee[1]

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	IP	l [mm]	w [mm]	h [mm]	⌀ d [mm]	
VINTAGE 1906 EDISON TABLE										
VINTAGE 1906 EDISON TABLE 2.5W 824 E27	4058075**850231**	1	Brown	Wood	IP20	75	75	195	—	4

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee


BAR
Hello

VINTAGE 1906 LETTER TABLE


1



2


3


4


5


6





E27 | MAX. 18 W | 1.8m | LAMP INCL. | LEDVANCE 5 year guarantee[1]

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	IP	l [mm]	w [mm]	h [mm]	ø d [mm]	
VINTAGE 1906 LETTER TABLE										
VINTAGE 1906 LETTER TABLE Controller 1.2W E27	4058075**853102**	1	Black/Clear	Steel/Glass	IP20	—	—	231	125	4
VINTAGE 1906 LETTER TABLE Game Zone 1.2W E27	4058075**853126**	2	Black/Clear	Steel/Glass	IP20	—	—	231	125	4
VINTAGE 1906 LETTER TABLE Music 1.2W E27	4058075**853164**	3	Black/Clear	Steel/Glass	IP20	—	—	231	125	4
VINTAGE 1906 LETTER TABLE Bar 1.2W E27	4058075**853201**	4	Black/Clear	Steel/Glass	IP20	—	—	231	125	4
VINTAGE 1906 LETTER TABLE Love 1.2W E27	4058075**853188**	5	Black/Clear	Steel/Glass	IP20	—	—	231	125	4
VINTAGE 1906 LETTER TABLE Hello 1.2W E27	4058075**853225**	6	Black/Clear	Steel/Glass	IP20	—	—	231	125	4

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee




DECOR MARBLE BASE TABLE DIM



1



2







DIM | E27 | MAX. 12 W | 1,5m | NOT INCL. | LEDVANCE 5 year guarantee [1]

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	IP	l [mm]	w [mm]	h [mm]	∅ d [mm]	
DECOR MARBLE BASE TABLE DIM										
DECOR MARBLE BASE TABLE DIM E27 BK	4058075**846883**	1	Black	Marble	IP20	80	80	130	80	4
DECOR MARBLE BASE TABLE DIM E27 WT	4058075**846906**	2	White	Marble	IP20	80	80	130	80	4


[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee



DECOR STICK FLOOR DARK GREY DIM



1





DIM | E27 | MAX. 25 W | 1.8 m | EASY MOUNTING | NOT INCL. | LEDVANCE 5 year guarantee[1]

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	IP	h (mm)	∅ d (mm)	
DECOR STICK FLOOR DARK GREY DIM								
DECOR STICK FLOOR 3XE27 DG DIM	4058075**851894**	1	Dark grey	Steel	IP20	780	320	2

Perfect in combination with Big Magnetic Filament Dim lamps, see pages 56–57


[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee




DECOR STICK FLOOR DARK GREY


1


2



3


4













E27 | MAX. 25 W | 1.8 m | EASY MOUNTING | NOT INCL. | LEDVANCE 5 year guarantee[1]

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	IP	h (mm)	d (mm)	
DECOR STICK FLOOR DARK GREY								
DECOR STICK FLOOR SHORT 1XE27 DG	4099854**440403**	1	Dark grey	Steel	IP20	780	260	2
DECOR STICK FLOOR TALL 1XE27 DG	4099854**440441**	2	Dark grey	Steel	IP20	1460	260	2
DECOR STICK FLOOR 2XE27 DG	4099854**440342**	3	Dark grey	Steel	IP20	1460	320	2
DECOR STICK FLOOR 3XE27 DG	4099854**440366**	4	Dark grey	Steel	IP20	780	320	2

Perfect in combination with Big Magnetic Filament lamps, see pages 56–61

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee




DECOR STICK FLOOR BEIGE


1



2



3


4













E27 | MAX. 25 W | 1.8 m | EASY MOUNTING | NOT INCL. | LEDVANCE 5 year guarantee[1]

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	IP	h (mm)	d (mm)	
DECOR STICK FLOOR BEIGE								
DECOR STICK FLOOR SHORT 1XE27 BG	4099854**440380**	1	Beige	Steel	IP20	780	260	2
DECOR STICK FLOOR TALL 1XE27 BG	4099854**440427**	2	Beige	Steel	IP20	1460	260	2
DECOR STICK FLOOR 2XE27 BG	4099854**440328**	3	Beige	Steel	IP20	1460	320	2
DECOR STICK FLOOR 3XE27 BG	4099854**453632**	4	Beige	Steel	IP20	780	320	2


Perfect in combination with Big Magnetic Filament lamps, see pages 56–61


[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee



VINTAGE 1906 PENDULUM









E27 | MAX. 60 W | FLEXIBLE MOUNTING | NOT INCL. | LEDVANCE 5 year guarantee[1]

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	IP	h (mm)	∅ d (mm)	
VINTAGE 1906 PENDULUM								
Vintage 1906 PenduLum Black	4099854**419393**	1	Black	Aluminum	IP20	2114	68	4

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee




VINTAGE 1906 PENDULUM BOBBIN



1



2





E27 | MAX. 15 W | EASY MOUNTING | NOT INCL. | LEDVANCE 5 year guarantee[1]

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	IP	h (mm)	∅ d (mm)	
VINTAGE 1906 PENDULUM BOBBIN								
Vintage 1906 PenduLum Bobbin Black	4099854**419416**	1	Black	Steel	IP20	1 625	100	4
Vintage 1906 PenduLum Bobbin Gun Metal	4099854**419430**	2	Dark grey	Steel	IP20	1 625	100	4

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee




VINTAGE 1906 PENDULUM ROUND


1


2


3

4





E27 | MAX. 15 W | EASY MOUNTING | NOT INCL. | LEDVANCE 5 year guarantee[1]

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	IP	h (mm)	d (mm)	
VINTAGE 1906 PENDULUM ROUND								
Vintage 1906 PenduLum Round Chrome	4099854**419539**	1	Chrome	Steel	IP20	1 640	100	4
Vintage 1906 PenduLum Round Gold	4099854**419553**	2	Gold	Steel	IP20	1 640	100	4
Vintage 1906 PenduLum Round Black	4099854**419515**	3	Black	Steel	IP20	1 640	100	4
Vintage 1906 PenduLum Round White	4099854**419577**	4	White	Steel	IP20	1 640	100	4

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee



VINTAGE 1906 PENDULUM ROUND PLASTER

1





E27 | MAX. 15 W | EASY MOUNTING | NOT INCL. | LEDVANCE 5 year guarantee[1]

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	IP	h (mm)	∅ d (mm)	
VINTAGE 1906 PENDULUM ROUND PLASTER								
Vintage 1906 PenduLum Round Plaster White	4099854**419591**	1	White	Steel/plaster	IP20	1 630	120	4

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee




VINTAGE 1906 PENDULUM BELL



1



2





E27 | MAX. 15 W | EASY MOUNTING | NOT INCL. | LEDVANCE 5 year guarantee[1]

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	IP	h (mm)	∅ d (mm)	
VINTAGE 1906 PENDULUM BELL								
Vintage 1906 PenduLum Bell Black	4099854**419355**	1	Black	Polypropylene/silicone	IP20	1175	92	4
Vintage 1906 PenduLum Bell White	4099854**419379**	2	White	Polypropylene/silicone	IP20	1175	92	4

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee


BORZALINO

VINTAGE 1906 PENDULUM CYLINDER WOOD







E27 | MAX. 15 W | EASY MOUNTING | NOT INCL. | LEDVANCE 5 year guarantee[1]

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	IP	h (mm)	∅ d (mm)	
VINTAGE 1906 PENDULUM CYLINDER WOOD								
Vintage 1906 PenduLum Cylinder Wood	4099854**419454**	1	Wooden decor	Steel/Wood	IP20	1 630	100	4

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee




VINTAGE 1906 PENDULUM NEEDLE



1



2





E27 | MAX. 15 W | EASY MOUNTING | NOT INCL. | LEDVANCE 5 year guarantee[1]

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	IP	h (mm)	∅ d (mm)	
VINTAGE 1906 PENDULUM NEEDLE								
VINTAGE 1906 PENDULUM NEEDLE E27 DG	4099854**419492**	1	Dark grey	Steel	IP20	2287	100	4
VINTAGE 1906 PENDULUM NEEDLE E27 BG	4099854**419478**	2	Beige	Steel	IP20	2287	100	4

Perfect in combination with Big Magnetic Filament lamps of the same color, see pages 56–61

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee




DECOR NEEDLE PENDANT



1


2


3


4









E27 | MAX. 25 W | EASY MOUNTING | NOT INCL. | LEDVANCE 5 year guarantee[1]

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	IP	l [mm]	w [mm]	h [mm]	∅ d [mm]	
DECOR NEEDLE PENDANT										
DECOR NEEDLE PENDANT PLATE 4XE27 DG	4058075**848481**	1	Dark grey	Steel	IP20	350	350	2226	350	2
DECOR NEEDLE PENDANT LINEAR 4XE27 DG	4058075**848528**	2	Dark grey	Steel	IP20	950	100	2200		2
DECOR NEEDLE PENDANT PLATE 4XE27 BG	4058075**848504**	3	Beige	Steel	IP20	350	350	2226	350	2
DECOR NEEDLE PENDANT LINEAR 4XE27 BG	4058075**848542**	4	Beige	Steel	IP20	950	100	2200		2

Perfect in combination with Big Magnetic Filament lamps of the same color, see pages 56–61

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee




VINTAGE 1906 PENDULUM TRIPLE CANOPY




1



2









MAX. 3×12 W | EASY MOUNTING | LEDVANCE 5 year guarantee [1]

Product name	GTIN (EAN)	No.	COLOR	MATERIAL	IP	l [mm]	w [mm]	h [mm]	⌀ d [mm]	
VINTAGE 1906 PENDULUM TRIPLE CANOPY										
Vintage 1906 PenduLum Triple Canopy	409985**442735**	1	Black	Aluminum	IP20	—	—	25	200	4
Vintage 1906 PenduLum Triple Canopy Linear	409985**442759**	2	Black	Aluminum	IP20	540	50	50	—	4

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee

LAMPS FOR EVEN MORE STYLE

You can be certain that every luminaire fitted with our modern LED lamps has what it takes to be a decorative eye-catcher. LEDVANCE offers you and your customers a large selection of expressive light sources for creating a particularly atmospheric setting – in kitchens, hallways, living rooms and bedrooms.

Our DECOR lamps are a particular highlight – ideal for creating stylish lighting accents and a modern atmosphere. Whether with built-in LED or replaceable flat lamp, these lamps impress with their creative design and high-quality materials, such as metal or glass housings. They are available in a wide range of finishes and colours – and can be used directly as a luminaire.

The iconic Vintage Edition 1906 lamps are also true attention-grabbers, infusing modern and classic spaces with nostalgic charm through their striking shapes and warm light colour. Thanks to clear filaments, tinted glass and unusual designs, these lamps can be combined in a variety of ways and add the finishing touch to any room.

LAMPS

42 DECOR SPIRAL & STRAW FILAMENT IN METAL HOUSING

44 DECOR FLAT LAMP IN METAL HOUSING

46 DECOR ELECTRO BALL WITH FLAT LAMP

48 DECOR CRACKED GLASS WITH FLAT LAMP

50 DECOR COLOR GLASS WITH FLAT LAMP

52 LED FLAT LAMP

54 VINTAGE 1906 “O”-SERIES

56 VINTAGE 1906 BIG MAGNETIC FILAMENT

62 VINTAGE 1906 MILKY

64 VINTAGE 1906 COLOR

66 VINTAGE 1906 BIG BULBS

70 VINTAGE 1906 SPECIAL SHAPES

72 VINTAGE 1906 COPPER COLOR

74 VINTAGE 1906 MAGNETIC FILAMENT

76 VINTAGE 1906 SPECIAL FILAMENTS

88 VINTAGE 1906 SPIRAL ULTRA THIN FILAMENTS

94 VINTAGE 1906 SPIRAL FILAMENTS

98 VINTAGE 1906 STRAIGHT ULTRA THIN FILAMENTS

102 VINTAGE 1906 GOLD



DECOR SPIRAL & STRAW FILAMENT IN METAL HOUSING


1


2


3


4


5


6


7


8





LED | IP20 | CRI ≥80 | WARM LIGHT | LEDVANCE 3 year guarantee [1]

Product name	GTIN (EAN)	No.	w≙W	W	lm	[2]		[3]	t[h] [4]	[mm]	⌀ d [mm]		
DECOR SPIRAL & STRAW FILAMENT IN METAL HOUSING **E27, 220–240 V, folding box**													
DECOR LED SPIRAL FILAMENT GLOBE 125 18 GOLD DIM 3.5W 818 E27	4058075**840201**	1	18W	3.5	170	—	Comfort warm white	✓	25000	150	125	1	4
DECOR LED SPIRAL FILAMENT SQUARE 100 18 GOLD DIM 3.5W 818 E27	4058075**840225**	2	18W	3.5	170	—	Comfort warm white	✓	25000	162	100	1	4
DECOR LED SPIRAL FILAMENT GLOBE 125 14 BLACK DIM 3.5W 818 E27	4058075**840287**	3	14W	3.5	130	—	Comfort warm white	✓	25000	150	125	1	4
DECOR LED SPIRAL FILAMENT SQUARE 100 14 BLACK DIM 3.5W 818 E27	4058075**840300**	4	14W	3.5	130	—	Comfort warm white	✓	25000	162	100	1	4
DECOR LED STRAW FILAMENT GLOBE 125 16 GOLD DIM 3.5W 818 E27	4058075**840164**	5	16W	3.5	150	—	Comfort warm white	✓	25000	150	125	1	4
DECOR LED STRAW FILAMENT SQUARE 100 16 GOLD DIM 3.5W 818 E27	4058075**840188**	6	16W	3.5	150	—	Comfort warm white	✓	25000	162	100	1	4
DECOR LED STRAW FILAMENT GLOBE 125 12 BLACK DIM 3.5W 818 E27	4058075**840249**	7	12W	3.5	110	—	Comfort warm white	✓	25000	150	125	1	4
DECOR LED STRAW FILAMENT SQUARE 100 12 BLACK DIM 3.5W 818 E27	4058075**840263**	8	12W	3.5	110	—	Comfort warm white	✓	25000	162	100	1	4

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee | [2] Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015).
[3] LED lamps can be operated with a variety of conventional dimmers. Details and results from compatibility tests can be found at www.ledvance.com/dim as well as in additional technical product information sheets (follow the links there) | [4] Average life in hours



DECOR FLAT LAMP IN METAL HOUSING


1


2


3


4





LED | IP20 | CRI ≥80 | WARM LIGHT | LEDVANCE 3 year guarantee[1]

Product name	GTIN (EAN)	No.	W≙W	W	lm	Class[2]		t[h][3]	l [mm]	⌀ d [mm]		
DECOR FLAT LAMP IN METAL HOUSING **E27, 220–240 V, folding box**												
DECOR LED FLAT GLOBE 125 GOLD 3.5W 827 Frosted E27	4058075**840089**	1	28W	3.5	300	F	Warm white	25000	150	125	1	4
DECOR LED FLAT SQUARE 100 GOLD 3.5W 827 Frosted E27	4058075**840102**	2	28W	3.5	300	F	Warm white	25000	162	100	1	4
DECOR LED FLAT GLOBE 125 BLACK 3.5W 827 Frosted E27	4058075**840126**	3	28W	3.5	300	F	Warm white	25000	150	125	1	4
DECOR LED FLAT SQUARE 100 BLACK 3.5W 827 Frosted E27	4058075**840140**	4	28W	3.5	300	F	Warm white	25000	162	100	1	4

The LED Flat Lamp is replaceable.

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee
[2] Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015). | [3] Average life in hours



DECOR ELECTRO BALL WITH LED FLAT LAMP


1


2


3


4


5


6


7


8


9







LED | IP20 | CRI ≥80 | WARM LIGHT | LEDVANCE 3 year guarantee[1]

Product name	GTIN (EAN)	No.	W≙W	W	lm	Class[2]		t[h][3]	l [mm]	d [mm]		
DECOR ELECTRO BALL WITH LED FLAT LAMP **E27, 220–240 V, folding box**												
DECOR LED FLAT ELECTRO GLASS SMALL BLACK 3.5W 827 E27	4099854**607332**	1	28W	3.5	300	F	Warm white	25000	164	125	1	4
DECOR LED FLAT ELECTRO GLASS SMALL ROSE 3.5W 827 E27	4099854**607592**	2	28W	3.5	300	F	Warm white	25000	164	125	1	4
DECOR LED FLAT ELECTRO GLASS SMALL GOLD 3.5W 827 E27	4099854**607516**	3	28W	3.5	300	F	Warm white	25000	164	125	1	4
DECOR LED FLAT ELECTRO GLASS MEDIUM BLACK 3.5W 827 E27	4099854**607370**	4	28W	3.5	300	F	Warm white	25000	190	150	1	4
DECOR LED FLAT ELECTRO GLASS MEDIUM ROSE 3.5W 827 E27	4099854**607615**	5	28W	3.5	300	F	Warm white	25000	190	150	1	4
DECOR LED FLAT ELECTRO GLASS MEDIUM GOLD 3.5W 827 E27	4099854**607417**	6	28W	3.5	300	F	Warm white	25000	190	150	1	4
DECOR LED FLAT ELECTRO GLASS LARGE BLACK 3.5W 827 E27	4099854**607479**	7	28W	3.5	300	F	Warm white	25000	241	200	1	4
DECOR LED FLAT ELECTRO GLASS LARGE ROSE 3.5W 827 E27	4099854**607639**	8	28W	3.5	300	F	Warm white	25000	241	200	1	4
DECOR LED FLAT ELECTRO GLASS LARGE GOLD 3.5W 827 E27	4099854**607493**	9	28W	3.5	300	F	Warm white	25000	241	200	1	4

The LED Flat Lamp is replaceable.

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee
[2] Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015). | [3] Average life in hours



DECOR CRACKED GLASS WITH LED FLAT LAMP


1


2


3


4


5


6


7


8


9







LED | IP20 | CRI ≥80 | WARM LIGHT | LEDVANCE 3 year guarantee[1]

Product name	GTIN (EAN)	≡ No.	w≙W	W	lm	kWh/1000h[2]		t[h][3]	l [mm]	⌀ d [mm]		
DECOR CRACKED GLASS WITH LED FLAT LAMP **E27, 220–240 V, folding box**												
DECOR LED FLAT CRACKED GLASS LONG ORANGE 3.5W 827 E27	4099854**608506**	1	28W	3.5	300	F	Warm white	25000	175	90	1	6
DECOR LED FLAT CRACKED GLASS ROUND ORANGE 3.5W 827 E27	4099854**608407**	2	28W	3.5	300	F	Warm white	25000	160	125	1	6
DECOR LED FLAT CRACKED GLASS FLATTENED ORANGE 3.5W 827 E27	4099854**608643**	3	28W	3.5	300	F	Warm white	25000	116	150	1	4
DECOR LED FLAT CRACKED GLASS LONG BROWN 3.5W 827 E27	4099854**608629**	4	28W	3.5	300	F	Warm white	25000	175	90	1	6
DECOR LED FLAT CRACKED GLASS ROUND BROWN 3.5W 827 E27	4099854**608445**	5	28W	3.5	300	F	Warm white	25000	160	125	1	6
DECOR LED FLAT CRACKED GLASS FLATTENED BROWN 3.5W 827 E27	4099854**608711**	6	28W	3.5	300	F	Warm white	25000	116	150	1	4
DECOR LED FLAT CRACKED GLASS LONG BLUE 3.5W 827 E27	4099854**608568**	7	28W	3.5	300	F	Warm white	25000	175	90	1	6
DECOR LED FLAT CRACKED GLASS ROUND BLUE 3.5W 827 E27	4099854**608421**	8	28W	3.5	300	F	Warm white	25000	160	125	1	6
DECOR LED FLAT CRACKED GLASS FLATTENED BLUE 3.5W 827 E27	4099854**608674**	9	28W	3.5	300	F	Warm white	25000	116	150	1	4

The LED Flat Lamp is replaceable.

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee
[2] Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015). | [3] Average life in hours



DECOR COLOR GLASS WITH LED FLAT LAMP


1


2


3


4


5


6


7


8


9







LED | IP20 | CRI ≥80 | WARM LIGHT | LEDVANCE 3 year guarantee[1]

Product name	GTIN (EAN)	No.	W≙W	W	lm	Energy class[2]		Lifetime[3]				
DECOR COLOR GLASS WITH LED FLAT LAMP **E27, 220–240 V, folding box**												
DECOR LED FLAT COLOURED GLASS OVAL ORANGE 3.5W 827 E27	4099854**608797**	1	28W	3.5	300	F	Warm white	25000	158	110	1	6
DECOR LED FLAT COLOURED GLASS GLOBE ORANGE 3.5W 827 E27	4099854**608872**	2	28W	3.5	300	F	Warm white	25000	146	125	1	6
DECOR LED FLAT COLOURED GLASS SQUARE ORANGE 3.5W 827 E27	4099854**608995**	3	28W	3.5	300	F	Warm white	25000	141	120	1	6
DECOR LED FLAT COLOURED GLASS OVAL GREEN 3.5W 827 E27	4099854**608810**	4	28W	3.5	300	F	Warm white	25000	158	110	1	6
DECOR LED FLAT COLOURED GLASS GLOBE GREEN 3.5W 827 E27	4099854**608919**	5	28W	3.5	300	F	Warm white	25000	146	125	1	6
DECOR LED FLAT COLOURED GLASS SQUARE GREEN 3.5W 827 E27	4099854**609015**	6	28W	3.5	300	F	Warm white	25000	141	120	1	6
DECOR LED FLAT COLOURED GLASS OVAL BLUE 3.5W 827 E27	4099854**608834**	7	28W	3.5	300	F	Warm white	25000	158	110	1	6
DECOR LED FLAT COLOURED GLASS GLOBE BLUE 3.5W 827 E27	4099854**608957**	8	28W	3.5	300	F	Warm white	25000	146	125	1	6
DECOR LED FLAT COLOURED GLASS SQUARE BLUE 3.5W 827 E27	4099854**609039**	9	28W	3.5	300	F	Warm white	25000	141	120	1	6

The LED Flat Lamp is replaceable.

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee
[2] Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015). | [3] Average life in hours



LED FLAT LAMP


1


1


2


2


3


3





LED | IP20 | CRI ≥80 | LEDVANCE 3 year guarantee[1]

Product name	GTIN (EAN)	No.	W≙W	W	lm	[2]			t[h][3]	l [mm]	⌀ d [mm]		
LED FLAT LAMP													
E27, 220–240 V, folding box, 3 Step Dim													
LED STAR FLAT 26 3.5W 827 Frosted E27 3 Step DIM	4058075**840027**	1	26W	3.5	270	G	Warm white	3 STEP DIM	25000	45	35	1	6
LED STAR FLAT 26 3.5W 840 Frosted E27 3 Step DIM	4058075**840058**	1	26W	3.5	270	G	Cool white	3 STEP DIM	25000	45	35	1	6
E27, 220–240 V, folding box, dim													
LED STAR FLAT 29 4.5W 827 Frosted E27 DIM	4099854**356926**	2	29W	4.5	320	G	Warm white	✓	25000	46	43	1	6
E27, 220–240 V, folding box, non-dim													
LED STAR FLAT 28 3.5W 827 Frosted E27 Non-DIM	4058075**839960**	1	28W	3.5	300	F	Warm white	—	25000	45	35	1	6
LED STAR FLAT 28 3.5W 840 Frosted E27 Non-DIM	4058075**839991**	1	28W	3.5	300	F	Cool white	—	25000	45	35	1	6
E14, 220–240 V, folding box, 3 Step Dim													
LED STAR FLAT 26 3.5W 827 Frosted E14 3 Step DIM	4099854**356834**	3	26W	3.5	270	G	Warm white	3 STEP DIM	25000	54	35	1	6
LED STAR FLAT 26 3.5W 840 Frosted E14 3 Step DIM	4099854**356865**	3	26W	3.5	270	G	Cool white	3 STEP DIM	25000	54	35	1	6
E14, 220–240 V, folding box, non-dim													
LED STAR FLAT 28 3.5W 827 Frosted E14 Non-DIM	4099854**356773**	3	28W	3.5	300	F	Warm white	—	25000	54	35	1	6
LED STAR FLAT 28 3.5W 840 Frosted E14 Non-DIM	4099854**356803**	3	28W	3.5	300	F	Cool white	—	25000	54	35	1	6

Each lamp includes black and white rings for customization.

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee
[2] Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015). | [3] Average life in hours



VINTAGE 1906 “O”-SERIES


1


2


3


4


5


6


7


8





LED | IP20 | CRI ≥80 | WARM LIGHT | 180° | LEDVANCE 3 year guarantee [1]

Product name	GTIN (EAN)	No.	w≙W	W	lm	[2]		[3]	t [h] [4]	l [mm]	w [mm]	h [mm]		
VINTAGE 1906 “O”-SERIES **E27, 220–240 V, folding box**														
Vintage 1906 LED GLOBE 80 22 4W DIM O-FILAMENT GOLD 818 E27	405807**5846067**	1	22W	4	220	—	Comfort warm white	✓	25000	80	50	120	1	6
Vintage 1906 LED GLOBE 100 22 4W DIM O-FILAMENT GOLD 818 E27	405807**5846005**	2	22W	4	220	—	Comfort warm white	✓	25000	100	66	189	1	6
Vintage 1906 LED GLOBE 130 22 4W DIM O-FILAMENT GOLD 818 E27	405807**5846029**	3	22W	4	220	—	Comfort warm white	✓	25000	130	80	171	1	6
Vintage 1906 LED GLOBE 183 22 4W DIM O-FILAMENT GOLD 818 E27	405807**5846043**	4	22W	4	220	—	Comfort warm white	✓	25000	183	110	232	1	6
Vintage 1906 LED GLOBE 80 12 4W DIM O-FILAMENT SMOKE 818 E27	405807**5846142**	5	12W	4	110	—	Comfort warm white	✓	25000	80	50	120	1	6
Vintage 1906 LED GLOBE 100 12 4W DIM O-FILAMENT SMOKE 818 E27	405807**5846081**	6	12W	4	110	—	Comfort warm white	✓	25000	100	66	189	1	6
Vintage 1906 LED GLOBE 130 12 4W DIM O-FILAMENT SMOKE 818 E27	405807**5846104**	7	12W	4	110	—	Comfort warm white	✓	25000	130	80	171	1	6
Vintage 1906 LED GLOBE 183 12 4W DIM O-FILAMENT SMOKE 818 E27	405807**5846128**	8	12W	4	110	—	Comfort warm white	✓	25000	183	110	232	1	6

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee | [2] Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015).
[3] LED lamps can be operated with a variety of conventional dimmers. Details and results from compatibility tests can be found at www.ledvance.com/dim as well as in additional technical product information sheets (follow the links there) | [4] Average life in hours



VINTAGE 1906 BIG MAGNETIC FILAMENT – DIM


1


2


3


4


5


6


7


8





LED | IP20 | CRI ≥80 | WARM LIGHT | LEDVANCE 3 year guarantee [1]

Product name	GTIN (EAN)	No.	W≙W	W	lm	[2]		[3]	t[h] [4]	[mm]	[mm]		
VINTAGE 1906 BIG MAGNETIC FILAMENT – DIM **E27, 220–240 V, folding box**													
Vintage 1906 Big Elipse 32 Magnetic DIM 12W 818 Smoke E27	4058075**836303**	1	32W	12	350	—	Comfort warm white	✓	15000	210	300	1	4
Vintage 1906 Big Oval 35 Magnetic DIM 12W 818 Smoke E27	4058075**836327**	2	35W	12	400	—	Comfort warm white	✓	15000	300	250	1	4
Vintage 1906 Big Elipse Oval 28 Magnetic DIM 12W 818 Smoke E27	4058075**836341**	3	28W	12	300	—	Comfort warm white	✓	15000	370	200	1	4
Vintage 1906 Big Ball 35 Filament Magnetic 12W 818 Smoke E27	4099854**552021**	4	35W	12	400	—	Comfort warm white	✓	15000	320	280	1	2
Vintage 1906 Big Elipse 42 Magnetic DIM 12W 818 Amber E27	4058075**836242**	5	42W	12	500	—	Comfort warm white	✓	15000	210	300	1	4
Vintage 1906 Big Oval 45 Magnetic DIM 12W 818 Amber E27	4058075**836266**	6	45W	12	550	—	Comfort warm white	✓	15000	300	250	1	4
Vintage 1906 Big Elipse Oval 42 Magnetic DIM 12W 818 Amber E27	4058075**836280**	7	42W	12	500	—	Comfort warm white	✓	15000	370	200	1	4
Vintage 1906 Big Ball 45 Filament Magnetic 12W 818 Amber E27	4099854**552007**	8	45W	12	550	—	Comfort warm white	✓	15000	320	280	1	2

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee | [2] Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015).)
[3] LED lamps can be operated with a variety of conventional dimmers. Details and results from compatibility tests can be found at www.ledvance.com/dim as well as in additional technical product information sheets (follow the links there) | [4] Average life in hours



VINTAGE 1906 BIG MAGNETIC FILAMENT – NON-DIM


1


2


3


4


5


6





LED | IP20 | CRI ≥80 | WARM LIGHT | LEDVANCE 3 year guarantee [1]

Product name	GTIN (EAN)	No.	W≙W	W	lm	class [2]		t [h] [3]	l [mm]	d [mm]		
VINTAGE 1906 BIG MAGNETIC FILAMENT – NON-DIM **E27, 220–240 V, folding box**												
Vintage 1906 Big Elipse 6 Filament Magnetic 4W 818 Smoke E27	4099854**173929**	1	6 W	4	60	—	Comfort warm white	15000	210	300	1	4
Vintage 1906 Big Oval 10 Filament Magnetic 4W 818 Smoke E27	4099854**173943**	2	10 W	4	100	—	Comfort warm white	15000	300	250	1	4
Vintage 1906 Big Elipse Oval 12 Filament Magnetic 4W 818 Smoke E27	4099854**173981**	3	12 W	4	120	—	Comfort warm white	15000	370	200	1	4
Vintage 1906 Big Elipse 12 Filament Magnetic 2.5W 827 Amber E27	4099854**173806**	4	12 W	2.5	120	G	Warm white	15000	210	300	1	4
Vintage 1906 Big Oval 25 Filament Magnetic 3.4W 827 Amber E27	4099854**173844**	5	25 W	3.4	250	G	Warm white	15000	300	250	1	4
Vintage 1906 Big Elipse Oval 27 Filament Magnetic 4W 827 Amber E27	4099854**173882**	6	27 W	4	280	G	Warm white	15000	370	200	1	4

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee
[2] Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015). | [3] Average life in hours



VINTAGE 1906 BIG MAGNETIC FILAMENT GLASS


1


2


3


4


5


6


7


8





LED | IP20 | CRI ≥80 | WARM LIGHT | LEDVANCE 3 year guarantee [1]

Product name	GTIN (EAN)	No.	w≙W	W	lm	[2]		[3]	t[h] [4]	[mm]	⌀ d [mm]		
VINTAGE 1906 BIG MAGNETIC FILAMENT GLASS **E27, 220–240 V, folding box**													
Vintage 1906 Big Elipse 6 Magnetic DIM 4W 818 Smoke E27	4058075**836440**	1	6W	4	60	—	Comfort warm white	✓	15000	165	215	1	4
Vintage 1906 Big Oval 10 Magnetic DIM 4.8W 818 Smoke E27	4058075**836464**	2	10W	4.8	100	—	Comfort warm white	✓	15000	237	187	1	4
Vintage 1906 Big Elipse Oval 10 Magnetic DIM 4.8W 818 Smoke E27	4058075**836488**	3	10W	4.8	100	—	Comfort warm white	✓	15000	280	145	1	4
Vintage 1906 Big Globe 200 10 Magnetic DIM 4.8W 818 Smoke E27	4058075**836501**	4	10W	4.8	100	—	Comfort warm white	✓	15000	260	200	1	4
Vintage 1906 Big Elipse 12 Magnetic DIM 4W 818 Tea Brown E27	4058075**836365**	5	12W	4	120	—	Comfort warm white	✓	15000	165	215	1	4
Vintage 1906 Big Oval 20 Magnetic DIM 4.8W 818 Tea Brown E27	4058075**836389**	6	20W	4.8	200	—	Comfort warm white	✓	15000	237	187	1	4
Vintage 1906 Big Elipse Oval 20 Magnetic DIM 4.8W 818 Tea Brown E27	4058075**836402**	7	20W	4.8	200	—	Comfort warm white	✓	15000	280	145	1	4
Vintage 1906 Big Globe 200 20 Magnetic DIM 4.8W 818 Tea Brown E27	4058075**836426**	8	20W	4.8	200	—	Comfort warm white	✓	15000	260	200	1	4

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee | [2] Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015).
[3] LED lamps can be operated with a variety of conventional dimmers. Details and results from compatibility tests can be found at www.ledvance.com/dim as well as in additional technical product information sheets (follow the links there) | [4] Average life in hours



VINTAGE 1906 MILKY


1


2


3


4





LED | IP20 | CRI ≥80 | WARM LIGHT | LEDVANCE 3 year guarantee [1]

Product name	GTIN (EAN)	No.	w≙W	W	lm	[2]		[3]	t[h] [4]	l [mm]	d [mm]		
VINTAGE 1906 MILKY **E27, 220–240 V, folding box**													
Vintage 1906 Big Apple 60 DIM 7.3W 827 Frosted E27	405807**5836204**	1	60W	7.3	806	E	Warm white	✓	15000	180	135	1	4
Vintage 1906 Big Globe 200 60 DIM 7.3W 827 Frosted E27	405807**5836129**	2	60W	7.3	806	E	Warm white	✓	15000	260	200	1	4
Vintage 1906 Ballon 60 DIM 7.3W 827 Frosted E27	405807**5836143**	3	60W	7.3	806	E	Warm white	✓	15000	275	170	1	4
Vintage 1906 Big Grape 60 DIM 7.3W 827 Frosted E27	405807**5836228**	4	60W	7.3	806	E	Warm white	✓	15000	285	160	1	4

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee | [2] Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015).
[3] LED lamps can be operated with a variety of conventional dimmers. Details and results from compatibility tests can be found at www.ledvance.com/dim as well as in additional technical product information sheets (follow the links there) | [4] Average life in hours



VINTAGE 1906 COLOR


1


2


3


4


5





LED | IP20 | CRI ≥80 | WARM LIGHT | LEDVANCE 3 year guarantee [1]

Product name	GTIN (EAN)	No.	W≙W	W	lm	[2]		[3]	t[h] [4]	[mm]	⌀ d [mm]		
VINTAGE 1906 COLOR **E27, 220–240 V, folding box**													
Vintage 1906 Globe ET 124 18 Filament DIM 4.5W 816 Green E27	4058075**761858**	1	18 W	4.5	180	G	Comfort warm white	✓	15000	176	125	1	4
Vintage 1906 Globe 140 15 Filament DIM 4.5W 816 Smoke E27	4058075**760974**	2	15 W	4.5	150	G	Comfort warm white	✓	15000	200	140	1	4
Vintage 1906 Ballon 10 Filament DIM 4.5W 816 Blue E27	4058075**761872**	3	10 W	4.5	100	G	Comfort warm white	✓	15000	270	170	1	4
Vintage 1906 Ballon 15 Filament DIM 4.5W 816 Pink E27	4058075**761896**	4	15 W	4.5	220	G	Comfort warm white	✓	15000	270	170	1	4
Vintage 1906 Ballon 30 Filament DIM 4.8W 827 Clear E27	4058075**761919**	5	30 W	4.8	400	G	Warm white	✓	15000	270	170	1	4

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee | [2] Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015).
[3] LED lamps can be operated with a variety of conventional dimmers. Details and results from compatibility tests can be found at www.ledvance.com/dim as well as in additional technical product information sheets (follow the links there) | [4] Average life in hours



VINTAGE 1906
BIG BULBS – DIM


1


2


3


4


5





LED | IP20 | CRI ≥80 | WARM LIGHT | LEDVANCE 3 year guarantee [1]

Product name	GTIN (EAN)	No.	W≙W	W	lm	[2]		[3]	t[h] [4]	l [mm]	⌀ d [mm]		
VINTAGE 1906 BIG BULBS – DIM **E27, 220–240 V, folding box**													
Vintage 1906 Classic C 125 15 Filament DIM 4W 818 Smoke E27	409985**4090325**	1	15 W	4	140	G	Comfort warm white	✓	15000	283	125	1	4
Vintage 1906 Globe ET 165 15 Filament DIM 4.5W 817 Smoke E27	405807**5760998**	2	15 W	4.5	150	G	Comfort warm white	✓	15000	270	165	1	4
Vintage 1906 AW 15 Filament DIM 4W 818 Smoke E27	405807**5761018**	3	15 W	4	140	G	Comfort warm white	✓	15000	400	193	1	4
Vintage 1906 NEST 10 Filament DIM 4.8W 818 Smoke E27	405807**5761056**	4	10 W	4.8	100	G	Comfort warm white	✓	15000	405	200	1	4
Vintage 1906 NEST 33 Filament DIM 4.8W 822 Gold E27	405807**5761834**	5	33 W	4.8	360	G	Comfort warm white	✓	15000	405	200	1	4

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee | [2] Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015).
[3] LED lamps can be operated with a variety of conventional dimmers. Details and results from compatibility tests can be found at www.ledvance.com/dim as well as in additional technical product information sheets (follow the links there) | [4] Average life in hours



VINTAGE 1906
BIG BULBS – NON-DIM



1



2



LED | IP20 | CRI ≥80 | WARM LIGHT | LEDVANCE 3 year guarantee [1]

Product name	GTIN (EAN)	Pack. No.	w≙W	W	lm	Energy class [2]		t [h] [3]	l [mm]	⌀ d [mm]		
VINTAGE 1906 BIG BULBS – NON-DIM **E27, 220–240 V, folding box**												
Vintage 1906 Big Globe 220 15 Filament 4.5W 818 Smoke E27	4058075**836167**	1	15W	4.5	150	—	Comfort warm white	15000	225	220	1	4
Vintage 1906 Big Oval 15 Filament Magnetic 4.5W 818 Smoke E27	4058075**836181**	2	15W	4.5	150	—	Comfort warm white	15000	270	170	1	4

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee
[2] Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015). | [3] Average life in hours



VINTAGE 1906 SPECIAL SHAPES


1


2


3



LED | IP20 | CRI ≥80 | WARM LIGHT | LEDVANCE 3 year guarantee [1]

Product name	GTIN (EAN)	No.	W≙W	W	lm	[2]		t[h] [3]	l [mm]	⌀ d [mm]		
VINTAGE 1906 SPECIAL SHAPES **E27, 220–240 V, folding box**												
Vintage 1906 Edison 40 Filament Diamond 4W 824 Gold E27	4058075**091955**	1	40 W	4	470	E	Comfort warm white	15000	142	110	1	4
Vintage 1906 Oval 40 Filament 4W 824 Gold E27	4099854**091117**	2	40 W	4	470	E	Comfort warm white	15000	156	75	1	4
Vintage 1906 Big Globe 40 Filament Pine 4W 824 Gold E27	4058075**092037**	3	40 W	4	470	E	Comfort warm white	15000	168	125	1	4

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee | [2] Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015). | [3] Average life in hours



VINTAGE 1906 COPPER COLOR



1



2



3



LED | IP 20 | WARM LIGHT | LEDVANCE 3 year guarantee [1]

Product name	GTIN (EAN)	≙ No.	w≙W	W	lm	[2]		[3]	[4] t [h]	l [mm]	⌀ d [mm]		
VINTAGE 1906 COPPER COLOR **E27, 220–240 V, folding box**													
Vintage 1906 Classic A 60 5 Spiral Filament DIM 3W 618 Copper E27	409985**4586415**	1	5W	3	45	—	Comfort warm white	✓	15000	110	60	1	6
Vintage 1906 Edison 5 Spiral Filament DIM 3W 618 Copper E27	409985**4586309**	2	5W	3	45	—	Comfort warm white	✓	15000	139	64	1	4
Vintage 1906 Globe 80 5 Spiral Filament DIM 3W 618 Copper E27	409985**4586361**	3	5W	3	45	—	Comfort warm white	✓	15000	123	80	1	4

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee | [2] Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015).
[3] LED lamps can be operated with a variety of conventional dimmers. Details and results from compatibility tests can be found at www.ledvance.com/dim as well as in additional technical product information sheets (follow the links there) | [4] Average life in hours



VINTAGE 1906 MAGNETIC FILAMENT


1


2


3


4


5


6


7


8


9





LED | IP20 | CRI ≥80 | WARM LIGHT | LEDVANCE 3 year guarantee [1]

Product name	GTIN (EAN)	No.	w≙W	W	lm	Energy class [2]		t [h] [3]	l [mm]	d [mm]		
VINTAGE 1906 MAGNETIC FILAMENT E27, 220–240 V, folding box												
Vintage 1906 Classic A 10 Filament Magnetic 1.8W 827 Clear E27	4099854**049972**	1	10 W	1.8	100	G	Warm white	15000	105	60	1	6
Vintage 1906 Edison 16 Filament Magnetic 2.2W 827 Clear E27	4099854**049859**	2	16 W	2.2	150	G	Warm white	15000	140	64	1	4
Vintage 1906 Globe 95 16 Filament Magnetic 2.2W 827 Clear E27	4099854**049910**	3	16 W	2.2	150	G	Warm white	15000	138	95	1	4
Vintage 1906 Classic A 4 Filament Magnetic 1.8W 818 Smoke E27	4099854**050015**	4	4 W	1.8	40	—	Comfort warm white	15000	105	60	1	6
Vintage 1906 Edison 6 Filament Magnetic 2.2W 818 Smoke E27	4099854**049897**	5	6 W	2.2	60	—	Comfort warm white	15000	140	64	1	4
Vintage 1906 Globe 95 6 Filament Magnetic 2.2W 818 Smoke E27	4099854**049958**	6	6 W	2.2	60	—	Comfort warm white	15000	138	95	1	4
Vintage 1906 Classic A 8 Filament Magnetic 1.8W 827 Gold E27	4099854**049996**	7	8 W	1.8	80	G	Warm white	15000	105	60	1	6
Vintage 1906 Edison 12 Filament Magnetic 2.2W 827 Gold E27	4099854**049873**	8	12 W	2.2	120	G	Warm white	15000	140	64	1	4
Vintage 1906 Globe 95 12 Filament Magnetic 2.2W 827 Gold E27	4099854**049934**	9	12 W	2.2	120	G	Warm white	15000	138	95	1	4

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee
[2] Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015). | [3] Average life in hours



VINTAGE 1906 SPECIAL FILAMENTS CRI90 – CLEAR


1


2


3


4


5


6


7


8





LED | IP20 | CRI ≥90 | WARM LIGHT | LEDVANCE 3 year guarantee [1]

Product name	GTIN (EAN)	No.	w≙W	W	lm	[2]		[3]	t[h] [4]	[mm]	d [mm]		
VINTAGE 1906 SPECIAL FILAMENTS CRI90 – CLEAR													
E27, 220–240 V, folding box													
Vintage 1906 Classic A 40 Spiral Filament DIM 4.6W 922 Clear E27	4058075**836587**	1	40 W	4.6	470	F	Comfort warm white	✓	15000	110	60	1	6
Vintage 1906 Classic A 60 Spiral Filament DIM 8W 922 Clear E27	4058075**836624**	2	60 W	8	806	F	Comfort warm white	✓	15000	110	60	1	6
Vintage 1906 Edison 60 Heart Filament DIM 7.2W 927 Clear E27	4058075**836969**	3	60 W	7.2	806	E	Warm white	✓	15000	139	64	1	4
Vintage 1906 Globe 80 40 Spiral Filament DIM 4.6W 927 Clear E27	4058075**836785**	4	40 W	4.6	470	F	Warm white	✓	15000	123	80	1	4
Vintage 1906 Globe 80 60 Spiral Filament DIM 7.2W 927 Clear E27	4058075**836808**	5	60 W	7.2	806	E	Warm white	✓	15000	123	80	1	4
Vintage 1906 Globe 95 60 Heart Filament DIM 7.2W 927 Clear E27	4058075**836907**	6	60 W	7.2	806	E	Warm white	✓	15000	139	95	1	4
E14, 220–240 V, folding box													
Vintage 1906 Classic B 28 Spiral Filament DIM 3.1W 927 Clear E14	4058075**836709**	7	28 W	3.1	300	F	Warm white	✓	15000	98	35	1	6
Vintage 1906 Classic P 40 Spiral Filament DIM 4.6W 927 Clear E14	4058075**836747**	8	40 W	4.6	470	F	Warm white	✓	15000	80	45	1	6

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee | [2] Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015).
[3] LED lamps can be operated with a variety of conventional dimmers. Details and results from compatibility tests can be found at www.ledvance.com/dim as well as in additional technical product information sheets (follow the links there) | [4] Average life in hours



VINTAGE 1906 SPECIAL FILAMENTS CRI90 – DIM GOLD


1


2


3


4


5


6


7


8


9


10





LED | IP20 | CRI ≥90 | WARM LIGHT | LEDVANCE 3 year guarantee [1]

Product name	GTIN (EAN)	No.	W≙W	W	lm	[2]		[3]	t[h] [4]	[mm]	d [mm]		
VINTAGE 1906 SPECIAL FILAMENTS CRI90 – DIM GOLD													
E27, 220–240 V, folding box													
Vintage 1906 Classic A 40 Spiral Filament DIM 4.9W 927 Gold E27	4058075**836600**	1	40W	4.9	470	F	Warm white	✓	15000	110	60	1	6
Vintage 1906 Classic A 60 Spiral Filament DIM 8W 922 Gold E27	4058075**836648**	2	60W	8	806	F	Comfort warm white	✓	15000	110	60	1	6
Vintage 1906 Edison 40 Heart Filament DIM 4.9W 922 Gold E27	4058075**836983**	3	40W	4.9	470	F	Comfort warm white	✓	15000	139	64	1	4
Vintage 1906 Edison 60 Heart Filament DIM 8W 922 Gold E27	4058075**837003**	3	60W	8	806	F	Comfort warm white	✓	15000	139	64	1	4
Vintage 1906 Globe 80 40 Spiral Filament DIM 4.9W 922 Gold E27	4058075**836822**	4	40W	4.9	470	F	Comfort warm white	✓	15000	123	80	1	4
Vintage 1906 Globe 80 40 Heart Filament DIM 4.9W 922 Gold E27	4058075**836860**	5	40W	4.9	470	F	Comfort warm white	✓	15000	123	80	1	4
Vintage 1906 Globe 80 60 Heart Filament DIM 8W 922 Gold E27	4058075**836884**	5	60W	8	806	F	Comfort warm white	✓	15000	123	80	1	4
Vintage 1906 Globe 80 60 Spiral Filament DIM 8W 922 Gold E27	4058075**836846**	6	60W	8	806	F	Comfort warm white	✓	15000	123	80	1	4
Vintage 1906 Globe 95 40 Heart Filament DIM 4.9W 922 Gold E27	4058075**836921**	7	40W	4.9	470	F	Comfort warm white	✓	15000	139	95	1	4
Vintage 1906 Globe 95 60 Heart Filament DIM 8W 922 Gold E27	4058075**836945**	7	60W	8	806	F	Comfort warm white	✓	15000	139	95	1	4
Vintage 1906 Globe 95 40 Spiral Filament DIM 4.9W 922 Gold E27	4099854**551963**	8	40W	4.9	470	F	Comfort warm white	✓	15000	139	95	1	4
Vintage 1906 Globe 95 40 Spiral Filament DIM 4.9W 927 Gold E27	4099854**551949**	8	40W	4.9	470	F	Warm white	✓	15000	139	95	1	4
E14, 220–240 V, folding box													
Vintage 1906 Classic B 28 Spiral Filament DIM 3.5W 922 Gold E14	4058075**836723**	9	28W	3.5	300	F	Comfort warm white	✓	15000	98	35	1	6
Vintage 1906 Classic P 40 Spiral Filament DIM 4.9W 922 Gold E14	4058075**836761**	10	40W	4.9	470	F	Comfort warm white	✓	15000	80	45	1	6

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee | [2] Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015).
[3] LED lamps can be operated with a variety of conventional dimmers. Details and results from compatibility tests can be found at www.ledvance.com/dim as well as in additional technical product information sheets (follow the links there) | [4] Average life in hours



VINTAGE 1906
SPECIAL FILAMENTS CRI90 – NON-DIM GOLD



1



2



LED | IP20 | CRI ≥90 | WARM LIGHT | LEDVANCE 3 year guarantee [1]

Product name	GTIN (EAN)	No.	W≙W	W	lm	[2]		t [h] [3]	l [mm]	∅ d [mm]		
VINTAGE 1906 SPECIAL FILAMENTS CRI90 – NON-DIM GOLD												
E27, 220–240 V, folding box												
Vintage 1906 Classic A 40 Spiral Filament 4.9W 922 Gold E27	4058075**836525**	1	40W	4.9	470	F	Comfort warm white	15000	110	60	1	6
E14, 220–240 V, folding box												
Vintage 1906 Classic P 40 Spiral Filament 4.9W 922 Gold E14	4058075**836563**	2	40W	4.9	470	F	Comfort warm white	15000	80	45	1	6

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee
[2] Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015). | [3] Average life in hours



VINTAGE 1906 SPECIAL FILAMENTS – CLEAR



1



2



LED | IP20 | CRI ≥80 | WARM LIGHT | LEDVANCE 3 year guarantee [1]

Product name	GTIN (EAN)	No.	W≙W	W	lm	Energy efficiency class [2]		$t_{[h]}$ [3]	l [mm]	⌀d [mm]		
VINTAGE 1906 SPECIAL FILAMENTS – CLEAR **E27, 220–240 V, folding box**												
Vintage 1906 Classic A 40 Spiral Filament 3.4W 827 Clear E27	4058075**836686**	1	40W	3.4	470	D	Warm white	15000	110	60	1	6
Vintage 1906 Classic A 60 Spiral Filament 5.9W 827 Clear E27	4058075**836662**	1	60W	5.9	806	D	Warm white	15000	110	60	1	6
Vintage 1906 Edison 40 Spiral Filament 3.4W 827 Clear E27	4058075**837027**	2	40W	3.4	470	D	Warm white	15000	139	64	1	4

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee
[2] Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015). | [3] Average life in hours


Steingraeber & Söhne

VINTAGE 1906 SPECIAL FILAMENTS – SMOKE



1



2



3





LED | IP20 | CRI ≥80 | WARM LIGHT | LEDVANCE 3 year guarantee [1]

Product name	GTIN (EAN)	No.	w≙W	W	lm	[2]		t[h] [3]	l [mm]	⌀ d [mm]		
VINTAGE 1906 SPECIAL FILAMENTS – SMOKE **E27, 220–240 V, folding box**												
Vintage 1906 Classic A 10 Filament 3.4W 818 Smoke E27	4058075**760912**	1	10 W	3.4	100	G	Comfort warm white	15000	105	60	1	6
Vintage 1906 Edison 10 Filament 3.4W 818 Smoke E27	4099854**091353**	2	10 W	3.4	100	G	Comfort warm white	15000	140	64	1	4
Vintage 1906 Globe 95 10 Filament 3.4W 818 Smoke E27	4058075**760950**	3	10 W	3.4	100	G	Comfort warm white	15000	138	95	1	4

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee
[2] Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015). | [3] Average life in hours



VINTAGE 1906 SPECIAL FILAMENTS – GOLD


1


2


3


4


5


6


7


8





LED | IP20 | CRI ≥80 | WARM LIGHT | LEDVANCE 3 year guarantee [1]

Product name	GTIN (EAN)	No.	W≙W	W	lm	[2]		t[h] [3]	l [mm]	d [mm]		
VINTAGE 1906 SPECIAL FILAMENTS – GOLD												
E27, 220–240 V, folding box												
Vintage 1906 Classic A Spiral Filament 1.8W 822 Gold E27	4099854**551826**	1	—	1.8	30	—	Comfort warm white	15000	105	60	1	4
Vintage 1906 Edison Spiral Filament 1.8W 822 Gold E27	4099854**551840**	2	—	1.8	30	—	Comfort warm white	15000	140	64	1	4
Vintage 1906 Globe 80 Spiral Filament 1.8W 822 Gold E27	4099854**551925**	3	—	1.8	30	—	Comfort warm white	15000	120	80	1	4
Vintage 1906 Globe 95 Spiral Filament 1.8W 822 Gold E27	4058075**836549**	4	—	1.8	30	—	Comfort warm white	15000	138	95	1	4
Vintage 1906 Globe 95 Spiral Filament 1.8W 822 Gold E27	4099854**551864**	5	—	1.8	30	—	Comfort warm white	15000	138	95	1	4
Vintage 1906 Globe 125 Spiral Filament 1.8W 822 Gold E27	4099854**551987**	6	—	1.8	30	—	Comfort warm white	15000	173	124	1	4
E14, 220–240 V, folding box												
Vintage 1906 Classic B Spiral Filament 1.8W 822 Gold E14	4099854**551888**	7	—	1.8	30	—	Comfort warm white	15.000	97	35	1	6
Vintage 1906 Classic P Spiral Filament 1.8W 822 Gold E14	4099854**551901**	8	—	1.8	30	—	Comfort warm white	15.000	80	45	1	6

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee
[2] Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015). | [3] Average life in hours



VINTAGE 1906 SPIRAL ULTRA THIN FILAMENTS – CLEAR


1


2


3


4


5


6





LED | IP20 | CRI ≥80 | WARM LIGHT | LEDVANCE 3 year guarantee[1]

Product name	GTIN (EAN)	No.	w≙W	W	lm	[2]		[3]	t[h] [4]	l [mm]	⌀ d [mm]		
VINTAGE 1906 SPIRAL ULTRA THIN FILAMENTS – CLEAR													
E27, 220–240 V, folding box													
Vintage 1906 Classic A 40 Filament DIM 4.8W 827 Clear E27	4099854**075643**	1	40 W	4.8	470	F	Warm white	✓	15000	105	60	1	6
Vintage 1906 Edison 40 Filament DIM 4.8W 827 Clear E27	4099854**075667**	2	40 W	4.8	470	F	Warm white	✓	15000	140	64	1	4
Vintage 1906 Globe 80 40 Filament DIM 4.8W 827 Clear E27	4099854**075704**	3	40 W	4.8	470	F	Warm white	✓	15000	120	80	1	4
Vintage 1906 Globe 95 40 Filament DIM 4.8W 827 Clear E27	4099854**075681**	4	40 W	4.8	470	F	Warm white	✓	15000	138	95	1	4
E14, 220–240 V, folding box													
Vintage 1906 Classic B 40 Filament DIM 4.8W 827 Clear E14	4099854**075728**	5	40 W	4.8	470	F	Warm white	✓	15000	97	35	1	6
Vintage 1906 Classic P 40 Filament DIM 4.8W 827 Clear E14	4099854**075742**	6	40 W	4.8	470	F	Warm white	✓	15000	78	45	1	6

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee | [2] Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015).
[3] LED lamps can be operated with a variety of conventional dimmers. Details and results from compatibility tests can be found at www.ledvance.com/dim as well as in additional technical product information sheets (follow the links there) | [4] Average life in hours



VINTAGE 1906 SPIRAL ULTRA THIN FILAMENTS – SMOKE


1


2


3


4


5





LED | IP20 | CRI ≥80 | WARM LIGHT | LEDVANCE 3 year guarantee [1]

Product name	GTIN (EAN)	No.	w≙W	W	lm	[2]		[3]	t [h] [4]	l [mm]	∅ d [mm]		
VINTAGE 1906 SPIRAL ULTRA THIN FILAMENTS – SMOKE													
27, 220–240 V, folding box													
Vintage 1906 Edison 30 Filament DIM 7.8W 818 Smoke E27	4099854**090981**	1	30 W	7.8	360	G	Comfort warm white	✓	15000	140	64	1	4
Vintage 1906 Globe 80 30 Filament DIM 7.8W 818 Smoke E27	4099854**090745**	2	30 W	7.8	360	G	Comfort warm white	✓	15000	120	80	1	4
Vintage 1906 Globe 95 30 Filament DIM 7.8W 818 Smoke E27	4058075**761216**	3	30 W	7.8	360	G	Comfort warm white	✓	15000	138	95	1	4
Vintage 1906 Globe 125 30 Filament DIM 7.8W 818 Smoke E27	4058075**761254**	4	30 W	7.8	360	G	Comfort warm white	✓	15000	173	124	1	4
Vintage 1906 Globe 200 16 Filament DIM 4.8W 818 Smoke E27	4058075**761278**	5	16 W	4.8	150	G	Comfort warm white	✓	15000	295	200	1	4
E27, 220–240 V, double-pack folding box													
Vintage 1906 LED dim CLASSIC Edison FIL SMOKE 30 DIM 7,8W/818 E27	4099854**147852**	1	30 W	7.8	360	G	Comfort warm white	✓	15000	140	64	2	8
Vintage 1906 LED dim CLASSIC Globe80 FIL SMOKE 30 DIM 7,8W/818 E27	4099854**147890**	2	30 W	7.8	360	G	Comfort warm white	✓	15000	120	80	2	8

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee | [2] Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015).
[3] LED lamps can be operated with a variety of conventional dimmers. Details and results from compatibility tests can be found at www.ledvance.com/dim as well as in additional technical product information sheets (follow the links there) | [4] Average life in hours



VINTAGE 1906 SPIRAL ULTRA THIN FILAMENTS – GOLD


1


2


3


4


5


6


7


8


9


10





E27 | MAX. 25 W | EASY MOUNTING | NOT INCL. | LEDVANCE 5 year guarantee [1]

Product name	GTIN (EAN)	No.	W≙W	W	lm	[2]		[3]	t[h] [4]	[mm]	⌀ d [mm]		
VINTAGE 1906 SPIRAL ULTRA THIN FILAMENTS – GOLD													
E27, 220–240 V, folding box													
Vintage 1906 Classic A 35 Filament DIM 4.8W 822 Gold E27	4058075**761452**	1	35 W	4.8	400	G	Comfort warm white	✓	15000	105	60	1	6
Vintage 1906 Edison 37 Filament DIM 4.8W 822 Gold E27	4099854**091025**	2	37 W	4.8	420	F	Comfort warm white	✓	15000	140	64	1	4
Vintage 1906 Edison 48 Filament DIM 7W 822 Gold E27	4099854**091049**	2	48 W	7	600	F	Comfort warm white	✓	15000	140	64	1	4
Vintage 1906 Globe 80 37 Filament DIM 4.8W 822 Gold E27	4099854**090806**	3	37 W	4.8	420	F	Comfort warm white	✓	15000	120	80	1	4
Vintage 1906 Globe 80 48 Filament DIM 7W 822 Gold E27	4099854**090820**	3	48 W	7	600	F	Comfort warm white	✓	15000	120	80	1	4
Vintage 1906 Globe 95 37 Filament DIM 4.8W 822 Gold E27	4058075**761612**	4	37 W	4.8	420	F	Comfort warm white	✓	15000	138	95	1	4
Vintage 1906 Globe 95 48 Filament DIM 7W 822 Gold E27	4058075**761636**	4	48 W	7	600	F	Comfort warm white	✓	15000	138	95	1	4
Vintage 1906 Globe 125 37 Filament DIM 4.8W 822 Gold E27	4058075**761650**	5	37 W	4.8	420	F	Comfort warm white	✓	15000	173	124	1	4
Vintage 1906 Globe 125 48 Filament DIM 7W 822 Gold E27	4058075**761674**	5	48 W	7	600	F	Comfort warm white	✓	15000	173	124	1	4
Vintage 1906 Globe 200 33 Filament DIM 4.8W 822 Gold E27	4058075**761698**	6	33 W	4.8	400	G	Comfort warm white	✓	15000	295	200	1	4
E27, 220–240 V, double-pack folding box													
Vintage 1906 LED dim CLASSIC Edison FIL GOLD 37 DIM 4,8W/822 E27	4099854**147838**	2	37 W	4.8	420	F	Comfort warm white	✓	15000	140	64	2	8
Vintage 1906 LED dim CLASSIC Globe80 FIL GOLD 37 DIM 4,8W/822 E27	4099854**147876**	3	37 W	4.8	420	F	Comfort warm white	✓	15000	120	80	2	8
E14, 220–240 V, folding box													
Vintage 1906 Classic B 25 Filament DIM 3.4W 822 Gold E14	4099854**091612**	7	25 W	3.4	250	G	Comfort warm white	✓	15000	97	35	1	6
Vintage 1906 Classic P 25 Filament DIM 3.4W 822 Gold E14	4058075**761438**	8	25 W	3.4	250	G	Comfort warm white	✓	15000	78	45	1	6
Vintage 1906 T26 25 Spiral Filament DIM 2.8W 822 Gold E14	4058075**849662**	9	25 W	2.8	250	F	Comfort warm white	✓	15000	80	25	1	6
Vintage 1906 T26 36 Spiral Filament DIM 4.8W 822 Gold E14	4058075**849686**	10	36 W	4.8	420	F	Comfort warm white	✓	15000	80	25	1	6

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee | [2] Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015).
[3] LED lamps can be operated with a variety of conventional dimmers. Details and results from compatibility tests can be found at www.ledvance.com/dim as well as in additional technical product information sheets (follow the links there) | [4] Average life in hours



VINTAGE 1906 SPIRAL FILAMENTS – DIM


1


2


3


4


5


6


7


8


9


10





LED IP20 CRI ≥80 WARM LIGHT LEDVANCE 3 year guarantee [1]

Product name	GTIN (EAN)	No.	W≙W	W	lm	[2]		[3]	t[h] [4]	l [mm]	d [mm]		
VINTAGE 1906 SPIRAL FILAMENTS – DIM													
E27, 220–240 V, folding box													
Vintage 1906 Edison 15 Filament Big Grape DIM 4W 818 Smoke E27	4058075**270022**	1	15 W	4	140	G	Comfort warm white	✓	15000	290	160	1	4
Vintage 1906 Big Globe 15 Filament DIM 4W 818 Smoke E27	4058075**270046**	2	15 W	4	140	G	Comfort warm white	✓	15000	290	200	1	4
Vintage 1906 Edison 28 Filament DIM 4W 820 Gold E27	4099854**090103**	3	28 W	4	300	G	Comfort warm white	✓	15000	143	64	1	4
Vintage 1906 Edison 60 Filament DIM 8.8W 824 Gold E27	4099854**137846**	4	60 W	8.8	806	F	Comfort warm white	✓	15000	143	64	1	4
Vintage 1906 Edison 28 Filament Big Grape DIM 4W 820 Gold E27	4058075**269705**	5	28 W	4	300	G	Comfort warm white	✓	15000	290	160	1	4
Vintage 1906 Globe 28 Filament DIM 4W 820 Gold E27	4058075**270008**	6	28 W	4	300	G	Comfort warm white	✓	15000	168	124	1	4
Vintage 1906 Globe 60 Filament DIM 8.8W 824 Gold E27	4099854**137884**	7	60 W	8.4	806	F	Comfort warm white	✓	15000	168	125	1	4
Vintage 1906 Big Globe 28 Filament DIM 4W 820 Gold E27	4058075**269729**	8	28 W	4	300	G	Comfort warm white	✓	15000	290	200	1	4
E14, 220–240 V, folding box													
Vintage 1906 Edison 25 Spiral Filament DIM 2.8W 822 Gold E14	4058075**849600**	9	25 W	2.8	250	F	Comfort warm white	✓	15000	108	48	1	6
Vintage 1906 Edison 32 Spiral Filament DIM 4.8W 822 Gold E14	4058075**849624**	10	32 W	4.8	360	G	Comfort warm white	✓	15000	108	48	1	6

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee | [2] Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015).
[3] LED lamps can be operated with a variety of conventional dimmers. Details and results from compatibility tests can be found at www.ledvance.com/dim as well as in additional technical product information sheets (follow the links there) | [4] Average life in hours



VINTAGE 1906 SPIRAL FILAMENTS – NON-DIM


1


2


3


4


5


6


7


8





LED | IP20 | CRI ≥80 | WARM LIGHT | LEDVANCE 3 year guarantee [1]

Product name	GTIN (EAN)	No.	W≙W	W	lm	Energy class [2]		t[h] [3]	l [mm]	⌀d [mm]		
VINTAGE 1906 SPIRAL FILAMENTS – NON-DIM E27, 220–240 V, folding box												
Vintage 1906 Edison 15 Filament 4W 818 Smoke E27	4099854**091315**	1	15 W	4	140	G	Comfort warm white	15000	143	64	1	4
Vintage 1906 Edison 15 Filament Big Grape 4W 818 Smoke E27	4058075**269903**	2	15 W	4	140	G	Comfort warm white	15000	290	160	1	4
Vintage 1906 Globe 15 Filament 4W 818 Smoke E27	4058075**269989**	3	15 W	4	140	G	Comfort warm white	15000	168	124	1	4
Vintage 1906 Big Globe 15 Filament 4W 818 Smoke E27	4058075**269927**	4	15 W	4	140	G	Comfort warm white	15000	290	200	1	4
Vintage 1906 Edison 28 Filament 4W 820 Gold E27	4099854**091292**	5	28 W	4	300	G	Comfort warm white	15000	143	64	1	4
Vintage 1906 Edison 28 Filament Big Grape 4W 820 Gold E27	4058075**091993**	6	28 W	4	300	G	Comfort warm white	15000	290	160	1	4
Vintage 1906 Globe 28 Filament 4W 820 Gold E27	4058075**092136**	7	28 W	4	300	G	Comfort warm white	15000	168	124	1	4
Vintage 1906 Big Globe 28 Filament 4W 820 Gold E27	4058075**092013**	8	28 W	4	300	G	Comfort warm white	15000	290	200	1	4

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee
[2] Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015). | [3] Average life in hours



VINTAGE 1906 STRAIGHT ULTRA THIN FILAMENTS – SMOKE


1


2


3


4





LED | IP20 | CRI ≥80 | WARM LIGHT | LEDVANCE 3 year guarantee [1]

Product name	GTIN (EAN)	No.	w≙W	W	lm	[2]		[3]	t[h] [4]	l [mm]	d [mm]		
VINTAGE 1906 STRAIGHT ULTRA THIN FILAMENTS – SMOKE **E27, 220–240 V, folding box**													
Vintage 1906 Edison 42 Filament DIM 11W 818 Smoke E27	4099854**091001**	1	42 W	11	500	G	Comfort warm white	✓	15000	140	64	1	4
Vintage 1906 Globe 80 42 Filament DIM 11W 818 Smoke E27	4099854**090783**	2	42 W	11	500	G	Comfort warm white	✓	15000	120	80	1	4
Vintage 1906 Globe 95 42 Filament DIM 11W 818 Smoke E27	4058075**761353**	3	42 W	11	500	G	Comfort warm white	✓	15000	138	95	1	4
Vintage 1906 Globe 125 42 Filament DIM 11W 818 Smoke E27	4058075**761391**	4	42 W	11	500	G	Comfort warm white	✓	15000	173	124	1	4

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee | [2] Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015).)
[3] LED lamps can be operated with a variety of conventional dimmers. Details and results from compatibility tests can be found at www.ledvance.com/dim as well as in additional technical product information sheets (follow the links there) | [4] Average life in hours



VINTAGE 1906 STRAIGHT ULTRA THIN FILAMENTS – GOLD


1


2


3


4


5


6


7





LED | IP20 | CRI ≥80 | WARM LIGHT | LEDVANCE 3 year guarantee [1]

Product name	GTIN (EAN)	No.	W≙W	W	lm	[2]		[3]	t[h] [4]	l [mm]	d [mm]		
VINTAGE 1906 STRAIGHT ULTRA THIN FILAMENTS – GOLD													
E27, 220–240 V, folding box													
Vintage 1906 Edison 40 Filament DIM 5.8W 822 Gold E27	4099854**091063**	1	40 W	5.8	470	G	Comfort warm white	✓	15000	140	64	1	4
Vintage 1906 Edison 60 Filament DIM 8.8W 822 Gold E27	4099854**091087**	1	60 W	8.8	806	F	Comfort warm white	✓	15000	140	64	1	4
Vintage 1906 Globe 80 40 Filament DIM 5.8W 822 Gold E27	4099854**090844**	2	40 W	5.8	470	G	Comfort warm white	✓	15000	120	80	1	4
Vintage 1906 Globe 80 60 Filament DIM 8.8W 822 Gold E27	4099854**090943**	2	60 W	8.8	806	F	Comfort warm white	✓	15000	120	80	1	4
Vintage 1906 Globe 95 40 Filament DIM 5.8W 822 Gold E27	4058075**761759**	3	40 W	5.8	470	G	Comfort warm white	✓	15000	138	95	1	4
Vintage 1906 Globe 95 60 Filament DIM 8.8W 822 Gold E27	4058075**761773**	3	60 W	8.8	806	F	Comfort warm white	✓	15000	138	95	1	4
Vintage 1906 Globe 125 40 Filament DIM 5.8W 822 Gold E27	4058075**761797**	4	40 W	5.8	470	G	Comfort warm white	✓	15000	173	124	1	4
Vintage 1906 Globe 125 60 Filament DIM 8.8W 822 Gold E27	4058075**761810**	4	60 W	8.8	806	F	Comfort warm white	✓	✓	173	124	1	4
Vintage 1906 Tubular 40 Filament DIM 4.8W 822 Gold E27	4099854**091803**	5	40 W	4.8	470	F	Comfort warm white	✓	✓	165	32	1	4
E14, 220–240 V, folding box													
Vintage 1906 T28 25 Filament DIM 2.8W 822 Gold E14	4058075**849747**	6	25 W	2.8	250	F	Comfort warm	✓	✓	125	28	1	6
Vintage 1906 T28 36 Filament DIM 4.8W 822 Gold E14	4058075**849761**	7	36 W	4.8	420	F	Comfort warm	✓	✓	125	28	1	6

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee | [2] Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015).
[3] LED lamps can be operated with a variety of conventional dimmers. Details and results from compatibility tests can be found at www.ledvance.com/dim as well as in additional technical product information sheets (follow the links there) | [4] Average life in hours


EDITION
1906

VINTAGE 1906
DIM GOLD


1


2


3


4


5


6


7


8


9


10





LED | IP20 | CRI ≥80 | WARM LIGHT | LEDVANCE 3 year guarantee [1]

Product name	GTIN (EAN)	No.	W≙W	W	lm	[2]		[3]	t[h] [4]	l [mm]	Ø d [mm]		
VINTAGE 1906 – DIM GOLD													
E27, 220–240 V, folding box													
Vintage 1906 Mini Edison ST 45 33 Filament DIM 4.8W 822 Gold E27	4058075**779945**	1	33 W	4.8	360	G	Comfort warm white	✓	15000	88	45	1	6
Vintage 1906 Edison 55 Filament DIM 6.5W 824 Gold E27	4099854**081514**	2	55 W	6.5	725	E	Comfort warm white	✓	15000	143	64	1	4
Vintage 1906 Edison 60 Filament DIM 7.2W 824 Gold E27	4099854**137822**	3	60 W	7.2	806	E	Comfort warm white	✓	15000	143	64	1	4
Vintage 1906 Globe 80 60 Filament DIM 7.2W 824 Gold E27	4099854**137860**	4	60 W	7.2	806	E	Comfort warm white	✓	15000	115	80	1	4
Vintage 1906 Globe 95 55 Filament DIM 6.5W 824 Gold E27	4099854**132315**	5	55 W	6.5	725	E	Comfort warm white	✓	15000	135	95	1	4
Vintage 1906 Globe 125 55 Filament DIM 6.5W 824 Gold E27	4058075**808997**	6	55 W	6.5	725	E	Comfort warm white	✓	15000	168	124	1	4
E27, 220–240 V, double-pack folding box													
Vintage 1906 LED dim CLASSIC Edison FIL GOLD 55 DIM 6,5W/824 E27	4058075**754713**	2	55 W	6.5	725	E	Comfort warm white	✓	15000	143	64	2	8
Vintage 1906 LED dim CLASSIC GLOBE80 FIL GOLD 60 DIM 7,2W/824 E27	4099854**137808**	4	60 W	7.2	806	E	Comfort warm white	✓	15000	115	80	2	8
Vintage 1906 LED dim CLASSIC GLOBE95 FIL GOLD 55 DIM 6,5W/824 E27	4058075**754737**	5	55 W	6.5	725	E	Comfort warm white	✓	15000	135	95	2	8
E14, 220–240 V, folding box													
Vintage 1906 Edison 25 Filament DIM 2.8W 822 Gold E14	4058075**849563**	7	25 W	2.8	250	F	Comfort warm	✓	15000	108	48	1	6
Vintage 1906 Edison 32 Filament DIM 4.8W 822 Gold E14	4058075**849587**	8	32 W	4.8	360	G	Comfort warm	✓	15000	108	48	1	6
Vintage 1906 T26 40 Filament DIM 4.8W 822 Gold E14	4058075**849709**	9	40 W	4.8	470	F	Comfort warm	✓	15000	80	25	1	6
Vintage 1906 T26 25 Filament DIM 2.8W 822 Gold E14	4058075**849648**	10	25 W	2.8	250	F	Comfort warm	✓	15000	63	26	1	6

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee | [2] Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015).
[3] LED lamps can be operated with a variety of conventional dimmers. Details and results from compatibility tests can be found at www.ledvance.com/dim as well as in additional technical product information sheets (follow the links there) | [4] Average life in hours



VINTAGE 1906
NON-DIM GOLD





LED | IP20 | CRI ≥80 | WARM LIGHT | LEDVANCE 3 year guarantee [1]

Product name	GTIN (EAN)	No.	w≙W	W	lm	EEC [2]		$t_{[h]}$ [3]	l [mm]	⌀ d [mm]		
VINTAGE 1906 – NON-DIM GOLD												
E27, 220–240 V, folding box												
Vintage 1906 Classic A 22 Filament 2.5W 824 Gold E27	4058075**293199**	1	22 W	2.5	220	F	Comfort warm white	15000	105	60	1	6
Vintage 1906 Classic A 35 Filament 4W 824 Gold E27	4058075**293090**	2	35 W	4	410	F	Comfort warm white	15000	105	60	1	6
Vintage 1906 Classic A 50 Filament 6.5W 824 Gold E27	4058075**293298**	3	50 W	6.5	650	F	Comfort warm white	15000	105	60	1	6
Vintage 1906 Classic A 63 Filament 7.5W 824 Gold E27	4058075**293359**	3	63 W	7.5	865	E	Comfort warm white	15000	105	60	1	6
Vintage 1906 Edison 22 Filament 2.5W 824 Gold E27	4099854**091339**	4	22 W	2.5	220	F	Comfort warm white	15000	143	64	1	4
Vintage 1906 Edison 35 Filament 4W 824 Gold E27	4099854**091377**	5	35 W	4	410	F	Comfort warm white	15000	143	64	1	4
Vintage 1906 Globe 22 Filament 2.5W 824 Gold E27	4058075**808980**	6	22 W	2.5	220	F	Comfort warm white	15000	168	124	1	4
Vintage 1906 Globe 35 Filament 4W 824 Gold E27	4099854**091179**	7	35 W	4	410	F	Comfort warm white	15000	168	124	1	4
Vintage 1906 Globe 52 Filament 6.5W 824 Gold E27	4058075**809406**	7	52 W	6.5	720	E	Comfort warm white	15000	168	124	1	4
Vintage 1906 Tubular 20 Filament 2.5W 820 Gold E27	4099854**091858**	8	20 W	2.5	200	G	Comfort warm white	15000	127	32	1	4
Vintage 1906 Tubular 35 Filament 4W 820 Gold E27	4099854**091889**	9	35 W	4	400	F	Comfort warm white	15000	185	32	1	4
E14, 220–240 V, folding box												
Vintage 1906 Classic B 12 Filament 1.5W 824 Gold E14	4099854**091599**	10	12 W	1.5	120	G	Comfort warm white	15000	100	35	1	6
Vintage 1906 Classic B 22 Filament 2.5W 824 Gold E14	4099854**091575**	10	22 W	2.5	220	F	Comfort warm white	15000	100	35	1	6
Vintage 1906 Classic B 35 Filament 4W 824 Gold E14	4099854**091476**	11	35 W	4	410	F	Comfort warm white	15000	100	35	1	6
Vintage 1906 Classic BA 12 Filament 1.5W 824 Gold E14	4099854**091551**	12	12 W	1.5	120	G	Comfort warm white	15000	121	35	1	10
Vintage 1906 Classic BA 22 Filament 2.5W 824 Gold E14	4099854**091537**	12	22 W	2.5	220	F	Comfort warm white	15000	121	35	1	10
Vintage 1906 Classic BW 12 Filament 1.5W 824 Gold E14	4099854**091513**	13	12 W	1.5	120	G	Comfort warm white	15000	100	35	1	6
Vintage 1906 Classic BW 22 Filament 2.5W 824 Gold E14	4099854**091490**	13	22 W	2.5	220	F	Comfort warm white	15000	100	35	1	6
Vintage 1906 Classic P 22 Filament 2.5W 824 Gold E14	4058075**290815**	14	22 W	2.5	220	F	Comfort warm white	15000	77	45	1	6
Vintage 1906 Classic P 35 Filament 4W 824 Gold E14	4058075**293496**	15	35 W	4	410	F	Comfort warm white	15000	77	45	1	6
Vintage 1906 LED T26 5 Filament 1.6W 824 Gold E14	4058075**849723**	16	5 W	1.6	50	—	Comfort warm white	15000	63	26	1	6

[1] For more information and precise guarantee conditions go to www.ledvance.com/guarantee
[2] Energy efficiency class (EEC) on a scale from A (highest efficiency) to G (lowest efficiency). If no energy efficiency class is specified, the product is exempt from the EU Energy Labelling Regulation (EU Directive 2019/2015). | [3] Average life in hours

POS CONCEPTS, THAT MAKE THE DIFFERENCE

Attractive new luminaires and decorative lamps are not all that LEDVANCE offers you. Specially selected POS conceptswill help boost your sales.

- High-quality packaging design with clear and concise consumer information
- Sales-boosting secondary placements made of wood or sturdy cardboard, available stocked or unstocked
- Shelf placements with attention-grabbing messages and numerous functional samples
- Island solutions for special areas with or without products











TAILOR-MADE SALES SOLUTIONS

Are you looking for a customized solution for your specific POS situation? No problem. Just get in touch with your customer adviser.
They will be happy to help you.

CUSTOMER SERVICE CENTER:

kundenservice.retail@ledvance.com
Phone: +49 89 780673-670
Fax: +49 89 780670-665

SYMBOLS IN TABLES

	Fig. no.
	Equivalent wattage (incandescent lamp)
	Wattage in W
	Luminous flux in lumen
	Energy efficiency class
	Light color
	Dimmable
	Average life in hours
	Housing color

	Housing material
	Protection class
	Length l in mm
	Width w in mm
	Height h in mm
	Diameter d in mm
	Content per packaging unit
	Standard pack in pcs.

PRODUCT-SPECIFIC SYMBOLS

LED	LED-Technology
E27	E27 base
MAX. 3×12 W	Maximum lamp wattage (LED)
MAX. 12 W	Maximum lamp wattage (LED)
MAX. 15 W	Maximum lamp wattage (LED)
MAX. 25 W	Maximum lamp wattage (LED)
MAX. 60 W	Maximum lamp wattage (incandescent lamp)

IP 20	Protection class
CRI ≥80	Color rendering index
CRI ≥90	Color rendering index
WARM LIGHT	Light effect
1.8 m	Cable length with plug
EASY MOUNTING	Easy installation
FLEXIBLE MOUNTING	Flexible mounting options

NOT INCL.	Light source not included
LAMP INCL.	Light source included
180°	Rotatable lamp
WHITE & BLACK RINGS INCLUDED	White & black rings included
LEDVANCE 3 year guarantee	Guarantee period
LEDVANCE 5 year guarantee	Guarantee period
	Do not throw away with household waste

LEDVANCE
POWER THROUGH LIGHT





ABOUT LEDVANCE

With business activities in over 140 countries, LEDVANCE is one of the world's leading general lighting companies. Emerging from OSRAM's general lighting division, LEDVANCE's portfolio includes LED lamps and luminaires, intelligent lighting products, traditional lamps and renewable energy solutions.
#POWERTHROUGHLIGHT

LEDVANCE

OSRAM

LEDVANCE GmbH
Parkring 1 – 5
85748 Garching
Germany

09/25 LEDVANCE EU-W MK RET Subject to change without notice. Errors and omission excepted.

LEDVANCE is a licensee for the product trademark
OSRAM for lamps & luminaire products in general lighting.

LEDVANCE.COM

LED Zona®
ОСВЕТИТЕЛНИ РЕШЕНИЯ

Харесахте ли нещо от каталога?

Разгледайте и поръчайте продукти на Ledvance онлайн
на led-zona.bg – с актуални цени и наличности.

Продуктите на Ledvance

Сканирайте или кликнете

Разгледайте продуктите →

Каталози на Ledvance

Сканирайте или кликнете

Още каталози →

www.led-zona.bg

T: 0888 065 970 | E: sales@led-zona.bg

Сфера Лайт ООД · гр. София, ж.к. Банишора, ул. Опълченска, бл. 54 (до 7-ма поликлиника)