Spare Shades

PRODUCT CODE	SPARE SHADE	PAGE
14106-1AB	GO14106-1	L43
14106-3AB	GO14106-3	L43
14106-5AB	GO14106-5	L43
14106-5AB	GO14106-5/CURVE	L43
1717-30AB	GO1717-30	L42
91561SB	GO91561	L30
91562SB	GO91561	L30
93040-1GO	GO93040	L99
93040-3GO	GO93040	L99
76410/76410-3/76410-5/76410-8	GO76410	L24-25-27
76411-8BK/76411-5BK/76411BK	GO76410	L26-27
7876SB	GO7876	L33
7877-3SB	GO7878	L33
7878-5SB	GO7878	L33
10814-450CL	GO1081CL	L70
23012-450GO	GO23012	L41
23012-540GO	GO23013	L41
23013-8GO	GO23013	L40
91341-6SB	GO9134-15WH	L37
91480-400BK	GO9148-10CL	L38
91481-600BK	GO9148-10CL	L38
91482BK	GO9148-20CL	L39
91483-4BK	GO9148-20CL	L39
91484-6BK	GO9148-20CL	L39
32027-3AB / 32027-5AB / 32027AB	GO32027	L28-29

Important information
Any typographical, clerical or other error or omission in any sales literature, Quotation, price list, acceptance of offer, invoice or other document or information Issued by the company shall be subject to correction without any liability On the part of the company.
Goods supplied may vary in detail from the illustrations, measurements And descriptions set out in the company's sales literature, which are approximate And for guidance only and will not form part of the contract. All colours are finishes. Colour finishes will be maintained as accurately as possible, but matching cannot Be guaranteed. All terminology used in the company's sales literature is subject To these conditions that is understood by general usage in the trade.
All crystal is lead free. Only use led lamps: g9, e14, e27 & gu10.



CI/SfB (63)X

2027

project collection

the 2027 Project Collection is a toolkit crafted for lighting specifiers. Tailored to optimise lighting performance, it features architecturally designed solutions that align perfectly with project requirements. By seamlessly integrating technical innovation with creative vision, we deliver solutions that elevate both interior and exterior spaces.

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk

useful information

GU10/Mini GU10 items

GU10 products are designed to fit a standard GU10 lamp length of 53mm. The specified minimum recess depth dimensions for our products are based on this standard length, ensuring clear installation guidelines. If a product is designed for a longer GU10 lamp length, this will be noted in the key features on the product page.

GU10 lamps are not included.

Mini GU10 lamps, also known as GU10 MR11, share the same lamp cap as standard GU10s. However, mini GU10 lamps have a smaller face diameter of only 35mm, making them ideal for applications requiring a smaller luminaire body.

Mini GU10 lamps are not included but can be purchased separately in a choice of CCT. See pg. P202 for more details.

Dimming

All dimmable products are compatible with mains leading and/or trailing edge dimming. We test all our dimmable products for compatibility with Varilight V-pro dimmer modules. We cannot guarantee the compatibility of other leading / trailing edge dimmers.

Lightsource/Luminaire lumens

Lightsource lumens measure the total light emitted directly from the light source, i.e. the LED PCB, without accounting for any losses due to the fixture's design. Luminaire lumens, on the other hand, measure the total light output from the complete luminaire, including any losses caused by the luminaire body, lenses, reflectors, or diffusers. When the product has a replaceable LED lightsource, the lightsource lumens are quoted on each page.

Colour Rendering Index (CRI)

All products have a minimum CRI >80. CRI>90 products are indicated on the page.

Living finishes

Living finishes change over time. Anodised finishes may appear slightly darker after a period of 3 years due to continued oxidation of the surface of the product.

Warranty

All products are manufactured and inspected in order to meet the technical and quality standards demanded by the market. These come with a standard 5-year warranty out of the box.

We understand that coastal environments can subject products to unique challenges, such as saltwater exposure and extreme weather conditions, our 5-year warranty includes all outdoor products with this icon, when used in locations up to 1km from the coast.

Products with this icon are limited stock items

Scan here for further help & advice.

ceiling

P24-P26



ara 60cm / 100cm / 150cm

P27



ada 1m

P28-P29



orbit 120cm

P30-P31



compass 2m

P32-P33



hey-lo 60cm / 90cm

P34-P35



eternity 55cm

P36-P37



prisma 35cm / 45cm

P38-P39



vistina round

P40



vistina long

P41



clip

P42-P43



lino 2 120cm

P44



saturn 40cm / 60cm

P45



andaman 40cm

P45



banda 35cm

P46-P47



verve 30cm / 40cm

P48-P49



grace 30cm / 50cm

P50-P51



laser

P52



anna pendant

P53



anna ceiling

P54-P55



swivel / andromeda

P56



artemis / apollo pendant

P57



honos

project
collection

recessed

P60

moon recessed

P62

grid

P63

grid FR

P64-P65

mini

P66

slim trim adjustable

P67

slim trim IP65

P68

glacier

P69

zelda round

P70

slim trim 2 FR

P71 New

zara

P72-P73 New

slim 3

P74-P75 New

slim 3 trimless

P76

zelda round trimless

P77

zelda square trimless

P78

slim trimless IP65

P79

slim adjustable

P80

sablons 1 & 2

P81

polo

P84-P86

solid plaster downlights

P87-P89

metal trimless wall lights

P90-P91

steplight / runway steplight

P92-P93

marker lights

spot & track

P96-P99 New

moon 1, 2, 3 & 4 bronze

P100-P103

moon 1, 2, 3 & 4 back & white

P104-P105 New

selene 3

P106-P109


anna spot

P110-P111

ciara spot

P112-P113

jupiter

P114-P119 New

track accessories

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk

project collection

P122-P131
track heads



wall

P132-P133
sunrise



P134-P135
anna wall



P136-P137
anna reader



P138-P139
pimlico 2



P140-P141
victoria / reader



P142
laser spot



P143
laser reader



P144
blackfriars



P145
ciara wall



P146
marlow



P147
victoria LED



For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk

project collection

contents

P148-P149
marylebone



P150-P151
kings cross



P152
chelsea



P153
victoria recessed



P154
southwark



P155
sloane 1 / 2



P156
vavin 60cm / 90cm / 120cm



P157
london bridge 10cm / 20cm



P159
odeon



P160
concorde square



P161
cadet



table & floor

P164-P165
olympia



P166-P167
ciara



shades

P168-P172



shades

P173



custom shades

outdoor

P176-P177



farringdon

P178



grosvenor I

P179



grosvenor II

P180



connaught

P181



sanderson

P182



savoy

P183



savoy plus

P184



lanesborough

P185



berkeley II

P186-P187



strand / mayfair

P188-P189



chiba duo / tokyo

P190-P191



suzuka / sapporo

P192-P193



kyoto / kobe

P194



yokohama

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk

project collection

P195



trafalgar

P197



euston

P204



piccadilly

P205



paddington

accessories

P200



LED modules

P200



lamps

P200



lamps

P200



insulation guards

P201



constant current drivers

P201



DALICON

Compatible with DALICON, See page P201

Scan to go straight to our new items

families

For detailed upcoming programmes please see
www.roadacademy.com



anna bronze


anna pendant P52
anna ceiling P53
anna spot P106-P109
anna wall P134-P135
anna reader P136-P137



anna gold

anna pendant P52
anna ceiling P53
anna spot P106-P109
anna wall P134-P135
anna reader P136-P137

For detailed drawings and specifications along
with help & advice, visit www.projectcollection.co.uk



ciara

ciara spot P110-P111
ciara wall P145
ciara table & floor P166-P167



moon bronze

moon spotlights P96-P99

moon series also available in black and white finishes

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk



victoria & olympia satin nickel

victoria	P140-P141
victoria LED	P147
olympia table & floor	P164-P165



victoria, pimlico & olympia bronze

pimlico	P138-P139
victoria	P140-P141
victoria LED	P147
olympia table & floor	P164-P165

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk


victoria LED recessed - Pg. P153


laser reader - Pg. P143



victoria reader - Pg. P141



anna reader - Pg. P136-P137


ciara wall - Pg. P145



pimlico 2 - Pg. P138-P139


victoria LED reader - Pg. P147


blackfriars - Pg. P144


marlow - Pg. P146



marylebone - Pg. P148-P149



kings cross - Pg. P150-P151

For detailed drawings and specifications along
with help & advice, visit www.projectcollection.co.uk

ceiling



For detailed drawings and specifications along
with help & advice, visit www.projectcollection.co.uk

Compatible with DALICON,
See page P201

Compatible with DALICON,
See page P201

PE-ARA60-BZ

2 CCT

Item Code	Power (W)	Luminaire lumens at 3000K	Luminaire lumens at 4000K
PE-ARA60-B	30	2500	2650
PE-ARA60-W	30	2800	2950
PE-ARA60-GO	30	2500	2650
PE-ARA60-BZ	30	2500	2650

Item Code	Power (W)	Luminaire lumens at 3000K	Luminaire lumens at 4000K
PE-ARA100-B	60	4300	4750
PE-ARA100-W	60	5100	5350
PE-ARA100-GO	60	4300	4750
PE-ARA100-BZ	60	4300	4750


Sand black


Gold



Sand white


Bronze

ara 60cm

CLASS 1 | DIMMABLE | 2CCT

PE-ARA60-B
PE-ARA60-W
PE-ARA60-GO
PE-ARA60-BZ




Key Features

Sand black / Sand white / gold / bronze
Aluminium / Frosted acrylic
CCT Selectable 3000K / 4000K
CCT switch in ceiling can
Min. drop: 400mm

ara 100cm

CLASS 1 | DIMMABLE | 2CCT

PE-ARA100-B
PE-ARA100-W
PE-ARA100-GO
PE-ARA100-BZ



Key Features

Sand black / Sand white / gold / bronze
Aluminium / Frosted acrylic
CCT Selectable 3000K / 4000K
CCT switch in ceiling can
Min. drop: 500mm

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk

2 CCT


Compatible with DALICON,
See page P201

Item Code	Power (W)	Luminaire lumens at 3000K	Luminaire lumens at 4000K
PE-ARA150-B	99	6200	6700
PE-ARA150-W	99	7800	8300
PE-ARA150-GO	99	6200	6700
PE-ARA150-BZ	99	6200	6700

ara 150cm

CLASS 1 | DIMMABLE | 2CCT

PE-ARA150-B
PE-ARA150-W
PE-ARA150-GO
PE-ARA150-BZ



Key Features

- Sand black / Sand white / gold / bronze
- Aluminium / Frosted acrylic
- CCT Selectable 3000K / 4000K
- CCT switch in ceiling can
- Min. drop: 700mm

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk

2 CCT

Compatible with DALICON,
See page P201


Item Code	Power (W)	Luminaire lumens at 3000K	Luminaire lumens at 4000K
PE-ADA100-B	90	5400	5600
PE-ADA100-GO	90	5400	5600

PE-ADA100-GO

ada 100cm

CLASS 1 | DIMMABLE | 2CCT

PE-ADA100-B
PE-ADA100-GO



Key Features

- Sand black / Matt gold
- Aluminium / Acrylic
- CCT Selectable 3000K / 4000K
- CCT switch in ceiling can
- Min. drop: 500mm

2 CCT

Compatible with DALICON,
See page P201







illuminated
inside ring



PE-ORB120-GO


orbit 120cm


CLASS 1 | DIMMABLE | 2CCT

PE-ORB120-BZ
PE-ORB120-GO
PE-ORB120-BS

Key Features

- Matt bronze / Matt gold / Sand black
- Aluminium / Silicone diffuser
- CCT Selectable 3000K / 4000K
- CCT switch in ceiling can
- Min. drop: 900mm






PE-ORB120-BZ

Item Code	Power (W)	Luminaire lumens at 3000K	Luminaire lumens at 4000K
PE-ORB120-BS	69	2950	3100
PE-ORB120-GO	69	2950	3100
PE-ORB120-BZ	69	2950	3100

For detailed drawings and specifications along
with help & advice, visit www.projectcollection.co.uk






compass 2m

PE-COM2-BS ■

CLASS 1 | 2CCT

Key Features

- Sand black
- Aluminium / Opal polycarbonate
- CCT Selectable 3000K / 4000K
- CCT switch in ceiling can
- 102W SMD LED
- Min. drop: 900mm
- On site assembly from four sections



Direct (downwards) illumination

Item Code	Power (W)	Luminaire lumens at 3000K	Luminaire lumens at 4000K
PE-COM2-BS	102	4300	4800

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk



Compatible with DALICON,
See page P201

2 CCT

Item Code	Power (W)	Lightsource lumens at 3000K	Lightsource lumens at 4000K
CE-HEY60	60	7750	7850
CE-HEY90	84	10,600	10,800



CE-HEY60-W



CE-HEY90-B




CE-HEY90-B



CE-HEY90-W



PA-HEY-B




CE-HEY(60/90)

+



PA-HEY-(B/W)

=



hey-lo surface 60cm


CE-HEY60-B ■
CE-HEY60-W □

hey-lo surface 90cm

CE-HEY90-B ■
CE-HEY90-W □

2m suspension kit

PA-HEY-B ■
PA-HEY-W □



CLASS 1 | DIMMABLE | 2CCT

Key Features

- Sand black / Sand white
- Aluminium / Polycarbonate
- CCT Selectable 3000K / 4000K
- CCT switch in backplate
- Replaceable LED
- CRI>90

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk




Compatible with DALICON,
See page P201

Item Code	Power (W)	Luminaire lumens at 3000K	Luminaire lumens at 4000K
FL-ETE55-WS	39	2900	3100

eternity 55cm surface


FL-ETE55-WS □▲



CLASS 1 | DIMMABLE | 2CCT

Key Features

- Sand white
- Aluminium / Polycarbonate
- CCT Selectable 3000K / 4000K CCT switch in ceiling can




Compatible with DALICON,
See page P201

2 CCT

Item Code	Power (W)	Luminaire lumens at 3000K	Luminaire lumens at 4000K
PE-ETE55-BS	39	2900	3100
PE-ETE55-WS	39	2900	3100

eternity 55cm suspension

PE-ETE55-WS □▲
PE-ETE55-BS ■▲







CLASS 1 | DIMMABLE | 2CCT

Key Features


- Sand black / Sand white
- Aluminium / Polycarbonate
- CCT Selectable 3000K / 4000K CCT switch in ceiling can
- Min. drop: 450mm



CE-PRI35-GO




CE-PRI45-B




CE-PRI(35/45)

+



PA-HEY-(B/W)

=



Item Code	Power (W)	Lightsource lumens at 3000K	Lightsource lumens at 4000K
CE-PRI35	36	3600	3750
CE-PRI45	42	4300	4400

prisma 35cm

CE-PRI35-B
CE-PRI35-GO


prisma 45cm

CE-PRI45-B
CE-PRI45-GO

2m suspension kit

PA-HEY-B
PA-HEY-W

Suspension also compatible with prisma, see pg. P32 & P33



CLASS 1 | DIMMABLE | 2CCT

Key Features


- Sand black / Matt gold
- Die cast aluminium / Microprismatic diffuser
- CCT Selectable 3000K / 4000K
- CCT Switch in backplate
- Replaceable LED
- CRI > 92


Compatible with DALICON,
See page P201

2 CCT

CE-PRI45-B + PA-HEY-B







For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk

NEW

2 CCT








PE-VISTR-W










PE-VISTR-B

vistina round

PE-VISTR-B ■ ▲
PE-VISTR-W □ ▲

Transformative optic
(clear when off, opaque when on)



CLASS 1 | DIMMABLE | 2CCT


Key Features

- Sand black / Sand white
- Aluminium / Acrylic
- Transformative optic
- CCT Selectable 3000K / 4000K
- CCT switch in ceiling can
- 60% direct, 40% indirect
- Min. drop: 400mm

Item Code	Power (W)	Luminaire lumens at 3000K	Luminaire lumens at 4000K
PE-VISTR-B	42	4300	4550
PE-VISTR-W	42	4650	4900

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk






vistina long

PE-VIST-B ■ ▲
PE-VIST-W □ ▲

Transformative optic
(clear when off, opaque when on)

Adjustable suspension spacing



Min. suspension spacing (a) : 720mm
Max. suspension spacing (b) : 1020mm

Item Code	Power (W)	Luminaire lumens at 3000K	Luminaire lumens at 4000K
PE-VIST-B	50	4750	5100
PE-VIST-W	50	5250	5700

CLASS 1 | DIMMABLE | 2CCT

Key Features

- Sand black / Sand white
- Aluminium / Acrylic
- Transformative optic
- CCT Selectable 3000K / 4000K
- CCT switch in ceiling can
- 60% direct, 40% indirect
- Min. drop: 300mm




PE-CLIP



clip

PE-CLIP □ ▲

Luminaire lumens: 2650
40W 3000K LED



CLASS 1 | DIMMABLE | 3000K

Key Features

- Sand white
- Frosted acrylic diffuser
- 3000K
- Mains dimmable
- Height adjustable
- CRI >80
- Power factor 0.98

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk

2 CCT



CE-LINO2-W



CE-LINO2-W




CE-LINO2-B

lino 2 surface / pendant

CLASS 1 | DIMMABLE | 2CCT

CE-LINO2-B ■ ▲
CE-LINO2-W □ ▲



Key Features

- Sand black / Sand white
- Aluminium / Polycarbonate
- CCT Selectable 3000K / 4000K
- CCT switch inside fitting
- Min. drop: 150mm
- Includes surface mounting kit and pendant suspension kit


Item Code	Power (W)	Lightsource lumens at 3000K	Lightsource lumens at 4000K
CE-LINO2-B ▲	37	3700	3800
CE-LINO2-W ▲	37	3700	3800

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk



Compatible with DALICON,
See page P201


Item Code	Power (W)	Luminaire lumens at 3000K	Luminaire lumens at 4000K
FL-SAT40-WS	40	3000	3100
FL-SAT60-WS ▲	53	3600	3800


FL-ADM40-W


FL-BAN35-B


saturn 40cm

FL-SAT40-WS □



saturn 60cm

FL-SAT60-WS □ ▲



CLASS 1 | DIMMABLE | 2CCT

Key Features


- Sand white & Frosted acrylic
- CCT Selectable 3000K / 4000K
- CCT switch inside body
- Ceiling or wall mounted

andaman 40cm IP44

FL-ADM40-W □ ▲

25W SMD LED

Lightsource lumens: 1950




banda 35cm IP44

FL-BAN35-B ■ ▲

27W SMD LED

Lightsource lumens: 1800



CLASS 2 | DIMMABLE | 3000K | IP44

Key Features


- FL-ADM40-W: Clear glass / Matt white inner glass
- FL-BAN35-B: Matt white glass / Black Glass / Steel
- 3000K
- Ceiling or wall mounted

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk










CE-VER(30/40)

+


PA-VER

=




CE-VER40-B & PA-VER-B

verve 30cm IP44

CE-VER30-B ■
CE-VER30-W □


verve 40cm IP44

CE-VER40-B ■
CE-VER40-W □

2m suspension kit IP20

PA-VER-B ■
PA-VER-W □

Add PA-VER to suspend from 200mm up to 2000mm




CLASS 2 | DIMMABLE | IP44 | 3CCT

Key Features

- Sand black / Sand white
- Aluminium / PC diffuser
- CRI > 88 / CCT Selectable 3000K / 4000K / 5700K
- CCT switch on back of fitting
- Replaceable LED lightsource
- Rear and side cable entry
- Ceiling or wall mounted

Item Code	Power (W)	Lightsource lumens at 3000K	Lightsource lumens at 4000K	Lightsource lumens at 5700K
CE-VER30	16	2700	2850	2750
CE-VER40	23	3300	3550	3450

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk



Item Code	Power (W)	Lightsource lumens at 3000K	Lightsource lumens at 4000K
FL-GRA30	17	1300	1800
FL-GRA50	36	3300	3500






FL-GRA30-B



FL-GRA50-GO


grace 30cm

FL-GRA30-B
FL-GRA30-GO



grace 50cm

FL-GRA50-B
FL-GRA50-GO



CLASS 1 | DIMMABLE | 2CCT

Key Features

- Sand black / Matt gold
- Metal / Rigid polystyrene
- CCT Selectable 3000K / 4000K
- CCT Switch inside the fitting
- Replaceable LED

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk




PE-LAS6-W

laser suspension

PE-LAS6-W □ ▲

6 x GU10



CLASS 1 | ANTI-GLARE

Key Features

- Sand white
- Aluminium / Frosted diffuser
- GU10 max. 10W
- Min. drop: 500mm
- 90° pivot, 350° rotation
- Heads independently adjustable

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk



See pages below for the rest of the laser family:

laser GU10 track	P127
laser spot	P142
laser reader	P143



PE-ANN-B PE-ANN-W



PE-ANN-GO



PE-ANN-BZ







CE-ANN-BZ



CE-ANN-GO




CE-ANN-B



CE-ANN-W

anna pendant

PE-ANN-BZ
PE-ANN-GO
PE-ANN-B
PE-ANN-W



Compatible with pendant track adapter

CLASS 1 | DIMMABLE | TRACK ADAPTER

Key Features

Anodised bronze* / Anodised gold* / Sand black / Sand white
Aluminium
GU10 max. 10W
Max. drop: 2m
*Living finishes

anna ceiling

CE-ANN-BZ
CE-ANN-GO
CE-ANN-B
CE-ANN-W



CLASS 1 | DIMMABLE

Key Features

Anodised bronze* / Anodised gold* / Sand black / Sand white
Aluminium
GU10 max. 10W
*Living finishes

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk







CE-AND-B



CE-SWI-B



CE-SWI-B







CE-SWI-W

For detailed drawings and specifications along
with help & advice, visit www.projectcollection.co.uk




andromeda ceiling

ANTI-GLARE

swivel

CE-AND-B ■ ▲
90° pivot, 350° rotation

CE-SWI-B ■
CE-SWI-W □
Simultaneous 90°
pivot and rotation





CLASS 2 | DIMMABLE

Key Features

Sand black / Sand white
Aluminium
GU10 max. 10W





PE-APO-B PE-APO-W


PE-ART-B PE-ART-W


PE-ATH-W


artemis GU10 pendant

PE-ART-B ■
PE-ART-W □



apollo GU10 pendant

PE-APO-B ■▲
PE-APO-W □▲



athena GU10 pendant

PE-ATH-W □▲



CLASS 1 | DIMMABLE | TRACK ADAPTER

Key Features

- Sand black / Sand white
- Steel
- GU10 max. 10W
- Min. drop: 200mm
- Compatible with pendant track adapter

Compatible with pendant track adapter




CE-HONSQB



CE-HONRW


CE-HONRB


CE-HONSQW


honos round adjustable

CE-HONRB ■
CE-HONRW □
1 x GU10



honos square adjustable

CE-HONSQB ■▲
CE-HONSQW □▲
1 x GU10




CLASS 2 | DIMMABLE

Key Features

- Sand black / Sand white
- Aluminium
- GU10 max. 10W
- 20° pivot, 360° rotation

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk

recessed


INTO EACH DAY PUT:
ONE TEASPOON OF
GOOD SPIRITS
A DASH OF
FUN
PINCH OF FOLLY
AND A HEAP FULL OF
LAUGHTER
House Rules




SP-APOR-B


SP-MOOR-BZ


SP-MOOR-W


SP-MOOR-B



SP-APOR-W


SP-APOR-B

moon recessed

SP-MOOR-BZ ■
SP-MOOR-B ■
SP-MOOR-W □

CUT OUT 60-85mm
MIN DEPTH 60mm



CLASS 2
DIMMABLE


Key Features

- Sand white or Sand black
- GU10 Max. 10W
- 350° Rotation
- 90° Pivot
- Ideal for retrofit : Suitable for installation into downlight holes from Ø60 to Ø85mm

apollo recessed

SP-APOR-B ■▲
SP-APOR-W □▲

CUT OUT 60-85mm
MIN DEPTH 60mm



CLASS 2
DIMMABLE

Key Features

- Sand white or Sand black
- GU10 Max. 10W
- 350° Rotation
- 90° Pivot
- Ideal for retrofit : Suitable for installation into downlight holes from Ø60 to Ø85mm

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk







DL-GRID1WB



DL-GRID1BB



DL-GRID2WW



DL-GRID1FRWW



DL-GRID1FRSB



DL-GRID2FRWW




DL-GRID2FRBB

grid 1

DL-GRID1WW □
DL-GRID1WB ◪ ▲
DL-GRID1BB ■


CUT OUT 92x92mm
MIN DEPTH 135mm



grid 2

DL-GRID2WW □
DL-GRID2BB ■

CUT OUT 171x92mm
MIN DEPTH 135mm



CLASS 2 | DIMMABLE


Key Features

Matt white / Matt white & black / Matt black
Aluminium
GU10 Max. 10W
15° tilt, 360° rotation
Distance to front of lamp: 30mm

grid 1 FR

DL-GRID1FRWW □
DL-GRID1FRSB ◪ ▲


CUT OUT 90x95mm
MIN DEPTH 130mm



grid 2 FR

DL-GRID2FRWW □
DL-GRID2FRBB ■

CUT OUT 95x171mm
MIN DEPTH 130mm



CLASS 1 | DIMMABLE | FIRE-RATED 30/60/90

Key Features

Matt white / Matt white & black
Steel
GU10 Max. 10W
15° tilt, 360° rotation
Distance to front of lamp: 30mm

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk





DL-MINW



PL-MINW



PL-MINW



Size comparison:
PL-SLIMW (left) vs PL-MINW (right)
See pg. P79 for PL-SLIMW




See pg. P200 for dimmable Mini GU10 lamp,available in 2700K, 3000K and 4000K

What is a mini GU10?

mini

DL-MINW ☐






mini trimless

PL-MINW ☐



Ceiling must be skimmed after installation



CLASS 2 | DIMMABLE | ANTI-GLARE

Key Features

- Sand white
- Aluminium
- Mini GU10 lamp (MR11) max. 5W
- 30° tilt, 360° rotation
- Distance to front of lamp: 30mm

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk



DL-SLIMBZ



DL-SLIMB DL-SLIMW



DL-SLIMSQB



DL-SLIMSQB DL-SLIMSQW





DL-SLIMIPBZ




DL-SLIMIPB DL-SLIMIPW

slim trim adjustable

DL-SLIMBZ
DL-SLIMB
DL-SLIMW






slim trim square adjustable

DL-SLIMSQB
DL-SLIMSQW












Key Features

- Matt bronze / Matt black / Matt white
- Aluminium
- GU10 Max. 10W
- 45° tilt
- Distance to front of lamp: 32mm

slim trim IP65

DL-SLIMIPBZ
DL-SLIMIPB
DL-SLIMIPW











Key Features

- Matt bronze / Matt black / Matt white
- Aluminium
- GU10 Max. 10W
- Lamp change from the front, mounting sleeve remains in the ceiling
- Distance to front of lamp: 27mm



DL-GLAR


DL-GLAR


DL-ZELRW



DL-ZELRB


DL-ZELRB


DL-ZELRW

glacier round IP65

DL-GLAR □ ▲




CLASS 2 | DIMMABLE | IP65

Key Features

- Acrylic & Polished chrome
- GU10 Max. 10W

zelda round IP65 FR

DL-ZELRB ■
DL-ZELRW □




Quick fit terminals for easy installation


CLASS 2 | DIMMABLE | IP65 | FIRE-RATED 30/60/90

Key Features

- Sand white / Sand black
- Steel & Glass
- GU10 Max. 10W
- Quick-fit connectors
- Use with insulation guard DL-IG02 pg. P200
- Lamp change from the front
- Suitable for bathroom zones 1 & 2
- Distance to front of lamp: 20mm

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk










slim trim 2 FR adjustable

DL-SLIM2FRB ■
DL-SLIM2FRW □

CUT OUT 80mm
MIN DEPTH 140mm





Quick fit terminals for easy installation

CLASS 2 | DIMMABLE | FIRE-RATED 30/60/90

Key Features

- Sand white / Sand black
- Steel & Glass
- GU10 Max. 10W
- 30° tilt
- Use with insulation guard DL-IG02 pg. P200
- Lamp change from the front
- Distance to front of lamp: 35mm





DL-ZAR-W

zara IP65 FR adjustable New

DL-ZAR-W □

CUT OUT 80mm
MIN DEPTH 140mm





Quick fit terminals for easy installation


CLASS 2 | DIMMABLE | IP65 | FIRE-RATED 30/60/90

Key Features

- Sand white
- Steel & Glass
- GU10 Max. 10W
- 25° tilt
- Use with insulation guard DL-IG02 pg. P200
- Lamp change from the front
- Distance to front of lamp: 20mm


















slim trim 3 adjustable New

DL-SLIM3FRBZ ■
DL-SLIM3FRB ■
DL-SLIM3FRW □

CUT OUT 90mm
MIN DEPTH 140mm







Quick fit terminals for easy installation

CLASS 2 | DIMMABLE | FIRE-RATED 30/60/90

Key Features

- Matt bronze / Matt black / Matt white
- Steel & Glass
- GU10 Max. 10W
- 30° tilt
- Use with insulation guard DL-IG02 pg. P200
- Lamp change from the front
- Distance to front of lamp: 45mm

slim trim 3 IP65 New

DL-SLIMIP3FRBZ ■
DL-SLIMIP3FRB ■
DL-SLIMIP3FRW □

CUT OUT 90mm
MIN DEPTH 140mm







Quick fit terminals for easy installation


CLASS 2 | DIMMABLE | IP65 | FIRE-RATED 30/60/90

Key Features

- Matt bronze / Matt black / Matt white
- Steel & Glass
- GU10 Max. 10W
- Use with insulation guard DL-IG02 pg. P200
- Lamp change from the front
- Distance to front of lamp: 40mm

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk









PL-SLIM3FRW PL-SLIM3FRB

slim trimless 3 adjustable New

PL-SLIM3FRB ■
PL-SLIM3FRW □





Quick fit terminals for easy installation

CLASS 2 | DIMMABLE | FIRE-RATED 30/60/90

Key Features

- Matt black / Matt white
- Steel & Glass
- GU10 Max. 10W
- Use with insulation guard DL-IG01 pg. P200
- Lamp change from the front
- Distance to front of lamp: 45 mm








PL-SLIMIP3FRW PL-SLIMIP3FRB

slim trimless 3 IP65 New

PL-SLIMIP3FRB ■
PL-SLIMIP3FRW □





Quick fit terminals for easy installation

CLASS 2 | DIMMABLE | IP65 | FIRE-RATED 30/60/90

Key Features

- Matt black / Matt white
- Steel & Glass
- GU10 LED Max. 10W
- Use with insulation guard DL-IG01 pg. P200
- Lamp change from the front
- Suitable for bathroom zones 1 & 2
- Distance to front of lamp: 40 mm



For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk









PL-ZELSQW PL-ZELSQB

recessed





PL-ZELRW PL-ZELRB






zelda trimless round IP65 FR

CLASS 2 | DIMMABLE | IP65 | FIRE-RATED 30/60/90

PL-ZELRB ■
PL-ZELRW □

CUT OUT 78mm
MIN DEPTH 135mm





Quick fit terminals for easy installation

Key Features


- Sand black / Sand white
- Steel & Glass
- GU10 Max. 10W
- Use with insulation guard DL-IG01
- pg. P200
- Lamp change from the front
- Suitable for bathroom zones 1 & 2
- Distance to front of lamp: 45 mm

zelda trimless square IP65 FR

CLASS 2 | DIMMABLE | IP65 | FIRE-RATED 30/60/90

PL-ZELSQB ■
PL-ZELSQW □

CUT OUT 80x80mm
MIN DEPTH 135mm





Quick fit terminals for easy installation

Key Features

- Sand black / Sand white
- Steel & Glass
- GU10 Max. 10W
- Use with insulation guard DL-IG01
- pg. P200
- Lamp change from the front
- Suitable for bathroom zones 1 & 2
- Distance to front of lamp: 45 mm

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk


PL-SLIMIPW


PL-SLIMW


PL-SLIMIPW PL-SLIMIPB


PL-SLIMIPW



PL-SLIMW PL-SLIMB


PL-SLIMW

slim trimless IP65

PL-SLIMIPB ■ ▲
PL-SLIMIPW □

CUT OUT 85mm
MIN DEPTH 140mm



CLASS 2 | DIMMABLE | ANTI-GLARE


Key Features

- Sand black / Sand white
- Aluminium
- GU10 Max. 10W
- Quick fit connectors
- Ceiling must be skimmed after installation
- Distance to front of lamp: 30mm

slim trimless adjustable

PL-SLIMB ■ ▲
PL-SLIMW □
20° tilt

CUT OUT 80mm
MIN DEPTH 140mm



CLASS 2 | DIMMABLE | ANTI-GLARE

Key Features

- Sand black / Sand white
- Aluminium
- GU10 Max. 10W
- Quick fit connectors
- Ceiling must be skimmed after installation
- Distance to front of lamp: 30mm


PL-SAB2-B


PL-SAB2-W


PL-SAB1-B




PL-POLW



PL-POLW


PL-POLW

sablons 1 trimless

PL-SAB1-B ■ ▲
PL-SAB1-W □ ▲






sablons 2 trimless

PL-SAB2-B ■ ▲
PL-SAB2-W □ ▲








Key Features


- Sand black / Sand white
- Aluminium
- GU10 Max. 10W LED only
- 45° gimbal
- Ceiling must be skimmed after installation
- Distance to front of lamp: 17mm

polo trimless

PL-POLW □ ▲



Ceiling must be skimmed after installation





Key Features


- Sand white
- Aluminium
- GU10 Max. 10W
- 90° pivot, 350° rotation
- Use in any position from fully recessed to fully extended
- Distance to front of lamp: 12mm

Use solid plaster trimless lighting when ...

you have an already plastered wall or ceiling, and you're not planning to skim the surface again.

After the product installed it is a decorator's job to infill the gap with a flexible filler / caulk, sand to a smooth finish and paint the surface of the ceiling, including the interior of the fitting.

installing solid plaster trimless lighting



See pages below for our solid plaster ranges:

Ceiling


Renne	P84
Rome	P86

Use metal trimless lighting when ...

you are installing into a wall or ceiling that has yet to be skimmed, or will be reskimmed.

After the metal frame is installed in the wall or ceiling the plasterer skims the surface with a 3mm layer of plaster skim. The frames have a 3mm lip for the plasterer to skim up to.

installing metal frame trimless lighting



See pages below for our solid plaster ranges:

Ceiling

Polo trimless	P81
Mini trimless	P64-P65
Slim 3 trimless	P74-P75
Zelda trimless	P76-P77
Slim trimless	P79
Sablons	P80

Wall

Blanche GU10	P87
Boulogne LED	P88-P89
Blanche LED	P88-P89









For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk





PL-REN1



PL-REN1




Retaining clip

renne

PL-REN1



CUT OUT
120x120mm



CLASS 1 | DIMMABLE | PAINTABLE

Key Features

- White plaster
- GU10, max. 10W
- How to fit guide - see website
- If skimming the ceiling, complete this before installing

This symbol represents a white plaster finish



PL-RENWW



PL-REN2




PL-RENWW

renne twin

PL-REN2



CUT OUT
118x191mm




renne wall washer

PL-RENWW



CUT OUT
126x123mm




CLASS 1 | DIMMABLE | PAINTABLE

Key Features

- White plaster
- GU10, max. 10W
- Anti-glare
- How to fit guide - see website
- If skimming the ceiling, complete this before installing

This symbol represents a white plaster finish

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk


PL-ROM2


PL-ROM1 / PL-ROM2



PL-ROM2



rome

PL-ROM1 P


CUT OUT
136x136mm



rome 2

PL-ROM2 P

CUT OUT
136x252mm



CLASS 1 | DIMMABLE | PAINTABLE | ANTI-GLARE

Key Features


- White plaster
- GU10 Max. 10W
- Adjustable tabs for varying ceiling thicknesses
- How to fit guide - see website
- If skimming the ceiling, complete this before installing

P This symbol represents a white plaster finish

blanche GU10

PL-BLAGU10 P ▲

CUT OUT
70x280mm



CLASS 2 | DIMMABLE | 230 VOLTS


Key Features

- Matt white
- Steel
- 1 x GU10 Max.10W
- Not suitable for use in solid walls
- Wall must be skimmed after installation

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk



PL-BOU


PL-BLA


PL-BOU


PL-BOU27


PL-BOU


PL-BLA


PL-BLA27


PL-BLA

boulogne LED

Item no.	Finish	Power	CCT	Lumens	Dimmable	Replacement LED module
PL-BOU	White plaster	350mA	3000K	60	Dimmable*	MOD1W
PL-BOU27	White plaster	350mA	2700K	60	Dimmable*	MOD1W2700

blanche LED


Item no.	Finish	Power	CCT	Lumens	Dimmable	Replacement LED module
PL-BLA	White plaster	350mA	3000K	60	Dimmable*	MOD1W
PL-BLA27	White plaster	350mA	2700K	60	Dimmable*	MOD1W2700

*Dimmable when used with a dimmable driver

boulogne LED

1W CREE XPE Power LED
95 lumens / 30° beam angle






blanche LED

1W CREE XPE Power LED
95 lumens / 30° beam angle





CLASS 3 | DIMMABLE | PAINTABLE | 350mA

Key Features

- Matt white / Steel
- Driver supplied separately, see pg. P201
- Dimmable when used with a dimmable driver
- Not suitable for use in solid walls
- Wall must be skimmed after installation

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk



RW-STP-W

RW-STP-B


RW-STP-GO



RW-RUN-GO



RW-STP-GO



Use with standard UK single wiring accessory backbox, min depth 35mm



RW-RUN-B




RW-RUN-GO



RW-RUN-W

steplight

RW-STP-B ■
RW-STP-W □
RW-STP-GO ■




CLASS 2 | 3000K


Key Features

- Matt black / White / Gold
- Plastic
- 3000K 80 lumens
- 1.5W SMD LED
- ⚠ Only suitable for UK and Ireland customers. Not for sale in mainland Europe.

runway steplight

RW-RUN-B ■
RW-RUN-W □
RW-RUN-GO ■





30s lights up for 30 seconds

CLASS 2 | 3000K | SENSOR

Key Features

- Matt black / White / Gold
- Plastic
- 3000K
- 1.5W SMD LED
- 80 lumens
- ⚠ Only suitable for UK and Ireland customers. Not for sale in mainland Europe.

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk


IPR-HOLSSAG


IPR-HOLSS




IPR-HOLSS



IPR-HOLSS


holborn IP65

IPR-HOLSS

1W CREE XPE Power LED
90 lumens / 120° beam angle

CUT OUT
38mm





CLASS 3 | DIMMABLE | IP65 | 350mA

Key Features


Polished chrome / Satin stainless steel
316 / Aluminium body
3000K
Very shallow profile
Driver supplied separately,
see pg. P201
Fittings must be wired in series

diana IP44

DL-DIA-W

CUT OUT
38mm


DL-DIA-W




CLASS 3 | DIMMABLE | IP44 | 350mA

Key Features

Sand white finish / Die cast body
1W Olsen LED / 3000K
95 lumens / Beam angle: 30°
Driver supplied separately,
see pg. P201
Fittings must be wired in series

For detailed drawings and specifications along
with help & advice, visit www.projectcollection.co.uk

spot & track



P84

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk



CLASS 1

Key Features

Matt bronze

GU10 Max. 10W each

350° Rotation, 90° Pivot


SP-MOO1-BZ


SP-MOO1S-BZ


SP-MOO1SUSB-BZ




SP-MOO1SUSB-BZ

bronze moon 1

SP-MOO1-BZ

1 x GU10

bronze moon 1 switched

SP-MOO1S-BZ

1 x GU10

Switched


bronze moon 1 switched USB


SP-MOO1SUSB-BZ


1 x GU10

Switched

USB A&C







For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk









SP-MOO3-BZ






SP-MOO3L-BZ



bronze moon 1 round

SP-MOO1R-BZ


1 x GU10



bronze moon 3

SP-MOO3-BZ

3 x GU10



bronze moon 2 bar

SP-MOO2-BZ

2x GU10

bronze moon 3 bar


SP-MOO3L-BZ

3 x GU10

bronze moon 4 bar

SP-MOO4-BZ

4 x GU10




CLASS 1 | DIMMABLE

Key Features

- Matt bronze
- Aluminium
- GU10 Max. 10W each
- Ceiling / Wall mounted
- 350° Rotation, 90° Pivot

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk



CLASS 1

Key Features

- Sand black / Sand white
- Aluminium
- GU10 Max. 10W each
- 350° Rotation, 90° Pivot



SP-MOO1-B



SP-MOO1S-W



SP-MOO1SUSB-B





SP-MOO1SUSB-W

moon 1


SP-MOO1-B	■
SP-MOO1-W	□
1 x GU10	


moon 1 switched


SP-MOO1S-B	■
SP-MOO1S-W	□
1 x GU10	
Switched	

moon 1 switched USB

SP-MOO1SUSB-B	■
SP-MOO1SUSB-W	□
1 x GU10	
Switched	
USB A&C	







For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk


SP-MOO1R-B




SP-MOO3-W


SP-MOO3-B



SP-MOO4-B


SP-MOO3L-B


SP-MOO2L-W


moon 1 round

SP-MOO1R-B ■
SP-MOO1R-W □
1 x GU10



moon 3 round

SP-MOO3-B ■
SP-MOO3-W □
3 x GU10



moon 2 bar


SP-MOO2-B ■
SP-MOO2-W □
2 x GU10

moon 3 bar

SP-MOO3L-B ■
SP-MOO3L-W □
3 x GU10

moon 4 bar

SP-MOO4-B ■
SP-MOO4-W □
4 x GU10



CLASS 1 | DIMMABLE

Key Features

- Sand black / Sand white
- Aluminium
- GU10 Max. 10W each
- Ceiling / Wall mounted
- 350° Rotation, 90° Pivot

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk


















selene 3 round IP44

SP-SEL3R-BZ
SP-SEL3R-B
SP-SEL3R-W
3 x GU10




CLASS 2 | DIMMABLE | IP44

Key Features

- Matt bronze / Sand white / Sand black
- Aluminium
- 3 x GU10 Max. 10W
- Ceiling / Wall mounted
- 350° Rotation, 90° Pivot

selene 3 bar IP44

SP-SEL3L-BZ
SP-SEL3L-B
SP-SEL3L-W
3 x GU10



CLASS 2 | DIMMABLE | IP44


Key Features

- Matt bronze / Sand white / Sand black
- Aluminium
- 3 x GU10 Max. 10W
- Ceiling / Wall mounted
- 350° Rotation, 90° Pivot

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk



1. SP-ANN2-GO, 2. SP-ANN3-GO, 3. SP-ANN1-GO, 4. SP-ANN4-GO



1. SP-ANN2-BZ, 2. SP-ANN3-BZ, 3. SP-ANN1-BZ, 4. SP-ANN4-BZ


For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk



SP-ANN1-BZ



SP-ANN1-GO




Anodised bronze with matt bronze backplate



Anodised gold with sand black backplate

anna 1

SP-ANN1-GO
SP-ANN1-BZ
1 x GU10



CLASS 1 | DIMMABLE

Key Features

Anodised gold & Sand black / Anodised bronze & Matt bronze

Aluminium

Living finishes

GU10 Max. 10W each

Ceiling / Wall mounted

350° Rotation, 90° Pivot


SP-ANN3-BZ


SP-ANN2-GO


SP-ANN2-GO



SP-ANN3-GO


SP-ANN2-BZ


SP-ANN4-BZ


anna 2

SP-ANN2-GO
SP-ANN2-BZ
2 x GU10



anna 3

SP-ANN3-GO
SP-ANN3-BZ
3 x GU10




CLASS 1 | DIMMABLE

Key Features

- Anodised gold & Sand black / Anodised bronze & Matt bronze
- Aluminium
- Living finishes
- GU10 Max. 10W each
- Ceiling / Wall mounted
- 350° Rotation, 90° Pivot

anna 4

SP-ANN4-GO
SP-ANN4-BZ
4 x GU10



CLASS 1 | DIMMABLE

Key Features

- Anodised gold & Sand black / Anodised bronze & Matt bronze
- Aluminium
- Living finishes
- GU10 Max. 10W each
- Ceiling / Wall mounted
- 350° Rotation, 90° Pivot

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk


SP-CIA4-BZ



SP-CIA1-GO


SP-CIA1-GO


SP-CIA3-BZ

ciara 1

SP-CIA1-GO
SP-CIA1-BZ
1 x mini GU10





See pg. P200 for dimmable Mini GU10 lamps, available in 2700K, 3000K and 4000K


CLASS 1 | DIMMABLE

Key Features

- Anodised gold & Sand black / Anodised bronze & Matt bronze
- Aluminium
- Living finishes
- Mini GU10 lamp (MR11) max. 5W
- 350° rotation, 90° pivot
- Ceiling / Wall mounted


ciara 3

SP-CIA3-GO
SP-CIA3-BZ
3 x mini GU10



ciara 4

SP-CIA4-GO
SP-CIA4-BZ
4 x mini GU10



CLASS 1 | DIMMABLE

Key Features


- Anodised gold & Sand black / Anodised bronze & Matt bronze
- Aluminium
- Living finishes
- Mini GU10 lamp (MR11) max. 5W
- 350° rotation, 90° pivot
- Ceiling / Wall mounted

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk




SP-JUP1-W


SP-JUP2-B




ES111 lamp (not included.)


SP-JUP1-B


SP-JUP2-W


jupiter 1

SP-JUP1-B
SP-JUP1-W
1 x ES111



jupiter 2

SP-JUP2-B
SP-JUP2-W
2 x ES111



CLASS 1 | DIMMABLE

Key Features

Sand black / Sand white


Steel / Aluminium

Ceiling / Wall mounted

350° Rotation, 120° Pivot

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk

black and white track lengths



1m track only

TR-T1-B ■
TR-T1-W □

2m track only

TR-T2-B ■
TR-T2-W □

track kits including live end & end cap



TR-1B / TR-1W

1m track kit

TR-1B ■
TR-1W □

Includes live end & end cap
L1000 x W35 x H18mm

2m track kit

TR-2B ■
TR-2W □

Includes live end & end cap
L2000 x W35 x H18mm

CLASS 1 | DIMMABLE | 230 VOLTS

Key Features

Extensive range of track & connectors

Ideal for applications where fittings need to be moved or added

Earth on the neutral side

Track can be cut to any length

① 

TR-LE-B

② 

TR-EC-B

③ 

TR-MJ-B

④ 

TR-XC-B

⑤ 

TR-LC-B

⑥ 

TR-TC-B

⑦ 

TR-SUS-B

⑧ 

TR-PEN-B

⑨ 

TR-CC-B

⑩ 

TR-FC-B


black and white track accessories

Item	Finishes
① Live end ⚡	■TR-LE-B / □TR-LE-W
② End cap ⚡	■TR-EC-B / □TR-EC-W
③ Mini-joiner	■TR-MJ-B / □TR-MJ-W
④ X-Connector ⚡	■TR-XC-B / □TR-XC-W
⑤ L-Connector ⚡	■TR-LC-B / □TR-LC-W
⑥ T-Connector ⚡	■TR-TC-B / □TR-TC-W
⑦ 3m suspension	■TR-SUS-B / □TR-SUS-W (longer suspensions available on request)
⑧ Pendant Adapter	■TR-PEN-B / □TR-PEN-W
⑨ Centre Connector ⚡	■TR-CC-B / □TR-CC-W
⑩ Flexible Connector ⚡	■TR-FC-B / □TR-FC-W

⚡ Accessories with this symbol can be used as a power feed in.

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk

bronze and gold track lengths




1m track only

TR-T1-BZ
TR-T1-GO

2m track only

TR-T2-BZ
TR-T2-GO





TR-CC-GO



TR-MJ-GO

track kits including live end & end cap



TR-1GO / TR-1BZ

1m track kit

TR-1BZ
TR-1GO

Includes live end & end cap
L1000 x W35 x H18mm

2m track kit

TR-2BZ
TR-2GO

Includes live end & end cap
L2000 x W35 x H18mm

CLASS 1 | DIMMABLE | 230 VOLTS

Key Features

Extensive range of track & connectors

Ideal for applications where fittings need to be moved or added

Earth on the neutral side

Track can be cut to any length


bronze and gold track accessories

Item	Finishes
① Live end ⚡	TR-LE-BZ / TR-LE-GO
② End cap	TR-EC-BZ / TR-EC-GO
③ Mini-joiner	TR-MJ-BZ / TR-MJ-GO
④ L-Connector ⚡	TR-LC-BZ / TR-LC-GO
⑤ Centre Connector ⚡	TR-CC-BZ / TR-CC-GO

⚡ Accessories with this symbol can be used as a power feed in.


For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk

Add your chosen pendant to track...



Pick your pendant here






pendant track adapter

TR-PEN-B ■
TR-PEN-W □

Use with any mains voltage pendant that takes a replaceable lamp. Must be under 2kg and suspended by a single power cable.





TR-PEN-B

CLASS 1 | DIMMABLE | 230 VOLTS

Key Features

Pendant requirements:

1. Suspended by a single power cable
2. Maximum 2kg weight
3. Takes a replaceable 230V lamp (bulb)

Compatible pendants are marked with this symbol

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk





TR-ANN-BZ



TR-ANN-GO






TR-ANN-B



TR-ANN-W

anna GU10 track spot

TR-ANN-BZ
TR-ANN-GO
TR-ANN-B
TR-ANN-W



CLASS 2 | DIMMABLE

Key Features

Anodised gold / Anodised bronze (Living finishes)

Sand Black / Sand White

Aluminium

GU10 LED Max. 10W

350° Rotation / 90° Pivot

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk





TR-ORI2-BZ



TR-ORI2-GO






TR-ORI2-B



TR-ORI2-W

orion 2 GU10 track spot

TR-ORI2-BZ
TR-ORI2-GO
TR-ORI2-B
TR-ORI2-W



CLASS 2 | DIMMABLE

Key Features

Anodised gold / Anodised bronze (Living finishes)
/ Sand Black / Sand White
Aluminium
GU10 Max. 10W
350° Rotation / 90° Pivot

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk



New



TR-CIA-BZ

New



TR-CIA-GO



New




TR-CIA-B

See pg. P200 for dimmable Mini GU10 lamps, available in 2700K, 3000K and 4000K

ciara mini GU10 track spot

TR-CIA-BZ
TR-CIA-GO
TR-CIA-B



CLASS 2 | DIMMABLE

Key Features

Anodised gold / Anodised bronze (Living finishes)
/ Sand Black
Aluminium
Mini GU10 Lamp (MR11) Max. 5W
350° Rotation / 90° Pivot

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk



New



TR-LIB-BZ




TR-LIB-WW



TR-LIB-B

libra GU10 track spot

TR-LIB-BZ ■
TR-LIB-B ■
TR-LIB-WW □



CLASS 2 DIMMABLE

Key Features

Matt bronze / Sand black / Sand white
Aluminium
GU10 Max. 10W
350° Rotation / 90° Pivot




TR-LAS-B



TR-APO-B


laser GU10 track spot

TR-LAS-B ■▲



apollo GU10 track spot

TR-APO-B ■▲



CLASS 2 DIMMABLE

Key Features

Sand black
Aluminium
GU10 Max. 10W
350° Rotation / 90° Pivot
On/Off switch on track connector

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk



2 CCT

CCT and power switches within body

10W / 12W / 15W




TR-AND-W



TR-AND-B

andromeda GU10 track spot

TR-AND-B ■
TR-AND-W □



CLASS 2 | DIMMABLE

Key Features

- Sand white / Sand black
- Aluminium
- GU10 LED Max. 10W
- 350° Rotation / 90° Pivot
- Suitable for use with longer lamp lengths



TR-TAU-W




TR-TAU-B

taurus LED track spot

TR-TAU-B ■▲
TR-TAU-W □▲

1350 lumens at 4000K, 15W
1150 lumens at 3000K, 15W

Taurus is supplied with a default setting of 3000K, 15W




CLASS 2 | 2CCT

Key Features

- Sand white / Sand black
- Power selectable 10W, 12W, 15W
- CCT selectable 3000K /4000K
- Switches located in body of fitting, see image above
- 350° Rotation / 90° Pivot
- CRI>90

wall



For detailed drawings and specifications along
with help & advice, visit www.projectcollection.co.uk


WL-SUN-BZ


WL-SUN-B


WL-SUN-BZ



WL-SUN-GO


WL-SUN-B


WL-SUN-W

sunrise

WL-SUN-BZ
450 lumens
WL-SUN-GO
460 lumens
WL-SUN-B
360 lumens
WL-SUN-W
650 lumens



CLASS 1 | 3000K

Key Features

Matt bronze / Matt gold / Sand black / Sand white

Aluminium

6W SMD LED

3000K

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk




WL-ANN2-BZ


WL-ANN2-GO


WL-ANN2-B


WL-ANN2-W


WL-ANN1-BZ



WL-ANN1-GO


WL-ANN1-B


WL-ANN1-W


anna single

WL-ANN1-BZ
WL-ANN1-GO
WL-ANN1-B
WL-ANN1-W
1 x GU10



anna double

WL-ANN2-BZ
WL-ANN2-GO
WL-ANN2-B
WL-ANN2-W
2 x GU10



CLASS 1 | DIMMABLE

Key Features

Anodised bronze* / Anodised gold* / Sand black / Sand white / Aluminium

*Living finishes

GU10 Max. 10W each

Anodised Bronze



Anodised Gold



Sand Black



Sand White



For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk





WL-ANNR-BZ



WL-ANNR-GO




WL-ANNR-B



WL-ANNR-BZ

anna reader

WL-ANNR-BZ
WL-ANNR-GO
WL-ANNR-B



CLASS 1 | DIMMABLE | SWITCH

Key Features

Anodised bronze* / Anodised gold* / Sand black

Aluminium

*Living finishes

GU10 Max. 10W each

350° Rotation, 90° Pivot

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk





SH-WBPIM2-BZ



SH-WBPIM2-SN



SH-WBPIM2-MB



SH-WBPIM2R-BZ



SH-WBPIM2R-SN




SH-WBPIM2R-MB



pimlico 2

CLASS 1 | DIMMABLE | SWITCH

SH-WBPIM2-BZ
SH-WBPIM2-MB
SH-WBPIM2-SN



Shades supplied separately, see pg. P168-173



Key Features


Matt bronze / Matt black / Satin nickel

E27 Max. 20W

pimlico 2 reader

CLASS 1 | SWITCH

SH-WBPIM2R-BZ
SH-WBPIM2R-MB
SH-WBPIM2R-SN



Shades supplied separately, see pg. P168-173



Key Features

Matt bronze / Matt black / Satin nickel

E27 Max. 20W

Reading Arm

3000K

1W CREE XPE Power LED

90 lumens

Replaceable LED 'MOD1W'

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk



SH-WBVIC-BZ




FINGERPRINT RESISTANT

SH-WBVIC-MB



SH-WBVIC-SN



SH-WBVIC-BZ & SH-RL-C

SH-WBVIC-SN



Shades supplied separately, see pg. P168-P173



SH-WBVICR-BZ



FINGERPRINT RESISTANT

SH-WBVICR-MB



SH-WBVICR-SN




SH-WBVICR-MB

SH-WBVICR-BZ & SH-DR15-C

victoria

SH-WBVIC-BZ
SH-WBVIC-MB
SH-WBVIC-SN



CLASS 1 | DIMMABLE | SWITCH

Key Features

Matt bronze / Matt black / Satin nickel / Steel


E27 Max. 20W

victoria reader

SH-WBVICR-BZ
SH-WBVICR-MB
SH-WBVICR-SN

Shades supplied separately, see pg. P168-173





CLASS 1 | SWITCH

Key Features

Matt bronze / Matt black / Satin nickel

E27 Max. 20W

Reading Arm

3000K

1W CREE Power LED / 90 lumens

E27 LED Max. 20W


90° pivot, 350° rotation

Replaceable LED 'MOD1W'

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk



SP-LAS1S-W


WL-LASR-W


SP-LAS1S-W


SP-LAS1S-B


SP-LAS1S-B



WL-LASR-B


WL-LASR-B


WL-LASR-W

laser spot

SP-LAS1S-B ■▲
SP-LAS1S-W □▲



See pages below for the rest of the laser family:

laser pendant	P50
laser GU10 track	P127
laser reader	P143


CLASS 1 | DIMMABLE | SWITCH

Key Features

- Sand black / Sand white
- Aluminium
- GU10 Max. 10W
- Switch on front face
- 350° rotation, 90° pivot

laser reader

WL-LASR-B ■
Backlight: 390 lumens
WL-LASR-W □
Backlight: 660 lumens



See pages below for the laser range:

laser pendant	P50
laser GU10 track	P127
laser spot	P142

CLASS 2 | SWITCH

Key Features

- Sand black / Sand white
- Aluminium / Steel
- 3000K
- Backlight: 7W SMD LED
- GU10 Max. 10W
- 90° pivot, 350° rotation





WL-CIAR-GO



WL-CIAR-GO



WL-CIAR-BZ




WL-BLF-W

WL-BLF-B

blackfriars

WL-BLF-B ■▲
WL-BLF-W □▲
350 lumens




CLASS 2 | SWITCH | 3000K | FINGERPRINT RESISTANT

Key Features

- Matt black / Sand white
- Aluminium / Steel
- 3000K
- 3W Bridgelux COB LED
- Arm pivots 180°
- Head rotates 350° and pivots 90°

ciara wall

WL-CIAR-GO ■
WL-CIAR-BZ ■






See pg. P200 for dimmable Mini GU10 lamp, available in 2700K, 3000K and 4000K

CLASS 1 | DIMMABLE | SWITCH

Key Features

- Anodised gold & Sand black / Anodised bronze & matt bronze
- Aluminium
- Living finishes
- Mini GU10 lamp (MR11)
- Max. 5W
- Soft touch flexi-arm

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk





WL-MLW-B


WL-MLW-W


WL-MLW-B

marlow usb

WL-MLW-B ■
300 lumens
WL-MLW-W □ ▲
330 lumens



CLASS 2 | SWITCH | FINGERPRINT RESISTANT | 3000K

Key Features

- Matt black / Sand white
- Aluminium / Steel
- 3000K
- 4W Bridgelux COB LED
- 90° pivot, 350° rotation
- 2.1 amp USB A and USB C


New

SH-VICLED-BZ



SH-VICLED-MB

FINGERPRINT RESISTANT MATT BLACK




SH-VICLED-SN



SH-VICLED-BZ

victoria LED

SH-VICLED-BZ ■
SH-VICLED-MB ■
SH-VICLED-SN ■ ▲



CLASS 1 | SWITCH | 3000K

Key Features

- Matt bronze / Matt black / Satin nickel
- Steel / Aluminium
- 3000K
- 1W CREE XPE Power LED
- 90 lumens
- 90° pivot, 350° rotation
- Replaceable LED module MOD1W





Light off in closed position



Light off in closed position








marylebone recessed

WL-MAR-B
WL-MAR-SN
320 lumens

CUT OUT 127mm x 40mm

MIN DEPTH 28mm



CLASS 1 | SWITCH | 3200K | FINGERPRINT RESISTANT

Key Features


- Matt black / Satin nickel
- Steel / Aluminium
- 3200K
- 5W Bridgelux COB LED
- 90° pivot, 350° rotation
- Contact switch - off in the closed position

marylebone recessed

WL-MAR-BZ
WL-MAR-GO
320 lumens

CUT OUT 127mm x 40mm

MIN DEPTH 28mm



CLASS 1 | SWITCH | 3200K

Key Features

- Matt bronze / Matt gold
- Steel / Aluminium
- 3200K
- 5W Bridgelux COB LED
- 90° pivot, 350° rotation
- Contact switch - off in the closed position

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk





WL-KIN-B



WL-KIN-GO



WL-KIN-BZ



Light off in closed position



WL-KIN-BZ

kings cross

New


CLASS 1 | SWITCH | 3200K

WL-KIN-BZ
WL-KIN-GO
WL-KIN-B

320 lumens

CUT OUT
127mm x 40mm

MIN DEPTH
28mm



Key Features

- Matt bronze / Matt gold / Matt black
- Steel / Aluminium
- 3200K
- 5W Bridgelux COB LED
- 90° pivot, 350° rotation
- Contact switch - off in the closed position

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk



WL-CHER-AB



WL-CHER-AB



SH-VICLEDR-MB

FINGERPRINT RESISTANT MATT BLACK




WL-CHER-AB

chelsea recessed

WL-CHER-AB






CLASS 1 | SWITCH


Key Features

- Antique brass
- Adjustable / Pivoting reading light
- 1W CREE XPE LED
- 3000K
- 90 lumens
- 30° Beam angle
- Replaceable LED module MOD1W

victoria LED USB recessed

SH-VICLEDR-MB





CLASS 1 | SWITCH | FINGERPRINT RESISTANT | 3000K

Key Features

- Matt black
- Steel / Aluminium
- 3000K
- 1W CREE Power LED
- 90 lumens
- 90° pivot, 350° rotation
- Replaceable LED module MOD1W









WL-SOU24-B



WL-SLO1-W




WL-SLO2-B



southwark

WL-SOU24-B ■
350 lumens
WL-SOU24-W □
720 lumens



CLASS 1 | DIMMABLE | 3000K

Key Features

- Sand black / Sand white
- Aluminium
- 3000K
- 12W SMD LED


sloane 1

WL-SLO1N-B ■ ▲
260 lumens
WL-SLO1N-W □ ▲
270 lumens



sloane 2

WL-SLO2-B ■
500 lumens
WL-SLO2-W □
525 lumens



CLASS 1 | 3000K

Key Features

- Sand black / Sand white
- Aluminium
- 3000K
- Dimmable (Sloane 2 only)
- 4W / 6W Power LED

2 CCT

Compatible with DALICON,
See page P201

vavin 60cm

WL-VAVS60 ☐
WL-VAV60* ☐ ▲
16W LED
620 lumens at 3000K
650 lumens at 4000K

vavin 90cm

WL-VAVS90 ☐
25W LED
870 lumens at 3000K
940 lumens at 4000K

vavin 120cm

WL-VAV120* ☐ ▲
36W LED
1250 lumens at 3000K
1390 lumens at 4000K

CLASS 2 | DIMMABLE | 2CCT

Key Features

Sand white
Metal / Acrylic
3000K / 4000K selectable switch on back of fitting
*3000K only





WL-LB10



WL-LB20





WL-LB20

london bridge

WL-LB10 ☐ ▲
7W POWER LED
450 lumens

WL-LB20 ☐ ▲
7W SMD LED
600 lumens





CLASS 1 | 3000K

Key Features

Sand white
3000K
Can be fitted vertically or horizontally

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk




2 CCT

Compatible with DALICON,
See page P201

Item Code	Power (W)	Luminaire lumens at 3000K	Luminaire lumens at 4000K
WL-ODO20-W	7	585	620
WL-ODO30-W	12	870	940

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk



WL-ODO30-W at 3000K

WL-ODO20-W at 4000K






WL-ODO30-W


odeon 20cm

WL-ODO20-W ☐



odeon 30cm

WL-ODO30-W ☐



CLASS 1 | DIMMABLE | 2CCT

Key Features

- Sand white
- Steel
- CCT Selectable 3000K / 4000K
- CCT Switch in backplate







PL-CADET








PL-CONCS

concorde square

PL-CONCS



CLASS 2 | DIMMABLE | PAINTABLE

Key Features

White plaster


2 x GU10 Max. 10W each

Paintable with a good quality emulsion paint

cadet

PL-CADET

700 lumens



CLASS 2 | 3000K | PAINTABLE

Key Features

White plaster

3000K

9W SMD LED

Paintable with a good quality emulsion paint

table & floor





New



TA-OLY-BZ-USB



TA-OLY-SN-USB





Shades supplied separately, see pg. P168-P173

New




FS-OLY-BZ



FS-OLY-SN


olympia USB table lamp base

TA-OLY-BZ-USB	■
TA-OLY-SN-USB	■
EUTA-OLY-BZ-USB	■
EUTA-OLY-SN-USB	■



olympia table lamp base

TA-OLY-BZ	■
TA-OLY-SN	■
EUTA-OLY-BZ	■
EUTA-OLY-SN	■



CLASS 2 | SWITCH | USB

Key Features


- Matt bronze / Satin nickel
- E27 max. 20W
- Switch on base



Shades supplied separately, see pg. P168-P173

olympia floor lamp base

FS-OLY-BZ	■
FS-OLY-SN	■
EUFS-OLY-BZ	■
EUFS-OLY-SN	■



CLASS 2 | SWITCH

Key Features

- Matt bronze / Satin nickel
- E27 max. 20W
- Inline switch on cable

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk




FS-CIA-BZ

ciara flexi floor lamp

UK


FS-CIA-BZ
FS-CIA-GO

EU

EUFS-CIA-BZ
EUFS-CIA-GO



See pg. P200 for dimmable Mini GU10 lamp, available in 2700K, 3000K and 4000K



CLASS 1 | DIMMABLE | SWITCH

Key Features

- Anodised bronze/ Anodised gold
- Aluminium
- Living finishes
- Mini GU10 (MR11)
- Max. 5 W
- Dimmable by rotary switch
- Soft touch flexi-arm










ciara flexi table lamp

UK

TA-CIA-BZ
TA-CIA-GO

EU

EUTA-CIA-BZ
EUTA-CIA-GO



CLASS 1 | SWITCH

Key Features

- Anodised bronze/ Anodised gold
- Alumninium
- Living finishes
- Mini GU10 (MR11) Max. 5 W
- Soft touch flexi-arm
- Switch on base


For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk

shades



For detailed drawings and specifications along
with help & advice, visit www.projectcollection.co.uk

shades



Colour		Cone	Small Rectangle	Large Rectangle	Drum 15	Drum 30	Drum 40
	Coconut	SH-CO-C	SH-RS-C	SH-RL-C	SH-DR15-C ▲	SH-DR30-C	SH-DR40-C
	Mushroom	SH-CO-M	SH-RS-M	SH-RL-M	SH-DR15-M ▲	SH-DR30-M	SH-DR40-M
	Grey Seal					SH-DR30-G ▲	SH-DR40-G ▲

Range	Page no.						
Pimlico 2	P138-P139	●	●	●	●		
Victoria	P140-P141	●	●	●	●		
Olympia Table	P164	●		●		●	
Olympia Floor	P165						●

Key

C - Coconut

M - Mushroom

G - Grey seal

All the shades in this collection are:
White PVC lining
To suit E27/E14/B22 shade ring
For use with LED lamps only
Available from stock in the UK
Flame retardant

Shade material without light source



Shade material with 3000K light source




15cm drum




SH-DR15-M

SH-DR15-C ▲

SH-DR15-M ▲



30cm drum



SH-DR30-G

SH-DR30-C ▲ SH-DR30-M

SH-DR30-G ▲




40cm drum



SH-DR40-G

SH-DR40-C SH-DR40-M

SH-DR40-G ▲




40cm drum diffuser



SH-DIF40

SH-DIF40 ▲




For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk

small rectangle



SH-RS-M

SH-RS-C SH-RS-M




large rectangle



SH-RL-C

SH-RL-C SH-RL-M




cone



SH-CO-M

SH-CO-C SH-CO-M




bespoke shades

Designed by you and created by us, lampshades can be made in a wide range of styles, fabrics and trimmings to add character to your project. Made to the highest quality by our expert team, we will work with you to create a shade to your exact requirements. Minimum order 50 pieces. Lead time 8 weeks from confirmation. Price on application.



For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk



Products with this symbol can be used in coastal locations*

*see page P3 for details

COASTAL
>1KM

OD-FARR & OD-FPOLE

OD-FARR


OD-FARP & 2 x OD-FPOLE

OD-FARP

farringdon 8W 230V

OD-FARR ■


8W CREE COB LED
550 Lumens
Pre fitted with 24° reflector,
10° reflector supplied



farringdon extension pole

OD-FPOLE ■

300mm extension pole, use 2 for a 600mm extension






OD-FARR

farringdon plus 14W 230V

OD-FARP ■

14W CREE COB LED
1400 lumens
25° beam angle





OD-FARP

CLASS 1 | IP67 | 3000K | 230 VOLTS

Key Features

Passivated black
Aluminium
3000K
Compatible with OD-FPOLE
Warrantied for installations more than 1000m from the coast

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk





OD-GRO30-G



OD-GRO80-G



OD-GRO230-G



OD-GRO280-G



grosvenor bollard 30cm

OD-GRO30-G ■ ▲


600 lumens



grosvenor bollard 80cm

OD-GRO80-G ■ ▲

600 lumens



CLASS 1 | IP54 | 3000K | 230 VOLTS

Key Features

- Graphite
- Aluminium
- 3000K
- 8W CREE COB LED
- Warrantied for installations up to 1km from the coast

grosvenor II bollard 30cm

OD-GRO230-G ■

660 lumens



grosvenor II bollard 80cm

OD-GRO280-G ■

660 lumens



CLASS 1 | IP65 | 3000K | 230 VOLTS

Key Features

- Graphite
- Aluminium
- 3000K
- 13W CREE COB LED
- Warrantied for installations up to 1km from the coast

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk











OD-CON-G



OD-CONP-G


OD-SAN80-G

connaught

OD-CON-G ■

13W CREE COB LED

1000 Lumens




connaught plus

OD-CONP-G ■

28W CREE COB LED

2150 Lumens



CLASS 1 | IP65 | 3000K | 230 VOLTS

Key Features

Graphite

Aluminium

3000K

Warrantied for installations more than 1000m from the coast

sanderson bollard

OD-SAN80-G ■ ▲

8W OSRAM COB LED

700 lumens

360° Beam angle

IP44



CLASS 1 | IP44

Key Features

Graphite body /

Die cast aluminium / Polycarbonate

3000K

Power factor 0.9

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk








OD-SAV-G

savoy

OD-SAV-G ■ ▲

700 lumens



CLASS 1 | IP65 | 3000K | 230 VOLTS

Key Features

- Graphite
- Aluminium
- 3000K
- 13W CREE Power LED
- Warrantied for installations more than 1000m from the coast






OD-SAVP-G


savoy plus

OD-SAVP-G ■ ▲

1850 lumens

Narrow beam reaches up to 6m in each direction





CLASS 1 | IP65 | 3000K | 230 VOLTS


Key Features

- Graphite
- Aluminium
- 3000K
- 18W Osram Power LED
- Warrantied for installations more than 1000m from the coast



COASTAL
>1KM


OD-LAN-G



OD-LAN-G

lanesborough

OD-LAN-G ■

1150 lumens


OD-LAN-G



CLASS 1 | IP65 | 3000K | 230 VOLTS

Key Features

Graphite

Aluminium

3000K

13W CREE COB LED

Warrantied for installations more than 1000m from the coast


OD-BER2-G


OD-BER2-G

COASTAL
>1KM



OD-BER2-G

berkeley II

OD-BER2-G ■ ▲

8W Osram LED

825 lumens



CLASS 1 | IP54 | 3000K | 230 VOLTS

Key Features

Graphite

Aluminium

3000K

8W Osram LED

Warrantied for installations more than 1000m from the coast

Only to be fitted in the downward position, as shown

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk

COASTAL
>1KM

OD-STR-G

OD-MAY-G

Adjustable beam angles


OD-STR-G



OD-MAY-G


OD-STR-G


OD-MAY-G


strand adjustable

OD-STR-G ■
13W CREE LED
500 lumens



mayfair adjustable

OD-MAY-G ■
6W CREE LED
270 lumens



CLASS 1 | IP65 | 3000K | 230 VOLTS

Key Features

- Graphite
- Aluminium
- 3000K
- Warrantied for installations more than 1000m from the coast
- Adjustable shutters top and bottom to change the beam angles independently

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk









OD-CHIBA




Interchangeable covers



OD-TOKYO

chiba duo

OD-CHIBA ■
1050 lumens




CLASS 2 | IP54 | 3000K | 230 VOLTS

Key Features

- Dark grey
- PC / ABS Material
- 3000K
- 13W SMD LED
- Corrosion resistant
- Suitable for use in coastal areas
- Wall or ceiling mounted

tokyo

OD-TOKYO ■
800 lumens



CLASS 2 | IP54 | 3000K | 230 VOLTS

Key Features

- Dark grey
- PC / ABS Material
- 3000K
- 13W SMD LED
- Corrosion resistant
- Suitable for use in coastal areas
- Wall or ceiling mounted

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk









OD-SAPS-GW




OD-SAPL-GW



OD-SUZ-GW

sapporo square

OD-SAPS-GW ■ / □
1.1W SMD LED
45 lumens



CLASS 2 | IP65 | 3000K | 230 VOLTS

Key Features

- Dark grey and white covers supplied in the box
- PC / ABS Material
- 3000K
- Corrosion resistant
- Suitable for use in coastal areas
- Surface mounted


sapporo long

OD-SAPL-GW ■ / □
3.5W SMD LED
265 lumens



suzuka slot

OD-SUZ-GW ■ / □
3W SMD LED
310 lumens



CLASS 2 | IP65 | 3000K | 230 VOLTS

Key Features

- Dark grey and white covers supplied in the box
- PC / ABS Material
- 3000K
- Corrosion resistant
- Suitable for use in coastal areas
- Surface mounted

COASTAL




OD-KYOS



OD-KYOS

kyoto small

OD-KYOS ■ ▲
17W SMD LED
1000 lumens



CLASS 2 | IP54 | 3000K | 230 VOLTS

Key Features

- Dark grey
- PC / ABS Material
- Corrosion resistant
- Suitable for use in coastal areas
- Wall or ceiling mounted

COASTAL



OD-KOBM




OD-KOBM



OD-KOBL

kobe medium

OD-KOBM ■ ▲
16W SMD LED
900 lumens



kobe large

OD-KOBL ■ ▲
21W SMD LED
1260 lumens



CLASS 2 | IP54 | 3000K | 230 VOLTS

Key Features

- Dark grey
- PC / ABS Material
- Corrosion resistant
- Suitable for use in coastal areas
- Wall or ceiling mounted





OD-YOK



OD-TRA-B




OD-TRA-W



yokohama

OD-YOK
320 lumens




CLASS 2 | IP54 | 3000K | 230 VOLTS

Key Features

- Dark grey
- PC / ABS Material
- 3000K
- 6W SMD LED
- Corrosion resistant
- Suitable for use in coastal areas
- Surface mounted

trafalgar GU10 IP65

OD-TRA-B
OD-TRA-W



CLASS 1 | IP65 | 230 VOLTS

Key Features

- Sand black / Sand white
- Aluminium / Glass
- GU10 max. 10W

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk











IPR-EUSSS


euston 230V

IPR-EUSSS

420 lumens

CUT OUT 55mm

DRIVE OVER 2000kg




CLASS 1 | IP67 | 3000K | 230 VOLTS

Key Features

- Satin stainless steel Grade 316 / Passivated aluminium body
- 2000kg drive over
- 6W CREE COB LED
- Integral driver
- Includes installation tube
- Installation tube must be used for drive over applications

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk







IPR-PICRSS

Driver supplied separately, see pg. P201









IPR-PADRSS15

Driver supplied separately, see pg. P201







piccadilly IP67

320kg WALKOVER


IPR-PICRSS

220 lumens

20° beam

CUT OUT 36mm

CUT OUT with installation tube 39mm



DIMMABLE | IP67 | 3000K | 700mA

Key Features

- Satin stainless steel Grade 316 top / Passivated aluminium body
- 3000K
- 3W CREE XPE Power LED
- Driver supplied separately
- Fittings must be wired in series
- Dimmable when used with a dimmable driver
- Includes installation tube

paddington IP67 30°

320kg WALKOVER

IPR-PADRSS30

30° beam


CUT OUT 21mm

CUT OUT with installation tube 26mm

paddington IP67 15°

IPR-PADRSS15

15° beam



DIMMABLE | IP67 | 3000K | 700mA

Key Features

- Satin stainless steel Grade 316 cover / Passivated aluminium body
- 3000K / 90 lumens
- 1W CREE XPE Power LED
- Driver supplied separately
- Fittings must be wired in series
- Dimmable when used with a dimmable driver
- Includes installation tube

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk

accessories

modules



MOD1WIP

1w IP65 350mA LED module

1W CREE XPE 350mA
Beam angle: 30°
95 lumens

MOD1WIP	3000K
MOD1WIP-2700	2700K



MOD1WIP230V

1w IP65 230V LED module

1W CREE XPE 350mA
Beam angle: 30°
95 lumens

MOD1WIP230	3000K
MOD1WIP230V-2700	2700K




MOD1W

1w 350mA LED module

1W CREE XPE 350mA
Beam angle: 30°
95 lumens

MOD1W	3000K
MOD1W-2700	2700K

insulation guard



New

DL-IG01

insulation guard, pack of 10

DL-IG01



New

DL-IG02

insulation guard, pack of 10

DL-IG02

lamps



L10113-27

3w dimmable mini GU10 LED lamp

L10113-27	2700K	(270 lumens)
L10113-3	3000K	(285 lumens)
L10113-4	4000K	(310 lumens)

What is a mini GU10?

constant current drivers



MOD1WIP



DR350-18TD

Item no.	Current	Min. load	Max. load	TRIAC dimmable	IP Rating	Power factor	Dimensions L x W x H (mm)	Tails / Screw terminals
DR350-3	350mA	1W	3W	No	IP65	0.9	38 x 27 x 21	Tails
DR350-3TD	350mA	2W	3W	Yes	IP65	0.9	38 x 27 x 21	Tails
DR350-7	350mA	1W	7W	No	IP65	0.4	60 x 35 x 23	Tails
DR350-9TD	350mA	2W	9W	Yes	IP20	0.9	110 x 45 x 28	Screw terminals
DR350-18TD	350mA	10W	18W	Yes	IP20	0.9	165 x 52 x 25	Screw terminals
DR700-9	700mA	3W	9W	No	IP65	0.5	60 x 35 x 23	Tails
DR700-18TD	700mA	6W	18W	Yes	IP20	0.9	110 x 45 x 28	Screw terminals
DR700-36TD	700mA	20W	36W	Yes	IP20	0.9	165 x 52 x 25	Screw terminals

dali converter




New

DALICON

DALI to Trailing edge dimming converter

DALICON



DALI CONVERTER

Key Features

- Max. 200W LED load
- 1 DALI address to control 1 Channel Output
- Minimum brightness setting function
- Items marked with this symbol have been tested for compatibility

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk

bathroom overview

P67



slim trim IP65

P68



glacier

P76



zelda round trimless

P77



zelda square trimless

P69



zelda round

P71 New



zara

P78



slim trimless IP65

P92-P93



marker lights

P72-P73 New



slim 3 IP65

P74-P75 New



slim 3 trimless IP65

P198



piccadilly

P199



paddington

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk

P46-P47



verve 30cm / 40cm

P48



andaman

P49



banda

P104-P105





selene 3

P195



trafalgar



All bathroom lighting installations must comply to the guidelines set out in Amendment 1 of the 17th edition of the IEE Wiring Regulations (BS7671). The bathroom is divided into zones, with prescribed minimum IP ratings for the light fittings in each zone.

IP rating = Ingress Protection rating.

zone 0

The area inside the bath or shower tray. Fittings must be rated at IPX7 or higher (protected against immersion in water).

zone 1

The area above the bath or shower up to a height of 2.25 metres. Fittings must be rated at IPX5 or higher (protected from jets of water).

zone 2

Covers an area 0.6 metres wide immediately next to, and all around Zone 1. The 60cm area around washbasins should also be treated as zone 2. The minimum rating is IPX4. If there is a likelihood of water jets being used for cleaning purposes in Zone 2, a minimum of IPX5 is required.

outside zone

Covers any area outside Zones 0, 1 and 2. There is no IP requirement in this zone. Bathrooms are allowed to contain a socket outlet, this must be located 3 metres outside Zone 1. Lighting circuits and any socket-outlet circuit in a room containing a bath and/or shower must be provided with 30mA RCD protection.

For detailed drawings and specifications along with help & advice, visit www.projectcollection.co.uk

guide to constant current LEDs

Constant current LED items can be identified because the operating power is quoted in milliamps (mA). Project Collection constant current items are either 350mA or 700mA.

Do I need a separate driver?

Yes, choose a 350mA or 700mA driver to suit the number of fittings you want to run, and whether you want to dim the item. Fittings must be wired in series.

Is this dimmable?

Yes, if used with a dimmable 350mA driver and a compatible dimmer.


How do I work out which driver I need?

Identify the current, 350mA or 700mA.
Note the wattage of each item, e.g 1W, 3W

item wattage x no. of items = total wattage
select your driver to suit your requirements

How do I wire this?

In series. See the drivers listed below, the product fitting instructions or the drawing below



* NOTE: All these drivers must be wired in series

INDEX

PRODUCT CODE	PAGE
051	**419**
085	450
095	450
102	348
106	348
130	418
0762	455
1044	**140**
1285	176
1287	176
1521	425
1522	425
1523	425
1524	425
1565	429
1568	429
1610	378
1641	434
1642	434
2301	68
3013	410
4042	140-322
4370	140-322
6066	183
6077	183
6088	183
6099	183
6211	450
6436	322
6560	310
6659	218
7174	428
7231	193
7450	310
7494	289
7495	289
7508	450
8436	348
8721	348
9369	141
9432	188
11824	311
16110	378
30002	351
53102	464
55712	192
64982	445
68721	464
78410	384
83520	384
94721	310
157697	410
157711	351
157717	410
678112	373
700447	413
700470	385
700758	279
700817	370
700938	204
700939	204
701121	418
701122	418
701124	449
701125	444
701130	418
701136	446
701139	439
701158	420
701159	420
701160	453
701316	354
701457	413
701790	376
701793	289
701805	376
701841	411
701879	399
701884	106
701962	351
702029	422
052-450	419
052-900	419
0546-50	326
0573-3CC	191
0598-450GY	431
0598-900GY	431
0818-8BK	156
1002-2BK-LED	438
1002-2GY-LED	438
1005-500GY	424
1005-800GY	424
1007AB	408
1007SS	408
1010BK	453
1011AB	396
1012AB	396
1014-3BK	115
1014-4BK	115
1014-5BK	115
1014BK	115
1019-12AB	159
1019-2AB	159
1019-5AB	159
1019-8AB	159
1023-3SM	181
1024-4SM	181
10271-1BK	120
10271-3BK	120
10272-1BK	120
1030-1SM	181
1031-1SM	181
10321-1BZ	33
10321-3BZ	33
10321-4BZ	33
10321-7BZ	32
10323-3BZ	32
10324BZ	33
1033-3CL	180
1033-3SM	180
1034-1GO	379
10371SB	302
10372SB	302
1041-1	140
10425-10GO	87
10425-2GO	87
10425-5GO	87
1043-3	140
10430BK	409
10450BK	408
10460BK	409
1051-1CC	202
1055-5CC	202
1062-2CC	170
1068-8CC	170
1082-730	430
1086-450	445
1086-730	445
10868-1BK	89
10879-10BK	88
10879-13BK	89
10883-10SB	284
10883-5SB	284
10887BK	299
10889BK	299
1091AB	219
11015BK	452
11138BK	298
11138GO	298
11139BK	298
11139GO	298
11140-4LT	94
11141-5LT	94
11200-1GO	43
11201-1BK	196
11201-2BK	196
11201-3BK	196
11202-1BK	196
11241-4AB	26
11242-2AB	27
11243-11AB	26
11243-13AB	27
11243-4AB	27
11288-35BK	308
11288-35GO	308
11300-3GO	43
1132-2AB	170
11341BK	301
11341BZ	301
11349-2GO	41
11349-4GO	41
11349-5GO	41
11349-8GO	40
1135-5AB	170
11400-8GO	43
11500-2GO	42
11523-3GO	171
11523-3SN	171
11525-5GO	171
11525-5SN	171
11600-6GO	42
12013-1NI	117
12013-5NI	116
12014-5NI	117
12082-1BK	386
1214-18	255
1214-30	255
1224-4BK	446
1225-5CC	245
1226-6BK	446
1229-9CC	245
1243-12	323
12483-3GO	166
1261AB	163
1265-5AB	163
1277-3AB	64
1277-3SS	64
1277AB	64
1277SS	64
1283-16	176
1283-17	176
1289-16	176
1313-13CC	248
1318-1-LED	436
1318-2-LED	436
13323-10GO	225
13323-2GO	225
13323-3GO	225
13323-5GO	224
13323-8GO	224
13611-1BGO	131
13611-4BGO	131
13611-5BGO	131
13650BK	334
13651BK	334
1375-5AB	229

PRODUCT CODE	PAGE
1375-5CC	233
1375-5SB	231
1384-4PW	190
1455-5BK	252
1455-5CL	252
1455-5MI	252
1456CC	311
1485-5CC	187
1500-13AB	228
1500CC	232
1500SB	230
1502-2AB	151
1505-5AB	151
1508-8AB	151
1528-3	425
1533CC-1	387
1541AB	286
1541BK	287
1541SS	287
1543AB	286
1543BK	287
1543SS	287
1544AB	286
1544BK	287
1544SS	287
15500BR	468
1556-450	419
1591AB	133
16002BK	467
16002GO	467
16003BK	467
16003GO	467
16004BK	467
16004GO	467
16005BK	467
16005GO	467
1605-5AB	152
1610BK	378
1611-6CC	260
1611-6SB	259
1621AM	182
1621CL	182
1621SM	182
1623-3AM	180
1623-3SM	180
1632AM	182
1632CL	182
1632SM	182
1635SM	182
16600AM	471
1682AB	137
1682BK	139
1682SS	134
1683-3AB	137
1683-3SS	135
1685-5AB	137
1685-5BK	139
1685-5SS	135
17003-40BK	300
1711-102CC	260
1711-102SB	258
1711-11CC	260
1711-11SB	259
1763-3CC	172
17660GO	417
17670GO	417
1773CC	223-307
1781CC	350
1811CL	383
1811SM	383
18380-32GO	299
1842-2BZ	154
1849-9BZ	154
18800AM	468
18801AM	468
1893-3BK	91
19082BK	435
1910-23	320
1910-28	320
1910-35	320
19211-1GO	281
19211-2GO	281
1941-1WH	374
1953SS	350
1953WH	350
19900AM	469
19931-2BK	290
19931-3BK	290
19931-4BK	290
2002-2BK-LED	**438**
2002-2GY-LED	438
2004-4CC	105
2018-2-LED	437
20223-1GO	130
20224-1GO	130
20227-3GO	98
20228-2GO	98
2028CU	412
20361PB	451
2076SS	107
20923BK	339
20923GO	339
2100SN	437
21035TE	369-465
2111CC	375
21126-32BK	329
21126-32GO	329
2198-32	327
22023BZ	349
22023GO	349
2204-4CC	307
22122-1BK	77
22123-1BK	76
22123-3BK	77
22123-4BK	76
22123-5BK	77
2213GO	371
22321-1BZ	29
22321-5BZ	29
22322-5BZ	28
22322BZ	29
22353AZ	364
22353GR	364
22353OR	364
22510BK	106
2256AB	355
2256BK	355
2256CC	355
22606-1BK	222
2265-5GY	153
2268-8GY	153
22712SB	203
2297CC	186
2297CU	186
2297SS	186
2300-3	68
2300-3SM	67
2301CP	66
2303-3CP	66
2305-5	68
2305-5SM	67
23122BGO	328
23141-1SB	127
23142-1SB	126
23145-5SB	127
23146-5SB	126
23147-8SB	127
23186BK	374
23203-3BK	217
23203-4BK	217
23203BK	217
23298-2CP	331
23298-2GR	331
23298-2GY	331
23298-3CP	331
23298-3GR	331
23298-3GY	331
23298-3PI	331
23310GO	362
23325BK	113
23325BZ	113
23330GO	363
23340GO	362
23350GR	362
23381-30WH	325
23381-40WH	325
2340BK	444
23603-3BK	174
23605-5BK	174
23801-1SM	291
2402-2CC	271
2402-2GO	271
24101-2RU	386
24108LT	390
24109LT	390
2411SI	212
2412-2SI	212
24122-1BK	63
24122-3BK	63
24123-7BK	63
24125BK	341
24125GO	341
24125LT	341
24125WH	341
24126BK	342
24126GO	342
24126LT	342
24126WH	342
24127BG	343
24127BK	343
24127GO	343
24127LT	343
24127WH	343
24130BK	340
24130GO	340
24130LT	340
24130WH	340
24141-3SB	75
24141-5SB	74
24141CL	74
24141CP	74
24141SM	74
24142-3SB	75
24142-5SB	75
2415-5SI	212
24181-20SB	206
24183-1RE	190
24183-1SM	190
2422-2BK	157
2425-5BK	157
2428-8BK	157
24350-35AB	308-323
24350-35CC	308-323
2456-6CC	191
2474-4AB	214
2474-4SS	215
2476-6AB	214
2476-6BK	213
2476-6SS	215
2478-8AB	214
2478-8BK	213
2478-8SS	215
2498-8CR	152
25051-400GO	328
25115-38SA	324
25116-49SA	324
25122-2BK	449
25123-2BK	449
25132SA	109
25133-3SA	109
25134SA	109
25151-1BK	128
25153-1BK	128
25154-1BK	128
25688-35BK	333
25771-1BK	105
25771-5BK	105
25772-4BK	105
25772-4GO	105
26002BK	467
26002GO	467
26003BK	467
26003GO	467
26004BK	467
26004GO	467
26005BK	467
26005GO	467
26185-415	321
26251SB	123
26252SB	123
26253SB	123
26254SB	122
26301-3BZ	31
26301-6BZ	30
26302-1BZ	30
26302-3BZ	31
26303-6BZ	31
2634-4AB	172
2634-4CC	172
2636-6CC	172
2641-28	446
2671-1AB	137
2671-1BK	139
2671-1SS	134
2682-2SS	133
2683-3AB	132
2683-3SS	133
2692CC	350
27027GR	381
27027PI	381
2713CC	326
2714CC	326
2722SS	347
2743BGO	379
2750AB	370
2750SS	370
2791BK	382
280BK	443
280BK-PIR	443
280WH	443
28125GO	344
28125LT	344
28127BK	344
28127LT	344
28145GO	345
28145LT	345
2822-2BK	167
2832-2BK	167
2832-2GO	166
2843-3BK	167
2843-3GO	166
28612BK	347
28701-5CC	118
28702-5CC	118
2871GO	373
28731-450	422
28731BK	422
28800SB	129
28803SB	129
28805SB	129
28806SB	129
2893-3CC	280
2894-4CC	280
2895-5CC	280
2895-5SM	280
28980SB	306
28980SS	306
2914SS	347
2942BK	446
29612-39WH	337
2982-81AB	359
2982-81SS	359
2984-51AB	359
2984-51SS	359
29981BK	303
29981SB	303
29982BK	303
29982SB	303
29984BK	303
29984SB	303
3003-10CC	**216**
3008AB	358
3008PB	358
30216-5BK	223
30216-5GO	223
30228BK	100
30228GO	100
30361PB	451
30410BK	99
30410GO	99
30411BK	99
30411GO	99
30501BK	194
30502BK	194
30503-3BK	194
30506BK	309
30506GO	309
30507BK	309
30507GO	309
3051AB	185
3055-5CC	277
3068-8BK	218
30690-1BK	155
30690-5BK	155
30690-8BK	155
3073-3BG	189
3085-5CBK	402
3085-5CWH	402
3090-50CC	188
3091-1CC	161
3094-4CC	161
3096-6CC	161
31031-1PB	162
31031-3PB	162
31040GR	369-465
3108CC	317
31283-36BK	333
31283-36LT	333
31315-2GO	23
31315-3GO	23
31315-5GO	23
31315-8GO	22
31410-1NA	199
31411-3NA	199
31501NA	102
3171CC	288
3171WH	288
3173CC	288
3173WH	288
3174CC	288
3174WH	288
3183-3SS	160
31908-300GO	327
31908-400GO	327
3193-3AB	160
3193-3SS	160
3209AB	350
32101-1BK	112
32102-1BK	112
32103-1BK	112
32104-1BK	112
32156-28GO	322
32210AM	346
32210CL	346
32210GY	346
32210SM	346
3228AB	65
3228BK	65
3228CC	65
3228SS	65
3242-2CC	279
32511-1GO	338
32511-1SI	338
32511-3GO	338
32511-5SI	338
32593-3AB	302
3259AB	302
32802BK	96
32803BK	96
32804-4BK	96
3291BK	439
3291SS	439
32983BK	349
32983PB	349
3303-3CC	68
3303-3CP	66
3303-3SM	67
33040AB	197
33040SN	197
33120PB	389
33121PB	389
3314-18	251
3314-30	251
33201BK	313-457
33201GO	313-457
33201WH	313-457
33230BK	313-457
33230GO	313-457
33230WH	313-457
33300BK	312-456
33300GO	312-456
33300WH	312-456
33450-13BZ	38
33450-3BZ	39
33450-4BZ	39
33450-5BZ	39
33502-350	447
33520-13BZ	226
33520-2BZ	227
33520-5BZ	227
33520-8BZ	227
33610BK	447

PRODUCT CODE	PAGE
33610GY	447
33640-20SB	119
33640-4SB	119
33640-5SB	119
33640SB	119
3393GY	443
3404-4CC	270
3404-4GO	270
3406-6CC	270
3406-6GO	270
3408-8CC	270
3408-8GO	270
34125NA	381
3486GY	443
3494-4CC	264
3495-5CC	264
35110-1SA	35
35110-4SA	35
35110-5SA	35
35410CR	184
35410GR	184
35410OR	184
35411CR	184
35411GR	184
3550SS	353
35510-380	321
35720-4BK	201
35721-1BK	201
35722-1BK	201
3573CC	164
3592-2AB	136
3592-2BK	139
3593-3AB	136
3593-3BK	138
3593-3SS	135
36110BK	440
36130BK	440
36150BK	442
36170BK	442
36180BK	442
3624-4CC	223
36301-1BK	102
36305-1BK	102
36463-6BK	62
36463-8BK	62
36520SI	335
36524GY	107
36605BK	468
37121CP	334
37122CP	334
3721AM	377
3721CL	377
37420-330	327
3752-2CC	350
37737BK	435
37738BK	435
37739BK-PIR	435
38191-4LT	24
38331-30	337
38331-40	337
3877BK	392
3879BK	392
38810BK	461
38820-450BK	461
38820-900BK	461
3883-31	317
3883-41	317
38830BK-PIR	459
38913-1CC	351
39220BK-PIR	423
3922AB	370
3922SS	370
39230BK-PIR	423
3923AB	370
3923SS	370
39240BK-300PIR	423
39240BK-800PIR	423
39290BK	447
39330BK	453
39340BK	422
39350GO	417
39390GO	417
39550-450BK	459
39550-900BK	459
39550BK	459
39840BK	446
39860BK	458
39870BK	458
39880BK	458
39890BK	458
399-12	250
399-2	250
399-5	250
399-8	250
39910BK	458
39920BK-PIR	450
39930BK	460
39940BK	460
39950-450BK	460
39950-900BK	460
39960BK	461
39970BK	461
39980-450BK	461
39980-900BK	461
40176-2BK	110
40176-3BK	110
4023AB	396
4048-8CC	269
4122BK	382
4122WH	382
41312-12AB	148
41312-2AB	149
41312-6AB	149
41312-8AB	148
4132-2AB	318
41431SS	393
41432SB	393
41432SS	393
41612-12SB	145
41612-12SS	146
4162-2AB	144
4162-2CC	147
4162-2SB	145
4162-2SS	146
4165-5AB	144
4165-5CC	147
4165-5SB	145
4165-5SS	146
4168-8AB	144
4168-8CC	147
4168-8SB	145
4168-8SS	146
4175-5	248
42651-30BK	315
42651-30GO	315
42651-40BK	315
42651-40GO	315
4301AB	219
4301SS	219
4329AB	405
4329SS	405
43581-1SN	190
4413CC	293
4414CC	293
4417-17	177
4417-18	177
44210AB	371
44213-3AB	219
44213-3CC	219
44250BK	335
44321BK	365
44321BZ	365
44520-3CP	79
44520-3SM	81
44520-4CP	79
44520-4SM	81
44520-6CP	78
44520-6SM	80
44520CP	79
44520SM	81
44521CP	78
44521SM	80
4452GO	385
4453-3GO	173
44610BK-PIR	433
44611BK	433
44651GR	377
44652AZ	376
44652PI	376
44710-2GO	243
44710-5GO	243
44710-8GO	243
44711-8GO	243
44712BK	336
44713BK	336
44714BK	336
44715BK	336
44761-8GO	448
44861GO	344
4511-1BK	189
4512-12CC	277
4514-14	207
4519-9	207
45202-3BK	175
4527-27	207
4555-55	206
4581-14AB	185
45910GO	299
45911GO	299
46002BK	467
46002GO	467
46003BK	467
46003GO	467
46004BK	467
46004GO	467
46005BK	467
46005GO	467
46091WH	386
46092WH	386
4613-3CC	211
4614-5AB	211
4614-5BK	210
4614-5CC	211
4624-4CC	223
46641-1AC	190
4683-3	190
47810-3NA	197
47810NA	197
47811NA	197
47812NA	197
4785-5AB	187
4785-5SS	187
4841SS	108
4867BK	397
4867SN	382
4869BK	397
4876-6BR	**198**
48910-1SB	86
48970-10SB	86
48970-6SB	86
49320BK	354
49323BK	354
49711BK	195
49712BK	195
49714BK	195
4973-3CC	191
50004CC	**285**
5001BK-LED	453
5008-1-LED	436
5008-2-LED	436
5010BK	452
5010GY	452
5013-3CC	278
50211-1NA	290
50211-2NA	290
50211-3NA	290
50211-4NA	290
50212-1NA	466
50212-5NA	201
5024GO	400
5026AB	407
5026SN	407
5029AB	396
50503LT	195
50570-6BK	90
50571-6BK	90
5064-4SS	107
50818-2BK	281
50818-8BK	281
5087CC	383
5098-05-LED	292
51018SS	292
51018WH	292
51021-2CC	121
51021-3CC	121
51022-2CC	121
51022-3CC	121
5109SS	292
5141AB	395
5141SS	395
5142BK	395
5142SS	395
51481-5CC	93
51481-5SB	92
51481SB	92
51482SB	92
51485-5CC	93
51485-5SB	92
51621BK	452
5173-3	248
5175-5	248
5182AB	318
5182BK	318
5182CC	318
51871-1BK	108
52131-25SM	204
5222AB	406
5222SS	406
52850BK	194
52852BK	194
52853BK	194
54210-1BK	104
54210BK	378
54211-1BK	104
54212-3BK	104
54215-1BK	104
54216-1BK	104
5423-3AB	69
5423-3BK	69
5430AB	405
5430BK	404
5430CC	404
5430SB	405
5430SS	404
5432SN	375
54636CP	384
54713-3BK	174
54715-5BK	174
54741-1NA	200
54742-1NA	200
54742-2NA	200
54742-4NA	200
5501SS	108
55103BK	186
5513BK	418
5519AB	353
5519CC	353
5519SB	353
5519SS	353
5551-51BG	357
5551-51SB	357
5551-70BG	357
5551-70SB	357
55601BK	406
55601SB	406
55610GO	375
55620-320CP	49
55620-320SA	45
55620-320SM	47
55620-4CP	48
55620-4SA	44
55620-4SM	46
55620CP	48
55620SA	44
55620SM	46
55621CP	48
55621SA	44
55621SM	46
55622CP	49
55622SA	45
55622SM	47
55623CP	49
55623SA	45
55623SM	47
55624BK	347
55625CP	48
55625SA	44
55625SM	46
55626CP	49
55626SA	45
55626SM	47
5579-9AB	164
5579-9CC	164
55910SB	301
55911SB	301
56131-1BZ	51
56131-3BZ	51
56131-8BZ	51
56132-3BZ	50
5614BK	216
56231-1BZ	51
5679CC	409
5686-6CC	191
57211BK	111
57212BK	111
57213BK	111
5742CC	208
576RU	185
57892-300	432
57892-970	432
5814-35	278
5817CC	391
5819CC	391
5848-8CC	118
5861CC	275
5881CU	206
5881SB	206
59410-7CC	285
5943-3BG	169
5962-2BG	169
59736GO	100
59801-1SM	389
59802-1SM	389
59811-5BSB	247
59811-6BSB	247
6009-2BK-LED	**437**
60095BK	397
60096BK	397
60231WH	381
60392CC	385
60420WH	403
60421GY	387
60424SS	387
60471CW	192
60753PI	385
60754SM	385
6077SB	183
60804CC	379
60812-3SM	173
60832BK	221
60961BK	317
60999-3CL	69
6099SB	183
61100BK	438
61100GY	438
61101BK	438
61101GY	438
61131BK	418
61133SI	439
61133WH	439
61170-2SM	291
61185-1BK	298
61185-1GO	298
61220BK	351
61321-2AB	229
61321-2CC	233
61321-2SB	231
61321-4AB	229-307
61321-4CC	233-307
61321-4SB	231-307
61321-6AB	229-307
61321-6CC	233-307
61321-6SB	231-307
61401BG	451
61401BS	451
61402BG	451
61402BS	451
61420BZ	371
61520CR	373
61774BK	103
61774GO	103
61775BK	103
61775GO	103
62012-2CC	314
62012-2PB	314
62013-3CC	314
62013-3PB	314
62021CR	373
62058NA	375
6211RUS	450
6213-3CC	173
6216-6CC	173

PRODUCT CODE	PAGE
6223SS	453
62330-3GO	97
62331GO	97
62332GO	97
62430-2GO	19
62430-3GO	19
62430-8GO	18
62430-9GO	19
62615-5CC	328
62617-3CC	328
62618CC	401
62793BK	334
62801CC	387
62802CC	187
62922BL	364
6302BK	354
63124-1BK	297
63124-1GO	297
63125-1BK	297
63125-1GO	297
63125-5GO	205
63126-1BK	297
63126-1GO	297
6342-2AB	142
6345-5AB	142
6345-5BK	143
6345-5SS	143
6348-8AB	142
6348-8BK	143
6348-8SS	143
6352-2AB	158
6355-5AB	158
6359BG	388
6375-5BG	188
6406-6CC	271
6412-2BR	150
6416-12BR	150
6416-6BR	150
6441-450BK	421
6441-900BK	421
6461-12CU	178
6461-12GO	178
6461-12GR	178
6461-12RE	178
6461-26CU	178
6461-26GO	178
6461-26GR	178
6461-26RE	178
6463-3	179
6465-5	179
6481-1BK	114
6488BK	114
6489BK	114
6500-7CC	108
6519AB	352
6519CC	352
6519SB	352
6519SS	352
6533-1CC	383
65420BK	372
65420CP	372
6550CC-1	394
65721BK	369
65721GR	369
65721PI	369
65721TE	369
6575-5CC	165
6581-1AB	242
6581-1CC	240
65810-420CC	274
65811-3CC	274
65811CC	274
65812CC	274
65818-8AB	238
65818-8CC	241
6582-2AB	242
6582-2CC	241
6583-3AB	242
6583-3CC	240
6584AB	239-391
6585-5AB	242
6585-5CC	240
6588-8AB	239
6588-8CC	240
6589AB	239-391
6591-730	445
6601AB	295
6601BK	295
6601SS	294
66033EM	364
6603AB	295
6603BK	295
6603SS	294
6604AB	295
6604BK	295
6604SS	294
6606AB	295
6606SS	294
66110CP	106
66140-35AB	319
66140-35BK	319
66210-2AB	319
66210-2SS	319
66310-1BK	296
66310-1GO	296
66311-1BK	296
66311-1GO	296
66412BK	305
66412SB	305
6678BK	400
6679BK	400
67008AB	380
67008PB	380
6720-20-LED	209
6728-8CC	271
67417BK	441
67418BK	441
67419BK	441
67420BK-PIR	441
67421BK-PIR	441
67423BK-PIR	441
6769-26AB	323
6769-26CC	323
6778-8-LED	209
6788-8BK	191
68001BK	427
68241-41BK	360
68241-41SB	360
6840BGO	189
6842BGO	189
68510-2SB	246
68510-8SB	246
68511-8SB	246
6867-7CC	205
6871GY	435
6872BK	435
6882-2CC	202
6888-8CC	202
69410-4SB	124
69410-5SB	125
69410-8SB	125
69410SB	125
69411-1SB	125
696-6BK	335
699-12	254
699-2	255
699-5	254
699-8	254
7008-1SS-LED	**437**
7008-2BK-LED	437
7008-2RUS-LED	437
7008-2SS-LED	437
7012CC	283
7039-23CC	316
7039-23SS	316
7039-28CC	316
7039-28SS	316
70393PI	188
70393WH	188
7045-13	322
7055-5CC	108
7123CC	283
7131AB	216
7133AB	216
7135AB	358
7144-1	428
7173-3	428
7180SS	133
7188CW	192
72200-38WH	337
72370WH	316
7263GY	432
7264-730	432
7271BK	220
7306-6CC	272
7308-8CC	272
7323-3BK	222
73380BK	339
7355-5CC	118
73918-8CC	285
7394CW	192
73990-3BK	327
73990-3GO	327
7403BK	354
74210CR	373
74303-1BK	306
7443CC-LED	293
7444CC-LED	293
7451-1SS	411
7452-2SS	411
7461AB	466
7461BK	466
7461CC	466
74730BK	400
7485AB	401
75033-3NA	193
7550CC	394
7564SS	394
7565SS	394
7591-1BK	458
7592-2BK	458
76210-5CL	95
76210-7CL	95
76210CL	95
76318-8LT	36
7650CC	401
7653RU	429
7673-3CC	279
7684-33SI	317
77210-2AB	329
77210-3AB	329
77230-3BK	291
77230-4BK	291
77230BK	291
77410-3AM	37
77410-6AM	37
7743CC	208
77610-37BZ	305
77610-47BZ	305
77651AB	466
77651BK	466
77651GO	466
77910-300	416
77910-600	416
77910-900	416
7828-8CC	272
7863-3CC	222
7865-5CC	222
7868CW	192
7899BK	430
7900-600BK	430
7900-900	430
7901-1CC-LED	279
7923AB	387
7923CC	387
7925-450	434
7926BK	434
7938-30CC	320
7938-30WH	320
7957CC	392
7959CC	392
7973BK	216
79821-40SB	360
79824-40BK	358
79824-40SB	358
79825-40BK	361
79825-40SB	361
79825-60BK	361
79825-60SB	361
7999-9CC	285
8008-1BK-LED	**449**
8008-1SS-LED	449
8008-2BK-LED	449
8011-11CC	257
8022BK	412
8046-6BK	168
8048-8BK	168
80614-14CC	249
8069-3WH	190
8071-1SS	306
80780-46BK	332
80820-1GO	34
80821-1GO	34
80823-3GO	34
8082CR	403
8086-6CC	172
80880-46BK	332
8092-2AB	235
8092-2CC	236
8095-5AB	234
80980-49BK	332
8100-30CC	320
8100-40CC	320
81100-39BK	333
81200BK	468
8125-5CC	282
8127-7CC	282
8135-5SS	83
8141BGO	388
8143BGO	388
8150-3BK	216
81698-1BK	199
81698-3BK	199
8183-3AB	175
8183-3CC	175
81951-1BK	199
8204AB	421
8204BK	421
8208GY	422
82100-39BK	333
82101-3CC	237
82101-4CC	237
82101-5CC	237
82121-5BK	90
82122-1BK	90
82200BK	468
8221-1SS	375
82230BK	468
82240BK	468
82329AM	374
82329SM	374
82345-3AB	61
82345-3SA	59
8235AB	323
82431-1AB	60
82431-1SA	59
82431AB	61
82433-3AB	60
82433-3SA	59
82434-4AB	60
82434-4SA	59
82437-1AB	61
82437-1SA	59
82503BK	426
82504BK	426
82505BK	427
82508BK	426
82530BK	427
82531BK	427
82540BK	426
8293CC	304
8295-5AB	235
8295-5CC	236
8312-12CC	204
83200AM	469
83200CL	469
8334-4CC	268
8337-7CC	268
83420-7CC	256
8343AB	356
8343CC	356
8343PB	356
8343SS	356
8344-4BZ	91
8344-4PW	91
83510GO	347
83829-30WH	325
83829-40WH	325
8382CC	283
8392-2	158
8396-6	158
8405-5SS	188
8413-3BK	220
8416-6BK	220
84510-4AM	36
84751BK	440
8477BK	433
8478-730	433
8531AM	377
85431BK	321
85431BZ	321
85474AZ	380
85474GR	380
85474YL	380
8571AB	235
86012-14CC	256
86271-2GO	21
86271-6GO	21
86275-10GO	20
86275-6GO	21
8631BK	422
86410BK	345
86410GO	345
86431-90	304
86432-60	304
86432-90	304
8675-5BK	113
8695-5GY	253
87180BK	189
87312-12AB	267
87312-12SS	266
8732-2AB	267
8732GY	455
8736-6AB	267
8736-6SS	266
8738-8AB	267
8738-8SS	266
8757-168CC	282
8761GO	108
8791SI	107
88011BK	399
8803-36CC	317
88210-10BZ	84
88210-5BZ	85
88210-6BZ	85
88210-9BZ	84
88211-6BZ	85
88212-6BZ	85
88250BK	374
8843CC	208
88520BK	101
88520LT	101
8852BK	442
88550GO	186
8857CC	277
88710-1200	414
88710-300	414
88710-600	414
88710-900	414
88711-1200	415
88711-300	415
88711-600	415
88711-900	415
888-20	203
888-8	203
8885-5CL	253
8888-8CL	253
8888-8GY	253
88910-1BK	53
88910-1MO	55
88910-3BK	53
88910-3MO	55
88910-4BK	52
88910-4MO	54
88911-1BK	58
88911-1MO	58
88911-3BK	58
88911-3MO	58
88912-1BK	58
88912-1MO	58
88912-3BK	53
88912-3MO	55
88913-1BK	53
88913-1MO	55
88920-1MO	57
88920-8MO	57
88921-5MO	57
88921-8MO	56
8912-12BK	156
8952CC	276
89562BK	275
89563BK	275

PRODUCT CODE	PAGE
8973-3BZ	328
89735-38BK	324
89735-38LT	324
89745GO	384
90151-500SI	**420**
90151-900SI	420
90151SI	420
9037-2CC	306
9045-5CC	163
9053CC	163
9094-4BK	189
91101-1BKBO	368
9112-102CC	261
9112-102GO	262
9112-52CC	261
9112-52GO	263
9112-82CC	261
9112-82GO	263
9113-39GO	263
9122AB	407
91251-1BK-PIR	431
91251-450	431
91251-730	431
9171-1GO	185
9190CC	273
9198-8CC	269
92101-1BKBO	367
92101-1BZBO	367
92101BK	367
92101GY	367
92102BK	367
92102GY	367
9221-1SS	191
9233-3CC	106
9260GY	372
9285-5CC	165
9291CC	273
92R301-01	413
93101-1BKBO	366
93101-1BZBO	366
93290-2BK	306
9341-1	141
9343-3	141
9345-5	141
9371-37BGO	330
9371-37WSI	330
9371-50BGO	330
9371-50GY	330
93901-450BK	424
93901-900BK	424
9392CC	273
94002-8BK	82
94005-5BK	83
94008-8BK	83
94101-1BKBO	368
94101-1BZBO	368
9411BK	221
9413BK	221
94J482-01	385
95041-2BR	198
95041-4BR	198
95041-6BR	198
95101-1BKBO	398
95101-1BZBO	398
95410BK	346
95410GO	346
9598-8CC	271
96060BK	311
96060GO	311
9606CC	410
9621GY	372
9634-4CC	276
9635-5CC	276
96381-1BK	101
96382-1SS	100
96383-1BK	100
96500-45BK	363
96503-3BK	175
96505-5BK	175
96510-45BK	363
97010-39WH	337
9711CU	379
97291-12CL	72
97291-12CP	70
97291-12SM	71
97291-1CL	73
97291-5CL	73
97291-5CP	70
97292-1CL	73
97292-4CL	73
97292-4SM	71
97293-1CL	72
97293-1SM	71
9822-2AB	153
9825-5AB	153
9832-2CC	245
9835-5CC	245
9838-8CC	244
98700-50LT	98
98800-40WH	324
9884BC	289
98900-40WH	324
9909WH	454
9913WH	454
9915WH	454
9917AB	355
9917BK	355
9917CC	355
9917SB	355
9917WH	355
9927-10	454
99410YL	380
9986-6CC	269
BA-M-ACQUA	**310**
FS-LIB2-B	**390**
FS-LIB2-W	390
FW001	443
L1800WW	**469**
L2700WW	469
L4000CW	469
L44761-1.5W	470
PL1055-5-3CCT	**471**
PL1903CW	470
PL1903WW	470
PL1912CW	470
PL1912WW	470
PL1915-6CW	470
PL1915-6WW	470
PL1919CW	470
PL1919WW	470
PL1929-6WW	470
PL2044-4WW	470
PL2905CW	471
PL3055-7WW	471
PL3218-6WW	471
PL3227-6WW	471
PL3327-6WW	471
PL3914-4WW	470
PL4055-4WW	471
PL4427-6WW	471
PR78-14WW	469
SEL194	**376**
SEL245	385
SEL247	381
SEL256	278
SEL492046	399
SEL962	351
SEL994	275
SO45002BK	367-464
SO45002GY	367-464
SO51203GY	398-465
SO51203PI	465
SO51203TE	398-465
SO51204AZ	398-465
SO51204BK	398-465
SO51204DGY	398-465
SO51204GR	398-465
SO701870	464
SO701872	464
SO701895	463
SO701899	462
SO701900	462
SO701901	462
SO701902	462
SO701906	463
SO701907	463
SO701909	462
SO701912	462
SO701913	462
SO701917	462
SO701918	462
SO701921	366-368
SO701922	462
SO701923	462
SO701924	464
SO701930	463
SO701931	463
SO701934	463
SO701936	463
SO701940	465
SO701941	465
SO701943	366-368-465
SO701945	366-368
SO701950	463
SO701952	463
SO701953	465
SO701959	192
SO701960	463
SO701978	464
SO701979	464
EU51482SB	**92**
EU26251SB	123
EU26252SB	123
EU25154-1BK	128
EU25153-1BK	128
EU28805SB	129
EU28806SB	129
EU32802BK	96
EU32803BK	96
EU62332GO	97
EU62331GO	97
EU96383-1BK	100
EU54210-1BK	104
EU54211-1BK	104
EU25771-1BK	105
EU36301-1BK	102
EU57212BK	111
EU32102-1BK	112
EU32101-1BK	112
EU1014BK	115
EU20224-1GO	130
EU22122-1BK	77
EU51021-3CC	121
EU51021-2CC	121
EU88211-6BZ	85
EU88212-6BZ	85
EU55623CP	49
EU55622SM	47
EU55622CP	49
EU55623SM	47
EU55626SM	47
EU55626CP	49
EU88913-1BK	53
EU88913-1MO	55
EU82437-1SA	59
EU97293-1CL	72
EU97293-1SM	71
EU7180SS	133
EU3573CC	164
EU81951-1BK	199
EU31410-1NA	199
EU30502BK	194
EU30501BK	194
EU52852BK	194
EU52853BK	194
EU49712BK	195
EU47811NA	197
EU47812NA	197
EU54742-2NA	200
EU54742-1NA	200
EU11202-1BK	196
EU11201-1BK	196
EU35722-1BK	201
EU35721-1BK	201
EU2832-2GO	166
EU2832-2BK	167
EU1030-1SM	181
EU1285	176
EU56231-1BZ	51
EU55622SA	45
EU55623SA	45
EU82437-1AB	61
EU700939	204
EU700938	204
EU9053CC	163
EU60832BK	221
EU6589AB	239-391
EU6584AB	239-391
EU89563BK	275
EUSEL994	275
EU22353AZ	364
EU22353GR	364
EU22353OR	364
EU62922BL	364
EU66033EM	364
EU92102BK	367
EU92102GY	367
EU92101BK	367
EU92101GY	367
EU65721BK	369
EU65721GR	369
EU65721PI	369
EU65721TE	369
EU3922SS	370
EU3922AB	370
EU3923AB	370
EU3923SS	370
EU2750AB	370
EU2750SS	370
EU44210AB	371
EU2871GO	373
EU44651GR	377
EU65420CP	372
EU65420BK	372
EU9260GY	372
EU9621GY	373
EU62021CR	373
EU74210CR	373
EU61520CR	373
EU88250BK	374
EU2743BGO	379
EU44652PI	376
EU8531AM	377
EU3721AM	377
EU3721CL	377
EU44652AZ	376
EU1811CL	383
EU1811SM	383
EU6533-1CC	383
EU5432SN	375
EU62058NA	375
EU83520	384
EU7923AB	387
EU7923CC	387
EU54636CP	384
EU23186BK	374
EU46091WH	386
EU46092WH	386
EU78410	384
EU60392CC	385
EU4452GO	385
EU1610	378
EU1610BK	378
EU16110	378
EU54210BK	378
EU62801CC	387
EU1533CC-1	387
EU8221-1SS	375
EU82329SM	374
EU82329AM	374
EU60421GY	387
EU60424SS	387
EU1941-1WH	374
EU2213GO	371
EU61420BZ	371
EU60804CC	379
EU9711CU	379
EU1034-1GO	379
EU99410YL	380
EU67008AB	380
EU67008PB	380
EU85474YL	380
EU85474AZ	380
EU85474GR	380
EU60753PI	385
EU60754SM	385
EU60231WH	381
EU4122BK	382
EU4122WH	382
EU5087CC	383
EU4867SN	382
EU89745GO	384
EU2791BK	382
EUSEL194	376
EUSEL245	385
EUSEL247	381
EU44321BZ	365
EU44321BK	365
EU701790	376
EU700817	370
EU678112	373
EU2111CC	375
EU12082-1BK	386
EU24101-2RU	386
EU94J482-01	385
EU700470	385
EU93101-1BKBO	366
EU93101-1BZBO	366
EU91101-1BKBO	368
EU94101-1BKBO	368
EU94101-1BZBO	368
EU33120PB	389
EU24109LT	390
EU24108LT	390
EU33121PB	389
EU59802-1SM	389
EU59801-1SM	389
EU5141SS	395
EU5142SS	395
EU5141AB	395
EU5142BK	395
EU3879BK	392
EU7959CC	392
EU7957CC	392
EU41432SB	393
EU41432SS	393
EU6550CC-1	394
EU7550CC	394
EU60096BK	397
EU60095BK	397
EU7565SS	394
EU7564SS	394
EU4023AB	396
EU5029AB	396
EU1012AB	396
EU1011AB	396
EU8143BGO	388
EU4869BK	397
EU4867BK	397
EU8141BGO	388
EU6359BG	388
EUFS-LIB2-W	390
EUFS-LIB2-B	390
EU7452-2SS	411
EU7451-1SS	411
EU7485AB	401
EU5679CC	409
EU62618CC	401
EU7650CC	401
EU5024GO	400
EU5222AB	406
EU5222SS	406
EU8082CR	403
EU2028CU	412
EU60420WH	403
EU5430CC	404
EU5430SS	404
EU5430BK	404
EU4329AB	405
EU4329SS	405
EU5430SB	405
EU5430AB	405
EU55601BK	406
EU55601SB	406
EU5026SN	407
EU5026AB	407
EU9122AB	407
EU1007AB	408
EU1007SS	408
EU9606CC	410
EU8022BK	412
EU3013	410
EU74730BK	400
EU3085-5CBK	402
EU3085-5CWH	402
EU6678BK	400
EU6679BK	400
EUSEL492046	399
EU95101-1BKBO	398
EU95101-1BZBO	398
EU157697	410
EU700447	413
EU701457	413
EU92R301-01	413
EU157717	410
EU88011BK	399

FAMILY NAME	PAGE
ABERDEEN	302
ADELAIDE	373
ADJUSTABLE	407
AERIAL	97
ALANA	399
ALBA	26-27
ALBERTO	152
ALEX	426-427
ALEXANDRA	188
ALICE	216
ALLURE	92-93
ALMANDITE	152
AMALFI	360
AMELIA	381
AMELIE-	463
AMERICAN DINER	140-141-322
AMETHYST	376
AMSTERDAM	181
AMY	386
ANCHOR	299
ANDRETTI	153
ANGEL	351
ANKLE	455
ANTHEA	220
APEX	374
ARCHITECT	344
ARIA	385
ARIES	293
ARMSTRONG	168
ASCONA	144-145-146-147
ASCOT	148-149
ASH	193
ASHER	381
ASTEROID	339
ASTRAL	171
ATLANTA	422
ATOM	183
AURA	392
AUSTIN	438
AUTUMN	306
AVA	364
AVALON	185
AVAYA	371
AVENUE	431
AVIA	385
AXIS	459
BAHAMA	192
BAKERLOO	422
BALI	192
BALLOON	190
BALLS	180-182
BARCELONA	359
BARDOT	108
BARN	198
BARRATT	365
BATHROOM	310
BATTON	424
BEACON	344
BEATRIX	269
BEL AIRE	428
BELFAST	317
BELFRY	154
BELLA	226-227
BELLANO	328-401
BELLE	279
BELLIS	165
BELLIS II	164-165
BELVUE	302
BERRY	204
BIJOU	238-239-240-241-242
BILBAO	357
BIRD CAGE	221
BISTRO	132-133
BISTRO II	134-135-136-137
BISTRO III	133
BLACK LINE	416
BLINK	412
BLOCK	385
BLOCS	289
BLOOM	112
BLOSSOM	383
BLUEBELL	432
BOLLARDS	430-445
BOMBAY	348
BONNIE	192
BORDO	414
BORDO II	415
BOULE	328
BOUQUET	257
BOWLIGHT	22-23
BOX	421
BOX II	420
BROADWAY	460
BRONX	430
BROOKLYN	450
BROUGHTON	374
BUBBLES	293
BULKHEAD	451
BULLSEYE	319
BUTTON	312-313-456-457
CABLE & SPOT	292
CAGE	189
CALUMN	399
CAMEO	376
CAMEROON	185
CANNES	37
CAPRI	429
CAPSULE	129
CARRARA	24
CARTER	394
CARTWHEEL	156-157
CARTWHEEL II	157
CARTWHEEL III	156
CATALINA	163
CATTAIL	95
CAVERN	440
CELESTIA	338
CELESTIAL	322
CELINE	380
CHAPEAU	237
CHAPLIN	306
CHEESE	316
CHELSEA	195
CHER	354
CHESTER	317
CHIC	368
CHIME	113
CHISWICK	440
CHLOE	379
CHURCHILL	173
CINCINNATI	422
CIRCOLO	104
CIRQUE	105
CLAIRE	373
CLAMP	205-297
CLARENDON	378
CLARISSA	244-245
CLAW	383
CLEO	346
CLIP	103
CLOUDS	325
CLOVER	276-282-283-375
CLUB	387
CLUSTER	205
COASTAL	458
COLORADO	423
COMET	289
CONE	362
CONFETTI	34
CONICAL	114
CONTOUR	334
CORFU	358
CORONET	219
COSMIC	175
COUPER	301
CRACKLE	190
CUBE	222
CUBOID	119
CURIO	102
CURLS	191
CURVA	223-307
CURVA	223
CURVE	107
CYCLONE	70-71-72-73
CYLS	340-341
CYPRUS	315
DAKOTA	442
DALLAS	160
DANCE	175
DANISH	362
DECO	328
DECORATIVE	470
DELUGE	329
DERBY	322
DESK PARTNERS	382
DESTINY	349
DETROIT	435
DEVON	372
DIABLO	169
DIAMOND	222
DIANE	384
DISCUS	189
DIVINE	62
DOME	381
DON	342
DOODLE	106
DORCHESTER	264
DRAGONFLY	176
DRAPE	277
DRUM	331
DUBAI	461
DULWICH	201
DUO	66-67-68
EDGEWARE	450
EDINBURGH	318
EIFFEL	449
EINDHOVEN	115
ELEGANT	366
ELEVATOR	275
ELINA	377
ELISE	268-269
ELIXIR	190
ELLA	199
EMILY	386
EMPIRE	228-230-233-307
ENDOR	206
EQUALISE	332
ETERNITY	193
EVAN	464
EXETER	443
EZRA	447
FEATHER	86
FENCE	347
FETE	380
FINESSE	189
FISHERMAN	219
FISHNET	166-167
FIZZ	379
FLARE	203
FLASK	468
FLEMISH	159-396
FLEXY	355
FLOAT	108
FLORENCE	249
FLORIDA	326
FLUTE	40-41
FOCUS	286-287
FORMALUX	20-21
FRETWORK	191-375
FREYA	278
FRISBEE	389
FROSTY	38-39
GALACTIC	324
GALLOW	400
GARDENIA	172
GEMMA	246
GENOA	434
GEOMETRIC CAGE	220
GIANNA	330
GIRAFFE	402
GLAMOUR	281
GLASGOW	318
GLOBE	469
GOLIATH	403
GOTHIC	155
GRACE	98
GREYSON	377
GREYTHORNE	153
GRIP	417
GROOVE	364
HAIFA	458
HALLWAY	208
HALOLUX	337
HAMBURG	435
HANNA	270-271-271-307
HARRIETTA	279
HATTIE	385
HEATON	212
HERITAGE	87
HERRON	363
HESSIAN	194
HIGHWORTH	138-139
HIVE	188-388
HOLLY	385
HOLTON	363
HONEYCOMB	189
HOOPLA	91
HORIZON	327
HOTEL	352-353
HOUSTON	438
HYDE	440
ICE BALL	118
ICE CUBE	209
ILLUMINATING	311
IMPERIAL	303
INDUSTRIAL	218
INFINITY	191
IRIS	247
ISLA	197
JAVA	397
JAZZ	393
JEWEL	281
JOLLY	408
JUDE	337
JUNE-	464
KATE	188
KENDAL	328
KENT	50-51
KENTUCKY	418
KENZIE	102
KNIGHTSBRIDGE	187
KNOT	174
KNOX	130
KNUTSFORD	320
KOS	300
LAMP	471
LANCE	290
LANTERN	216
LANTERN GRANDE	218
LARA	42-43
LAYLA	99-100
LEON	349
LEXI	188
LIANA	372
LAURA	337
LIBRA	390
LILLE	36
LIMERICK	317
LINEA	406
LINEAR	101
LONDON	369
LORI	173
LOTUS	329
LOUIS PHILLIPE	258-259-260
LOUISIANA	186
LOUVRE	419
LUMADISC	332
LUMEN RINGS	109
LUMINA	120
LUMINIQUE	124-125
LUMINSPHERE	309
LUNA	327
LUNS	350
LUNAR	351
LUXO	311
LYON	36
MACBETH	412
MADELEINE	98-100
MADRID	187-387
MAGIC	108
MAGICIAN	470
MAGNIFYING	311
MAINE	443
MAISIE	107
MAJORCA	356
MALACCA	373
MALAGA	358
MALDIVES	459
MALDON	371
MALIBU	375
MALTA	325
MANHATTAN	453
MARAKESH	374
MARBLES	383
MARBLES	118
MARBLES	206
MARDI GRAS	83
MARDI GRAS II	82-83
MARGARITA	162
MARIE THERESE	250-255
MARILYN	278
MARINA	450
MARMO	308
MARS	184
MARYLIN	391
MATCH BOX	350
MATRIX	335
MAYPOLE	142-143
MEADOW	195
MEGA	291
MEGAN	378
MELA	269
MENTON	458
MERRYGOLD	90
METEOR	116-117
METRO	436-437
MIA	69
MICA	277
MICHELLE	276
MICHIGAN	424
MILA	380
MILANESE	170
MILO	161
MIRAGE	299
MIRROR	378
MOD	122-123
MODENA	274
MODISH	368
MOLECULE	204
MONARCH	224-225
MONTANA	442
MOONBEAM	88-89
MOSCOW	219
MOTHER & CHILD	404-405-406
MULTISOCKET	447
MUNICH	386
MUSHROOM	381
MUSHROOM	432
MUSIC	107
NADINE	379
NASHVILLE	351
NEW ORLEANS	425
NEW YORK	177
NEWMARK	446
NEWTON	343
NILE	299
NINA	202
NOVA	174
NOVELTY	190
OBLONG	386
ODEON	69
OFFICE	390
OIL	185
OLIVIA	170
OMBRE	190
ONTARIO	401
OPALINE	298
OPERA	175
OPUS LUX	30-31
ORB	450
ORBIT	213-214-215
ORBITAL	388
OSCAR	396
OVALOID	347
PADDLE	113
PAGODA	433
PALMA	321
PANDORA	327
PARIS	266-267
PARMA	305
PEACOCK	256
PEAR	35
PEDESTAL	395
PERU	418
PHEOBE	384
PHOENIX	314
PHUKET	446
PICADILLY	422
PIPES	163
PIPETTE	190
PISA	323
PISA II	323

FAMILY NAME	PAGE
PISA III	323
PITTSBURGH	449
PLANETS	206-207
PLASTER	348
PLATT	409
PLAZA	217
PLUME	409
POLARIS	191
POLKA	324
POPLAR	304
PORTICO	202
PORTLAND	317
PORTOBELLO	447
PRESTON	319
PRIME	375
PUB	444
PUCK	317
PUNCH	77
PUNCH	76
PYRAMID	64-65
QUADRATE	335
QUARTZ	118
QUATRO	335
RACHEL	392
RADIANCE	78-79-80-81
RADIANT	194
RAFFIA-	464
RECHARGEABLE	408-409
RECORD	389
RECTANGLE	310
REED	433
REGENT	379
REMY	275
RENE	277
REVOLVE	110
RHODES	361
RICHMOND	151
RIDGE	400
RINGO	336
RINGS	278
RIO	387
RIPPLE	186
ROCHESTER	435
ROCKET	279
ROCKY	126-127
ROLL	345
ROLLO	288
RONDO	221
ROPE	384
ROSETTA	371
ROUNDEL	333
ROYAL	59-60-61
RUBY	376
RUE	301
SACRAMENTO	417
SAMSON	294-295
SAN DIEGO	291
SANTORINI	360
SARAH	197
SARDINA	350
SATELLITE	321
SAUCER	337
SAVANNAH	285
SAVVY	374
SCHOOL HOUSE	306
SCILLY	320
SCOTLAND	189
SCRIBBLE	188
SCULPTURED ICE	203
SCULPTURED ICE II	172
SEASIDE	439
SEATTLE	445
SECTION	345
SEEDS	94
SENTINEL	418
SERENITY	350
SERPENT	111
SHADES	369-465
SHADOWS	446
SHARD	417
SHEFFIELD	438
SHELL	306
SHIELD	344
SHOWER	223
SIERRA	172
SIGMA	285
SIGNAL	131
SILHOUETTE	158
SLEEK	367
SLINKY	216
SNOWBALL	121
SOHO	442
SOLAR	441
SOLEXA	105
SOLIS	32-33
SONNY	354
SOPHIE	308-323
SORRENTO	321
SPACE	96
SPARE LAMP	472
SPEAR	243
SPECS	334
SPIKE	453
SPIKEY	452-453
SPINDLE	191
SPINNY	201-290-468
SPLIT	18-19
SQUARE	200
SQUARY	336
STAG	150
STATION	429
STELLAR	222
STELLARIS	333
STIRLING	442
STRAND	450
STRATFORD	443
STUDIO	410
STUDY	410
SUNBEAM	63
SUNBURST	256
SUNDIAL	327
SUSPENSION	468
SWAN	403
SWEDEN	52-55-58
SWEDEN II	56-57
SWING ARM	354
SWIRL II	108
SWIZZLE	44-49
SWOOP	284
SWORD	106
TARGET	346
TELESCOPE	91-382
TEXAS	445
THREAD	128
TIA	364
TIARA	280
TOKYO	320
TOLUCA	461
TORONTO	439
TOUCH	370
TRACEY	173
TRACK & SPOT	292
TRIBECA	100-101
TRIDENT	339
TRIPLE	334
TUBES	382
TUBES	90
TUCSON	431
TULLY	411
TULUM	384
TUMBLER	306
TUMBLERS	28-29
TWIRLS	106
TWIST	373
TYLER	375
UPTOWN	285
UTAH	448
VALENCIA	358
VALLEY	387
VARAGGIO	458
VEGA	350
VEGAS	394-401
VENETIAN	187
VENICE	434
VENTI	304
VERITAS	304
VERMONT	446
VERSAILLES	261-262-263
VESUVIUS	273-283
VIBRANT	178-179
VIBRATE	296
VICTORIA	234-235-236
VIGO	363
VISION	199
VOYAGER	210-211
VULCAN	185
WAGON WHEEL	84-85
WALES	298
WALKOVER	454
WALL ART	347
WALL ART II	347
WANDS	397
WATERFALL	248
WAVE	186
WAVEY	351
WESTMINSTER	291
WEYBRIDGE	322
WHIRL	74-75
WICKER	196
WING	107
WIRE	469
WOODY	198
WRAP	305
WREATH	324
YORK	387
ZANZIBAR	158
ZARA	372
ZENDISC	333
ZENITH	377
ZEUS	316

ITEM CODE	SPARE SHADES
0818-8BK	GO0812-2
10271-1BK	GO10271
10271-3BK	GO10271
10272-1BK	GO10271
1041-1	GO1041-1
1043-3	GO1041-1
1091AB	GO1091
1214-18	GO399-5
1214-30	GO399-5
1277AB	GO1277-1
1455-5BK	GO399-5
1455-5CL	GO399-5
1455-5MI	GO399-5
1528-3	GO1522
1591AB	GO1591
1621AM	GO1621AM
1621CL	GO1621CL
1621SM	GO1621SM
1623-3AM	GO1623-3AM
1623-3SM	GO1623-3SM
1632AM	GO1632AM
1632CL	GO1632CL
1632SM	GO1632SM
1635SM	GO1635SMN
1682AB	GO1682AB
1683-3AB	GO2671-1AB
1685-5AB	GO2671-1AB
1910-23	GO1910-23
1910-28	GO1910-28
1910-35	GO1910-35
22122-1BK	GO22122
22123-1BK	GO22123
22123-3BK	GO22123
22123-4BK	GO22123
22123-5BK	GO22123
2300-3	GO2301L-CL
2300-3SM	GO2301L-SM
2300-3SM	GO2301S-FR
23141-1SB	GO23141
23142-1SB	GO23141
23145-5SB	GO23141
23146-5SB	GO23141
23147-8SB	GO23141
23603-3BK	GO23603
23605-5BK	GO23603
23801-1SM	GO23801
24122-1BK	GO24122-D135
24141CL	GO24141CL
24141CP	GO24141CP
24141SM	GO24141SM
24183-1RE	GO24183-1RE
24183-1SM	GO24183-1SM
2671-1AB	GO2671-1AB
2671-1SS	GO2671-1AB
2671-1SS	GO2671-1SS
2682-2SS	GO2682-2
2683-3AB	GO2682-2
2683-3SS	GO2682-2
280BK	GO280
280BK-PIR	GO280
280WH	GO280
28731-450	GO28731
28731BK	GO28731
28980SB	GO28980AM
28980SS	GO28980FR
29981BK	GO29981
29981SB	GO29981
29982BK	GO29981
29982SB	GO29981
3003-10CC	GO3003-10
30506BK	GO30506SM
30506GO	GO30506
30507BK	GO30506SM
30507GO	GO30506
3051AB	GO3051
3068-8BK	GO3068-8
3091-1CC	GO3091-1CC
31031-1PB	GO31031
31031-3PB	GO31031
32156-28GO	GO32156
32210AM	GO32210AM
32210CL	GO32210CL
32210GY	GO32210GY
32210SM	GO32210SM
3228AB	GO3228
3228BK	GO3228
3259AB	GO3259CL
3291BK	GO2191
3291SS	GO2191
32983BK	GO32983
32983PB	GO32983
3303-3CC	GO2301L-CL
3303-3CC	GO2301S-FR
3303-3SM	GO2301L-SM
3303-3SM	GO2301S-FR
3314-18	GO399-5
3314-30	GO399-5
3592-2AB	GO1682AB
3592-2BK	GO1682BK
3593-3AB	GO1682AB
3593-3BK	GO1682BK
3593-3SS	GO1682SS
36463-6BK	GO36463AM
36463-6BK	GO36463CL
36463-6BK	GO36463SM
36463-8BK	GO36463AM
36463-8BK	GO36463CL
36463-8BK	GO36463SM
39340BK	GO39340
399-12	GO399-5
399-2	GO399-5
399-5	GO399-5
4132-2AB	GO4132-2
4301AB	GO4301
4301SS	GO4301
44213-3CC	GO44213
44520-3CP	GO44520CP
44520-3SM	GO44520SM
44520-4CP	GO44520CP
44520-4SM	GO44520SM
44520-6CP	GO44520CP
44520-6SM	GO44520SM
44520CP	GO44520CP
44520SM	GO44520SM
44521CP	GO44521CP
44521SM	GO44521SM
4581-14AB	GO4581-14
4624-4CC	GO3624-24
51021-2CC	GO51022-120
51021-2CC	GO51022-180
51021-3CC	GO51022-120
51021-3CC	GO51022-180
51022-2CC	GO51022-90
51022-2CC	GO51022-120
51022-3CC	GO51022-120
51022-3CC	GO51022-180
5182AB	GO5182
5182BK	GO5182
5182CC	GO5182
5222AB	GO5222
5423-3AB	GO5423-1CP
5423-3AB	GO5423-2CP
5423-3AB	GO5423-3CP
54713-3BK	GO54713
54715-5BK	GO54713
5614BK	GO5614
5742CC	GO5742CC
576RU	GO576RU-L
576RU	GO576RU-S
59802-1SM	GO59802
6077SB	GO6077
6099SB	GO6099
61170-2SM	GO61170
61401BG	GO61401
61401BS	GO61401
61402BG	GO61402
61402BS	GO61402
62012-2CC	GO62012
62012-2PB	GO62012
62013-3CC	GO62013
62013-3PB	GO62013
6352-2AB	GO6351-1
6355-5AB	GO6351-1
6441-450BK	GO6441-450
6441-900BK	GO6441-450
66210-2AB	GO66210
66210-2SS	GO66210
6720-20-LED	GO4341-1CC
6778-8-LED	GO6771-1
69410-4SB	GO69410
69410-5SB	GO69410
69410-8SB	GO69410
69410SB	GO69410
69411-1SB	GO69410
699-12	GO399-5
699-2	GO399-5
699-5	GO399-5
699-8	GO399-5
7039-23CC	GO7039-23CC
7039-23SS	GO7039-23SS
7039-28CC	GO7039-28CC
7039-28SS	GO7039-28SS
7045-13	GO7045-13
73990-3BK	GO73990
73990-3GO	GO73990
76210-5CL	GO76210-H220
76210-5CL	GO76210-H320
76210-7CL	GO76210-H220
76210-7CL	GO76210-H320
76210CL	GO76210-H220
76318-8LT	GO76318-D120
76318-8LT	GO76318-D200
77210-2AB	GO77210-2
77210-3AB	GO77210-3
77410-3AM	GO77410-D150
77410-6AM	GO77410-D150
77410-6AM	GO77410-D160
77410-6AM	GO77410-D170A
7925-450	GO7926
8071-1SS	GO8071WH
80820-1GO	GO80821
80821-1GO	GO80821
80823-3GO	GO80821
8095-5AB	GO8095
8135-5SS	GO8135-5AM
8135-5SS	GO8135-5BL
8135-5SS	GO8135-5CL
8135-5SS	GO8135-5PI
8135-5SS	GO8135-5SM
8183-3AB	GO8183-3
8204AB	GO8204F
8204AB	GO8204S
8204BK	GO8204F
8204BK	GO8204S
82431-1SA	GO82431
82433-3SA	GO82431
82434-4SA	GO82431
82437-1SA	GO82431
82508BK	GO82508
8405-5SS	GO8405
84510-4AM	GO85410-D210
84510-4AM	GO85410-D180
8477BK	GO8476
8478-730	GO8476
8631BK	GO8631
88210-10BZ	GO88210-20CL
88210-10BZ	GO88210-28AM
88210-5BZ	GO88210-12AM
88210-5BZ	GO88210-12CL
88210-6BZ	GO88210-15CL
88210-6BZ	GO88210-20AM
88210-9BZ	GO88210-15AM
88210-9BZ	GO88210-15CL
88210-9BZ	GO88210-20AM
88211-6BZ	GO88210-15AM
88211-6BZ	GO88210-15CL
88211-6BZ	GO88210-20AM
88211-6BZ	GO88210-20CL
88212-6BZ	GO88210-20AM
88212-6BZ	GO88210-20CL
88212-6BZ	GO88210-28AM
8885-5CL	GO399-5
8888-8CL	GO399-5
8888-8GY	GO399-5
88910-1BK	GO88910SM
88910-1MO	GO88910AM
88910-3BK	GO88910SM
88910-3MO	GO88910AM
88910-4BK	GO88910SM
88910-4MO	GO88910AM
88911-1BK	GO88910SM
88911-1MO	GO88910AM
88911-3BK	GO88911SM
88911-3MO	GO88911AM
88912-1BK	GO88910SM
88912-1MO	GO88910AM
88913-1BK	GO88910SM
88913-1MO	GO88910AM
88920-1MO	GO88920AM
88920-8MO	GO88920AM
88921-5MO	GO88920AM
88921-8MO	GO88920AM
9045-5CC	GO9041-1
9053CC	GO9053
9122AB	GO9122
9341-1	GO9341
9343-3	GO9341
9345-5	GO9341
97291-12CP	GO97291CP
97291-12SM	GO97291SM
97291-5CL	GO97291CL
97291-5CP	GO97291CP
97292-1CL	GO97291CL
97292-4SM	GO97291SM
9835-5CC	GO9835
22321-1BZ	GO22321
22321-5BZ	GO22321
22322-5BZ	GO22321
10321-1BZ	GO10321L
10321-3BZ	GO10321S
10321-4BZ	GO10321M
10321-7BZ	GO10321M
10323-3BZ	GO10321S
10324BZ	GO10321L

LUX & BELLE INDEX

PRODUCT CODE	PAGE
98520-2700BZ	L6
98520-2700CP	L7
98520-3000BZ	L8
98520-3000CP	L9
91410-450GO	L10
91412GO	L10
91411GO	L10
91411BK	L11
91410-450BK	L11
91412BK	L11
21651-5BK	L12
21651-6BK	L13
21652-2BK	L13
21651-1BK	L13
21653-1BK	L13
21951-1GO	L14
21953-1GO	L15
21952-1GO	L15
21951-3GO	L15
8799BK	L16
8791BK	L16
8471BK	L17
8471SS	L17
48130GO	L18
48250-340GO	L19
48251GO	L19
67304GO	L20
67308GO	L21
67306GO	L21
67305GO	L21
67307GO	L21
23051BK	L22
23050-400BK	L22
75091-1SB	L23
75091-3SB	L23
75092-1SB	L23
76410-8BK	L24
76410-5BK	L25
76411-8BK	L26
76411-5BK	L26
76410BK	L27
76410-3BK	L27
76411BK	L27
32027-5AB	L28
32027-3AB	L29
32027AB	L29
32029AB	L29
91562SB	L30
91561SB	L30
7871BK	L31
7873-3BK	L31
7875-5BK	L31
7875-5SS	L32
7871SS	L32
7873-3SS	L32
7876SB	L33
7877-3SB	L33
7878-5SB	L33
33210-6PN	L34
33210-5PN	L35
33210-2PN	L35
33210-6BK	L36
33210-2BK	L36
91341-6SB	L37
91480-400BK	L38
91481-600BK	L38
91482BK	L39
91484-6BK	L39
91483-4BK	L39
23013-8GO	L40
23012-450GO	L41
23012-540GO	L41
1717-30AB	L42
14106-5AB	L43
14106-1AB	L43
14106-3AB	L43
10824-21GO	L44
10823-2GO	L45
10821-500GO	L45
10821-800GO	L46
10825-10GO	L47
44780-4GO	L48
44780-8GO	L48
44780-12GO	L49
44780-16GO	L50
36510-14GO	L51
36510-16GO	L52
36510-5GO	L53
36510-3GO	L53
36510-2GO	L53
96281-9GO	L54
96281-2GO	L55
96281-8GO	L55
96281-5GO	L55
10658-19SB	L56
10658-6SB	L57
10658-10SB	L57
10818-8SB	L58
10817-450SB	L59
10819-3SB	L59
10811-8SB	L60
10810-3SB	L61
10809-230SB	L61
10812-240SB	L61
10596SB	L62
10597-2SB	L63
10598-3SB	L63
10743-5GO	L64
10743-2GO	L65
10743-3GO	L65
10742-2GO	L65
10741-3GO	L65
10743-8GO	L66
10743-2CC	L67
10743-3CC	L67
10741-3CC	L67
10742-2CC	L67
10743-8CC	L68
10743-5CC	L69
10814-450CL	L70
51210-2GO	L71
10766-450SB	L72
48173GO	L73
48173BK	L73
1122-60CC	L74
38911-3CC	L75
36693-6CC	L76
9605-5CC	L76
7196-6CC	L76
8605-5CC	L76
0546-28	L77
0546-40	L77
20371BZ	L78
20372BZ	L79
10924SB	L80
10923SB	L80
34102-1BK	L81
34102-1CC	L81
64560WH	L82
72510AZ	L82
67823-2WH	L82
9761AZ	L83
87841AZ	L84
83761GY	L85
81219AZ	L86
81219GY	L87
81219PI	L87
81219TA	L87
81219TE	L87
89681PI	L88
89681TA	L88
89681TE	L88
89681GY	L88
89681GR	L89
89681AZ	L89
83141GY	L90
83141PI	L90
83141TA	L90
83141TE	L90
83142DGY	L91
83142GY	L91
83142PI	L91
83142TA	L91
83142TE	L91
83251GR	L92
83251AZ	L92
83251GY	L93
83251PI	L93
83251TA	L93
83251TE	L93
83252GR	L94
83252AZ	L94
83252DGY	L95
83252GY	L95
83252PI	L95
83252TA	L95
83252TE	L95
24115WH	L96
65410WH	L96
74510SB	L97
74511SB	L97
23211BK	L98
23213BK	L98
23210BK	L98
93040-1GO	L99
93040-3GO	L99
6781CC	L100
84512NA	L100
74235BR	L101
74240BR	L101
41201AZ	L102
41201GR	L102
41202AZ	L102
41204GR	L102
41201PI	L103
41203PI	L103
41201TE	L103
41203TE	L103
41204DGY	L103
52180-2BK	L104
53180-2BK	L105
53322-4BK	L106
53321-1BK	L107
53320-120BK	L107

product code index

CE-AND-B P55
CE-ANN-B P53
CE-ANN-BZ P53
CE-ANN-GO P53
CE-ANN-W P53
CE-HEY60-B P33
CE-HEY60-W P33
CE-HEY90-B P33
CE-HEY90-W P33
CE-HONRB P57
CE-HONRW P57
CE-HONSQB P57
CE-HONSQW P57
CE-LINO2-B P42
CE-LINO2-W P42
CE-PRI35-B P36
CE-PRI35-GO P36
CE-PRI45-B P36
CE-PRI45-GO P36
CE-SWI-B P55
CE-SWI-W P55
CE-VER30-B P46
CE-VER30-W P46
CE-VER40-B P46
CE-VER40-W P46
DALICON P201
DL-DIA-W P93
DL-GLAR P68
DL-GRID1BB P62
DL-GRID1FRSB P63
DL-GRID1FRWW P63
DL-GRID1WB P62
DL-GRID1WW P62
DL-GRID2BB P62
DL-GRID2FRBB P63
DL-GRID2FRWW P63
DL-GRID2WW P62
DL-IG01 P200
DL-IG02 P200
DL-MINW P65
DL-SLIM2FRB P70
DL-SLIM2FRW P70
DL-SLIM3FRB P72
DL-SLIM3FRBZ P72
DL-SLIM3FRW P72
DL-SLIMB P66
DL-SLIMBZ P66
DL-SLIMIP3FRB P73
DL-SLIMIP3FRBZ P73
DL-SLIMIP3FRW P73
DL-SLIMIPB P67
DL-SLIMIPBZ P67
DL-SLIMIPW P67
DL-SLIMSQB P66
DL-SLIMSQW P66
DL-SLIMW P66
DL-ZAR-W P71
DL-ZELRB P69
DL-ZELRW P69
EUFS-CIA-BZ P166
EUFS-CIA-GO P166
EUFS-OLY-BZ P165
EUFS-OLY-SN P165
EUTA-CIA-BZ P167
EUTA-CIA-GO P167
EUTA-OLY-BZ P164
EUTA-OLY-BZ-USB P164
EUTA-OLY-SN P164
EUTA-OLY-SN-USB P164
FL-ADM40-W P45
FL-BAN35-B P45
FL-ETE55-WS P34
FL-GRA30-B P49
FL-GRA30-GO P49
FL-GRA50-B P49
FL-GRA50-GO P49
FL-SAT40-WS P44
FL-SAT60-WS P44
FS-CIA-BZ P166
FS-CIA-GO P166
FS-OLY-BZ P165
FS-OLY-SN P165
IPR-EUSSS P197
IPR-HOLSS P92
IPR-PADRSS15 P199
IPR-PADRSS30 P199
IPR-PICRSS P198
L10113-3 P200
L10113-4 P200
L10113-27 P200
OD-BER2-G P185
OD-CHIBA P188
OD-CON-G P180
OD-CONP-G P180
OD-FARP P177
OD-FARR P176
OD-FPOLE P176
OD-GRO30-G P178
OD-GRO80-G P178
OD-GRO230-G P179
OD-GRO280-G P179
OD-KOBL P193
OD-KOBM P193
OD-KYOS P192
OD-LAN-G P184
OD-MAY-G P187
OD-SAN80-G P181
OD-SAPL-GW P191
OD-SAPS-GW P190
OD-SAV-G P182
OD-SAVP-G P183
OD-STR-G P187
OD-SUZ-GW P191
OD-TOKYO P189
OD-TRA-B P195
OD-TRA-W P195
OD-YOK P194
PA-HEY-B P33
PA-HEY-W P33
PA-VER-B P46
PA-VER-W P46
PE-ADA100-B P27
PE-ADA100-GO P27
PE-ANN-B P52
PE-ANN-B P118
PE-ANN-BZ P52
PE-ANN-GO P52
PE-ANN-W P52
PE-APO-B P56
PE-APO-W P56
PE-ARA60-B P24
PE-ARA60-BZ P24
PE-ARA60-GO P24
PE-ARA60-W P24
PE-ARA100-B P25
PE-ARA100-BZ P25
PE-ARA100-GO P25
PE-ARA100-W P25
PE-ARA150-B P26
PE-ARA150-BZ P26
PE-ARA150-GO P26
PE-ARA150-W P26
PE-ART-B P56
PE-ART-W P56
PE-ATH-W P56
PE-CLIP P41
PE-COM2-BS P30
PE-ETE55-BS P35
PE-ETE55-WS P35
PE-LAS6-W P50
PE-ORB120-BS P29
PE-ORB120-BZ P29
PE-ORB120-GO P29
PE-VIST-B P40
PE-VISTR-B P39
PE-VISTR-W P39
PE-VIST-W P40
PL-BLAGU10 P87
PL-CADET P161
PL-CONCS P160
PL-MINW P65
PL-POLW P81
PL-REN1 P84
PL-REN2 P85
PL-RENWW P85
PL-ROM1 P86
PL-ROM2 P86
PL-SAB1-B P80
PL-SAB1-W P80
PL-SAB2-B P80
PL-SAB2-W P80
PL-SLIM3FRB P74
PL-SLIM3FRW P74
PL-SLIMB P79
PL-SLIMIP3FRB P75
PL-SLIMIP3FRW P75
PL-SLIMIPB P78
PL-SLIMIPW P78
PL-SLIMW P79
PL-ZELRB P76
PL-ZELRW P76
PL-ZELSQB P77
PL-ZELSQW P77
RW-RUN-B P91
RW-RUN-GO P91
RW-RUN-W P91
RW-STP-B P90
RW-STP-GO P90
RW-STP-W P90
SH-CO-C P172
SH-CO-M P172
SH-DIF40 P171
SH-DR15-C P171
SH-DR15-M P171
SH-DR30-C P171
SH-DR30-G P171
SH-DR30-M P171
SH-DR40-C P171
SH-DR40-G P171
SH-DR40-M P171
SH-RL-C P172
SH-RL-M P172
SH-RS-C P172
SH-RS-M P172
SH-VICLED-BZ P147
SH-VICLED-MB P147
SH-VICLEDR-MB P153
SH-VICLED-SN P147
SH-WBPIM2-BZ P138
SH-WBPIM2-MB P138
SH-WBPIM2R-BZ P139
SH-WBPIM2R-MB P139
SH-WBPIM2R-SN P139
SH-WBPIM2-SN P138
SH-WBVIC-BZ P140
SH-WBVIC-MB P140
SH-WBVICR-BZ P141
SH-WBVICR-MB P141
SH-WBVICR-SN P141
SH-WBVIC-SN P140
SP-ANN1-BZ P107
SP-ANN1-GO P107
SP-ANN2-BZ P108
SP-ANN2-GO P108
SP-ANN3-BZ P108
SP-ANN3-GO P108
SP-ANN4-BZ P109
SP-ANN4-GO P109

For detailed drawings and specifications along
with help & advice, visit www.projectcollection.co.uk

SP-APOR-B P61
SP-APOR-W P61
SP-CIA1-BZ P110
SP-CIA1-GO P110
SP-CIA3-BZ P111
SP-CIA3-GO P111
SP-CIA4-BZ P111
SP-CIA4-GO P111
SP-JUP1-B P113
SP-JUP1-W P113
SP-JUP2-B P113
SP-JUP2-W P113
SP-LAS1S-B P142
SP-LAS1S-W P142
SP-MOO1-B P101
SP-MOO1-BZ P97
SP-MOO1R-B P102
SP-MOO1R-BZ P98
SP-MOO1R-W P102
SP-MOO1S-B P101
SP-MOO1S-BZ P97
SP-MOO1SUSB-B P101
SP-MOO1SUSB-BZ P97
SP-MOO1SUSB-W P101
SP-MOO1S-W P101
SP-MOO1-W P101
SP-MOO2-B P103
SP-MOO2-BZ P99
SP-MOO2-W P103
SP-MOO3-B P102
SP-MOO3-BZ P98
SP-MOO3L-B P103
SP-MOO3L-BZ P99
SP-MOO3L-W P103
SP-MOO3-W P102
SP-MOO4-B P103
SP-MOO4-BZ P99
SP-MOO4-W P103
SP-MOOR-B P60
SP-MOOR-BZ P60
SP-MOOR-W P60
SP-SEL3L-B P105
SP-SEL3L-BZ P105
SP-SEL3L-W P105
SP-SEL3R-B P104
SP-SEL3R-BZ P104
SP-SEL3R-W P104
TA-CIA-BZ P167
TA-CIA-GO P167
TA-OLY-BZ P164
TA-OLY-BZ-USB P164
TA-OLY-SN P164
TA-OLY-SN-USB P164
TR-1B P114
TR-1BZ P116
TR-1GO P116
TR-1W P114
TR-2B P114
TR-2BZ P116
TR-2GO P116
TR-2W P114
TR-AND-B P128
TR-AND-W P128
TR-ANN-B P121
TR-ANN-BZ P121
TR-ANN-GO P121
TR-ANN-W P121
TR-APO-B P127
TR-CIA-B P125
TR-CIA-BZ P125
TR-CIA-GO P125
TR-LAS-B P127
TR-LIB-B P126
TR-LIB-BZ P126
TR-LIB-WW P126
TR-ORI2-B P123
TR-ORI2-BZ P123
TR-ORI2-GO P123
TR-ORI2-W P123
TR-PEN-B P119
TR-PEN-W P119
TR-T1-B P114
TR-T1-BZ P116
TR-T1-GO P116
TR-T1-W P114
TR-T2-B P114
TR-T2-BZ P116
TR-T2-GO P116
TR-T2-W P114
TR-TAU-B P129
TR-TAU-W P129
WL-ANN1-B P135
WL-ANN1-BZ P135
WL-ANN1-GO P135
WL-ANN1-W P135
WL-ANN2-B P135
WL-ANN2-BZ P135
WL-ANN2-GO P135
WL-ANN2-W P135
WL-ANNR-B P137
WL-ANNR-BZ P137
WL-ANNR-GO P137
WL-BLF-B P144
WL-BLF-W P144
WL-CHER-AB P152
WL-CIAR-BZ P145
WL-CIAR-GO P145
WL-KIN-B P151
WL-KIN-BZ P151
WL-KIN-GO P151
WL-LASR-B P143
WL-LASR-W P143
WL-LB10 P157
WL-LB20 P157
WL-MAR-B P148
WL-MAR-BZ P149
WL-MAR-GO P149
WL-MAR-SN P148
WL-MLW-B P146
WL-MLW-W P146
WL-ODO20-W P159
WL-ODO30-W P159
WL-SLO1N-B P155
WL-SLO1N-W P155
WL-SLO2-B P155
WL-SLO2-W P155
WL-SOU24-B P154
WL-SOU24-W P154
WL-SUN-B P133
WL-SUN-BZ P133
WL-SUN-GO P133
WL-SUN-W P133
WL-VAV60* P156
WL-VAV120* P156
WL-VAVS60 P156
WL-VAVS90 P156

For detailed drawings and specifications along
with help & advice, visit www.projectcollection.co.uk

product name index

ada 100cm P27
andaman 40cm P45
andromeda P55
andromeda GU10 P128
anna 1 P107
anna 2 P108
anna 3 P108
anna 4 P109
anna ceiling P53
anna double P135
anna GU10 P121
anna pendant P52
anna reader P137
anna single P135
apollo pendant P56
apollo track P127
apollo recessed P61
ara 60cm P24
ara 100cm P25
ara 150cm P26
artemis P56
athena P56
banda 35cm P45
blackfriars P144
blanche P87
blanche P89
boulogne P89
bronze moon 1 P97
bronze moon 1 round P98
bronze moon 1 switched P97
bronze moon 1switched USB P97
bronze moon 3 P98
bronze moon 3 bar P99
cadet P161
chelsea recessed P152
chiba duo P188
ciara 1 P110
ciara 3 P111
ciara 4 P111
ciara mini GU10 P125
ciara wall P145
clip P41
compass 2m P30
concorde P160
connaught P180
diana IP44 P93
eternity 55cm P34
euston 230V P197
farringdon pole P176
farringdon P176
farringdon plus P176
glacier round P68
grace 30cm / 50cm P49
grosvenor P178
grosvenor II P179
hey-lo surface P33
holborn IP65 P92
honos round P57
honos square P57
jupiter 1 & 2 P113
kings cross P151
lanesborough P184
laser track P50
laser GU10 P127
laser reader P143
laser spot P142
libra track P126
lino 2 surface / pendant P42
london bridge P157
marlow usb P146
marylebone P148
mayfair adjustable P187
mini P65
mini trimless P65
moon 1 P101
moon 1 round P102
moon 1 switched P101
moon 1 switched USB P101
moon 2 P103
moon 2 bar P99
moon 3 P103
moon 3 round P102
moon 4 bar P99
moon 4 bar P103
moon recessed P60
odeon 20cm / 30cm P159
olympia floor lamp P165
olympia table lamp base P164
olympia USB table lamp base P164
orbit 120cm P29
orion 2 track P123
paddington P199
pendant track adapter P119
piccadilly P198
pimlico 2 P138
pimlico 2 reader P139
polo trimless P81
prisma P36
renne P84
renne twin P85
renne wall washer P85
rome P86
rome 2 P86
runway P91
sablons 1 & 2 P80
sanderson P181
sapporo long P191
saturn 40cm / 60cm P44
savoy P182
savoy plus P183
selene 3 bar P105
selene 3 round P104
shades P170-P173
slim trim P66
slim trim 2 FR adjustable P70
slim trim 3 adjustable P72
slim trim 3 IP65 P73
slim trim IP65 P67
slim trimless P78
slim trimless IP65 P79
slim trimless 3 P74
slim trimless 3 IP65 P75
slim trim square P66
sloane 1 & 2 P155
southwark P154
square P160
steplight P90
strand adjustable P187
sunrise P133
suzuka slot P191
swivel P55
taurus LED P129
tokyo P189
trafalgar GU10 IP65 P195
vavin 60cm / 90cm / 120cm P156
verve 30cm / 40cm P46
victoria P140
victoria LED P147
victoria reader P141
vistina long P40
vistina round P39
yokohama P194
zara IP65 FR P71
zelda round P69
zelda trimless round IP65 FR P76
zelda trimless square IP65 FR P77

NOTES

NOTES



SEE FULL RANGE ON PAGE S|20-21



SEE FULL RANGE ON PAGE S|28-29



SEE FULL RANGE ON PAGE L|51-53



SEE FULL RANGE ON PAGE P|24-27

searchlight

Headquarters
UK Office & Showroom

Searchlight Electric Ltd
Sidney House
900 Oldham Road, Manchester
M40 2BS, United Kingdom
+44 (0) 161 203 3300
sales@searchlightelectric.com

Warehouse Europe

Searchlight Electric / Clipper Logistics
UL. Starachowicka 16
Number 9
62-023 Robakowo
Poland
international@searchlightelectric.com

Germany Office & Showroom

Lichthaus
Lucienstrasse 50
59757 Arnsberg, Germany
Mainz: +49 6131 276 3003

BENELUX Office

The Netherlands: +31 6 21 80 68 76
international@searchlightelectric.com

France Office

Lyon: +33 4 87 94 03 47
international@searchlightelectric.com

Sweden Office

Stockholm: +46 8 121 607 51
international@searchlightelectric.com

European Registered Office

Searchlight Electric International Ltd
The Black Church St Mary's Place
Dublin 7 D07 P4AX
Ireland
international@searchlightelectric.com



nqa
ISO 9001
QUALITY MANAGEMENT

CI / SFB(63)x

FSC
www.fsc.org
MIX
Paper from responsible sources
FSC® C017574

5 053423 332215

LED Zona®
ОСВЕТИТЕЛНИ РЕШЕНИЯ

Харесахте ли нещо от каталога?

Разгледайте и поръчайте продукти на Searchlight онлайн на led-zona.bg – с актуални цени и наличности.

Продуктите на Searchlight

Сканирайте или кликнете

Разгледайте продуктите →

Каталози на Searchlight

Сканирайте или кликнете

Още каталози →

www.led-zona.bg

T: 0888 065 970 | E: sales@led-zona.bg

Сфера Лайт ООД · гр. София, ж.к. Банишора, ул. Опълченска, бл. 54 (до 7-ма поликлиника)