
DECORATIVE LIGHTING

BOOK 02

Zambelis
LIGHTS

Connect to our B2B platform through our website and access everything you need, anytime - 24/7

- B2B Online Order/Open Orders
- Product Availability & Arrival Dates
- Extensive Range of Products
- HD Photos
- Product Data Sheets
- Installation Manuals
- Flexibility & Customized Products
- Manufacturing Products
- Photometric Files
- CE Certificates
- COC Certificates
- 3D Models / 3D Viewer on Website



Trusted by professionals
in over 63 countries globally.

SUSTAINABILITY

Lighting the Future Responsibly.

We design lighting solutions that combine efficiency, durability and innovation - with minimal footprint and maximum purpose.
For us, green isn't just a color.
It's a mindset shaping everything we create.

Scan to learn how we go green.



TABLE OF CONTENTS

01. CEILING I p.012-079

02. WALL I p.080-159

03. FLOOR & TABLE I p.160-213

04. BAMBOO & RATTAN I p.214-267

05. FANS I p.268-305

06. HOTEL I p.306-353

07. MIRRORS I p.354-379

08. BATHROOM I p.380-397

WE MAKE IT EASY

Virtual Light - ZambelisLights App



4 simple steps to light up your place

Download the Virtual Light App Scan QR

Find the ideal light by browsing our categories

View in your space through your mobile camera

Enjoy your new atmosphere!



2564 p.16



2562 p.16



2566 p.18



25410 p.20



25160 p.22



25165 p.24



25163 p.22



25185 p.26



25189 p.28



25190 p.28



25197 p.30



25200 p.30



23207 p.37



23211 p.37



23093 p.39



23090 p.43



23091 p.43



2042 p.44



2056 p.44



23025 p.46



23026 p.48



23097 p.51



23257 p.52



23260 p.52



25278 p.54



25269 p.57



2571 p.59

22127 p.60



25377 p.63



2075 p.64



2076 p.64



2065 p.66



23042 p.68



22020 p.70



2020 p.73

2024 p.75



2026 p.77



2031 p.78



25414 p.83



2579 p.87

25144 p.89

22047 p.91

25217 p.94

25219 p.94

25408 p.97

25409 p.97

25319 p.98

25266 p.100

25152 p.102

23106 p.104

23103 p.107

1936 p.108

23104 p.110

25148 p.113

25318 p.115

25321 p.116

19218 p.128

22054 p.129

20137 p.130

22061 p.132

23137 p.133

2003 p.134

20349 p.136

23041 p.138

23016 p.139

25343 p.140

22204 p.142

16155 p.144

20219 p.145

20272 p.146

25384 p.148

25383 p.148

180021 p.150

180020 p.150

180022 p.151

180023 p.151

25381 p.152


NEW
25380 p.154


NEW
25382 p.156

NEW
25379 p.157


180026 p.158


180027 p.158


180028 p.159


180025 p.159


NEW
2590 p.163


NEW
2594 p.165


NEW
25428 p.166


NEW
25427 p.166


23006 p.168


23054 p.170


23085 p.173


20109 p.174


NEW
25344 p.176


NEW
25194 p.179


NEW
25193 p.180


20210 p.183


20252 p.184


20253 p.187


23064 p.189


23060 p.190


22053 p.193


22136 p.194


20134 p.196


20135 p.196


23037 p.198


22032 p.200


20118 p.202


22065 p.205


20216 p.206


20235 p.209


20220 p.210

20222 p.210


20251 p.212


20250 p.213


25334 p.218


23197 p.220


25443 p.223

23195 p.224

NEW
25440 p.226

NEW
25429 p.226

20237 p.228

23196 p.230

NEW
25442 p.233

NEW
25441 p.235

22172 p.236

22166 p.238

22167 p.238

22168 p.238

22173 p.242

22174 p.243

NEW
25332 p.246

NEW
2545 p.247

19250 p.248

19252 p.248

19105 p.250

19106 p.252

19103 p.254

20154 p.256

20236 p.257

20354 p.258

23071 p.261

23070 p.262

18181 p.264

17129 p.266

NEW
25396 p.272

NEW
25395 p.272

NEW
25398 p.273

20257 p.276

NEW
25329 p.278

23004 p.280

20258 p.282

23001 p.284

NEW
25328 p.287

19139 p.288

23002 p.290

19142 p.292

19140 p.294

19137 p.296

19136-B p.298

20259 p.300

19144 p.302



20256 p.304



25184 p.309



25326 p.310



25303 p.312



25281 p.314



25282 p.316



25283 p.319



25182 p.320



H63 p.321



25149 p.322



H48-G p.324



23038 p.325



H68 p.327



H65 p.328



H73 p.330



H64-B p.331

23040 p.332



25284 p.334



H52 p.337



H35 p.338



H75 p.339



22050 p.340



H80 p.341



H58 p.342



20167 p.342



H43 p.344



H41 p.345



H69 p.346



25151 p.347



H72 p.348



H57 p.350



H59 p.350



20355 p.352



25389 p.357



25387 p.358



25388 p.360



25386 p.362



25393 p.364



25394 p.366



25392 p.368

25385 p.370

25390 p.372

25391 p.374

22067 p.377

22069 p.379

25456 p.382

22124 p.387

20146 p.388

180041 p.390

22088 p.392

20149 p.394

20150 p.395

22087 p.396

22085 p.397


*Some background visuals were created by using AI tools.


Centralized Ambient Illumination
Stylish shapes bring calm and comfort.





01. CEILING
















Power	26W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1500Lm
Cri	90
Dimensions	Ø: 40cm H: 14.3cm
Base	L: 18cm W: 6cm H: 4cm
Dimmable Triac	◠
Material	Metal - Aluminium - Acrylic
Special Feature	Profile 1.5x1.5cm
Color	Sandy Black / **Code 2561**
Color	Brass / **Code 2564**














Power	42W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	2370Lm
Cri	90
Dimensions	Ø: 59cm H: 17.2cm
Base	L: 20cm W: 6cm H: 4cm
Dimmable Triac	◠
Material	Metal - Aluminium - Acrylic
Special Feature	Profile 1.5x1.5cm
Color	Sandy Black / **Code 2562**
Color	Brass / **Code 2565**










Power	51W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	2670Lm
Cri	90
Dimensions	Ø: 78cm H: 20.3cm
Base	L: 22cm W: 6cm H: 4cm
Dimmable Triac	
Material	Metal - Aluminium - Acrylic
Special Feature	Profile 1.5x1.5cm
Color	Sandy Black / **Code 2563**
Color	Brass / **Code 2566**











Power	69W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	2970Lm
Cri	90
Dimensions	L: 140cm W: 51cm H: 6cm
Base	Ø: 25cm H: 4cm
Dimmable Triac	◯
Material	Metal - Aluminium - Acrylic
Special Feature	Profile 1.5x2cm
Color	Sandy Black / **Code 25410**
Color	Brushed Gold / **Code 25411**


















Power	27W
Input	220-240V, 50/60Hz
Color Temperature	2700K, 3000K, 4000K
Lumen	1274Lm, 1334Lm, 1365Lm
Cri	90
Dimensions	Ø: 40cm H: 7.5cm
Base	Ø: 25.5cm H: 3.5cm
Dimmable Triac	◯
Material	Metal - Aluminium - Acrylic
Special Feature	Profile 1x4cm
Color	Brushed Gold / **Code 25160**
Color	Brushed Silver / **Code 25161**
Color	Sandy Black / **Code 25163**











Power	41W
Input	220-240V, 50/60Hz
Color Temperature	2700K, 3000K, 4000K
Lumen	2170Lm, 2199Lm, 2224Lm
Cri	90
Dimensions	Ø: 59cm H: 7.5cm
Base	Ø: 44cm H: 3.5cm
Dimmable Triac	
Material	Metal - Aluminium - Acrylic
Special Feature	Profile 1x4cm
Color	Brushed Gold / **Code 25164**
Color	Brushed Silver / **Code 25165**
Color	Sandy Black / **Code 25167**














Power	20W
Input	220-240V, 50/60Hz
Color Temperature	2700K, 3000K, 4000K
Lumen	1630Lm, 1663Lm, 1710Lm
Cri	90
Dimensions	Ø: 40cm H: 6cm
Base	Ø: 30cm H: 3.5cm
Dimmable Triac	◓
Material	Metal - Aluminium - Microprismatic Acrylic
Color	White Matt-Gold / **Code 25185**
Color	Black Matt-Gold / **Code 25186**
Color	Brushed Grey / **Code 25187**















Power	42W
Input	220-240V, 50/60Hz
Color Temperature	2700K, 3000K, 4000K
Lumen	2989Lm, 3035Lm, 3085Lm
Cri	90
Dimensions	Ø: 58.5cm H: 6cm
Base	Ø: 45cm H: 3cm
Dimmable Triac	
Material	Metal - Aluminium - Microprismatic Acrylic
Color	White Matt-Gold / **Code 25188**
Color	Black Matt-Gold / **Code 25189**
Color	Brushed Grey / **Code 25190**



2700K




3000K



4000K








Power	42W
Input	220-240V, 50/60Hz
Color Temperature	2700K, 3200K, 4000K
Lumen	2511Lm, 2777Lm, 2933Lm
Cri	90
Dimensions	Ø: 45cm H: 6cm
Base	Ø: 24.5cm H: 3.5cm
DALI Dimmable	◠
Material	Metal - Aluminium - Microprismatic Diffuser
Color	Sandy White / **Code 25197**
Color	Sandy Black / **Code 25198**











Power	56W
Input	220-240V, 50/60Hz
Color Temperature	2700K, 3200K, 4000K
Lumen	4316Lm, 4512Lm, 4706Lm
Cri	90
Dimensions	Ø: 65cm H: 6cm
Base	Ø: 34.5cm H: 3.5cm
DALI Dimmable	◠
Material	Metal - Aluminium - Microprismatic Diffuser
Color	Sandy White / **Code 25199**
Color	Sandy Black / **Code 25200**







Power	84W
Input	220-240V, 50/60Hz
Color Temperature	2700K, 3200K, 4000K
Lumen	6152Lm, 6486Lm, 6781Lm
Cri	90
Dimensions	Ø: 85cm H: 6cm
Base	Ø: 54.5cm H: 3.5cm
DALI Dimmable	◔
Material	Metal - Aluminium - Microprismatic Diffuser
Color	Sandy Black / **Code 25201**
Color	Sandy White / **Code 25202**



2700K




3200K




4000K













Power	29W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1942Lm
Cri	80
Dimensions	L: 40cm W: 40cm H: 6cm
Base	Ø: 23cm H: 4cm
Dimmable Triac	◠
Material	Metal - Aluminium - Acrylic
Special Feature	Profile 2x2cm
Color	Sandy Black / **Code 23205**
Color	Sandy White / **Code 23206**
Color	Gold Matt / **Code 23207**




Power	39W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	2602Lm
Cri	80
Dimensions	L: 59cm W: 59cm H: 6cm
Base	Ø: 41cm H: 4cm
Dimmable Triac	◠
Material	Metal - Aluminium - Acrylic
Special Feature	Profile 2x2cm
Color	Sandy Black / **Code 23208**
Color	Sandy White / **Code 23209**
Color	Gold Matt / **Code 23210**





Power	58W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	3811Lm
Cri	80
Dimensions	L: 78cm W: 78cm H: 6cm
Base	Ø: 59cm H: 4cm
Dimmable Triac	◠
Material	Metal - Aluminium - Acrylic
Special Feature	Profile 2x2cm
Color	Sandy Black / **Code 23211**
Color	Sandy White / **Code 23212**
Color	Gold Matt / **Code 23213**





Power	36W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	2125Lm
Cri	80
Dimensions	L: 49cm W: 39cm H: 6.2cm
Base	Ø: 28cm H: 3cm
Dimmable Triac	◠
Material	Metal - Aluminium - Acrylic
Color	White Matt / **Code 23092**
Color	Gold Matt-White Matt / **Code 23093**
























Power	32W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	2541Lm
Cri	80
Dimensions	L: 60cm W: 60cm H: 6.7cm
Base	Ø: 50cm H: 3cm
Dimmable Triac	◯
Material	Metal - Aluminium - Acrylic
Color	White Matt / **Code 23086**
Color	Black Matt / **Code 23087**
Color	Gold Matt / **Code 23088**




Power	39W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	3067Lm
Cri	80
Dimensions	L: 80cm W: 80cm H: 6.7cm
Base	Ø: 67cm H: 3cm
Dimmable Triac	◯
Material	Metal - Aluminium - Acrylic
Color	White Matt / **Code 23089**
Color	Black Matt / **Code 23090**
Color	Gold Matt / **Code 23091**






Power	32W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1800Lm
Cri	80
Dimensions	Ø: 40cm H: 8.5cm
Base	Ø: 32cm H: 3cm
Dimmable Triac	◓
Material	Aluminium - Acrylic
Color	Sandy Black / **Code 2040**
Color	Sandy White / **Code 2041**
Color	Brushed Gold Matt / **Code 2042**





Power	43W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	3715Lm
Cri	80
Dimensions	Ø: 60cm H: 8.5cm
Base	Ø: 52cm H: 3cm
Dimmable Triac	◓
Material	Aluminium - Acrylic
Color	Sandy Black / **Code 2048**
Color	Sandy White / **Code 2049**
Color	Brushed Gold Matt / **Code 2050**






Power	55W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	4080Lm
Cri	80
Dimensions	Ø: 80cm H: 8.5cm
Base	Ø: 72cm H: 3cm
Dimmable Triac	◓
Material	Aluminium - Acrylic
Color	Sandy Black / **Code 2056**
Color	Sandy White / **Code 2057**
Color	Brushed Gold Matt / **Code 2058**









Power	37W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	2034Lm
Cri	80
Dimensions	Ø: 60cm H: 3.6cm
Dimmable Triac	◠
Material	Aluminium - Acrylic
Special Feature	Profile 2.5x3.6cm
Color	Black Matt / **Code 23025**






Power	50W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	2956Lm
Cri	80
Dimensions	Ø: 80cm H: 3.6cm
Dimmable Triac	◠
Material	Aluminium - Acrylic
Special Feature	Profile 2.5x3.6cm
Color	Black Matt / **Code 23027**






Power	37W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	2034Lm
Cri	80
Dimensions	Ø: 60cm H: 3.6cm
Dimmable Triac	◠
Material	Aluminium - Acrylic
Special Feature	Profile 2.5x3.6cm
Color	Gold Matt / **Code 23024**







Power	50W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	2956Lm
Cri	80
Dimensions	Ø: 80cm H: 3.6cm
Dimmable Triac	◠
Material	Aluminium - Acrylic
Special Feature	Profile 2.5x3.6cm
Color	Gold Matt / **Code 23026**













Power	24W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1418Lm
Cri	80
Dimensions	L: 60cm W: 64cm H: 6cm
Base	Ø: 12cm H: 6cm
Dimmable Triac	
Material	Aluminium - Silicon
Special Feature	Profile 1.5x2cm
Color	Black Matt-Gold Matt Ring / **Code 23096**
Color	Gold Matt-Black Matt Ring / **Code 23098**




Power	32W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1895Lm
Cri	80
Dimensions	L: 84cm W: 80cm H: 6cm
Base	Ø: 12cm H: 6cm
Dimmable Triac	
Material	Aluminium - Silicon
Special Feature	Profile 1.5x2cm
Color	Black Matt-Gold Matt Ring / **Code 23097**
Color	Gold Matt-Black Matt Ring / **Code 23099**





Bulb	1x E27
Power	40W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 50cm H: 30cm
Material	Metal
Color	Black Matt-Gold Leaf / **Code 23257**
Color	White Matt-Gold Leaf / **Code 23258**






Bulb	1x E27
Power	40W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 70cm H: 40cm
Material	Metal
Color	Black Matt-Gold Leaf / **Code 23259**
Color	White Matt-Gold Leaf / **Code 23260**










Power	30W
Input	220-240V, 50/60Hz
Color Temperature	2700K I 3000K
Lumen	1420Lm I 1564Lm
Cri	90
Dimensions	Ø: 35cm H: 16.2cm
Base	Ø: 14cm H: 4.2cm
Glass	Ø: 35cm H: 12cm
Dimmable Triac	◠
Material	Metal - Aluminium - Acrylic - Glass
Color	Black Matt-Tawny Glass / **Code 25278**
Color	Black Matt-Smoked Glass / **Code 25279**










Power	30W
Input	220-240V, 50/60Hz
Color Temperature	2700K I 3000K
Lumen	1800Lm I 1883Lm
Cri	90
Dimensions	Ø: 50cm H: 11cm
Base	Ø: 12cm H: 4cm
Dimmable Triac	
Material	Aluminium - Glass
Color	Black Matt-Tawny Glass / **Code 25268**
Color	Black Matt-Smoked Glass / **Code 25269**










Power	52W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	2230Lm
Cri	90
Dimensions	Ø: 80cm H: 6cm
Base	L: 66cm W: 8cm H: 4cm
Dimmable Triac	◔
Material	Metal - Aluminium - PVC
Special Feature	Sticks Ø: 1.5cm H: 72cm
	Ø: 1.5cm H: 37cm
Color	Sandy Brick Red-Black Matt / **Code 2571**
Color	Sandy Grey-Black Matt / **Code 2572**









Power	20W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	2300Lm
Cri	80
Dimensions	Ø: 38cm H: 6.5cm
Base	Ø: 33cm H: 2cm
Dimmable Triac	◔
Material	Metal - Acrylic
Color	White Matt / **Code 22127**
Color	Black Matt / **Code 22128**













Power	28W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1568Lm
Cri	85
Dimensions	Ø: 40cm H: 7cm
Dimmable Triac	
Material	Aluminium - Acrylic
Color	White Matt / **Code 25376**
Color	Black Matt / **Code 25377**






Power	31W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1766Lm
Cri	90
Dimensions	Ø: 42.5cm H: 6cm
Base	L: 35cm W: 5cm H: 4cm
Non Dimmable	⊗
Material	Metal - Aluminium - Silicon
Color	Sandy White / **Code 2075**









Power	39W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	2084Lm
Cri	90
Dimensions	Ø: 52.5cm H: 6cm
Base	L: 43cm W: 5cm H: 4cm
Non Dimmable	⊗
Material	Metal - Aluminium - Silicon
Color	Sandy Black / **Code 2076**
Color	Sandy White / **Code 2077**










Power	45W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	3040Lm
Cri	80
Dimensions	L: 51cm W: 41cm H: 12cm
Base	L: 21cm W: 5cm H: 4.5cm
Non Dimmable	⊗
Material	Metal - Aluminium - Silicon
Color	Sandy Black / **Code 2064**
Color	Sandy White / **Code 2065**









Power	23W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1856Lm
Cri	90
Dimensions	L: 80cm W: 45cm H: 3cm
Beam Angle	24°
Dimmable Triac	
Material	Metal - Aluminium
Color	Sandy Black / **Code 23042**









Power	32W + 4x5W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	5700Lm
Cri	80
Dimensions	L: 90cm W: 67cm H: 12-17cm
Base	L: 18cm W: 10.5cm H: 6cm
Spots Dimensions	Ø: 4.5cm L: 8cm
Dimmable Triac	◠
Material	Aluminium - Acrylic
Special Feature	Profile 2x1.7cm Movable Spots
Color	Sandy Black / **Code 22020**














Power	52W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	4400Lm
Cri	80
Dimensions	L: 90cm W: 67cm H: 8.5cm
Base	L: 18cm W: 18cm H: 8.5cm
Dimmable Triac	
Material	Aluminium - Acrylic
Special Feature	Profile 2x1.7cm
Color	Sandy Black / **Code 2020**
Color	Sandy White / **Code 2021**
Color	Gold Matt / **Code 2022**













Power	48W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	3360Lm
Cri	80
Dimensions	L: 56cm W: 56cm H: 8.5cm
Base	L: 14cm W: 14cm H: 8.5cm
Dimmable Triac	
Material	Aluminium - Acrylic
Special Feature	Profile 2x1.7cm
Color	Sandy Black / **Code 2023**
Color	Sandy White / **Code 2024**
Color	Gold Matt / **Code 2025**










Power	28W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	2000Lm
Cri	80
Dimensions	L: 46cm W: 46cm H: 6.5cm
Base	L: 14cm W: 14cm H: 6.5cm
Dimmable Triac	◯
Material	Aluminium - Acrylic
Special Feature	Profile 2x1.7cm
Color	Sandy Black / **Code 2026**
Color	Sandy White / **Code 2027**
Color	Gold Matt / **Code 2028**








Power	15W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	960Lm
Cri	80
Dimensions	L: 32cm W: 32cm H: 5.5cm
Base	L: 12.5cm W: 12.5cm H: 3.5cm
Dimmable Triac	◠
Material	Aluminium - Acrylic
Special Feature	Profile 2x1.7cm
Color	Sandy Black / **Code 2029**
Color	Sandy White / **Code 2030**
Color	Gold Matt / **Code 2031**

Light That Shapes Your Space
Enhance your wall with lights
that create inviting atmosphere.




02. WALL










Bulb	3x G9
Power	7W MAX
Input	220-240V, 50/60Hz
Dimensions	L: 15cm W: 34cm H: 61.5cm
Base	Ø: 12cm H: 2.5cm
Material	Metal - Aluminium - Glass
Special Feature	Smoked Glasses Ø: 12cm
Color	Sandy Black-Gold Matt- Smoked Glass-Opal Glass / **Code 25414**











Bulb	1x G9 LED
Power	4W MAX
Dimensions	L: 14.5cm W: 16.4cm H: 15.6cm
Base	Ø: 12cm L: 2cm
Glass	Ø: 12cm
Material	Metal - Aluminium - Glass
Color	Sandy White-Smoked Glass / **Code 2577**
Color	Gold Matt-Smoked Glass / **Code 2578**



Bulb	1x G9 LED
Power	4W MAX
Dimensions	L: 16.6cm W: 20.5cm H: 19.5cm
Base	Ø: 15cm L: 2cm
Glass	Ø: 15cm
Material	Metal - Aluminium - Glass
Color	Sandy White-Smoked Glass / **Code 2579**
Color	Gold Matt-Smoked Glass / **Code 2580**








Power	10W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1170Lm, 965Lm
Cri	80
Dimensions	Ø: 30cm L: 14.8cm
Base	Ø: 13cm L: 3cm
Dimmable Triac	◯
Material	Metal - Aluminium - Acrylic - Glass
Color	Brushed Brass-Clear Glass / **Code 25143**
Color	Sandy Black-Smoked Glass / **Code 25144**











Bulb	1x E14 LED
Power	8W MAX
Input	220-240V, 50/60Hz
Dimensions	L: 12.5cm W: 20cm H: 27.5cm
Base	Ø: 15.5cm L: 2.5cm
Material	Metal - Glass
Color	Sandy Black-Gold / **Code 22047**
Color	Sandy Black-Chrome / **Code 22048**











Power	2x 6W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	643Lm
Cri	90
Dimensions	Ø: 3.2cm L: 6.2cm H: 40cm
Base	L: 3cm W: 2.2cm H: 10cm
Beam Angle	24°
Non Dimmable	⊠
Material	Metal - Aluminium
Color	Sandy White / **Code 25217**
Color	Sandy Black / **Code 25218**
Color	Brass / **Code 25219**














Power	26W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	950Lm
Cri	90
Dimensions	L: 5.6cm W: 40cm H: 46cm
Base	Ø: 15cm L: 4cm
Dimmable Triac	
Material	Metal - Aluminium - Acrylic
Color	Black Matt / **Code 25408**
Color	Brushed Gold / **Code 25409**





Power	12W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	295Lm
Cri	80
Dimensions	L: 4.5cm W: 30.4cm H: 40.2cm
Base	L: 4.5cm W: 3.5cm H: 15.5cm
Ring	Ø: 30.4cm
Non Dimmable	⊠
Material	Metal - Aluminium - Acrylic
Color	Sandy Black / **Code 25319**







Power	23W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	695Lm
Cri	80
Dimensions	L: 4.5cm W: 49.7cm H: 61.5cm
Base	L: 4.5cm W: 3.5cm H: 17.5cm
Ring	Ø: 49.7cm
Non Dimmable	⊠
Material	Metal - Aluminium - Acrylic
Color	Sandy Black / **Code 25320**









Power	19W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1260Lm
Cri	80
Dimensions	L: 6cm W: 102cm H: 20cm
Base	Ø: 6.5cm L: 6cm
Non Dimmable	⊗
Material	Metal - Aluminium - Silicon
Color	Black Matt-Gold Matt / **Code 25267**






Power	14W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	880Lm
Cri	80
Dimensions	L: 6cm W: 65cm H: 13cm
Base	Ø: 5.5cm L: 6cm
Non Dimmable	⊗
Material	Metal - Aluminium - Silicon
Color	Black Matt-Gold Matt / **Code 25266**








Power	10W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	890Lm
Cri	80
Dimensions	L: 13.5cm W: 6.5cm H: 56.8cm
Base	L: 3.8cm W: 4.5cm H: 28.5cm
Opal Glass	Ø: 5cm H: 41.6cm
Dimmable Triac	◓
Material	Metal - Glass
Color	Brushed Brass-Opal Glass / **Code 25152**








Power	11W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	621Lm
Cri	80
Dimensions	L: 8.5cm W: 10cm H: 40cm
Base	Ø: 6.8cm L: 8.5cm
Dimmable Triac	◠
Material	Aluminium - PC Diffuser
Special Feature	Profile 1.5x1.5cm
Color	Gold Matt-Black Matt / **Code 23106**






Power	13W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	710Lm
Cri	80
Dimensions	L: 8.5cm W: 10cm H: 60cm
Base	Ø: 6.8cm L: 8.5cm
Dimmable Triac	◠
Material	Aluminium - PC Diffuser
Special Feature	Profile 1.5x1.5cm
Color	Gold Matt-Black Matt / **Code 23107**












Power	13W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	765Lm
Cri	80
Dimensions	L: 6cm W: 12.3cm H: 48.2cm
Base	Ø: 12.3cm L: 6cm
Dimmable Triac	
Material	Aluminium - Silicon
Special Feature	Profile 2x1.5cm
Color	Black Matt-Gold Matt Ring / **Code 23102**
Color	Gold Matt-Black Matt Ring / **Code 23103**









Power	21W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1271Lm
Cri	80
Dimensions	L: 17.5cm W: 7.5cm H: 60cm
Base	W: 7.5cm H: 20cm
Dimmable Triac	
Material	Metal - Aluminium - Acrylic
Color	Sandy Black / **Code 1936**
Color	Gold Matt / **Code 1935**





Power	13W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	777Lm
Cri	80
Dimensions	L: 4.5cm W: 50cm H: 50cm
Base	L: 4.5cm W: 10cm H: 10cm
Dimmable Triac	◔
Material	Aluminium - Acrylic
Special Feature	Profile 1.5x1.5cm
Color	Gold Matt / **Code 23104**







Power	24W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1163Lm
Cri	80
Dimensions	L: 4.5cm W: 100cm H: 100cm
Base	L: 4.5cm W: 10cm H: 10cm
Dimmable Triac	◔
Material	Aluminium - Acrylic
Special Feature	Profile 1.5x1.5cm
Color	Gold Matt / **Code 23105**















Power	10W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	672Lm
Cri	80
Dimensions	L: 4cm W: 35cm H: 55.4cm
Base	L: 4cm W: 12cm H: 12cm
Dimmable Triac	◔
Material	Metal - Aluminium - Acrylic
Special Feature	Profile 2x1.6cm
Color	Sandy Black / **Code 25148**










Power	14W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	404Lm
Cri	80
Dimensions	L: 8cm W: 20cm H: 100cm
Base	L: 4cm W: 20cm H: 5cm
Non Dimmable	⊗
Material	Metal - Aluminium - Acrylic
Special Features	Rotatable Arm Profile 1.2x1.6cm
Color	Sandy Black / **Code 25318**

Power	10W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	232Lm
Cri	80
Dimensions	L: 8cm W: 20cm H: 60cm
Base	L: 4cm W: 20cm H: 5cm
Non Dimmable	⊗
Material	Metal - Aluminium - Acrylic
Special Features	Rotatable Arm Profile 1.2x1.6cm
Color	Sandy Black / **Code 25317**






Power	10W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	319Lm
Cri	80
Dimensions	L: 5cm W: 3.5cm H: 81cm
Base	L: 5cm W: 3.5cm H: 20cm
Non Dimmable	⊠
Material	Metal - Aluminium - Acrylic
Special Feature	Profile 1x1.6cm
Color	Sandy Black / **Code 25321**








Power	14W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	489Lm
Cri	80
Dimensions	L: 7cm W: 3.5cm H: 121cm
Base	L: 7cm W: 3.5cm H: 20cm
Non Dimmable	⊠
Material	Metal - Aluminium - Acrylic
Special Feature	Profile 1x1.6cm
Color	Sandy Black / **Code 25322**












Power	20W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1506Lm
Cri	80
Dimensions	Ø: 1.6cm L: 17cm H: 100cm
Base	Ø: 5.5cm L: 15cm
Non Dimmable	⊗
Material	Aluminium - Acrylic
Special Feature	Rotatable Arm Profile Ø: 1.6cm
Color	Black Matt / **Code 20116**
Color	Gold Matt / **Code 20117**













Power	12W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	838Lm
Cri	80
Dimensions	Ø: 1.6cm L: 17cm H: 60cm
Base	Ø: 5.5cm L: 15cm
Non Dimmable	⊗
Material	Aluminium - Acrylic
Special Feature	Rotatable Arm Profile Ø: 1.6cm
Color	Black Matt / **Code 20114**
Color	Gold Matt / **Code 20115**








Power	20W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1899Lm
Cri	80
Dimensions	L: 5cm W: 14cm H: 61cm
Dimmable Triac	
Material	Metal - Aluminium - Acrylic
Special Feature	Profile 2x1.6cm Left - Right - Back Light
Color	Sandy Black / **Code 25147**












Power	25W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	650Lm
Cri	90
Dimensions	L: 5cm W: 20cm H: 61cm
Base	L: 5cm W: 17cm H: 4cm
Dimmable Triac	
Material	Metal - Aluminium - PVC
Special Feature	Profile 1.5x3.5cm
Color	Sandy Black / **Code 2582**






Power	40W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1020Lm
Cri	90
Dimensions	L: 5cm W: 22.3cm H: 91cm
Base	L: 5cm W: 17cm H: 4cm
Dimmable Triac	
Material	Metal - Aluminium - PVC
Special Feature	Profile 1.5x3.5cm
Color	Sandy Black / **Code 2584**










Power	20W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	908Lm
Cri	80
Dimensions	L: 10cm W: 48cm H: 55cm
Base	L: 3cm W: 5.5cm H: 15.5cm
Non Dimmable	⊗
Material	Metal - Aluminium - Acrylic
Special Feature	Profile 1x3cm
Color	Black Matt / **Code 1945**







Power	14W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	960Lm
Cri	80
Dimensions	L: 6.3cm W: 30cm H: 122.5cm
Base	L: 5cm W: 30cm H: 4cm
Non Dimmable	⊗
Material	Aluminium - Diffuser
Special Feature	Profile 1x1.3cm
Color	Black Matt / **Code 19117**










Power	13W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1300Lm
Cri	90
Dimensions	Ø: 35cm H: 38cm L: 11.7cm
Base	Ø: 19.6cm L: 3.5cm
Non Dimmable	⊗
Material	Metal - Aluminium
Color	Sandy Black-White Matt / **Code 1910**








Bulb	1x E27
Power	40W MAX
Input	220-240V, 50/60Hz
Dimensions	L: 60-100cm W: 20cm H: 85cm
Base	Ø: 8cm H: 2cm
Material	Metal - Aluminium
Special Feature	Shade Ø: 20cm Multi-directional - Extendable
Color	Black Matt-White / **Code 19218**







Bulb	1x G9 LED, 1x E27 LED
Power	7W MAX, 8W MAX
Input	220-240V, 50/60Hz
Dimensions	L: 22cm W: 12cm H: 85cm
Base	Ø: 12cm L: 2.5cm
Material	Metal - Glass - Opal Glass
Special Feature	Opal Glass Ø: 12cm Dark Champagne Glass Ø: 7cm H: 23cm
Color	Sandy Black-Antique Brass / **Code 22054**








Power	5W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	400Lm
Cri	80
Dimensions	L: 13.5cm W: 16.5cm H: 25cm
Base	Ø: 10cm H: 3cm
Non Dimmable	⊠
Material	Metal - Opal Glass
Color	White / **Code 20137**







Power	5W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	400Lm
Cri	80
Dimensions	L: 23.5cm W: 25cm H: 33cm
Base	Ø: 10cm H: 3cm
Non Dimmable	⊠
Material	Metal - Opal Glass
Color	White / **Code 20136**










Power	7W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	600Lm
Cri	90
Dimensions	L: 9cm W: 14.5cm H: 37cm
Base	Ø: 13cm H: 3cm
Opal Glass	Ø: 14.5cm L: 5.5cm
Non Dimmable	⊗
Material	Metal - Opal Glass
Color	Gold Matt / **Code 22061**






Bulb	1x G9 LED
Power	7W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 21cm L: 12cm
Material	Metal - Opal Glass
Special Feature	Opal Glass Ø: 8cm
Color	Gold Matt / **Code 23137**








Power	8W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	640Lm
Cri	80
Dimensions	Ø: 12.5cm L: 15cm H: 42cm
Base	Ø: 12cm H: 3cm
Non Dimmable	⊠
Material	Metal - Aluminium - Acrylic
Special Feature	Opal Diffuser Ø: 12.5cm
Color	Black Matt-Gold Matt / **Code 2003**







Power	8W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	640Lm
Cri	80
Dimensions	Ø: 12.5cm H: 42cm
Base	Ø: 15cm H: 0.5cm
Non Dimmable	⊠
Material	Metal - Aluminium - Acrylic
Special Feature	Opal Diffuser Ø: 12.5cm
Color	Black Matt-Gold Matt / **Code 2004**










Power	6W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	420Lm
Cri	80
Dimensions	Ø: 18cm L: 6cm
Non Dimmable	⊠
Material	Metal - Acrylic
Color	Brushed Brass / **Code 20349**





Power	10W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	700Lm
Cri	80
Dimensions	Ø: 24cm L: 6cm
Non Dimmable	⊠
Material	Metal - Acrylic
Color	Brushed Brass / **Code 20350**















Power	11W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	576Lm
Cri	80
Dimensions	Ø: 6cm L: 9cm H: 40cm
Base	L: 3cm W: 4cm H: 12cm
Non Dimmable	⊗
Material	Stainless Steel - Acrylic
Color	Brass-Black Matt / **Code 23041**








Power	12W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1222Lm
Cri	90
Dimensions	L: 17cm W: 11cm H: 40cm
Glass	Ø: 11cm H: 14.5cm
Base	Ø: 11.5cm L: 4.5cm
Dimmable Triac	◯
Material	Metal - Clear Glass - Opal Glass
Color	Gold Matt / **Code 23016**










Power	25W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1530Lm
Cri	80
Dimensions	L: 14.7cm W: 37cm H: 9.7cm
Base	L: 3.7cm W: 36cm H: 5.5cm
Shades	Ø: 10cm H: 6.5cm
Dimmable Triac	◓
Material	Metal - Aluminium - Plastic
Special Feature	359° Movable Shades

Color	Sandy Black Base-Champagne Shades / **Code 25342**
Color	Sandy Black Base-Brushed Nickel Shades / **Code 25343**










Bulb	1 x G9 LED
Power	7W MAX
Input	220-240V, 50/60Hz
Dimensions	L: 8cm W: 26cm H: 36cm
Material	Metal - Opal Glass
Special Feature	Opal Glass Ø: 8cm
Color	Sandy Olive Green-Painted Gold / **Code 22203**
Color	Terracotta-Painted Gold / **Code 22204**
Color	Elephant Grey-Sandy Black / **Code 22205**










Power	7W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	420Lm
Cri	80
Dimensions	L: 9cm W: 9cm H: 30cm
Non Dimmable	⊗
Material	Metal
Color	White Matt / **Code 16155**













Bulb	1x E14
Power	5W MAX
Input	220-240V, 50/60Hz
Dimensions	L: 18cm W: 11cm H: 18cm
Base	Ø: 12cm H: 2cm
Material	Metal - Aluminium
Color	White Matt-Gold Matt / **Code 20218**
Color	Grey Matt-Gold Matt / **Code 20219**





Power	9.2W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	460Lm
Cri	80
Dimensions	Ø: 25cm L: 5.5cm
Material	Gypsum
Color	Pure White / **Code 20272**







Power	7.5W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	375Lm
Cri	80
Dimensions	Ø: 15cm L: 4.1cm
Material	Gypsum
Color	Pure White / **Code 20271**













Bulb	2x G9
Power	25W MAX
Input	220-240V, 50/60Hz
Dimensions	L: 7cm W: 11cm H: 18cm
Material	Gypsum
Special Feature	Up-Down Lighting
Color	Pure White / **Code 25383**

Bulb	2x G9
Power	25W MAX
Input	220-240V, 50/60Hz
Dimensions	L: 7cm W: 11cm H: 18cm
Material	Concrete
Special Feature	Up-Down Lighting
Color	Concrete / **Code 25384**






Bulb	1x G9
Power	MAX 25W
Input	220-240V, 50/60Hz
Dimensions	L: 13cm W: 13cm H: 15cm
Material	Concrete
Special Feature	Up-Down Lighting
Color	Concrete / **Code 180021**



Bulb	1x G9
Power	MAX 25W
Input	220-240V, 50/60Hz
Dimensions	L: 11.5cm W: 11.5cm H: 11.5cm
Material	Concrete
Special Feature	Up-Down Lighting
Color	Concrete / **Code 180023**






Bulb	1x E27
Power	MAX 40W
Input	220-240V, 50/60Hz
Dimensions	L: 12cm W: 30cm H:17cm
Material	Concrete
Special Feature	Up-Down Lighting
Color	Concrete / **Code 180020**








Bulb	2x GU10
Power	MAX 25W
Input	220-240V, 50/60Hz
Dimensions	L: 7cm W: 7.5cm H: 16cm
Material	Concrete
Special Feature	Up-Down Lighting
Color	Concrete / **Code 180022**









Power	6W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K
Lumen	536Lm, 597Lm
Cri	80
Dimensions	L: 8cm W: 18cm H: 8.5cm
Non Dimmable	⊗
Material	Gypsum
Color	Pure White / **Code 25381**











Power	8.25W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	625Lm
Cri	80
Dimensions	L: 4.5cm W: 30cm H: 8cm
Non Dimmable	⊠
Material	Gypsum
Special Feature	Up-Down Lighting
Color	Pure White / **Code 25380**











Bulb	1x G9
Power	25W MAX
Input	220-240V, 50/60Hz
Dimensions	L: 10cm W: 18cm H: 9cm
Material	Gypsum
Special Feature	Up-Down Lighting
Color	Pure White / **Code 25382**





Power	5W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	510Lm
Cri	80
Dimensions	L: 6cm W: 10cm H: 16cm
Non Dimmable	⊗
Material	Gypsum
Special Feature	Up-Down Lighting
Color	Pure White / **Code 25379**






Bulb	1x G9
Power	25W MAX
Input	220-240V, 50/60Hz
Dimensions	L: 14.5cm W: 32cm H: 5.5cm
Material	Gypsum
Special Feature	Up-Down Lighting
Color	Pure White / **Code 180026**









Bulb	1x G9
Power	25W MAX
Input	220-240V, 50/60Hz
Dimensions	L: 10cm W: 20cm H: 6cm
Material	Gypsum
Special Feature	Up Lighting
Color	Pure White / **Code 180027**





Bulb	1x G9
Power	25W MAX
Input	220-240V, 50/60Hz
Dimensions	L: 13cm W: 15cm H: 13cm
Material	Gypsum
Special Feature	Up-Down Lighting
Color	Pure White / **Code 180028**



Bulb	1x G9
Power	25W MAX
Input	220-240V, 50/60Hz
Dimensions	L: 8.5cm W: 20cm H: 12cm
Material	Gypsum
Special Feature	Up-Down Lighting
Color	Pure White / **Code 180025**

Warm Glow - Flexible Placement


Create cozy corners with floor and table lights.












Bulb	1x G9 LED
Power	9W MAX
Dimensions	Ø: 12cm H: 18.8cm
Base	Ø: 12cm H: 6cm
Opal Glass	Ø: 12cm
Material	Metal - Clay - Opal Glass
Special Feature	150cm Black Cable Available
Color	Olive Green-Black / **Code 2589**
Color	Terracotta-Black / **Code 2590**











Bulb	2x G9 LED
Power	9W MAX
Dimensions	Ø: 28.5cm H: 40.5cm
Base	Ø: 18cm H: 0.5cm
Material	Metal - Clay
Special Feature	150cm Black Cable Available
Color	Terracotta-Sandy Black / **Code 2593**
Color	Grey-Sandy Black / **Code 2594**





Bulb	1x E27
Power	40W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 35cm H: 55cm
Shade	Ø: 35cm H: 22cm
Material	Stone - Fabric Shade
Special Feature	150cm Black Cable Available
Color	Natural Stone-White Shade / **Code 25428**






Bulb	1x E27
Power	40W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 30cm H: 41.8cm
Shade	Ø: 30cm H: 14.8cm
Material	Stone - Acrylic
Special Feature	150cm Transparent Cable Available
Color	Natural Stone-Opal / **Code 25427**













Bulb	2x E27
Power	40W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 29.5cm H: 48cm
Shade	Ø: 29.5cm H: 13cm
Material	Metal - Ceramic
Special Feature	150cm Cable Available Movable Shade
Color	Black / **Code 23006**
Color	Beige / **Code 23007**





Power	15W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1554Lm
Cri	80
Dimensions	Ø: 42cm H: 162cm
Glass	Ø: 42cm H: 13cm
Base	Ø: 29cm H: 1.5cm
Non Dimmable	⊠
Material	Metal - Smoked Glass
Special Feature	150cm Cable Available Movable Shade
Color	Black Matt / **Code 23055**






Power	15W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1554Lm
Cri	80
Dimensions	Ø: 42cm H: 52cm
Glass	Ø: 42cm H: 13cm
Base	Ø: 29cm H: 1cm
Non Dimmable	⊠
Material	Metal - Smoked Glass
Special Feature	150cm Cable Available Movable Shade
Color	Black Matt / **Code 23054**











Power	23W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	2461Lm
Cri	80
Dimensions	Ø: 32cm H: 53cm
Base	Ø: 20cm H: 3cm
Non Dimmable	⊗
Material	Metal - Smoked Glass - Opal Glass
Special Feature	150cm Cable Available
Color	Black Matt / **Code 23085**






Power	5W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	400Lm
Cri	80
Dimensions	Ø: 21cm H: 155cm
Base	Ø: 21cm H: 1cm
Non Dimmable	⊗
Material	Metal - Aluminium
Special Feature	150cm Cable Available Lamp Ø: 6.5cm Movable
Color	Sandy Black / **Code 20109**








Power	7W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	611Lm
Cri	90
Dimensions	L: 40.5cm W: 30cm H: 146.5cm
Base	Ø: 30cm H: 2cm
Shade	Ø: 10cm H: 6.5cm
Dimmable Touch	◠
Material	Metal - Aluminium - Plastic
Special Feature	359° Movable Shade 150cm Cable Available
Color	Sandy Black Base-Champagne Shades / **Code 25344**
Color	Sandy Black Base-Brushed Nickel Shades / **Code 25345**








Power	12W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	810Lm
Cri	80
Dimensions	L: 52cm W: 25cm H: 156.5cm
Base	Ø: 25cm H: 0.5cm
Dimmable	◯
Material	Metal - Aluminium - Acrylic
Special Feature	120cm Cable Available Movable Light Deflectors 3 Step Dimming
Color	Brushed Gold / **Code 25194**








Power	7W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	420Lm
Cri	80
Dimensions	L: 27.5cm W: 16cm H: 51cm
Base	Ø: 16cm H: 0.5cm
Dimmable	◠
Material	Metal - Aluminium - Acrylic
Special Feature	120cm Cable Available Dimming Switch On Cable Movable Light Deflectors
Color	Brushed Gold / **Code 25193**










Bulb	1x E27
Power	25W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 30cm H: 47cm
Base	Ø: 10cm H: 30cm
Material	Metal
Special Feature	150cm Cable Available
Color	Black Matt / **Code 20210**
Color	Gold Matt / **Code 20211**






Bulb	1x E27
Power	25W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 20cm H: 40cm
Base	Ø: 14cm H: 0.5cm
Material	Metal - Glass
Special Feature	150cm Cable Available
Color	Gold Matt-Opal Glass / **Code 20252**










Bulb	1x E27
Power	25W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 20cm H: 44cm
Base	Ø: 11cm H: 19cm
Material	Metal - Marble - Glass
Special Feature	150cm Cable Available
Color	White Marble-Champagne-Antique Brass / **Code 20253**








Power	17W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1050Lm
Cri	80
Dimensions	Ø: 12cm H: 152cm
Base	Ø: 22cm H: 0.5cm
Non Dimmable	⊠
Material	Metal - Acrylic - Glass
Special Feature	120cm Cable Available
Color	Gold Matt-Champagne Glass / **Code 23063**
Color	Black Matt-Smoked Glass / **Code 23064**






Power	7W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	490Lm
Cri	80
Dimensions	Ø: 12cm H: 35cm
Base	Ø: 13cm H: 0.5cm
Non Dimmable	⊗
Material	Metal - Acrylic - Glass
Special Feature	120cm Cable Available
Color	Gold Matt-Champagne Glass / **Code 23060**
Color	Black Matt-Smoked Glass / **Code 23061**










Bulb	1x G9 LED
Power	5W MAX
Input	220-240V, 50/60Hz
Dimensions	L: 31cm W: 26cm H: 145cm
Smoked Glass	Ø: 18cm H: 23cm
Base	Ø: 26cm W: 3.5cm
Material	Metal - Smoked Glass Outside Opal Glass Inside - Black Marble Base
Special Feature	150cm Cable Available Opal Glass Ø: 10cm
Color	Sandy Black-Black Marble / **Code 22053**






Bulb	1x E14 LED
Power	8W MAX
Input	220-240V, 50/60Hz
Dimensions	L: 24cm W: 24cm H: 110cm
Base	L: 24cm W: 24cm H: 3cm
Glass	Ø: 8cm H: 18.5cm
Material	Metal - Clear Glass - Frost White Glass
Special Feature	150cm Cable Available
Color	Sandy Black-Antique Brass / **Code 22136**








Power	6W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	480Lm
Cri	80
Dimensions	Ø: 11cm H: 42cm
Base	Ø: 14cm H: 0.5cm
Non Dimmable	⊗
Material	Metal - Opal Glass
Special Feature	100cm Cable Available Glass Ø: 11cm
Color	Black Matt / **Code 20134**






Power	12W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	960Lm
Cri	80
Dimensions	Ø: 16cm H: 160cm
Base	Ø: 22cm H: 0.5cm
Non Dimmable	⊗
Material	Metal - Opal Glass
Special Feature	200cm Cable Available Glass Ø: 16cm I Ø: 11cm
Color	Black Matt / **Code 20135**








Power	2.5W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	178Lm
Cri	80
Dimensions	Ø: 12cm H: 38.5cm
Base	Ø: 12cm H: 2.5cm
Spot Dimension	Ø: 3cm L: 11cm
Non Dimmable	⊗
Switch	On/Off
Material	Metal - Aluminium
Special Feature	Movable Spot
Color	Black Matt / **Code 23036**
Color	Gold Matt / **Code 23037**








Power	7W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	560Lm
Cri	80
Dimensions	Ø: 22cm H: 151cm
Base	Ø: 22cm H: 0.5cm
Spots Dimension	Ø: 4cm L: 23cm
Non Dimmable	⊠
Material	Metal - Aluminium
Special Feature	Movable Spots
Color	Sandy Black-Gold / **Code 22032**






Power	4W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	300Lm
Cri	80
Dimensions	L: 23cm W: 18cm H: 50cm
Base	Ø: 18cm H: 0.5cm
Spot Dimension	Ø: 4cm L: 23cm
Non Dimmable	⊠
Material	Metal - Aluminium
Special Feature	Movable Spot
Color	Sandy Black - Gold / **Code 22030**









Power	20W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1600Lm
Cri	80
Dimensions	Ø: 16cm H: 150cm
Base	Ø: 16cm H: 0.5cm
Non Dimmable	⊗
Material	Metal - Aluminium - Acrylic
Color	Black Matt / **Code 20123**






Power	8W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	640Lm
Cri	80
Dimensions	Ø: 12cm H: 46cm
Base	Ø: 12cm H: 0.5cm
Non Dimmable	⊗
Material	Metal - Aluminium - Acrylic
Color	Black Matt / **Code 20118**






Power	12W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1200Lm
Cri	80
Dimensions	Ø: 25cm H: 160cm
Base	Ø: 25cm H: 0.5cm
Material	Metal - Acrylic
Non Dimmable	⊠
Special Feature	150cm Cable Available Shade Ø: 16cm H: 2cm Uplight
Color	Sandy Black / **Code 22065**








Bulb	1x E14
Power	25W MAX
Input	220-240V, 50/60Hz
Dimensions	L: 17cm H: 42cm
Base	Ø: 13cm H: 2cm
Material	Metal - Aluminium
Special Feature	150cm Cable Available
Color	Black Matt-Gold Matt / **Code 20217**






Bulb	1x E27
Power	25W MAX
Input	220-240V, 50/60Hz
Dimensions	L: 45cm H: 159cm
Base	Ø: 25cm H: 2.5cm
Material	Metal - Aluminium
Special Feature	150cm Cable Available
Color	Black Matt-Gold Matt / **Code 20216**











Bulb	1x E27
Power	40W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 30cm H: 50cm
Shade	Ø: 30cm H: 20cm
Material	Metal - Thread String Cord - Fabric
Special Feature	120cm Cable Available
Color	Natural-Light Beige / **Code 20235**





Bulb	1x E14
Power	25W MAX
Input	220-240V, 50/60Hz
Dimensions	L: 24cm H: 44cm
Base	Ø: 13cm H: 2.5cm
Material	Metal - Aluminium
Special Feature	150cm Cable Available
Color	Grey Matt-Gold Matt / **Code 20220**






Bulb	1x E27
Power	25W MAX
Input	220-240V, 50/60Hz
Dimensions	L: 27cm H: 44cm
Base	Ø: 15cm H: 2.5cm
Material	Metal - Aluminium
Special Feature	150cm Cable Available
Color	White Matt-Gold Matt / **Code 20222**








Bulb	1x E27
Power	25W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 17cm H: 21cm
Base	Ø: 11cm H: 2.5cm
Material	Metal - Glass
Special Feature	150cm Cable Available
Color	Transparent-Antique Brass / **Code 20251**









Bulb	1x E27
Power	25W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 20cm H: 22cm
Base	Ø: 11cm H: 2.5cm
Material	Metal - Glass
Special Feature	150cm Cable Available
Color	Transparent-Antique Brass / **Code 20250**

Embrace the Bohemian Glow
Soft lighting made from nature’s finest.




04. BAMBOO & RATTAN











Bulb	1x E27
Power	40W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 40cm L: 27cm
Base	Ø: 10cm H: 2.5cm
Material	Metal - Paper Rope
Special Features	200cm Gold Fabric Cable Adjustable
Color	Natural Rope-Brown Beige / **Code 25334**





Bulb	1x E27
Power	20W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 50cm H: 40cm
Base	Ø: 10cm H: 2cm
Material	Metal - Raffia
Special Features	200cm Gold Fabric Cable Adjustable
Color	Natural-Gold Matt Base / **Code 23197**








Bulb	1x E27
Power	40W MAX
Input	220-240V, 50/60Hz
Dimensions	**Ø**: 50cm H: 32cm
Base	**Ø**: 12cm H: 2.5cm
Material	Metal - Seaweed
Special Features	200cm Gold Fabric Cable Adjustable
Color	Natural-Brown Beige / **Code 25443**






Bulb	1x E27
Power	20W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 35cm H: 52cm
Base	Ø: 10cm H: 2cm
Material	Metal - Rattan
Special Features	200cm Gold Fabric Cable Adjustable
Color	Natural-Gold Matt Base / **Code 23195**









Bulb	1x E27
Power	40W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 50cm H: 21cm
Base	Ø: 12cm H: 2.5cm
Material	Metal - Paper Rope
Special Features	200cm Gold Fabric Cable Adjustable
Color	Natural-Brown Beige / **Code 25440**






Bulb	1x E27
Power	40W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 40cm H: 18cm
Base	Ø: 12cm H: 2.5cm
Material	Metal - Paper Rope
Special Features	200cm Gold Fabric Cable Adjustable
Color	Natural-Brown Beige / **Code 25429**






Bulb	1x E27
Power	40W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 48cm H: 35cm
Base	Ø: 10cm H: 2cm
Material	Metal - Paper Rope
Special Feature	200cm Cable Adjustable
Color	Natural-Black Matt / **Code 20237**






Bulb	1x E27
Power	20W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 25cm H: 80cm
Base	Ø: 10cm H: 2.2cm
Material	Metal - Rattan
Special Features	200cm Gold Fabric Cable Adjustable
Color	Natural-Gold Matt Base / **Code 23196**






Bulb	1x E27
Power	40W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 53cm H: 24cm
Base	Ø: 12cm H: 2.5cm
Material	Metal - Rattan
Special Features	200cm Gold Fabric Cable Adjustable
Color	Natural-Brown Beige / **Code 25442**





Bulb	1x E27
Power	40W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 48cm H: 38cm
Base	Ø: 12cm H: 2.5cm
Material	Metal - Rattan
Special Features	200cm Gold Fabric Cable Adjustable
Color	Natural-Brown Beige / **Code 25441**






Bulb	1x E27
Power	20W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 65cm H: 45cm
Base	Ø: 8cm H: 3.5cm
Material	Metal - Bamboo
Special Feature	200cm Black Fabric Cable Adjustable
Color	Brown-Sandy Black / **Code 22172**









Bulb	1x E27
Power	20W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 22cm H: 20cm
Base	Ø: 8cm H: 3.5cm
Material	Metal - Braided Wheat
Special Feature	200cm Black Fabric Cable Adjustable
Color	Natural-Sandy Black/ **Code 22166**





Bulb	1x E27
Power	20W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 18cm H: 21cm
Base	Ø: 8cm H: 3.5cm
Material	Metal - Braided Wheat
Special Feature	200cm Black Fabric Cable Adjustable
Color	Natural-Sandy Black / **Code 22167**





Bulb	1x E27
Power	20W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 22cm H: 45cm
Base	Ø: 8cm H: 3.5cm
Material	Metal - Braided Wheat
Special Feature	200cm Black Fabric Cable Adjustable
Color	Natural-Sandy Black / **Code 22168**

















Bulb	1x E27
Power	20W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 40cm L: 11.5cm
Base	Ø: 8cm H: 2.5cm
Material	Metal - Bush
Special Feature	200cm Black Fabric Cable Adjustable
Color	Natural-Sandy Black / **Code 22173**





Bulb	1x E27
Power	20W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 25cm L: 10.5cm
Base	Ø: 8cm H: 2.5cm
Material	Metal - Bush
Color	Natural-Sandy Black / **Code 22175**






Bulb	1x E27
Power	20W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 40cm L: 11.5cm
Base	Ø: 8cm H: 2.5cm
Material	Metal - Bush
Color	Natural-Sandy Black / **Code 22174**










Bulb	1x E27
Power	20W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 50cm L: 11cm
Base	Ø: 10cm L: 2.5cm
Material	Metal - Rattan
Color	Natural / **Code 25332**
Color	Black / **Code 25333**




Bulb	1x E27
Power	20W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 25cm L: 11cm
Base	Ø: 10cm L: 2.5cm
Material	Metal - Rattan
Color	Natural / **Code 25454**
Color	Black / **Code 25455**











80

Bulb	1x E27
Power	40W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 80cm L: 8cm
Base	Ø: 8cm H: 2.5cm
Material	Metal - Bamboo
Color	Natural-White / **Code 19250**





60

Bulb	1x E27
Power	40W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 60cm L: 8cm
Base	Ø: 8cm H: 2.5cm
Material	Metal - Bamboo
Color	Natural-Black / **Code 19252**





40

Bulb	1x E27
Power	40W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 40cm L: 8cm
Base	Ø: 8cm H: 2.5cm
Material	Metal - Bamboo
Color	Natural-White / **Code 19251**
Color	Natural-Black / **Code 19253**







Bulb	1x E27
Power	40W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 60cm H: 1.5cm
Base	Ø: 12cm H: 6cm
Material	Metal - Bamboo
Special Feature	150cm Cable Adjustable
Color	Natural-Black / **Code 19104**






Bulb	1x E27
Power	40W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 40cm H: 1.5cm
Base	Ø: 10cm H: 5cm
Material	Metal - Bamboo
Special Feature	150cm Cable Adjustable
Color	Natural-Black / **Code 19105**







Bulb	1x E27
Power	40W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 80cm H: 1.5cm
Base	Ø: 12cm H: 6cm
Material	Metal - Bamboo
Special Feature	150cm Cable Adjustable
Color	Natural-White / **Code 19106**






Bulb	1x E27
Power	40W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 40cm H: 1.5cm
Base	Ø: 10cm H: 5cm
Material	Metal - Bamboo
Special Feature	150cm Cable Adjustable
Color	Natural-White / **Code 19107**








Bulb	1x E27
Power	40W MAX
Input	220-240V, 50/60Hz
Dimensions	L: 80cm W: 60cm H: 30cm
Base	Ø: 10cm H: 5cm
Material	Metal - Bamboo
Special Feature	200cm Cable Adjustable
Color	Natural / **Code 19103**
Color	Black / **Code 19108**






Bulb	1x E27
Power	40W MAX
Input	220-240V, 50/60Hz
Dimensions	L: 80cm W: 60cm H: 37cm
Base	Ø: 8cm H: 2.5cm
Material	Metal - Bamboo
Color	Black / **Code 19109**








Bulb	1x E27
Power	40W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 23cm H: 60cm
Base	Ø: 10cm H: 2cm
Material	Metal - Bamboo
Special Feature	200cm Cable Adjustable
Color	Natural-Black Matt / **Code 20154**










Bulb	1x E27
Power	40W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 40cm H: 40cm
Base	Ø: 10cm H: 2cm
Material	Metal - Paper Rope
Special Feature	200cm Cable Adjustable
Color	Natural-Black Matt / **Code 20236**






Bulb	1 x E27
Power	25W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 40cm H: 40cm
Base	Ø: 8cm H: 2cm
Material	Metal - Bush - Burlap
Special Feature	150cm Cable Adjustable
Color	Natural-Black Matt / **Code 20354**











Bulb	1x E27
Power	11W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 18cm H: 36cm
Base	Ø: 10cm H: 2.5cm
Material	Metal - Paper
Special Feature	200cm Cable Adjustable
Color	Natural-Black Matt / **Code 23071**





Bulb	1x E27
Power	11W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 60cm H: 20cm
Base	Ø: 12cm H: 2.5cm
Material	Metal - Paper
Special Feature	200cm Cable Adjustable
Color	Natural-Black Matt / **Code 23070**






Bulb	1x E27
Power	40W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 55cm H: 70cm
Base	Ø: 8cm H: 3.5cm
Material	Rattan
Special Feature	150cm Cable Adjustable
Color	Natural / **Code 18181**







Bulb	1x E27
Power	40W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 60cm H: 100cm
Base	Ø: 8cm H: 3.5cm
Material	Metal - Straw
Special Feature	50cm Chain Adjustable
Color	Natural Straw / **Code 17129**



Smart Flow - Smart Glow
Elevate your comfort with
design-driven functionality.



05. FAN

















LED Light Source	Without Light
Input	220-240V, 50/60Hz
dB	20
Dimensions	52.3" Ø: 132.8cm H: 17.5cm
Air Flow	188m³ min
Night Mode	Time Setting 1h / 4h / 8h
Material	Metal - ABS
Special Feature	Summer & Winter Function Remote Control & Wall Switch Inclouded
Motor Feature	DC Motor 31W 6 Speeds
Color	Black Matt / **Code 25395**
Color	White Matt / **Code 25396**

Light Kit for 25395



LED Light Source	18W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K, 6000K
Lumen	1600Lm
Cri	80
Material	Polycarbonate
Color	Opal / **Code 25397**

Light Kit for 25396




LED Light Source	18W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K, 6000K
Lumen	1600Lm
Cri	80
Material	Polycarbonate
Color	Opal / **Code 25398**









LED Light Source	Without Light
Input	220-240V, 50/60Hz
dB	20
Dimensions	54" Ø: 137cm H: 21cm
Air Flow	195m³ min
Night Mode	Time Setting 1h / 2h / 4h / 8h
Material	Metal - ABS
Special Feature	TUYA WiFi Remote Control Summer & Winter Function
Motor Feature	DC Motor 40W 5 Speeds
Color	Black Matt / **Code 20257**

















LED Light Source	20W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K, 6500K
Lumen	1900Lm
Cri	80
dB	19
Dimensions	22" Ø: 25cm(closed)-55cm(open) H: 21cm
Air Flow	123m³ min
Night Mode	Time Setting 1h / 2h / 4h
Material	Metal - Polycarbonate
Special Feature	Summer & Winter Function Remote Control & Wall Switch Inclouded
Motor Feature	DC Motor 32W 6 Speeds
Color Double Face	White Matt-Transparent Blades / **Code 25329**







IP44



LED Light Source	Without Light
Input	220-240V, 50/60Hz
dB	20
IP	44
Dimensions	52" Ø: 152cm H: 32-44.5cm
Air Flow	164m³ min
Night Mode	Time Setting 1h / 4h / 8h
Material	Metal - ABS Blades
Special Feature	2 Down Rods 12.5-25cm Summer & Winter Function Remote Control & Wall Switch Inclouded
Motor Feature	DC Motor 40W 6 Speeds
Color	White Matt / **Code 23003**
Color	Black Matt / **Code 23004**




Light Kit for 23003-23004



LED Light Source	18W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1600Lm
Cri	80
IP	44
Material	Polycarbonate
Color	Opal / **Code 23005**









LED Light Source	Without Light
Input	220-240V, 50/60Hz
dB	23
Dimensions	64" Ø: 163cm H: 37.5-50cm
Air Flow	178m³ min
Night Mode	Time Setting 1h / 2h / 4h / 8h
Material	Metal - ABS
Special Feature	2 Down Rods 12.5-25cm Summer Function Possibility of Installation on a Sloping Roof - 20°
Motor Feature	AC Motor 70W 3 Speeds
Color	Black Matt / **Code 20258**












LED Light Source	32W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K, 6000K
Lumen	2100Lm
Cri	80
dB	20
Dimmable Light	◯
Dimensions	Ø: 57cm H: 22cm
Air Flow	123m³ min
Night Mode	Time Setting 2h / 4h
Material	Metal - Acrylic - ABS - Hemp Rope
Special Feature	Summer & Winter Function Remote Control & Wall Switch Inclouded
Motor Feature	DC Motor 13W 6 Speeds
Color Double Face	Natural- White / **Code 23001**












LED Light Source	15W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K, 6500K
Lumen	1500Lm
Cri	80
dB	23
Dimensions	52" Ø: 132cm H: 38-50.5cm
Air Flow	141.9m³ min
Night Mode	Time Setting 1h / 2h / 4h
Material	Metal - Polycarbonate - Bamboo
Special Feature	2 Down Rods 12.5-25cm Summer & Winter Function Remote Control & Wall Switch Inclouded
Motor Feature	DC Motor 45W 6 Speeds
Color Double Face	Natural-White / **Code 25328**






LED Light Source	Without Light
Input	220-240V, 50/60Hz
dB	20
Dimensions	52" Ø: 132cm H: 32.5-45cm
Air Flow	134.6m³ min
Night Mode	Time Setting 1h / 4h / 8h
Material	Metal - Palm Leaf
Special Feature	2 Down Rods 12.5-25cm Summer & Winter Function Remote Control & Wall Switch Inclouded
Motor Feature	DC Motor 48W 5 Speeds
Color	Brown-Natural Palm Leaf Blades / **Code 19139**










LED Light Source	Without Light
Input	220-240V, 50/60Hz
dB	20
Dimensions	60" Ø: 152cm H: 31.5-44cm
Air Flow	145.3m³ min
Night Mode	Time Setting 1h / 4h / 8h
Material	Metal - Wood
Special Feature	2 Down Rods 12.5-25cm Summer & Winter Function Remote Control & Wall Switch Inclouded
Motor Feature	DC Motor 40W 6 Speeds
Color	Gold-Solid Walnut Wood Blades / **Code 23002**










LED Light Source	Without Light
Input	220-240V, 50/60Hz
dB	23
Dimensions	52" Ø: 132cm H: 32.5-45cm
Air Flow	145.3m^3 min
Night Mode	Time Setting 1h / 2h / 4h / 8h
Material	Metal - Wood
Special Feature	2 Down Rods 12.5-25cm Summer Function
Motor Feature	AC Motor 62W 3 Speeds
Color	Brown-Cherry Wood Blades / **Code 19143**
Color	Black Matt-Cherry Wood Blades / **Code 19143-B**
Color	Chrome Matt-Natural Wood Blades / **Code 19142**










LED Light Source	18W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K, 6500K
Lumen	1500Lm
Cri	80
dB	20
Dimensions	52" Ø: 132cm H: 42.5-55cm
Air Flow	156.3m³ min
Night Mode	Time Setting 1h / 2h / 4h / 8h
Material	Metal - Glass - Wood
Special Feature	2 Down Rods 12.5-25cm
	Summer & Winter Function
	Remote Control & Wall Switch Inclouded
Motor Feature	DC Motor 38W
	5 Speeds
Color	White Matt-Natural Wood Blades / **Code 19140**
Color	Black Matt-Natural Wood Blades / **Code 19141**












LED Light Source	15W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K, 6000K
Lumen	1500Lm
Cri	80
dB	25
Dimensions	49" Ø: 124cm H: 26cm
Air Flow	168m³ min
Night Mode	Time Setting 1h / 2h / 4h / 8h
Material	Metal - Polycarbonate - Plywood (MDF)
Special Feature	Summer Function
Motor Feature	AC Motor 55W 3 Speeds
Color Double Face	White Matt-Maple Wood Blades White Matt-White Blades / **Code 19137**








LED Light Source	Without Light
Input	220-240V, 50/60Hz
dB	23
Dimensions	52" Ø: 132cm H: 32.5-45cm
Air Flow	175.3m³ min
Night Mode	Time Setting 1h / 2h / 4h / 8h
Material	Metal - Wood
Special Feature	2 Down Rods 12.5-25cm Summer Function
Motor Feature	AC Motor 57W 3 Speeds
Color	Black Matt / **Code 19136-B**






LED Light Source	Without Light
Input	220-240V, 50/60Hz
dB	20
Dimensions	60" Ø: 152cm H: 32-44.5cm
Air Flow	211.7m³ min
Night Mode	Time Setting 2h / 4h / 8h
Material	Metal - Wood
Special Feature	2 Down Rods 12.5-25cm Summer & Winter Function Possibility of Installation on a Sloping Roof - 20° Remote Control & Wall Switch Inclouded
Motor Feature	DC Motor 55W 5 Speeds
Color	Black Matt-Solid Wood Blades / **Code 20259**










LED Light Source	18W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K, 6500K
Lumen	1500Lm
Cri	80
dB	23
Dimensions	52" Ø: 132cm H: 30cm
Air Flow	141m^3 min
Night Mode	Time Setting 1h / 2h / 4h / 8h
Material	Metal - Polycarbonate - Wood
Special Feature	Summer Function
Motor Feature	AC Motor 55W 3 Speeds
Color	Black Matt-Cherry Wood Blades / **Code 19144**





LED Light Source	15W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K, 6000K
Lumen	1500Lm
Cri	80
dB	20
Dimensions	52" Ø: 132cm H: 37.5-50cm
Air Flow	147.4m³ min
Night Mode	Time Setting 1h / 2h / 4h / 8h
Material	Metal - Acrylic - Wood
Special Feature	2 Down Rods 12.5-25cm Summer & Winter Function Possibility of Installation on a Sloping Roof - 20° Remote Control & Wall Switch Inclouded
Motor Feature	DC Motor 40W 5 Speeds
Color	Coffee-Cherry Wood Blades / **Code 20256**

Illuminating Hospitality Excellence
Create unforgettable guest experiences with elegant hotel lighting.



06. HOTEL





Code 25184 for Right Side Installation












Power	6W + 3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	500Lm + 240Lm
Cri	90
Dimensions	L: 11.2cm W: 30cm H: 12cm
Non Dimmable	⊠
Switch	2 On/Off
Material	Metal - Aluminium
Special Feature	Up Light Wireless Charger USB Charger Type C USB Charger Type A Right Side Installation
Color	Black Matt / **Code 25184**

Power	6W + 3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	500Lm + 240Lm
Cri	90
Dimensions	L: 11.2cm W: 30cm H: 12cm
Non Dimmable	⊠
Switch	2 On/Off
Material	Metal - Aluminium
Special Feature	Up Light Wireless Charger USB Charger Type C USB Charger Type A Left Side Installation
Color	Black Matt / **Code 25183**






LED	3W
Bulb	1x G9
Power	5W MAX
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	160Lm
Cri	90
Dimensions	L: 11.8cm W: 14.5cm H: 34cm
Base	L: 2.7cm W: 6.5cm H: 34cm
Non Dimmable	⊗
Switch	2 On/Off
Material	Metal - Aluminium - Opal Glass
Special Feature	Stick Ø: 2.9cm H: 11cm Opal Glass Ø: 14.5cm H: 8.5cm
Color	Black Matt / **Code 25326**










Power	3W + 6W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	240Lm + 400Lm
Cri	80
Dimensions	Ø: 14cm L: 8.1cm
Base	Ø: 10cm L: 2cm
Non Dimmable	⊠
Switch	2 On/Off
Material	Aluminium - Acrylic
Special Features	Stick Ø: 2.8cm H: 11cm Back Light
Color	Black Matt / **Code 25303**













Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	145Lm
Cri	95
Dimensions	L: 4.1cm W: 8.6cm H: 8.6cm
Depth	3cm
Non Dimmable	⊠
Switch	On/Off
Material	Metal - Aluminium
Cutting Hole	4.5x4.5cm
Special Features	Recessed Installation Metal Plate with Magnetic Mounting Stick Ø: 2.5cm H: 7.2cm Microprismatic Diffuser
Color	Sandy Black / **Code 25281**











Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	200Lm
Cri	95
Dimensions	L: 6.5cm W: 4.5cm H: 13cm
Base	L: 3cm W: 4.5cm H: 11cm
Dimmable	◠
Switch	Touch Dim
Material	Metal - Aluminium
Special Feature	Stick Ø: 2.8cm H: 13cm
Color	Sandy Black-Gold / **Code 25282**










Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	200Lm
Cri	95
Dimensions	Ø: 7.5cm L: 6.5cm H: 8.5cm
Base	Ø: 7.5cm L: 3cm
Dimmable	◔
Switch	Touch Dim
Material	Metal - Aluminium
Special Feature	Stick Ø: 2.8cm H: 8.5cm
Color	Sandy Black-Gold / **Code 25283**






Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	160Lm
Cri	90
Dimensions	L: 7.7cm W: 5.3cm H: 13cm
Base	L: 3cm W: 5.3cm H: 13cm
Non Dimmable	⊗
Switch	On/Off Push
Material	Metal - Aluminium
Special Feature	Stick Ø: 2.9cm H: 11cm
Color	Black Matt-Gold / **Code 25182**










Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	240Lm
Cri	80
Dimensions	Ø: 8cm L: 40cm
Base	Ø: 8cm H: 3cm
Non Dimmable	⊗
Switch	On/Off
Material	Metal - Aluminium
Special Feature	Stick Ø: 2.9cm L: 9.5cm
Color	Brushed Brass / **Code H63**












Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	160Lm
Cri	90
Dimensions	Ø: 8cm L: 20-46cm
Base	Ø: 8cm L: 3cm
Non Dimmable	⊠
Switch	On/Off Intergrated Switch on Head
Material	Metal - Aluminium
Special Feature	Stick Ø: 1.9cm H: 7.7cm
Color	Sandy Black / **Code 25149**
Color	Gold Matt / **Code 25150**











Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	240Lm
Cri	80
Dimensions	Ø: 8cm L: 7-15cm H: 12cm
Base	Ø: 8cm H: 3cm
Non Dimmable	⊗
Switch	On/Off
Material	Metal - Aluminium
Special Feature	Stick Ø: 3cm H: 12cm
Color	Black Matt / **Code H48-B**
Color	Gold / **Code H48-G**










Power	2.5W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	140Lm
Cri	80
Dimensions	L: 12cm W: 8cm H: 20cm
Non Dimmable	⊗
Switch	On/Off Push
Material	Metal - Aluminium
Special Feature	USB Charger
Color	Black Matt-Brass / **Code 23038**











Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	240Lm
Cri	80
Dimensions	L: 7cm-16cm W: 5.5cm H: 15cm
Base	L: 3cm W: 5.5cm H: 15cm
Non Dimmable	⊠
Switch	On/Off Intergrated Switch on Head
Material	Metal - Aluminium
Special Feature	Microprismatic Diffuser Stick Ø: 2.8cm H: 10cm
Color	Brushed Brass / **Code H68**
Color	Black Matt / **Code H68-B**








Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	240Lm
Cri	80
Dimensions	L: 4-12.5cm W: 7.8cm H: 18.3cm
Depth	4.5cm
Non Dimmable	⊠
Switch	On/Off
Material	Metal - Aluminium
Cutting Hole	15.8x5.7cm
Special Feature	Recessed Installation USB Charger Stick Ø: 2.8cm H: 11cm
Color	Black Matt / **Code H65**
Color	Brushed Brass / **Code H67**








LED	3W
Bulb	1x E27
Power	MAX 40W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	200Lm
Dimensions	L: 13.5cm W: 18cm H: 30cm
Shade	L: 12cm W: 18cm H: 17cm
Base	L: 2.5cm W: 10cm H: 10cm
Stick	Ø: 3cm L: 11.5cm
Non Dimmable	⊠
Switch	2 On/Off
Material	Aluminium - Fabric Shade
Color	Brushed Brass-Beige Shade / **Code H73**












Bulb	1x G9 LED
Power	5W MAX
Input	220-240V, 50/60Hz
Dimensions	L: 12cm W: 10cm H: 30cm
Base	Ø: 8cm H: 2cm
Material	Metal - Opal Glass
Special Feature	Opal Glass Ø: 8cm
Color	Gold Matt / **Code H64**
Color	Black Matt / **Code H64-B**








Power	2.5W + 5W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	141Lm + 178Lm
Cri	80
Dimensions	L: 9.7-16cm W: 9cm H: 63.5cm
Non Dimmable	⊠
Switch	2 On/Off
Material	Metal - Aluminium - Acrylic
Special Feature	Movable Spot Rotatable Back Light (Ø: 1.9cm) Stick Ø: 2.7cm H: 11cm
Color	Black Matt / **Code 23039**
Color	White Matt / **Code 23040**








Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	140Lm
Cri	95
Dimensions	L: 6.3cm W: 7cm H: 8.5cm
Base	Ø: 7cm L: 2.8cm
Non Dimmable	⊠
Switch	On/Off
Material	Metal - Aluminium
Special Feature	Microprismatic Diffuser Stick Ø: 2.5cm H: 7.3cm
Color	Sandy White / **Code 25284**












Power	3W + 5W + 5W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	240Lm + 800Lm
Cri	80
Dimensions	L: 7-16cm W: 35cm H: 6.3cm
Non Dimmable	⊗
Switch	2 On/Off
Material	Metal - Aluminium - Acrylic
Special Feature	Up/Down Light Stick Ø: 2.8cm H: 10cm
Color	Black Matt / **Code H54**
Color	White Matt / **Code H52**






Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	240Lm
Cri	80
Dimensions	L: 12.5-19cm W: 4cm H: 20cm
Non Dimmable	⊠
Switch	On/Off
Material	Metal - Aluminium
Special Feature	USB Charger
Color	Black Matt / **Code H35**








Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	204Lm
Cri	80
Dimensions	L: 7-19cm W: 16.5cm H: 6.5cm
Non Dimmable	⊠
Switch	On/Off
Material	Metal - Aluminium
Special Feature	USB Charger Stick Ø: 3cm L: 14cm
Color	Sandy White / **Code H74**
Color	Sandy Black / **Code H75**









Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	149Lm
Cri	90
Dimensions	Ø: 8cm L: 20-36cm
Base	Ø: 8cm L: 2.8cm
Non Dimmable	⊠
Switch	On/Off
Material	Metal - Aluminium
Special Feature	Flex 26cm Stick Ø: 2.7cm L: 7cm
Color	Black Matt / **Code 22049**
Color	White Matt / **Code 22050**












Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	180Lm
Cri	80
Dimensions	L: 5.5-13.5cm W: 5cm H: 12cm
Non Dimmable	⊠
Switch	On/Off
Material	Metal - Aluminium
Special Feature	Stick Ø: 1.6cm H: 9.5cm
Color	Black Matt / **Code H80**





Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	255Lm
Cri	80
Dimensions	Ø: 13cm L: 16.4cm H: 13.5cm
Non Dimmable	⊠
Switch	On/Off
Material	Metal - Aluminium
Special Feature	USB Charger Flex 19cm Stick Ø: 3cm H: 5cm
Color	White Matt / **Code H58**






Power	5.6W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	400Lm
Cri	80
Dimensions	L: 15.5cm W: 20cm H: 12cm
Base	L: 2.5cm W: 20cm H: 6cm
Non Dimmable	⊠
Switch	On/Off
Material	Metal - Acrylic
Color	White Matt / **Code 20167**










Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	240Lm
Cri	80
Dimensions	W: 8cm H: 19cm
Depth	6.5cm
Non Dimmable	⊠
Switch	On/Off
Material	Metal - Aluminium
Cutting Hole	17x6cm
Special Feature	Recessed Installation Stick W: 4cm H: 14cm
Color	Black Matt / **Code H43**








Power	3W + 5W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	240Lm + 350Lm
Cri	80
Dimensions	L: 8-12cm W: 14cm H: 20cm
Non Dimmable	⊠
Switch	2 On/Off
Material	Metal - Aluminium
Special Feature	Back Light Stick Ø: 1.5cm H: 8cm
Color	Black Matt / **Code H41**






Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	210Lm
Cri	80
Dimensions	L: 36cm W: 4cm H: 12cm
Depth	5cm
Non Dimmable	⊗
Switch	On/Off
Material	Metal - Aluminium
Cutting Hole	10.5x3.2cm
Special Feature	Recessed Installation Stick Ø: 2.5cm H: 6cm
Color	Black / **Code H69**












Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	160Lm
Cri	90
Dimensions	Ø: 7cm L: 20-46cm
Base	Ø: 9.5cm L: 0.5cm
Depth	5cm
Non Dimmable	⊗
Switch	On/Off Intergrated Switch on Head
Material	Metal - Aluminium
Cutting Hole	Ø: 3.8cm
Special Feature	Recessed Installation Stick Ø: 1.9cm H: 7.7cm
Color	Sandy Black / **Code 25151**








Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	200Lm
Cri	80
Dimensions	L: 20-33cm W: 4.5cm
Base	L: 4.5cm W: 4.5cm H: 11.5cm
Non Dimmable	⊠
Switch	On/Off
Material	Metal - Aluminium
Special Feature	Flex 26cm Stick Ø: 3cm L: 11.5cm
Color	Sandy Black / **Code H72**








LED	3W
Bulb	1x E27
Power	40W MAX
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	240Lm
Dimensions	L: 25cm W: 17cm H: 28cm
Base	Ø: 12cm H: 2.5cm
Non Dimmable	⊗
Switch	2 On/Off
Material	Metal - Aluminium - Fabric Shade
Special Feature	Shade Ø: 17cm H: 14.5cm Stick Ø: 2.8cm L: 9cm
Color	Black Matt / **Code H57**






LED	3W
Bulb	1x E27
Power	40W MAX
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	240Lm
Cri	80
Dimensions	L: 14.5-20cm W: 20cm H: 20cm
Non Dimmable	⊗
Switch	2 On/Off
Material	Metal - Aluminium - Fabric Shade
Special Feature	USB Charger Shade L: 12cm W: 20cm H: 11cm Stick Ø: 2.8cm H: 8.5cm
Color	Black Matt / **Code H59**










LED	3W
Bulb	1x E27
Power	40W MAX
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	240Lm
Dimensions	L: 25cm W: 15.5cm H: 28cm
Base	Ø: 12cm H: 2.5cm
Switch	2 On/Off
Material	Metal - Bush
Special Feature	Shade Ø: 15.5cm H: 15cm Stick Ø: 2.8cm L: 36cm
Color	Natural-Black Matt / **Code 20355**


Beauty Starts With Lighting
A mirror that speaks truth because
great light reveals your best self.



07. MIRRORS








Power	15W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K
Lumen	1034Lm, 1210Lm
Cri	80
Dimensions	Ø: 60cm L: 3.2cm
Dimmable	◠
Material	Mirror - Aluminium Frame
Special Feature	Touch Dimming Switch Power-Off Memory Function IP44
Color	Mirrored-Black Matt / **Code 25388**






Power	15W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K
Lumen	1012Lm, 1210Lm
Cri	80
Dimensions	Ø: 60cm L: 4.7cm H: 92cm
Dimmable	
Material	Mirror - Aluminium Frame - Belt
Special Feature	Touch Dimming Switch Power-Off Memory Function IP44
Color	Mirrored-Black Matt / **Code 25387**








Power	15W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K
Lumen	1034Lm, 1210Lm
Cri	80
Dimensions	Ø: 60cm L: 3.2cm
Dimmable	◠
Material	Mirror - Aluminium Frame
Special Feature	Touch Dimming Switch Power-Off Memory Function IP44
Color	Mirrored-Anodized Gold / **Code 25389**






Power	18W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K
Lumen	1564Lm, 1739Lm
Cri	80
Dimensions	L: 3.2cm W: 40cm H: 90cm
Dimmable	
Material	Mirror - Aluminium
Special Feature	Touch Dimming Switch Power-Off Memory Function Horizontal and Vertical Installation IP44
Color	Mirrored-Anodized Gold / **Code 25386**









Power	23W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K
Lumen	2085Lm, 2210Lm
Cri	80
Dimensions	L: 5.5cm W: 80cm H: 60cm
Dimmable	◠
Material	Mirror - Aluminium Frame
Special Feature	Touch Dimming Switch Power-Off Memory Function Horizontal and Vertical Installation IP44
Color	Mirrored-Anodized Gold / **Code 25393**






Power	30W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K
Lumen	2185Lm, 2390Lm
Cri	80
Dimensions	L: 5.5cm W: 120cm H: 70cm
Dimmable	◠
Material	Mirror - Aluminium Frame
Special Feature	Touch Dimming Switch Power-Off Memory Function Horizontal and Vertical Installation IP44
Color	Mirrored-Anodized Gold / **Code 25394**










Power	23W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K
Lumen	2085Lm, 2210Lm
Cri	80
Dimensions	L: 5.5cm W: 80cm H: 60cm
Dimmable	
Material	Mirror - Aluminium Frame
Special Feature	Touch Dimming Switch Power-Off Memory Function Horizontal and Vertical Installation IP44
Color	Mirrored-Black Matt / **Code 25392**









Power	18W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K
Lumen	1585Lm, 1740Lm
Cri	80
Dimensions	L: 3cm W: 80cm H: 55cm
Dimmable	
Material	Mirror - Aluminium
Special Feature	Touch Dimming Switch Frameless Power-Off Memory Function Horizontal and Vertical Installation Frosted Lighting Edge IP44
Color	Mirrored / **Code 25385**








Power	15W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K
Lumen	870Lm, 944Lm
Cri	80
Dimensions	Ø: 60cm L: 3cm
Dimmable	
Material	Mirror - Aluminium
Special Feature	Touch Dimming Switch Antifog Touch Switch Back Light Frameless Power-Off Memory Function IP44
Color	Mirror Mirrored / **Code 25390**










Power	20W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K
Lumen	985Lm, 1062Lm
Cri	80
Dimensions	L: 3cm W: 60cm H: 80cm
Dimmable	
Material	Mirror - Aluminium
Special Feature	Touch Dimming Switch Antifog Touch Switch Back Light Frameless Power-Off Memory Function Horizontal and Vertical Installation IP44
Color	Mirrored / **Code 25391**











Power	25W
Input	220-240V, 50/60Hz
Color Temperature	4000K
Lumen	1284Lm
Cri	80
Dimensions	Ø: 60cm W: 3.5cm
Dimmable	◠
Material	Mirror - Aluminium
Special Feature	Touch Dimming Switch Antifog Touch Switch Back Light Frameless IP54
Color	Mirrored / **Code 22067**

Power	36W
Input	220-240V, 50/60Hz
Color Temperature	4000K
Lumen	1763Lm
Cri	80
Dimensions	Ø: 80cm W: 3.5cm
Dimmable	◠
Material	Mirror - Aluminium
Special Feature	Touch Dimming Switch Antifog Touch Switch Back Light Frameless IP54
Color	Mirrored / **Code 22068**








Power	40W
Input	220-240V, 50/60Hz
Color Temperature	4000K
Lumen	1963Lm
Cri	80
Dimensions	L: 70cm W: 3.5cm H: 70cm
Dimmable	◯
Material	Mirror - Aluminium
Special Feature	Touch Dimming Switch Antifog Touch Switch Back Light Frameless IP54
Color	Mirrored / **Code 22069**


Moisture-Resistant Precision Lighting
Ideal light for your daily wellness rituals.



08. BATHROOM










Power	12W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K
Lumen	1023Lm, 1078Lm
Cri	90
Dimensions	L: 12.3cm W: 60cm H: 6.2cm
Base	L: 6cm W: 15cm H: 4cm
Non Dimmable	⊗
Material	Metal - Aluminium - Glass
Special Feature	IP44
Color	Sandy White / **Code 25456**





Power	20W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K
Lumen	1580Lm, 1622Lm
Cri	90
Dimensions	L: 12.3cm W: 90cm H: 6.2cm
Base	L: 6cm W: 15cm H: 4cm
Non Dimmable	⊗
Material	Metal - Aluminium - Glass
Special Feature	IP44
Color	Sandy White / **Code 25457**



















Power	10W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	610Lm
Cri	81
Dimensions	L: 10cm W: 61cm H: 7.5cm
Base	Ø: 7.5cm L: 10cm
Non Dimmable	⊠
Material	Aluminium - Acrylic
Special Feature	IP54
	Profile 2.5x2.2cm
Color	Sandy White / **Code 22124-W**
Color	Sandy Black / **Code 22124**






Power	17W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	810Lm
Cri	81
Dimensions	L: 10cm W: 81cm H: 7.5cm
Base	Ø: 7.5cm L: 10cm
Non Dimmable	⊠
Material	Aluminium - Acrylic
Special Feature	IP54
	Profile 2.5x2.2cm
Color	Sandy White / **Code 22125-W**
Color	Sandy Black / **Code 22125**






Power	21W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1100Lm
Cri	81
Dimensions	L: 10cm W: 100cm H: 7.5cm
Base	Ø: 7.5cm L: 10cm
Non Dimmable	⊠
Material	Aluminium - Acrylic
Special Feature	IP54
	Profile 2.5x2.2cm
Color	Sandy White / **Code 22126-W**
Color	Sandy Black / **Code 22126**






Power	9W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	720Lm
Cri	80
Dimensions	L: 7.2cm W: 60cm H: 6.2cm
Base	Ø: 6.2cm L: 7.2cm
Non Dimmable	⊗
Material	Aluminium - Acrylic
Special Feature	IP 44
	Profile 0.8x0.8cm
Color	Sandy Black / **Code 20145**



Power	13W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1040Lm
Cri	80
Dimensions	L: 7.2cm W: 90cm H: 6.2cm
Base	Ø: 6.2cm L: 7.2cm
Non Dimmable	⊗
Material	Aluminium - Acrylic
Special Feature	IP 44
	Profile 0.8x0.8cm
Color	Sandy Black / **Code 20146**








Power	16W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1280Lm
Cri	80
Dimensions	L: 8cm W: 55cm H: 3.8cm
Non Dimmable	⊗
Material	Aluminium - Acrylic
Special Feature	IP 44
Color	Black Matt / **Code 180041-B**






Power	16W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1280Lm
Cri	80
Dimensions	L: 8cm W: 55cm H: 3.8cm
Non Dimmable	⊗
Material	Aluminium - Acrylic
Special Feature	IP 44
Color	Chrome / **Code 180041**












Power	15W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1500Lm
Cri	80
Dimensions	L: 9cm W: 60cm H: 6cm
Base	L: 3cm W: 19.5cm H: 4.5cm
Non Dimmable	⊠
Material	Aluminium - Acrylic
Special Feature	IP44 Up/Down Light Profile 6x6cm
Color	Black Matt / **Code 22088**








Bulb	1x G9 LED
Power	7W MAX
Input	220-240V, 50/60Hz
Dimensions	L: 16.7cm W: 16cm H: 16.7cm
Base	L: 8cm W: 3cm H: 8cm
Material	Aluminium - Opal Glass
Special Feature	IP 44
Color	Brushed Brass / **Code 20149**












Power	16W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1280Lm
Cri	80
Dimensions	L: 6cm W: 60cm H: 6cm
Non Dimmable	⊠
Material	Metal - Aluminium - Acrylic
Special Feature	IP 44
Color	Chrome / **Code 20150**










Power	7W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	760Lm
Cri	80
Dimensions	L: 9.3cm W: 6.3cm H: 31cm
Base	L: 3cm W: 6cm H: 15.5cm
Non Dimmable	⊗
Material	Metal - Aluminium - Acrylic
Special Feature	IP44
Color	Chrome / **Code 22087**





Power	15W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1500Lm
Cri	80
Dimensions	L: 9.5cm W: 60cm H: 6.3cm
Base	L: 3cm W: 19.5cm H: 4.5cm
Non Dimmable	⊗
Material	Metal - Aluminium - Acrylic
Special Feature	IP44
Color	Chrome / **Code 22085**





Power	21W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	2200Lm
Cri	80
Dimensions	L: 9.5cm W: 90cm H: 6.3cm
Base	L: 3cm W: 19.5cm H: 4.5cm
Non Dimmable	⊗
Material	Metal - Aluminium - Acrylic
Special Feature	IP44
Color	Chrome / **Code 22086**

INDEX

16155 144
17129 266
180020 150
180021 150
180022 151
180023 151
180025 159
180026 158
180027 158
180028 159
180041 390
180041-B 390
18181 264
1910 127
1935 108
1936 108
1945 124
19103 254
19104 250
19105 250
19106 252
19107 252
19108 254
19109 254
19117 126
19136-B 298
19137 296
19139 288
19140 294
19141 294
19142 292
19143 292
19143-B 292
19144 302
19218 128
19250 248
19251 248
19252 248
19253 248
2003 134
2004 134
2020 73
2021 73
2022 73
2023 75
2024 75
2025 75
2026 77
2027 77
2028 77
2029 78
2030 78
2031 78
2040 44
2041 44
2042 44
2048 44
2049 44
2050 44
2056 44
2057 44
2058 44
2064 66
2065 66
2075 64
2076 64
2077 64
20109 174
20114 118
20115 118
20116 118
20117 118
20118 202
20123 202
20134 196
20135 196
20136 130
20137 130
20145 388
20146 388
20149 394
20150 395
20154 256
20167 342
20210 183
20211 183
20216 206
20217 206
20218 145
20219 145
20220 210
20222 210
20235 209
20236 257
20237 228
20250 213
20251 212
20252 184
20253 187
20256 304
20257 276
20258 282
20259 300
20271 146
20272 146
20349 136
20350 136
20354 258
20355 352
22020 70
22030 200
22032 200
22047 91
22048 91
22049 340
22050 340
22053 193
22054 129
22061 132
22065 205
22067 377
22068 377
22069 379
22085 397
22086 397
22087 396
22088 392
22124 384
22124-W 386
22125 384
22125-W 386
22126 384
22126-W 386
22127 60
22128 60
22136 194
22166 238
22167 238
22168 238
22172 236
22173 242
22174 243
22175 243
22203 142
22204 142
22205 142
23001 284
23002 290
23003 280
23004 280
23005 280
23006 168
23007 168
23016 139
23024 48
23025 46
23026 48
23027 46
23036 198
23037 198
23038 325
23039 332
23040 332
23041 138
23042 68
23054 170
23055 170
23060 190
23061 190
23063 189
23064 189
23070 262
23071 261
23085 173
23086 43
23087 43
23088 43
23089 43
23090 43
23091 43
23092 39
23093 39
23096 51
23097 51
23098 51
23099 51
23102 107
23103 107
23104 110
23105 110
23106 104
23107 104
23137 133
23195 224
23196 230
23197 220
23205 37
23206 37
23207 37
23208 37
23209 37
23210 37
23211 37
23212 37
23213 37
23257 52
23258 52
23259 52
23260 52
2561 16
2562 16
2563 18
2564 16
2565 16
2566 18
2571 59
2572 59
2577 87
2578 87
2579 87
2580 87
2582 122
2584 122
2589 163
2590 163
2593 165
2594 165
25143 89
25144 89
25147 120
25148 113
25149 322
25150 322
25151 347
25152 102
25160 22
25161 22
25163 22
25164 24
25165 24
25167 24
25182 320
25183 309
25184 309
25185 26
25186 26
25187 26
25188 28
25189 28
25190 28
25193 180
25194 179
25197 30
25198 30
25199 30
25200 30
25201 32
25202 32
25217 94
25218 94
25219 94
25266 100
25267 100
25268 57
25269 57
25278 54
25279 54
25281 314
25282 316
25283 319
25284 334
25303 312
25317 115
25318 115
25319 98
25320 98
25321 116
25322 116
25326 310
25328 287
25329 278
25332 246
25333 246
25334 218
25342 140
25343 140
25344 176
25345 176
25376 63
25377 63
25379 157
25380 154
25381 152
25382 156
25383 148
25384 148
25385 370
25386 362
25387 358
25388 360
25389 357
25390 372
25391 374
25392 368
25393 364
25394 366
25395 272
25396 272
25397 273
25398 273
25408 97
25409 97
25410 20
25411 20
25414 83
25427 166
25428 166
25429 226
25440 226
25441 235
25442 233
25443 223
25454 247
25455 247
25456 382
25457 382
H35 338
H41 345
H43 344
H48-B 324
H48-G 324
H52 337
H54 337
H57 350
H58 342
H59 350
H63 321
H64 331
H64-B 331
H65 328
H67 328
H68 327
H69 346
H72 348
H73 330
H74 339
H75 339
H80 341

ZAMPELIS S.A.

Greece , Attica , Keratea , Kivouri
Postal: 19001 , P.O. box: 4791
Tel.: (+30) 22990 63518-19 | Fax: (+30) 22990 63521
info@zambelislights.gr | zambelislights.gr

LED Zona®
ОСВЕТИТЕЛНИ РЕШЕНИЯ

Харесахте ли нещо от каталога?

Разгледайте и поръчайте продукти на Zambelis
онлайн на led-zona.bg – с актуални цени и наличности.

Продуктите на Zambelis

Сканирайте или кликнете

Разгледайте продуктите →

Каталози на Zambelis

Сканирайте или кликнете

Още каталози →

www.led-zona.bg

T: 0888 065 970 | E: sales@led-zona.bg

Сфера Лайт ООД · гр. София, ж.к. Банишора, ул. Опълченска, бл. 54 (до 7-ма поликлиника)