DECORATIVE-OUTDOOR

NOVELTIES

Zambelis
LIGHTS

Zenbelis

LIGHTS

CONTENTS

DECORATIVE

01. MINERAL TEXTURES | p.018 - 125

02. GLASS | p.126 - 213

03. DECO | p.214 - 311

04. FLOOR & TABLE | p.312 - 345

05. CEILING SPOTS | p.346 - 355

OUTDOOR

01. CONCRETE | p.358 - 379

02. FLOOR & WALL | p.380 - 411

03. WALL | p.412 - 437

04. SPIKES | p.438 - 479

05. STEP | p.480 - 507

INDEX BY FAMILY DECORATIVE

ARPA
Pendant
p.84-95

BELLA
Pendant
p.122-125

DIKO
Table
p.326-329

ECHO
Pendant
p.304-311

FINO
Table
p.330-343

FLORA
Wall
p.294-299

GIVA
Pendant
p.116-121

JAVA
Ceiling | Wall
p.268-275

KERI
Pendant | Wall
p.138-147

KONA
Pendant
p.288-293

LINOR
Pendant | Wall | Floor
p.226-235

LIORA
Pendant
p.210-213

LITHO
Pendant | Wall | Portable
p.40-55

LORR
Pendant
p.188-193

LUNA
Wall
p.104-115

MARA
Pendant | Wall | Table | Floor
p.68-83

MASU
Table
p.314-319

MIRA
Wall | Ceiling
p.284-287

NEXOR
Table | Floor
p.320-325

OLIO
Pendant | Wall
p.160-165

PICO
Pendant
p.216-225

PILO
Wall
p.100-103

POLA
Wall
p.246-249

POSSA
Pendant
p.96-99

ROCA
Pendant | Wall | Ceiling
p.56-59

SAPEL
Pendant | Wall
p.178-187

SEDO
Pendant
p.236-239

SENTA
Pendant | Wall
p.254-267

SIGMA
Wall | Ceiling
p.276-283

SILCO
Wall | Ceiling
p.240-245

SOL
Pendant | Wall | Magnetic
p.20-39

SONA
Wall
p.300-303

STALA
Pendant
p.166-177

TAPEL
Pendant | Wall | Table | Floor
p.148-159

VERSA
Pendant
p.128-137

VETRO
Pendant | Wall
p.60-67

VION
Table
p.344-345

VISTA
Ceiling
p.348-355

VITRO
Pendant | Ceiling
p.194-209

VOLO
Wall
p.250-253

INDEX BY FAMILY OUTDOOR

ALCO
Step
p.486-487

ANTI
Spike | Tree Mounting
p.452-461

ARCO
Floor | Spike
p.468-479

ARIA
Floor | Wall | Ceiling
p.382-389

AURA
Wall
p.426-429

AXIS
Wall
p.434-435

CONE
Wall
p.416-417

COVE
Wall
p.432-433

CRETE
Floor
p.374-379

CURV
Floor | Wall
p.394-397

CYCLO
Wall
p.414-415

DART
Wall | Ceiling
p.436-437

DUNE
Floor
p.390-391

EDGE
Step
p.490-493

EON
Spike
p.462-463

FOLD
Step
p.494-497

HALO
Lamp Post
p.406-407

HORO
Floor
p.410-411

LAIN
Step
p.500-503

LEN
Floor
p.400-401

LOOC
Spike | Wall | Ceiling | Tree Mounting
p.440-451

LOOP
Floor
p.392-393

LURA
Floor
p.408-409

NOOK
Step
p.488-489

NOX
Step
p.498-499

ORIS
Wall
p.418-419

OVA
Floor
p.372-373

RIBS
Wall
p.422-423

RIFT
Step
p.506-507

RINA
Floor
p.368-371

RISE
Step
p.504-505

SILA
Wall
p.424-425

SIRO
Wall
p.430-431

STAL
Floor | Spike
p.464-467

STEPI
Step
p.482-485

STING
Floor
p.398-399

TERC
Floor | Wall
p.360-367

ZET
Lamp Post | Floor
p.402-405

ZUMA
Wall
p.420-421


INDEX BY PRODUCT DECORATIVE


2651 p.22


26178 p.28


26119 p.32


2653 p.34


26103 p.90


2601 p.98


2622 p.102


2623 p.103


2652 p.39


26144 p.42


26143 p.44


26140 p.46


26145 p.106


26146 p.108


26136 p.110


26137 p.114


26141 p.48


26139 p.49


26142 p.52


26133 p.58


2664 p.118



2665 p.119


2662 p.124


26170 p.130



2697 p.62



26108 p.64


26114 p.70


26111 p.74


26171 p.134


26123 p.140


26124 p.141


26121 p.144



26110 p.76


26115 p.80


26118 p.82


26106 p.86


2698 p.150



26100 p.152


2699 p.154


26101 p.156

INDEX BY PRODUCT DECORATIVE


26102 p.158


26175 p.160



26177 p.162


26128 p.168


2605 p.212


26163 p.218


26162 p.224



2692 p.228


26127 p.172


26126 p.174


26125 p.176


2688 p.180


2693 p.229


2694 p.232


2695 p.234


26107 p.238


2689 p.181


2691 p.182


2690 p.184


26147 p.186


2638 p.242


2637 p.244


2639 p.248



2658 p.252


2656 p.190


2655 p.192


2608 p.196



2612 p.198


2634 p.256


2635 p.262


2631 p.266


2682 p.270


2613 p.202



2614 p.204


2615 p.208


2616 p.209


2685 p.274


2686 p.278


2687 p.280


2667 p.287

INDEX BY PRODUCT DECORATIVE


2676 p.290


2619 p.296


2617 p.302


2680 p.306


2668 p.350


2672 p.351


2629 p.352


2625 p.354


2681 p.310


2661 p.316


26154 p.318


26188 p.320


26152 p.322


26159 p.324


26156 p.326


26155 p.328


26148 p.330


26150 p.332


26149 p.334


26151 p.336


26153 p.338


26158 p.340


26187 p.342


26157 p.344

INDEX BY PRODUCT OUTDOOR


E555 p.362


E557 p.366


E558 p.370


E537 p.372


E564 p.414


E536 p.416


E561 p.418


E519 p.420


E539 p.376


E566 p.378


E529 p.384


E527 p.386


E565 p.422


E287-27 p.424


E545 p.426


E548 p.428


E528 p.388


E520 p.390


E345-27 p.392


E525 p.394


E534 p.430


E238-27 p.432


E239-27 p.432


E262-27 p.434


E526 p.396


E524 p.398


E533 p.400


E563 p.402


E235-27 p.436


E569 p.444


E588 p.446


E515 p.454



E562 p.404


E512 p.406



E297-27 p.408


E249-27 p.410


E513 p.458


E349-27 p.462


E560 p.466


E551 p.472

INDEX BY PRODUCT OUTDOOR


E549 p.474



E554 p.476


E541 p.482


E540 p.484


E542 p.486


E320-27 p.488


E516 p.492


E517 p.493


E531 p.496


E241-27 p.498


E543 p.502


E452-27 p.504


E294-27 p.506

Disclaimer: Creative scenery generated with AI. Featured items are authentic photographs.

Creative Scenery & Product Authenticity_
All luminaires featured in this catalogue are genuine products, captured through professional photography to ensure absolute fidelity to their real textures, materials, and colors.

Why AI Tools?
To spark your imagination with exceptional, high-end architectural settings, we embraced advanced AI generative tools to curate half of the backgrounds in our catalog. Every luminaire remains an authentic, professionally photographed product 100% true to its real textures, colors, and technical specifications.


MINERAL TEXTURES








Crafted By Nature
Shaped By Design



SOL


> ***Light*** *Doesn't Need To Be* ***Loud***
> *It Simply Exists And Everything Shifts*








SOL

2651









LIGHT SOURCE	LED 25W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	1400Lm
CRI	80
NON DIMMABLE	⊗
DIMENSIONS	L: 150cm W: 12cm H: 12cm
BASE	L: 105cm W: 6cm H: 4cm
ALABASTERS	Ø: 10cm I Ø: 12cm
MATERIAL	Metal - Aluminium - Alabaster
SPECIAL FEATURE	200cm Cable Adjustable
FINISH	Brushed Coffee Bronze Natural Tobacco Alabaster












SOL

26178

26179



LIGHT SOURCE	LED 5W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K I 3000K
LUMEN OUTPUT	285Lm I 304Lm
CRI	90
DIMMING	ON-OFF I DALI
DIMENSIONS	Ø: 10cm H: 10cm
BASE	Ø: 8cm H: 3.5cm
MATERIAL	Aluminium - Alabaster
SPECIAL FEATURE	400cm Cable Adjustable
FINISH	Sandy Black-Natural Alabaster



SOL

Magnetic Track Lights



Our Newest Set Of Decorative Track Lights
In Natural Alabaster Finish


Compatible with our **48V Linear Magnetic System 23MM**



SOL

26119






LIGHT SOURCE	LED 5W
INPUT	48V
COLOR TEMPERATURE	2700K
LUMEN OUTPUT	285Lm
CRI	90
DALI DIMMABLE	
DIMENSIONS	Ø: 10cm H: 10cm
MATERIAL	Aluminium - Alabaster
FINISH	Sandy Black-Natural Alabaster

SOL

26120





LIGHT SOURCE	LED 5W
INPUT	48V
COLOR TEMPERATURE	2700K
LUMEN OUTPUT	285Lm
CRI	90
DALI DIMMABLE	
DIMENSIONS	Ø: 10cm H: 10cm
MATERIAL	Aluminium - Alabaster
SPECIAL FEATURE	200cm Cable Available
FINISH	Sandy Black-Natural Alabaster








SOL


2653



LIGHT SOURCE	1x G9 LED Bulb I MAX 5W
INPUT	220-240V I 50/60Hz
DIMENSIONS	Ø: 14cm L: 9cm
BASE	Ø: 9cm L: 0.5cm
MATERIAL	Metal - Alabaster
FINISH	Natural Tobacco Alabaster
















SOL

2652



LIGHT SOURCE	LED 12W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	730Lm
CRI	80
NON DIMMABLE	⊠
DIMENSIONS	L: 8.5cm W: 10cm H: 39.5cm
BASE	L: 4.3cm W: 5cm H: 25cm
MATERIAL	Metal - Aluminium - Alabaster
FINISH	Brushed Coffee Bronze Natural Alabaster



LITHO

“ *Some Materials Bring **Character***
*Natural **Materials** Bring Soul*






LITHO

26144





LIGHT SOURCE	LED 32W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	1350Lm
CRI	80
NON DIMMABLE	⊗
DIMENSIONS	L: 120cm W: 6cm H: 6cm
BASE	L: 49cm W: 6.5cm H: 4cm
MATERIAL	Stone - Metal - PC Diffuser
SPECIAL FEATURE	200cm Cable Adjustable
FINISH	Travertine-Black Matt






LITHO

26143

— 9 —



LIGHT SOURCE	LED 20W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	915Lm
CRI	80
NON DIMMABLE	⊗
DIMENSIONS	L: 4cm W: 9cm H: 60cm
BASE	L: 3cm W: 5.5cm H: 56.5cm
MATERIAL	Stone - Metal - Acrylic
FINISH	Travertine-White Matt




LITHO

26140








LIGHT SOURCE	1x G9 LED Bulb I MAX 5W
INPUT	220-240V I 50/60Hz
DIMENSIONS	L: 6cm W: 20cm H: 13.5cm
MATERIAL	Stone - Metal
FINISH	Travertine

LITHO

26141








LIGHT SOURCE	2x GU10 LED Bulb I MAX 5W
INPUT	220-240V I 50/60Hz
DIMENSIONS	L: 7.5cm W: 15.5cm H: 20cm
MATERIAL	Stone - Metal
SPECIAL FEATURE	Up-Down Lighting
FINISH	Travertine

LITHO

26139







LIGHT SOURCE	2x G9 LED Bulb I MAX 5W
INPUT	220-240V I 50/60Hz
DIMENSIONS	L: 10cm W: 9cm H: 15.5cm
MATERIAL	Stone - Metal
SPECIAL FEATURE	Up-Down Lighting
FINISH	Travertine






LITHO

26142





LIGHT SOURCE	LED 1W
INPUT	3.7V DC
BATTERY	1200 mAh
COLOR TEMPERATURE	2700K
LUMEN OUTPUT	54Lm
CRI	80
IP	20
TOUCH DIMMING	
WORKING TIME	100% of Light - 3h 50% of Light - 11.5h 10% of Light - 40h
CHARGING TIME	3h
DIMENSIONS	Ø: 10cm H: 22.5cm
MATERIAL	Stone - PC Diffuser
SPECIAL FEATURE	Portable Table Lamp USB Type C Cable Included Power-Off & Brightness Memory Function
FINISH	Travertine









ROCA

“ ***Beauty*** *Becomes Lasting*
When It Comes From ***Nature***








ROCA

26133



LIGHT SOURCE	LED 12W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	835Lm
CRI	93
BEAM ANGLE	36°
DIMMABLE TRIAC	◠
DIMENSIONS	Ø: 10cm H: 12cm
MATERIAL	Stone - Metal
SPECIAL FEATURE	Honeycomb Included
FINISH	Travertine-Sandy Black






ROCA

26134

Suspension Kit



INPUT	220-240V I 50/60Hz
DIMENSIONS	Ø: 7cm H: 250cm
BASE	Ø: 7cm H: 2.5cm
MATERIAL	Metal - Aluminium
SPECIAL FEATURE	250cm Cable Adjustable
FINISH	Sandy Black



VETRO

> ***Stone*** *Remembers Time*
> *Design Gives it* ***Purpose***








VETRO

2696

2697



LIGHT SOURCE	LED 7W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K I 3000K
LUMEN OUTPUT	500Lm I 539Lm
CRI	90
DIMMABLE TRIAC	◠
DIMENSIONS	L: 7.5cm W: 10cm H: 40cm
BASE	L: 3.5cm W: 5.5cm H: 35cm
PROFILE	Ø: 1.6cm H: 31.5cm
MATERIAL	Stone - Aluminium - Acrylic
FINISH	Travertine-Sandy Black Travertine-Gold Matt




VETRO

26108







LIGHT SOURCE	LED 8W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K I 3000K
LUMEN OUTPUT	408Lm I 438Lm
CRI	90
DIMMABLE TRIAC	
DIMENSIONS	L: 7.5cm W: 23cm H: 23cm
BASE	Ø: 12cm L: 3.5cm
CIRCLES	Ø: 11cm L: 2cm I Ø: 20cm L: 1.3cm
MATERIAL	Stone - Aluminium - PC Diffuser
SPECIAL FEATURE	Rotatable Gold Circle 340°
	Back Lighting
FINISH	Travertine-Brushed Gold









MARA

> *Because Every Remarkable* ***Space*** *Begins With How It Makes People* ***Feel***






MARA

26114






LIGHT SOURCE	LED 59W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K I 3000K
LUMEN OUTPUT	2729Lm I 2924Lm
CRI	90
DIMMABLE TRIAC	
DIMENSIONS	Ø: 112cm H: 80-110-140cm
BASE	Ø: 18cm H: 5cm
SHADE	Ø: 7.9cm H: 9cm
MARBLE	Ø: 7cm
MATERIAL	Marble - Metal - PC Diffuser
FINISH	Brushed Gold-White Matt-Green Marble



MARA

26113



LIGHT SOURCE	LED 59W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K I 3000K
LUMEN OUTPUT	2729Lm I 2924Lm
CRI	90
DIMMABLE TRIAC	◔

DIMENSIONS	Ø: 112cm H: 80-110-140cm
BASE	Ø: 18cm H: 5cm
SHADE	Ø: 7.9cm H: 9cm
STONE	Ø: 7cm

MATERIAL	Stone - Metal - PC Diffuser
FINISH	Sandy Black-Travertine




MARA

- 26111
- 26112








LIGHT SOURCE	LED 8W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K I 3000K
LUMEN OUTPUT	390Lm I 420Lm
CRI	90
DIMMABLE TRIAC	
DIMENSIONS	Ø: 7.9cm H: 16cm
BASE	Ø: 10cm H: 5cm
STONE I MARBLE	Ø: 7cm
MATERIAL	Stone I Marble
	Metal - Aluminium - PC Diffuser
SPECIAL FEATURE	200cm Cable Adjustable
FINISH	Sandy Black-Travertine
	Brushed Gold-White Matt-Green Marble



MARA

- 26109
- 26110





LIGHT SOURCE	LED 8W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K I 3000K
LUMEN OUTPUT	390Lm I 420Lm
CRI	90
DIMMABLE TRIAC	◔
DIMENSIONS	L: 12cm W: 7.9cm H: 18cm
BASE	Ø: 10cm L: 3cm
STONE I MARBLE	Ø: 7cm
MATERIAL	Stone I Marble Metal - Aluminium - PC Diffuser
FINISH	Sandy Black-Travertine Brushed Gold-White Matt-Green Marble






MARA

26115

26116





LIGHT SOURCE	LED 12W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	623Lm
CRI	90
DIMMABLE	
DIMENSIONS	Ø: 22cm H: 46cm
BASE	Ø: 22cm H: 1cm
SHADE	Ø: 7.9cm H: 9cm
STONE I MARBLE	Ø: 7cm
MATERIAL	Stone I Marble
	Metal - Aluminium - PC Diffuser
SPECIAL FEATURE	180cm Cable Available
	Touch Dimming Switch
FINISH	Sandy Black-Natural Stone
	Brushed Gold-White Matt-Green Marble








MARA

26117

26118



LIGHT SOURCE	LED 8W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K I 3000K
LUMEN OUTPUT	390Lm I 420Lm
CRI	90
DIMMABLE	◯
DIMENSIONS	Ø: 28cm H: 141cm
BASE	Ø: 28cm H: 1cm
STONE I MARBLE	Ø: 7cm
MATERIAL	Stone I Marble Metal - Aluminium - PC Diffuser
SPECIAL FEATURE	180cm Cable Available Foot Dimming Switch
FINISH	Sandy Black-Natural Stone Brushed Gold-White Matt-Green Marble





ARPA

*“ The Best **Ideas** Arrive When The **Environment** Welcomes Them*






ARPA


26106

26105





LIGHT SOURCE	LED 81W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K I 3000K
LUMEN OUTPUT	2447Lm I 2583Lm
CRI	90
DIMMABLE TRIAC	◠
DIMENSIONS	L: 90cm W: 125cm H: 74cm
BASE	Ø: 34cm H: 4cm
MARBLE	Ø: 12cm I Ø: 9cm
MATERIAL	Metal - Aluminium - Marble
SPECIAL FEATURE	200cm Cable Adjustable
FINISH	Brushed Brass-Black Marble Sandy Black-Green Marble















ARPA

26104

26103




LIGHT SOURCE	LED 32W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K I 3000K
LUMEN OUTPUT	1416Lm I 1524Lm
CRI	90
DIMMABLE TRIAC	◯
DIMENSIONS	L: 97cm W: 12cm H: 53cm
BASE	Ø: 7cm H: 20cm
MARBLE	Ø: 12cm
MATERIAL	Metal - Aluminium - Marble
SPECIAL FEATURE	200cm Cable Adjustable
FINISH	Brushed Brass-Black Marble Sandy Black-Green Marble




ARPA

26186

26185





LIGHT SOURCE	LED 16W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K I 3000K
LUMEN OUTPUT	1008Lm I 1121Lm
CRI	90
DIMMABLE TRIAC	◠
DIMENSIONS	L: 60.3cm W: 9cm H: 32.4cm
BASE	Ø: 7cm H: 20cm
MARBLE	Ø: 9cm
MATERIAL	Metal - Aluminium - Marble
SPECIAL FEATURE	200cm Cable Adjustable
FINISH	Brushed Brass-Black Marble Sandy Black-Green Marble











POSSA


“ ***Environments*** *That Engage*
Every ***Sense***





POSSA

- 2601
- 2602
- 2603



LIGHT SOURCE	1x E27 LED - G45 Bulb I MAX 5W
INPUT	220-240V I 50/60Hz
DIMENSIONS	Ø: 20cm H: 35cm
BASE	Ø: 10cm H: 2.5cm
OPAL GLASS	Ø: 20cm
PORCELAIN	Ø: 6cm H: 15cm
MATERIAL	Metal - Porcelain - Opal Glass
SPECIAL FEATURE	250cm Fabric Cable Adjustable
FINISH	Green-Black Matt Blue-Black Matt Pink-Black Matt





PILO

“ *Every **Soft** Glow*
*Is A **Quiet** Reminder*
That Something Good Begins






PILO

2622






LIGHT SOURCE	1x G9 LED Bulb I MAX 7W
INPUT	220-240V I 50/60Hz
DIMENSIONS	L: 11cm W: 17cm H: 21cm
BASE	Ø: 11cm L: 2.2cm
OPAL GLASS	Ø: 8cm
MATERIAL	Clay - Opal Glass
FINISH	Terracotta



PILO

2623






LIGHT SOURCE	1x G9 LED Bulb I MAX 7W
INPUT	220-240V I 50/60Hz
DIMENSIONS	L: 11cm W: 13cm H: 25cm
BASE	L: 2cm W: 7.8cm H: 12.2cm
OPAL GLASS	Ø: 8cm
MATERIAL	Clay - Opal Glass
FINISH	Dark Coffee



LUNA


“ *A Sense Of **Calm***
*Is Built Into Every **Detail***



LUNA

26145






LIGHT SOURCE	LED 6W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	377Lm
CRI	84
NON DIMMABLE	⊗
DIMENSIONS	L: 12.5cm W: 35cm H: 35cm
BASE	L: 3cm W: 9.5cm H: 10cm
MATERIAL	Gypsum - Metal
SPECIAL FEATURE	Paintable Gypsum Body
FINISH	Pure White




LUNA


26146








LIGHT SOURCE	LED 6W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	377Lm
CRI	84
NON DIMMABLE	⊗
DIMENSIONS	L: 12.5cm W: 45cm H: 27.5cm
BASE	L: 3cm W: 9.5cm H: 10cm
MATERIAL	Gypsum - Metal
SPECIAL FEATURE	Paintable Gypsum Body
FINISH	Pure White








LUNA

26136




LIGHT SOURCE	1x G9 LED Bulb I MAX 5W
INPUT	220-240V I 50/60Hz
DIMENSIONS	L: 10.5cm W: 20cm H: 18cm
MATERIAL	Gypsum - Metal
SPECIAL FEATURE	Up-Down Lighting Paintable Gypsum Body
FINISH	Pure White






LUNA

26135



Integrate An Aluminium Profile & LED Strip
Of Your Choice.

Find Aluminium Profiles on page 509.
Profile 20201 for IP20 Installation.
Profile 20193 for IP65 Installation.



DIMENSIONS	L: 5cm W: 100cm H: 8.5cm
MATERIAL	Gypsum
SPECIAL FEATURE	Paintable Gypsum Body Integratable Led Strip Profile No Lighting Source
FINISH	Pure White

*Find Recommended aluminium profile on page 509










LUNA

26137



LIGHT SOURCE	1x E14 LED Bulb I MAX 5W
INPUT	220-240V I 50/60Hz
DIMENSIONS	L: 8.8cm W: 25cm H: 31cm
CUTTING HOLE	31cm x 25cm
DEPTH REQUIRED	凵: 10cm
MATERIAL	Gypsum
SPECIAL FEATURE	Trimless Installation Installation Flanges Included Paintable Gypsum Body
FINISH	Pure White





GIVA

“ *Light **Shapes** Spaces*
*Experience Shapes **Memories***








GIVA

2664




LIGHT SOURCE	1x G9 LED Bulb | MAX 5W
INPUT	220-240V | 50/60Hz
DIMENSIONS	L: 17cm W: 7cm H: 25.4cm
BASE	Ø: 10cm H: 3cm
MATERIAL	Metal - Gypsum
SPECIAL FEATURE	200cm Fabric Cable Adjustable
FINISH	Pink Beige





GIVA

2665



LIGHT SOURCE	1x G9 LED Bulb | MAX 5W
INPUT	220-240V | 50/60Hz
DIMENSIONS	L: 27.4cm W: 9cm H: 40.3cm
BASE	Ø: 12cm H: 3cm
MATERIAL	Metal - Gypsum
SPECIAL FEATURE	200cm Fabric Cable Adjustable
FINISH	Pure White









BELLA


> *The Ideal Light*
> *Doesn't Just Fill A* ***Space***
> *It* ***Settles*** *It*





BELLA

- 2662
- 2663



LIGHT SOURCE	1x E27 Bulb I MAX 40W
INPUT	220-240V I 50/60Hz
DIMENSIONS	Ø: 16cm H: 17cm
BASE	Ø: 10cm H: 3cm
MATERIAL	Metal - Gypsum
SPECIAL FEATURE	200cm Fabric Cable Adjustable
FINISH	Pink Beige
	Black



GLASS







Clarity That Captivates
Illuminate Your Space With The Charm Of Glass


VERSA

*Create **Environments** That Inspire **Excellence** In People*




VERSA

26170



LIGHT SOURCE	LED 26W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K I 3000K
LUMEN OUTPUT	2234Lm I 2355Lm
CRI	80
DIMMABLE TRIAC	◠
DIMENSIONS	L: 155cm W: 12cm H: 67.5cm
BASE	Ø: 18cm H: 3.5cm
STRIPED GLASS	L: 60cm W: 6cm H: 30cm
MATERIAL	Metal - Aluminium - Glass
SPECIAL FEATURE	140cm Transparent Cable Adjustable
FINISH	Brown Striped Glass-Brushed Brass








VERSA

26169



LIGHT SOURCE	LED 26W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K I 3000K
LUMEN OUTPUT	2234Lm I 2355Lm
CRI	80
DIMMABLE TRIAC	
DIMENSIONS	L: 155cm W: 12cm H: 67.5cm
BASE	Ø: 18cm H: 3.5cm
STRIPED GLASS	L: 60cm W: 6cm H: 30cm
MATERIAL	Metal - Aluminium - Glass
SPECIAL FEATURE	140cm Transparent Cable Adjustable
FINISH	Clear Striped Glass-Brushed Brass






VERSA

26171

26172



LIGHT SOURCE	LED 13W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K I 3000K
LUMEN OUTPUT	1194Lm I 1238Lm
CRI	80
DIMMABLE TRIAC	◔

DIMENSIONS	L: 76cm W: 6cm H: 67.5cm
BASE	Ø: 15cm H: 3.5cm
STRIPED GLASS	L: 60cm W: 6cm H: 30cm

MATERIAL	Metal - Aluminium - Glass
SPECIAL FEATURE	140cm Transparent Cable Adjustable
FINISH	Clear Striped Glass-Brushed Brass Brown Striped Glass-Brushed Brass








VERSA

26173

26174



LIGHT SOURCE	LED 9W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K I 3000K
LUMEN OUTPUT	768Lm I 830Lm
CRI	80
DIMMABLE TRIAC	◠
DIMENSIONS	L: 52cm W: 6cm H: 47.5cm
BASE	Ø: 15cm H: 3.5cm
STRIPED GLASS	L: 36cm W: 6cm H: 20cm
MATERIAL	Metal - Aluminium - Glass
SPECIAL FEATURE	140cm Transparent Cable Adjustable
FINISH	Clear Striped Glass-Brushed Brass Brown Striped Glass-Brushed Brass





KERI


> ***Light*** *Doesn't Just Create*
> *The Feeling To Move* ***Forward***
> *It Shows The Way You Can Do It*





KERI

26123




LIGHT SOURCE	LED 40W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K I 3000K
LUMEN OUTPUT	2107Lm I 2315Lm
CRI	90
DIMMABLE TRIAC	
DIMENSIONS	L: 85cm W: 60cm H: 103.5-133.5cm
BASE	Ø: 18cm H: 3.5cm
GLASS	Ø: 3cm H: 17cm
MATERIAL	Metal - Aluminium - Glass
FINISH	Dark Antique Bronze-Milky White Glass



KERI

26124




LIGHT SOURCE	LED 65W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K I 3000K
LUMEN OUTPUT	3219Lm I 3495Lm
CRI	90
DIMMABLE TRIAC	
DIMENSIONS	L: 120cm W: 42cm H: 103.5-133.5cm
BASE	Ø: 20cm H: 3.5cm
GLASS	Ø: 3cm H: 17cm
MATERIAL	Metal - Aluminium - Glass
FINISH	Dark Antique Bronze-Milky White Glass




KERI

26121








LIGHT SOURCE	LED 5W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K I 3000K
LUMEN OUTPUT	340Lm I 402Lm
CRI	90
DIMMABLE TRIAC	◔
DIMENSIONS	L: 8.8cm W: 5.5cm H: 24cm
BASE	L: 3.5cm W: 5.5cm H: 12.5cm
GLASS	Ø: 3cm H: 17cm
MATERIAL	Metal - Aluminium - Glass
FINISH	Dark Antique Bronze-Milky White Glass

KERI

26122







LIGHT SOURCE	LED 9W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K I 3000K
LUMEN OUTPUT	506Lm I 604Lm
CRI	90
DIMMABLE TRIAC	◔
DIMENSIONS	L: 8.8cm W: 5.5cm H: 44cm
BASE	L: 3.5cm W: 5.5cm H: 12.5cm
GLASS	Ø: 3cm H: 37cm
MATERIAL	Metal - Aluminium - Glass
FINISH	Dark Antique Bronze-Milky White Glass


TAPEL


*“ A Great **Atmosphere** Never Goes **Unnoticed***




TAPEL

2698






LIGHT SOURCE	LED 26W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K I 3000K
LUMEN OUTPUT	1604Lm I 1712Lm
CRI	80
DIMMABLE TRIAC	◠
DIMENSIONS	L: 100cm W: 85cm H: 23cm
BASE	Ø: 12cm H: 4cm
SHADES	Ø: 20cm H: 3cm I Ø: 30cm H: 3cm
OPAL GLASS	Ø: 8cm H: 7cm
MATERIAL	Metal - Aluminium - Glass
FINISH	Black Matt-Opal-Tawny Glass



TAPEL

26100



LIGHT SOURCE	LED 38W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K I 3000K
LUMEN OUTPUT	2321Lm I 2445Lm
CRI	80
DIMMABLE TRIAC	

DIMENSIONS	L: 122cm W: 61cm H: 85-115cm
BASE	L: 70cm W: 6cm H: 4cm
SHADES	Ø: 20cm L: 3cm
OPAL GLASS	Ø: 8cm L: 7cm


MATERIAL	Metal - Aluminium - Glass
SPECIAL FEATURE	Adjustable Height
FINISH	Black Matt-Opal-Tawny Glass



TAPEL

2699





LIGHT SOURCE	LED 12W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K I 3000K
LUMEN OUTPUT	700Lm I 784Lm
CRI	80
DIMMABLE TRIAC	◠
DIMENSIONS	L: 15.5cm W: 40cm H: 58cm
BASE	Ø: 12cm L: 3cm
SHADES	Ø: 20cm L: 3cm
OPAL GLASS	Ø: 8cm L:7cm
MATERIAL	Metal - Aluminium - Glass
FINISH	Black Matt-Opal-Tawny Glass






TAPEL


26101






LIGHT SOURCE	LED 8W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	445Lm
CRI	80
DIMMABLE	
DIMENSIONS	Ø: 20cm H: 40cm
BASE	Ø: 20cm H: 0.7cm
SHADE	Ø: 20cm L: 3cm
OPAL GLASS	Ø: 8cm L:7cm
MATERIAL	Metal - Aluminium - Glass
SPECIAL FEATURE	180cm Cable Available Touch Dimming Switch
FINISH	Black Matt-Opal-Tawny Glass





TAPEL

26102



LIGHT SOURCE	LED 19W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	943Lm
CRI	80
DIMMABLE	

DIMENSIONS	Ø: 30cm H: 160cm
BASE	Ø: 30cm H: 0.7cm
SHADES	Ø: 20cm L: 3cm
OPAL GLASS	Ø: 8cm L:7cm


MATERIAL	Metal - Aluminium - Glass
SPECIAL FEATURE	180cm Cable Available Foot Dimming Switch
FINISH	Black Matt-Opal-Tawny Glass





OLIO

26175




LIGHT SOURCE	LED 26W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K I 3000K
LUMEN OUTPUT	1781Lm I 1895Lm
CRI	80
DIMMABLE TRIAC	
DIMENSIONS	L: 133cm W: 15cm H: 47cm
BASE	Ø: 20cm H: 3.5cm
GLASS	Ø: 15cm
MATERIAL	Metal - Aluminium - Glass
SPECIAL FEATURE	150cm Transparent Cable Adjustable
FINISH	Assorted Glass-Brushed Brass





OLIO

- 26176
- 26177



LIGHT SOURCE	1x G9 LED Bulb I MAX 7W
INPUT	220-240V I 50/60Hz
DIMENSIONS	Ø: 40cm L: 10.5cm
BASE	Ø: 15cm L: 2.5cm
OPAL GLASS	Ø: 8cm
MATERIAL	Metal - Glass
FINISH	Clear Glass-Brushed Brass Brown Glass-Brushed Brass










STALA

*Thoughtfully Designed **Spaces***
*Bring People **Together***



STALA

26128



LIGHT SOURCE	LED 47W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K I 3000K
LUMEN OUTPUT	3300Lm I 3625Lm
CRI	90
DIMMABLE TRIAC	

DIMENSIONS	Ø: 75cm H: 440cm
BASE	Ø: 65cm H: 4cm
SHADES	Ø: 18cm H: 4.5cm I Ø: 15cm H: 3.5cm
RODS	Ø: 2.5cm H: 42cm I Ø: 2.5cm H: 22cm

MATERIAL	Metal - Aluminium - Glass
SPECIAL FEATURE	400cm Cable Adjustable
FINISH	Clear Glass-Black Matt-Antique Bronze




Modulate Your Stala's Elegance

Pick The Glass That Fits Your Style

STALA








26130

26132

DIMENSIONS	Ø: 18cm H: 4.5cm
MATERIAL	Glass
FINISH	Brown	Tinted Transparent Glass







26129

26131


DIMENSIONS	Ø: 15cm H: 3.5cm
MATERIAL	Glass
FINISH	Brown	Tinted Transparent Glass





STALA

26127



LIGHT SOURCE	LED 20W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K I 3000K
LUMEN OUTPUT	1400Lm I 1685Lm
CRI	90
DIMMABLE TRIAC	

DIMENSIONS	Ø: 55cm H: 440cm
BASE	Ø: 45cm H: 4cm
SHADES	Ø: 18cm H: 4.5cm I Ø: 15cm H: 3.5cm
RODS	Ø: 2.5cm H: 42cm I Ø: 2.5cm H: 22cm


MATERIAL	Metal - Aluminium - Glass
SPECIAL FEATURE	400cm Cable Adjustable
FINISH	Clear Glass-Black Matt-Antique Bronze





STALA

26126



LIGHT SOURCE	LED 42W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K I 3000K
LUMEN OUTPUT	3000Lm I 3384Lm
CRI	90
DIMMABLE TRIAC	
DIMENSIONS	L: 130cm W: 30cm H: 440cm
BASE	L: 120cm W: 20cm H: 4cm
SHADES	Ø: 18cm H: 4.5cm I Ø: 15cm H: 3.5cm
RODS	Ø: 2.5cm H: 42cm I Ø: 2.5cm H: 22cm
MATERIAL	Metal - Aluminium - Glass
SPECIAL FEATURE	400cm Cable Adjustable
FINISH	Clear Glass-Black Matt-Antique Bronze






STALA

26125





LIGHT SOURCE	LED 7W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K I 3000K
LUMEN OUTPUT	420Lm I 455Lm
CRI	90
DIMMABLE TRIAC	

DIMENSIONS	Ø: 18cm H: 42cm
BASE	Ø: 12cm H: 4.5cm
SHADES	Ø: 18cm H: 4.5cm I Ø: 15cm H: 3.5cm
ROD	Ø: 2.5cm H: 42cm

MATERIAL	Metal - Aluminium - Glass
SPECIAL FEATURE	400cm Cable Adjustable
FINISH	Clear Glass-Black Matt-Antique Bronze




SAPEL


*A Bright **Mindset***
*Is The Finest **Luxury***



SAPEL

2688





LIGHT SOURCE	LED 15W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K I 3000K I 4000K
LUMEN OUTPUT	1237Lm I 1322Lm I 1369Lm
CRI	90
DIMMABLE TRIAC	◠


DIMENSIONS	Ø: 35cm H: 240cm
BASE	Ø: 35cm H: 3cm
GLASSES	Ø: 10cm H: 40.5cm


MATERIAL	Metal - Glass
SPECIAL FEATURE	200cm Cable Adjustable
FINISH	Champagne Glass-Sandy Gold



SAPEL

2689





LIGHT SOURCE	LED 31W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K I 3000K I 4000K
LUMEN OUTPUT	2618Lm I 2890Lm I 2949Lm
CRI	90
DIMMABLE TRIAC	◠


DIMENSIONS	Ø: 50cm H: 240cm
BASE	Ø: 50cm H: 3.5cm
GLASSES	Ø: 10cm H: 40.5cm

MATERIAL	Metal - Glass
SPECIAL FEATURE	200cm Cable Adjustable
FINISH	Champagne Glass-Sandy Gold



SAPEL

2691



LIGHT SOURCE	LED 25W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K I 3000K I 4000K
LUMEN OUTPUT	2117Lm I 2282Lm I 2331Lm
CRI	90
DIMMABLE TRIAC	
DIMENSIONS	L: 105cm W: 10cm H: 240cm
BASE	L: 105cm W: 6.5cm H: 3.5cm
GLASSES	Ø: 10cm H: 40.5cm
MATERIAL	Metal - Glass
SPECIAL FEATURE	200cm Cable Adjustable
FINISH	Champagne Glass-Sandy Gold








SAPEL

2690



LIGHT SOURCE	LED 7W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K I 3000K I 4000K
LUMEN OUTPUT	503Lm I 548Lm I 565Lm
CRI	90
DIMMABLE TRIAC	
DIMENSIONS	Ø: 10cm H: 40.5cm
BASE	Ø: 10cm H: 3.5cm
GLASS	Ø: 10cm H: 40.5cm
MATERIAL	Metal - Glass
FINISH	Champagne Glass-Sandy Gold




SAPEL

26147








LIGHT SOURCE	LED 7W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K I 3000K I 4000K
LUMEN OUTPUT	503Lm I 548Lm I 565Lm
CRI	90
DIMMABLE TRIAC	
DIMENSIONS	L: 15cm W: 10cm H: 47cm
BASE	Ø: 10cm L: 3cm
GLASS	Ø: 10cm H: 40.5cm
MATERIAL	Metal - Glass
FINISH	Champagne Glass-Sandy Gold



LORR

> ***Illuminate*** *Your Space,*
> ***Elevate*** *Your Everyday*






LORR

2656

2657




LIGHT SOURCE	LED 26W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	1840Lm
CRI	90
DIMMABLE TRIAC	
DIMENSIONS	L: 112cm W: 34cm H: 240cm
BASE	L: 105cm W: 25cm H: 3cm
GLASSES	Ø: 18cm
	Ø: 12cm
ROD	Ø: 3cm H: 36cm
MATERIAL	Metal - Aluminium - Glass
SPECIAL FEATURE	200cm Cable Adjustable
FINISH	Gold Glass-Gold Matt
	Smoked Glass-Black Matt





LORR

- 2654
- 2655



LIGHT SOURCE	LED 26W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	1840Lm
CRI	90
DIMMABLE TRIAC	
DIMENSIONS	Ø: 70cm H: 240cm
BASE	Ø: 60cm H: 4cm
GLASSES	Ø: 18cm
	Ø: 12cm
ROD	Ø: 3cm H: 36cm
MATERIAL	Metal - Aluminium - Glass
SPECIAL FEATURE	200cm Cable Adjustable
FINISH	Gold Glass-Gold Matt
	Smoked Glass-Black Matt





VITRO


*“ Every **Shadow** Exists*
*To **Reveal** The Light*
*And Every Light **Lifts** You*





VITRO

- 2607
- 2608
- 2609



LIGHT SOURCE	LED 8W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	715Lm I 790Lm I 820Lm
CRI	80
NON DIMMABLE	⊗
DIMENSIONS	Ø: 28cm H: 26cm
BASE	Ø: 12cm H: 3cm
GLASS	Ø: 28cm H: 17.5cm
MATERIAL	Metal - Glass
SPECIAL FEATURE	250cm Cable Adjustable
FINISH	Smoked Grey Glass-Black Matt Gold Glass-Black Matt Light Brown Glass-Black Matt







VITRO

- 2610
- 2611
- 2612





LIGHT SOURCE	LED 4W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	365Lm I 340Lm I 390Lm
CRI	80
NON DIMMABLE	⊠
DIMENSIONS	Ø: 15cm H: 16cm
BASE	Ø: 10cm H: 3cm
GLASS	Ø: 15cm H: 15cm
MATERIAL	Metal - Glass
SPECIAL FEATURE	250cm Cable Adjustable
FINISH	Smoked Grey Glass-Black Matt Gold Glass-Black Matt Light Brown Glass-Black Matt








VITRO

2613




LIGHT SOURCE	LED 11W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	1150Lm
CRI	80
NON DIMMABLE	⊗
DIMENSIONS	Ø: 34cm H: 275cm
BASE	Ø: 25cm H: 3.5cm
GLASSES	Ø: 12.5cm H: 20cm
	Ø: 18cm H: 11cm
	Ø: 15cm H: 16cm
MATERIAL	Metal - Glass
SPECIAL FEATURE	250cm Cable Adjustable
FINISH	Smoked Grey Glass-Black Matt



VITRO

2614



LIGHT SOURCE	LED 15W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	1582Lm
CRI	80
NON DIMMABLE	⊠
DIMENSIONS	L: 89cm W: 18cm H: 275cm
BASE	L: 80cm W: 8cm H: 3.5cm
GLASSES	Ø: 12.5cm H: 20cm Ø: 18cm H: 11cm Ø: 15cm H: 16cm
MATERIAL	Metal - Glass
SPECIAL FEATURE	250cm Cable Adjustable
FINISH	Smoked Grey Glass-Black Matt






VITRO

2615






LIGHT SOURCE	LED 11W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	1132Lm
CRI	80
NON DIMMABLE	⊗
DIMENSIONS	Ø: 44cm H: 24cm
BASE	Ø: 35cm H: 3.5cm
GLASSES	Ø: 12.5cm H: 20cm
	Ø: 18cm H: 11cm
	Ø: 15cm H: 16cm
MATERIAL	Metal - Glass
FINISH	Smoked Grey Glass-Black Matt

VITRO

2616





LIGHT SOURCE	LED 18W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	1864Lm
CRI	80
NON DIMMABLE	⊗
DIMENSIONS	Ø: 59cm H: 24cm
BASE	Ø: 50cm H: 3.5cm
GLASSES	Ø: 12.5cm H: 20cm
	Ø: 18cm H: 11cm
	Ø: 15cm H: 16cm
MATERIAL	Metal - Glass
FINISH	Smoked Grey Glass-Black Matt



LIORA


“ *The Beauty Of **Calmness***
*Is Found In **Simplicity***





LIORA

- 2604
- 2605
- 2606



LIGHT SOURCE	LED 5W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	305Lm I 315Lm I 335Lm
CRI	80
NON DIMMABLE	⊠
DIMENSIONS	Ø: 20cm H: 35cm
BASE	Ø: 10cm H: 3cm
MATERIAL	Metal - Glass
SPECIAL FEATURE	250cm Transparent Cable Adjustable
FINISH	Grey I Clear-White Matt
	Green I Clear-White Matt
	Blue I Clear-White Matt






DECO

Crafted To Stand Out
Decorative Luminaires That Define
The Mood And The Aesthetics Of Space







PICO






*Light Touches The **Space** First*
*Then The **Mood***
Always In That Order



PICO

- 26163
- 26164
- 26165




LIGHT SOURCE	LED 68W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K I 3000K
LUMEN OUTPUT	2410Lm I 2530Lm
CRI	80
DIMMABLE TRIAC	◯
DIMENSIONS	Ø: 60cm H: 6cm
BASE	Ø: 21cm H: 4cm
PROFILE	2.7cm x 6cm
MATERIAL	Metal - Aluminium - Acrylic
SPECIAL FEATURE	200cm Cable Adjustable Up-Down Lighting
FINISH	Sandy Black Sandy Beige Sandy Brown



PICO

- 26166
- 26167
- 26168



LIGHT SOURCE	LED 90W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K I 3000K
LUMEN OUTPUT	3876Lm I 4003Lm
CRI	80
DIMMABLE TRIAC	◯
DIMENSIONS	Ø: 80cm H: 6cm
BASE	Ø: 21cm H: 4cm
PROFILE	2.7cm x 6cm
MATERIAL	Metal - Aluminium - Acrylic
SPECIAL FEATURE	200cm Cable Adjustable Up-Down Lighting
FINISH	Sandy Black Sandy Beige Sandy Brown





















PICO

- 26160
- 26161
- 26162



LIGHT SOURCE	LED 40W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K I 3000K
LUMEN OUTPUT	1764Lm I 1857Lm
CRI	80
DIMMABLE TRIAC	◯
DIMENSIONS	L: 122.5cm W: 2.7cm H: 6cm
BASE	Ø: 6cm H: 20cm
PROFILE	2.7cm x 6cm
MATERIAL	Metal - Aluminium - Acrylic
SPECIAL FEATURE	200cm Cable Adjustable Up-Down Lighting
FINISH	Sandy Black Sandy Beige Sandy Brown





LINOR


“ *Small **Details***
*Bring Lasting **Impressions***





LINOR

2692




LIGHT SOURCE	LED 17W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K I 3000K
LUMEN OUTPUT	1205Lm I 1290Lm
CRI	90
BEAM ANGLE	36°
DIMMABLE TRIAC	◔
DIMENSIONS	L: 80cm W: 5cm H: 13cm
BASE	L: 30cm W: 6cm H: 4cm
SPOTS	Ø: 5cm H: 7cm
MATERIAL	Metal - Aluminium
SPECIAL FEATURE	200cm Cable Adjustable Rotatable Spots 350°
FINISH	Sandy Black



LINOR

2693



LIGHT SOURCE	LED 36W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K I 3000K
LUMEN OUTPUT	2198Lm I 2331Lm
CRI	90
BEAM ANGLE	36°
DIMMABLE TRIAC	◔
DIMENSIONS	L: 110cm W: 58cm H: 18.5cm
BASE	L: 45cm W: 7.2cm H: 3.5cm
SPOTS	Ø: 5cm H: 7cm
MATERIAL	Metal - Aluminium
SPECIAL FEATURE	200cm Cable Adjustable Rotatable Spots 350°
FINISH	Sandy Black






LINOR

2694








LIGHT SOURCE	LED 9W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K I 3000K
LUMEN OUTPUT	343Lm I 377Lm
CRI	90
BEAM ANGLE	36°
NON DIMMABLE	⊗
DIMENSIONS	L: 19cm W: 7.5cm H: 10cm
BASE	L: 2.8cm W: 7.5cm H: 10cm
SPOT	Ø: 5cm H: 7cm
SWITCH	On/Off
MATERIAL	Metal - Aluminium
SPECIAL FEATURE	Rotatable Spot 350°
FINISH	Sandy Black





LINOR

2695



LIGHT SOURCE	LED 9W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	493Lm
CRI	90
BEAM ANGLE	36°
DIMMABLE	

DIMENSIONS	L: 90cm W: 28cm H: 250cm
BASE	Ø: 28cm H: 1cm
SPOT	Ø: 5cm H: 7cm


MATERIAL	Metal - Aluminium
SPECIAL FEATURE	150cm Cable Available Dimming Foot Switch Rotatable Spot 350°
FINISH	Sandy Black



SEDO


“ ***Designed*** *To Shine*
Made To ***Inspire***






SEDO

26107



LIGHT SOURCE	LED 47W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K I 3000K
LUMEN OUTPUT	1795Lm I 1963Lm
CRI	90
DIMMABLE TRIAC	
DIMENSIONS	L: 150cm W: 26cm H: 28cm
BASE	Ø: 7cm H: 20cm
STICKS	Ø: 1.5cm L: 122cm
MATERIAL	Metal - Aluminium
SPECIAL FEATURE	200cm Cable Adjustable
FINISH	Sandy Black-White




SILCO

*“ Let **Everyday** Begin*
*With A Sense Of **Possibility***




SILCO

2638



LIGHT SOURCE	LED 46W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	1860Lm
CRI	90
DIMMABLE TRIAC	
DIMENSIONS	L: 53cm W: 53cm H: 26.5cm
BASE	Ø: 32cm H: 4cm
MATERIAL	Metal - Aluminium - Silicone
FINISH	Sandy Black-White




SILCO

2637







LIGHT SOURCE	LED 13W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	780Lm
CRI	80
DIMMABLE TRIAC	◠
DIMENSIONS	L: 10cm W: 24.5cm H: 47cm
BASE	Ø: 9cm L: 10cm
MATERIAL	Metal - Aluminium - Silicone
FINISH	Sandy Black



POLA


“ Where Light **Lives**
Comfort **Follows**




POLA

2639

2640



LIGHT SOURCE	LED 13W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	670Lm
CRI	80
DIMMABLE TRIAC	
DIMENSIONS	L: 13cm W: 30cm H: 34cm
BASE	Ø: 10cm L: 3.8cm
MATERIAL	Metal - Aluminium - Silicone
FINISH	Sandy Black-Brushed Gold Sandy White-Brushed Gold



VOLO

*A Sense Of **Calm***
*Is Built Into Every **Detail***










VOLO

- 2658
- 2659
- 2660



LIGHT SOURCE	LED 10W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	838Lm
CRI	80
NON DIMMABLE	⊗
DIMENSIONS	L: 7cm W: 21.2cm H: 16.5cm
BASE	Ø: 7cm L: 4.5cm
MATERIAL	Metal - Acrylic
FINISH	Brushed Gold Sandy White Sandy Black




SENTA






*“ Sometimes You **Decide***
*The **Path** Your **Light** Follows.*



SENTA

- 2633
- 2634




LIGHT SOURCE	LED 29W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	1836Lm
CRI	90
BEAM ANGLE	36°
DIMMABLE TRIAC	
DIMENSIONS	L: 150cm W: 8cm H: 210cm
BASE	Ø: 6cm H: 12cm
SPOTS	Ø: 3cm H: 10cm
PROFILE	1cm x 1cm
MATERIAL	Metal - Aluminium
SPECIAL FEATURE	200cm Cable Adjustable Movable Spots 359°
FINISH	Sandy Black Sandy Black-Brushed Gold










SENTA

2635

2636






LIGHT SOURCE	LED 29W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	1830Lm
CRI	90
BEAM ANGLE	36°
DIMMABLE TRIAC	◠
DIMENSIONS	Ø: 67cm H: 210cm
BASE	Ø: 6cm H: 12cm
SPOTS	Ø: 3cm H: 10cm
PROFILE	1cm x 1cm
MATERIAL	Metal - Aluminium
SPECIAL FEATURE	200cm Cable Adjustable Movable Spots 359°
FINISH	Sandy Black Sandy Black-Brushed Gold





SENTA

Plug & Play - Reading Light




Adaptable Spot Profile With Dual-Rotation
For Left Or Right Side Mounting.





SENTA

- 2630
- 2631
- 2632



LIGHT SOURCE	LED 6W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	266Lm
CRI	90
BEAM ANGLE	36°
NON DIMMABLE	⊠
DIMENSIONS	L: 9.5cm W: 5.4cm H: 35cm
BASE	L: 4.4cm W: 5.4cm H: 8cm
SPOT	Ø: 3cm L: 12cm
MATERIAL	Metal - Aluminium
SPECIAL FEATURE	Plug & Play Rotatable Spot 359° Rotatable Half-Profile 360°
FINISH	Sandy Black Sandy White Sandy Black-Brushed Gold





JAVA

> ***Illuminate*** *Ideas*
> *Capture* ***Attention***
> *Create* ***Meaningful*** *Moments*






JAVA

2682

2683



LIGHT SOURCE	LED 36W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K I 3000K I 4000K
LUMEN OUTPUT	1186Lm I 1370Lm I 1510Lm
CRI	80
DIMMABLE TRIAC	◔
DIMENSIONS	Ø: 48cm H: 7.5cm
BASE	Ø: 40.5cm H: 3.6cm
MATERIAL	Metal - Aluminium - Acrylic
SPECIAL FEATURE	Indirect & Up Lighting
FINISH	Cappuccino-Sandy White Cappuccino-Sandy Black









JAVA


2684

2685










LIGHT SOURCE	LED 50W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K I 3000K I 4000K
LUMEN OUTPUT	1852Lm I 2175Lm I 2307Lm
CRI	80
DIMMABLE TRIAC	
DIMENSIONS	Ø: 70cm H: 7.5cm
BASE	Ø: 58cm H: 3.1cm
MATERIAL	Metal - Aluminium - Acrylic
SPECIAL FEATURE	Indirect & Up Lighting
FINISH	Cappuccino-Sandy White Cappuccino-Sandy Black



SIGMA


*Some Things Can Be **Measured***
*A **Feeling** Isn't One Of Them*





SIGMA

2686



LIGHT SOURCE	LED 46W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K I 3000K I 4000K
LUMEN OUTPUT	1779Lm I 1939Lm I 2075Lm
CRI	80
DIMMABLE TRIAC	◠
DIMENSIONS	L: 6.2cm W: 60cm H: 65cm
SQUARE	W: 35cm H: 35cm
	Base: Ø: 20cm
CIRCLE	Ø: 45cm
	Base: Ø: 20cm
MATERIAL	Metal - Aluminium
SPECIAL FEATURE	Back Lighting
	Cable Connection In Between Shapes
FINISH	Sandy White-Cappuccino








SIGMA

2687



LIGHT SOURCE	LED 94W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K I 3000K I 4000K
LUMEN OUTPUT	3736Lm I 4072Lm I 4447Lm
CRI	80
DIMMABLE TRIAC	
DIMENSIONS	L: 6.2cm W: 75cm H: 110cm
SQUARE	W: 45cm H: 45cm
	Base: Ø: 20cm
CIRCLES	Ø: 55cm I Ø: 35cm
	Bases: Ø: 20cm I Ø: 20cm
MATERIAL	Metal - Aluminium
SPECIAL FEATURE	Back Lighting
	Cable Connection In Between Shapes
FINISH	Sandy White-Cappuccino



MIRA


“ *The **Greatest** Details*
*Showcase The Best **Reflections***



MIRA

2666






LIGHT SOURCE	LED 7W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	243Lm
CRI	80
NON DIMMABLE	⊗
DIMENSIONS	Ø: 30cm L: 10.5cm
BASE	Ø: 12cm L: 3cm
MATERIAL	Metal - Mirror - Acrylic
SPECIAL FEATURE	Rotatable 359° - Tilt Up-Down IP20
FINISH	Mirror-White Matt



MIRA

2667





LIGHT SOURCE	LED 10W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	344Lm
CRI	80
NON DIMMABLE	⊗
DIMENSIONS	Ø: 40cm L: 10.5cm
BASE	Ø: 12cm L: 3cm
MATERIAL	Metal - Mirror - Acrylic
SPECIAL FEATURE	Rotatable 359° - Tilt Up-Down IP20
FINISH	Mirror-White Matt



KONA


“ *No **Intensity** Needed*
Just A Little Light
*And **Balance** Returns*





KONA

- 2675
- 2676




LIGHT SOURCE	LED 11W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	670Lm
CRI	90
BEAM ANGLE	36°
DIMMABLE TRIAC	◠
DIMENSIONS	Ø: 40cm H: 12.5cm
BASE	Ø: 5.5cm H: 9cm
MATERIAL	Metal - Aluminium
SPECIAL FEATURE	200cm Cable Adjustable
FINISH	Khaki-Sandy Black Nude Pink-Sandy Black





KONA

- 2677
- 2678



LIGHT SOURCE	LED 11W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	670Lm
BEAM ANGLE	36°
CRI	90
DIMMABLE TRIAC	◠
DIMENSIONS	Ø: 55cm H: 10cm
BASE	Ø: 5.5cm H: 9cm
MATERIAL	Metal - Aluminium
SPECIAL FEATURE	200cm Cable Adjustable
FINISH	Khaki-Sandy Black Nude Pink-Sandy Black







FLORA


“ ***Comfort*** *Is Not A Luxury*
It's Where Great ***Moments*** *Begin*







FLORA

- 2619
- 2620
- 2621












LIGHT SOURCE	LED 6W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	198Lm
CRI	95
NON DIMMABLE	⊠
DIMENSIONS	Ø: 45cm L: 11cm
BASE	Ø: 8cm L: 5.3cm
MATERIAL	Metal - Aluminium - Acrylic
FINISH	Khaki Light Brown Nude Pink



SONA


“ *Less* ***Echo***
More ***Atmosphere***




SONA

2617






LIGHT SOURCE	LED 6W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	198Lm
CRI	95
NON DIMMABLE	⊗
DIMENSIONS	Ø: 35cm L: 7.2cm
BASE	Ø: 8cm L: 5cm
MATERIAL	Metal - Acoustic Panel - Acrylic
SPECIAL FEATURE	Snow Pattern
FINISH	Grey-Black Matt



SONA

2618





LIGHT SOURCE	LED 6W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	198Lm
CRI	95
NON DIMMABLE	⊗
DIMENSIONS	Ø: 35cm L: 7.2cm
BASE	Ø: 8cm L: 5cm
MATERIAL	Metal - Acoustic Panel - Acrylic
SPECIAL FEATURE	Diamond Pattern
FINISH	Grey-Black Matt

ECHO

“ *Once Light Meets **Silence***
***Focus** Comes Naturally*



ECHO

2679

2680

LIGHT SOURCE	LED 26W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	2186Lm
CRI	90
DIMMABLE TRIAC	
DIMENSIONS	L: 110cm W: 7.5cm H: 31cm
BASE	L: 34cm W: 10.7cm H: 6cm
MATERIAL	Metal - Acoustic Panel
SPECIAL FEATURE	200cm Cable Adjustable
FINISH	Light Grey Light Green














ECHO

2681




LIGHT SOURCE	LED 13W
INPUT	220-240V | 50/60Hz
COLOR TEMPERATURE	2700K | 3000K
LUMEN OUTPUT	1070Lm | 1137Lm
CRI	90
DIMMABLE TRIAC	
DIMENSIONS	L: 40cm W: 17.5cm H: 37.5cm
BASE	Ø: 8.5cm H: 10.2cm
MATERIAL	Metal - Acoustic Panel
SPECIAL FEATURE	200cm Cable Adjustable
FINISH	Coffee



FLOOR & TABLE







Warm Glow - Flexible Placement

Create Cozy CornersWith Floor & Table Lights





MASU

“ ***Texture*** *Creates Depth*
Nature *Creates Meaning*




MASU


2661







LIGHT SOURCE	1x E27 Bulb I MAX 40W
INPUT	220-240V I 50/60Hz
DIMENSIONS	Ø: 40cm H: 55cm
BASE	Ø: 16cm H: 35cm
SHADE	Ø: 40cm H: 20cm
MATERIAL	Sandstone Gypsum - Metal
SPECIAL FEATURE	150cm White Cable Available
FINISH	White Sandstone




MASU

26154










LIGHT SOURCE	1x E27 Bulb I MAX 40W
INPUT	220-240V I 50/60Hz
DIMENSIONS	Ø: 32cm H: 36.4cm
BASE	Ø: 12cm H: 22.4cm
SHADE	Ø: 32cm H: 14cm
MATERIAL	Risen - Metal
SPECIAL FEATURE	150cm Transparent Cable Available
FINISH	White



NEXOR

26188






LIGHT SOURCE	1x E27 Bulb I MAX 40W
INPUT	220-240V I 50/60Hz
DIMENSIONS	Ø: 40cm H: 66.9cm
SHADE	Ø: 40cm H: 25cm
MATERIAL	Marble - Metal - Fabric
SPECIAL FEATURE	150cm White Cable Available
FINISH	White Marble-Gold Matt





NEXOR

26152




LIGHT SOURCE	1x E27 Bulb I MAX 40W
INPUT	220-240V I 50/60Hz
DIMENSIONS	Ø: 33cm H: 56.9cm
BASE	Ø: 10cm H: 35cm
SHADE	Ø: 33cm H: 20cm
MATERIAL	Metal - Marble - Fabric
SPECIAL FEATURE	150cm Transparent Cable Available
FINISH	White Marble-Champagne Shade





NEXOR

26159




LIGHT SOURCE	1x E27 Bulb	MAX 40W
INPUT	220-240V	50/60Hz
DIMENSIONS	Ø: 39cm H: 152cm
BASE	Ø: 16cm H: 16cm
SHADE	Ø: 39cm H: 28cm
MATERIAL	Metal - Marble - Linen Fabric
SPECIAL FEATURE	200cm Transparent Cable Available
FINISH	White Marble-Brushed Brass-White Shade





DIKO

26156



LIGHT SOURCE	2x E27 Bulb I MAX 40W
INPUT	220-240V I 50/60Hz
DIMENSIONS	Ø: 30cm H: 44.4cm
BASE	Ø: 12cm H: 28.4cm
SHADE	Ø: 30cm H: 15cm
MATERIAL	Metal - Marble - Glass
SPECIAL FEATURE	150cm Black Cable Available
FINISH	Brown-Black Marble-White Shade








DIKO

26155



LIGHT SOURCE	1x E27 Bulb I MAX 40W
INPUT	220-240V I 50/60Hz
DIMENSIONS	Ø: 32.6cm H: 41.1cm
BASE	Ø: 13cm H: 27cm
SHADE	Ø: 32.6cm H: 14.6cm
MATERIAL	Metal - Marble
SPECIAL FEATURE	Tilt Up-Down Shade 150cm Black Cable Available
FINISH	Brown-Black Marble-Brushed Gold Shade






FINO

26148






LIGHT SOURCE	1x E27 Bulb I MAX 40W
INPUT	220-240V I 50/60Hz
DIMENSIONS	Ø: 30cm H: 58.5cm
BASE	Ø: 25cm H: 27.5cm
SHADE	Ø: 30cm H: 28cm
MATERIAL	Metal - Ceramic - Linen Fabric
SPECIAL FEATURE	150cm Transparent Cable Available
FINISH	Distressed Black-Grey Linen





FINO

26150



LIGHT SOURCE	1x E27 Bulb I MAX 40W
INPUT	220-240V I 50/60Hz
DIMENSIONS	Ø: 43cm H: 58cm
BASE	Ø: 22cm H: 28cm
SHADE	Ø: 43cm H: 23cm
MATERIAL	Metal - Ceramic - Fabric
SPECIAL FEATURE	150cm Transparent Cable Available
FINISH	Ivory White-Grey-Beige Shade


FINO

26149










LIGHT SOURCE	1x E27 Bulb I MAX 40W
INPUT	220-240V I 50/60Hz
DIMENSIONS	Ø: 37cm H: 51.9cm
BASE	Ø: 25cm H: 24.5cm
SHADE	Ø: 37cm H: 25cm
MATERIAL	Metal - Ceramic - Linen Fabric
SPECIAL FEATURE	150cm Transparent Cable Available
FINISH	White Ceramic-Beige Shade

FINO

26151








LIGHT SOURCE	1x E27 Bulb I MAX 40W
INPUT	220-240V I 50/60Hz
DIMENSIONS	Ø: 30cm H: 70.4cm
BASE	Ø: 20cm H: 34cm
SHADE	Ø: 30cm H: 32cm
MATERIAL	Metal - Ceramic - Linen Fabric
SPECIAL FEATURE	150cm Transparent Cable Available
FINISH	White Ceramic-Brown Shade



FINO

26153






LIGHT SOURCE	1x E27 Bulb I MAX 40W
INPUT	220-240V I 50/60Hz
DIMENSIONS	Ø: 43.5cm H: 63.8cm
BASE	Ø: 12cm H: 37.8cm
SHADE	Ø: 43.5cm H: 23cm
MATERIAL	Metal - Ceramic - Fabric
SPECIAL FEATURE	150cm Transparent Cable Available
FINISH	White Ceramic-Grey-Beige Shade



FINO

26158



LIGHT SOURCE	1x E27 Bulb I MAX 40W
INPUT	220-240V I 50/60Hz
DIMENSIONS	Ø: 41cm H: 46.2cm
BASE	Ø: 26cm H: 23cm
SHADE	Ø: 41cm H: 20cm
MATERIAL	Metal - Ceramic - Linen Fabric
SPECIAL FEATURE	150cm White Cable Available
FINISH	Crimson Ceramic-Beige Velvet






FINO

26187





LIGHT SOURCE	1x E27 Bulb I MAX 40W
INPUT	220-240V I 50/60Hz
DIMENSIONS	Ø: 30cm H: 53cm
BASE	Ø: 14cm H: 26cm
SHADE	Ø: 30cm H: 25cm
MATERIAL	Metal - Ceramic - Linen Fabric
SPECIAL FEATURE	150cm Transparent Cable Available
FINISH	Terracotta-Beige Shade






VION

26157







LIGHT SOURCE	1x E27 Bulb I MAX 40W
INPUT	220-240V I 50/60Hz
DIMENSIONS	Ø: 38cm H: 62cm
BASE	Ø: 25.4cm H: 35.4cm
SHADE	Ø: 38cm H: 25.5cm
MATERIAL	Metal - Glass - Linen Fabric
SPECIAL FEATURE	150cm White Cable Available
FINISH	Bronze-White Shade

CEILING SPOTS

Focused Light, Exceptional Style
Illuminate Every Corner with Precision









VISTA


> *In the **Simplicity** Of Light*
> *Lives The Purest Form Of **Ease***





VISTA

- 2668
- 2669
- 2670




LIGHT SOURCE	3x GU10 LED Bulb I MAX 5W
INPUT	220-240V I 50/60Hz
DIMENSIONS	L: 70cm W: 8.5cm H: 10cm
BASE	L: 70cm W: 8.5cm H: 1.5cm
SPOTS	Ø: 5.5cm H: 8cm
MATERIAL	Metal - Aluminium
SPECIAL FEATURE	Movable Spots
FINISH	Sandy Black
	Sandy White-Sandy Black
	Brushed Gold-Sandy Black



VISTA

- 2671
- 2672
- 2673



LIGHT SOURCE	4x GU10 LED Bulb I MAX 5W
INPUT	220-240V I 50/60Hz
DIMENSIONS	L: 120cm W: 8.5cm H: 10cm
BASE	L: 120cm W: 8.5cm H: 1.5cm
SPOTS	Ø: 5.5cm H: 8cm
MATERIAL	Metal - Aluminium
SPECIAL FEATURE	Movable Spots
FINISH	Sandy Black
	Sandy White-Sandy Black
	Brushed Gold-Sandy Black








VISTA

- 2627
- 2628
- 2629



LIGHT SOURCE	2x GU10 LED Bulb I MAX 5W
INPUT	220-240V I 50/60Hz
DIMENSIONS	L: 25cm W: 8.5cm H: 10cm
BASE	L: 25cm W: 8.5cm H: 1.5cm
SPOTS	Ø: 5.5cm H: 8cm
MATERIAL	Metal - Aluminium
SPECIAL FEATURE	Movable Spots
FINISH	Sandy Black Sandy White-Sandy Black Brushed Gold-Sandy Black










VISTA

- 2624
- 2625
- 2626



LIGHT SOURCE	1x GU10 LED Bulb I MAX 5W
INPUT	220-240V I 50/60Hz
DIMENSIONS	L: 18cm W: 8.5cm H: 10cm
BASE	L: 18cm W: 8.5cm H: 1.5cm
SPOT	Ø: 5.5cm H: 8cm
MATERIAL	Metal - Aluminium
SPECIAL FEATURE	Movable Spot
FINISH	Sandy Black Sandy White-Sandy Black Brushed Gold-Sandy Black



CONTENTS

OUTDOOR

01. CONCRETE | p.358 - 379

02. FLOOR & WALL | p.380 - 411

03. WALL | p.412 - 437

04. SPIKES | p.438 - 479

05. STEP | p.480 - 507

CONCRETE







Concrete Glow - Natural Flow
Rugged Elegance For Unique Outdoor Space

TERC


“ Every **Surface**
Tells A Story Of **Resilience**



TERC

E555






LIGHT SOURCE	LED 7W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	542Lm
CRI	90
IP	65
DIMENSIONS	L: 20cm W: 12cm H: 30cm
BASE	D: 23.5cm-14.5cm I 18.5cm-16cm
MATERIAL	Concrete - Stainless Steel
SPECIAL FEATURE	Waterproof Connector IP68 Included
FINISH	Terracotta-Sandy Black












TERC

- E556
- E557



LIGHT SOURCE	LED 6W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	444Lm
CRI	90
IP	65
DIMENSIONS	L: 23cm W: 15.8cm H: 11.5cm
BASE	W: 9cm H: 9cm
MATERIAL	Concrete - Stainless Steel
SPECIAL FEATURE	Waterproof Connector IP68 Included
FINISH	Terracotta-Sandy Black Natural Concrete-Sandy Black





RINA

“ ***Minimal*** *In Form*
Powerful In ***Presence***




RINA

E558







LIGHT SOURCE	LED 7W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	545Lm
CRI	90
BEAM ANGLE	100°
IP	65
DIMENSIONS	Ø: 15cm H: 50cm
BASE	Ø: 20cm H: 0.3cm
HOLE	Ø: 9cm
MATERIAL	Concrete - Stainless Steel
SPECIAL FEATURE	Waterproof Connector IP68 Included
FINISH	Natural Concrete-Sandy Black




OVA

E537







LIGHT SOURCE	LED 5W
INPUT	24V
COLOR TEMPERATURE	2700K
LUMEN OUTPUT	270Lm
CRI	90
IP	65
DIMENSIONS	Ø: 10cm H: 65.5cm
SHADE	Ø: 10cm H: 4cm
BASE	Ø: 6cm H: 0.5cm
MATERIAL	Concrete - Stainless Steel - Tempered Glass
SPECIAL FEATURE	50cm Cable Available Waterproof Connector IP68 Included
FINISH	Natural Concrete-Sandy Black

*Find Recommended driver on page 508



CRETE

“ **Open** The Door
Let **Life** Continue Outdoors




CRETE

3000K **E539**

2700K **E539-27**





LIGHT SOURCE	LED 11W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K I 3000K
LUMEN OUTPUT	544Lm I 595Lm
CRI	90
IP	65
DIMENSIONS	L: 16.5cm W: 13cm H: 45cm
BASE	L: 9cm W: 18cm H: 0.3cm
MATERIAL	Concrete - Stainless Steel Tempered Glass
SPECIAL FEATURE	Waterproof Connector IP68 Included
FINISH	Sand Concrete-Sandy Black




CRETE

3000K **E538**

2700K **E538-27**






LIGHT SOURCE	LED 11W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K I 3000K
LUMEN OUTPUT	544Lm I 595Lm
CRI	90
IP	65
DIMENSIONS	L: 16.5cm W: 13cm H: 20cm
BASE	L: 9cm W: 18cm H: 0.3cm
MATERIAL	Concrete - Stainless Steel Tempered Glass
SPECIAL FEATURE	Waterproof Connector IP68 Included
FINISH	Sand Concrete-Sandy Black





CRETE

E566



LIGHT SOURCE	LED 4W
INPUT	24V
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	209Lm
CRI	94
IP	65
DIMENSIONS	Ø: 12cm H: 90cm
SHADE	Ø: 12cm H: 4cm
BASE	Ø: 6cm H: 0.5cm
MATERIAL	Concrete - Stainless Steel - Tempered Glass
SPECIAL FEATURE	50cm Cable Available Waterproof Connector IP68 Included
FINISH	Sand Concrete-Sandy Black


*Find Recommended driver on page 508

FLOOR & WALL

Wall to Floor - One Style
Seamless Design Connection Across Surfaces









ARIA


*Strong **Lines***
*Soft **Atmosphere***





ARIA

E529



LIGHT SOURCE	LED 13W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	709Lm
CRI	90
IP	65
DIMENSIONS	Ø: 24cm H: 80cm
SHADE	Ø: 24cm H: 6cm
GLASS	Ø: 7.5cm H: 16cm
MATERIAL	Aluminium - Glass
SPECIAL FEATURE	Waterproof Connector IP68 Included
FINISH	Sandy Coffee






ARIA

E527








LIGHT SOURCE	LED 13W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	709Lm
CRI	90
IP	54
DIMENSIONS	L: 30cm W: 24cm H: 22cm
BASE	Ø: 10cm L: 4.5cm
SHADE	Ø: 24cm H: 6cm
GLASS	Ø: 7.5cm H: 16cm
MATERIAL	Aluminium - Glass
FINISH	Sandy Coffee

ARIA


E528







LIGHT SOURCE	LED 13W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	709Lm
CRI	90
IP	54
DIMENSIONS	Ø: 24cm H: 19.6cm
SHADE	Ø: 24cm H: 6cm
GLASS	Ø: 7.5cm H: 16cm
BASE	Ø: 12cm H: 3.5cm
MATERIAL	Aluminium - Glass
FINISH	Sandy Coffee








DUNE

- E520
- E521



LIGHT SOURCE	LED 10W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	770Lm
CRI	80
IP	65
DIMENSIONS	Ø: 9.5cm H: 50cm
MATERIAL	Aluminium - PC Diffuser
SPECIAL FEATURE	Waterproof Connector IP68 Included
FINISH	Graphite Sandy Coffee








LOOP

E345-27




LIGHT SOURCE	LED 10W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K
LUMEN OUTPUT	871Lm
CRI	80
IP	65
DIMENSIONS	Ø: 12cm H: 65cm
MATERIAL	Aluminium - PC Diffuser
SPECIAL FEATURE	Waterproof Connector IP68 Included
FINISH	Sandy Coffee





CURV

E525



LIGHT SOURCE	LED 7W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	437Lm
CRI	90
IP	65
DIMENSIONS	Ø: 12.5cm H: 60cm
BASE	Ø: 10cm H: 0.8cm
MATERIAL	Aluminium - Glass - Acrylic
SPECIAL FEATURE	Waterproof Connector IP68 Included
FINISH	Beige-Brown (Taupe)




CURV

E526







LIGHT SOURCE	LED 7W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	437Lm
CRI	90
IP	54
DIMENSIONS	L: 15.8cm W: 12.5cm H: 20.6cm
BASE	L: 3.5cm W: 7.5cm H: 9cm
MATERIAL	Aluminium - Clear Glass - Acrylic
FINISH	Beige-Brown (Taupe)




STING

E524







LIGHT SOURCE	LED 17W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	1034Lm
CRI	90
IP	65
DIMENSIONS	Ø: 22cm H: 130cm
BASE	Ø: 10cm H: 10.5cm
MATERIAL	Aluminium - Acrylic
SPECIAL FEATURE	Waterproof Connector IP68 Included
FINISH	Sandy Coffee






LEN

E533






LIGHT SOURCE	LED 9W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	418Lm
CRI	90
IP	65
DIMENSIONS	L: 11cm W: 14.5cm H: 86cm
SPOT	Ø: 11cm H: 5cm
BASE	Ø: 10cm H: 10.5cm
MATERIAL	Aluminium - Tempered Glass
SPECIAL FEATURE	Movable Spot 300°
	Convex Lens
	Waterproof Connector IP68 Included
FINISH	Sandy Brown








ZET

- E563
- E630



LIGHT SOURCE	LED 2x 21W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	2480Lm
CRI	95
IP	65
DIMENSIONS	L: 49cm W: 5cm H: 250cm
BASE	L: 12cm W: 12cm H: 1cm
PROFILE	5cm x 5cm
MATERIAL	Aluminium
SPECIAL FEATURE	Convex Lenses Waterproof Connector IP68 Included
FINISH	Dark Grey-Sandy Coffee Dark Coffee I Beige-Brown (Taupe)









ZET

E562



LIGHT SOURCE	LED 9W
INPUT	220-240V | 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	542Lm
CRI	95
IP	65
DIMENSIONS	L: 27cm W: 5cm H: 60cm
BASE	L: 10cm W: 10cm H: 1cm
PROFILE	5cm x 5cm
MATERIAL	Aluminium
SPECIAL FEATURE	Convex Lens Waterproof Connector IP68 Included
FINISH	Sandy Coffee | Beige-Brown (Taupe)






HALO

E512





LIGHT SOURCE	LED 20W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	1346Lm
CRI	90
IP	65

DIMENSIONS	Ø: 24.5cm H: 250cm
BASE	Ø: 15cm H: 7cm
PROFILE	Ø: 3cm

MATERIAL	Aluminium - Tempered Glass
SPECIAL FEATURE	Waterproof Connector IP68 Included
FINISH	Sandy Black






LURA

E297-27





LIGHT SOURCE	LED 9W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K
LUMEN OUTPUT	674Lm
CRI	80
IP	65
BEAM ANGLE	120°
DIMENSIONS	L: 13.5cm W: 10cm H: 65cm
MATERIAL	Aluminium - Tempered Glass
SPECIAL FEATURE	Waterproof Connector IP68 Included
FINISH	Sandy Black








HORO

E249-27



LIGHT SOURCE	LED 12W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K
LUMEN OUTPUT	970Lm
CRI	80
IP	65
DIMENSIONS	Ø: 15cm H: 100cm
SHADE	Ø: 15cm H: 2cm
BASE	Ø: 9.8cm H: 1.5cm
MATERIAL	Aluminium - PC Diffuser
SPECIAL FEATURE	Waterproof Connector IP68 Included
FINISH	Sandy Black



WALL







Light That Defines Walls
Captivating Outdoor Wallscapes With Style


CYCLO

E564









LIGHT SOURCE	LED 8W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	395Lm
CRI	95
IP	54
DIMENSIONS	L: 17cm W: 10cm H: 24cm
SHADE	Ø: 8cm L: 2.5cm
BASE	Ø: 10cm L: 3.4cm
MATERIAL	Aluminium - Tempered Glass
SPECIAL FEATURE	Convex Lenses Up-Down Lighting
FINISH	Beige-Brown (Taupe)


CONE

E536









LIGHT SOURCE	LED 13W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	711Lm
CRI	90
IP	54
DIMENSIONS	L: 20.5cm W: 18cm H: 9.5cm
SHADE	Ø: 18cm H: 9.5cm
MATERIAL	Aluminium - Acrylic
FINISH	Sandy Coffee




ORIS

E561








LIGHT SOURCE	LED 3W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	195Lm
CRI	80
IP	54
DIMENSIONS	L: 7cm W: 7.5cm H: 11.5cm
MATERIAL	Aluminium
FINISH	Beige-Brown (Taupe)




ZUMA

E519








LIGHT SOURCE	LED 10W
INPUT	220-240V | 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	320Lm
CRI	80
IP	54
DIMENSIONS	L: 3.3cm W: 22cm H: 16.5cm
BASE	Ø: 9.5cm L: 1.5cm
MATERIAL	Aluminium - PC Diffuser
SPECIAL FEATURE	Rotatable Light Flap 360°
FINISH	Sandy Coffee

RIBS

E565







LIGHT SOURCE	LED 15W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	725Lm
CRI	90
IP	54
DIMENSIONS	L: 7cm W: 6.5cm H: 60cm
MATERIAL	Aluminium - Stripped Glass
FINISH	Sandy Coffee




SILA


E287-27








LIGHT SOURCE	12W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K
LUMEN OUTPUT	947Lm
CRI	80
IP	65
DIMENSIONS	L: 9.5cm W: 4.5cm H: 80cm
BASE	L: 9cm W: 4.5cm H: 12.5cm
MATERIAL	Aluminium - PC Diffuser
FINISH	Sandy Black




AURA

E545


E546








LIGHT SOURCE	LED 13W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	656Lm
CRI	80
IP	65
DIMENSIONS	L: 3.7cm W: 9.5cm H: 60cm
BASE	L: 3.3cm W: 5.5cm H: 55.3cm
MATERIAL	Aluminium - PC Diffuser
SPECIAL FEATURE	Horizontal and Vertical Installation Up-Down Lighting Waterproof Connector IP68 Included
FINISH	Sandy Black Sandy Coffee





AURA


- E547
- E548



LIGHT SOURCE	LED 30W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	1489Lm
CRI	80
IP	65
DIMENSIONS	L: 3.7cm W: 9.5cm H: 120cm
BASE	L: 3.3cm W: 5.5cm H: 115.3cm
MATERIAL	Aluminium - PC Diffuser
SPECIAL FEATURE	Horizontal and Vertical Installation Up-Down Lighting Waterproof Connector IP68 Included
FINISH	Sandy Black Sandy Coffee










SIRO


- E534
- E535



LIGHT SOURCE	LED 9W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	457Lm
CRI	90
IP	54
DIMENSIONS	L: 4cm W: 18cm H: 8cm
BASE	L: 3.5cm W: 16cm H: 6cm
MATERIAL	Aluminium - Acrylic
SPECIAL FEATURE	Horizontal and Vertical Installation Up-Down Lighting
FINISH	Sandy Coffee Graphite








COVE

E238-27

LIGHT SOURCE	LED 2x 3W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K
LUMEN OUTPUT	456Lm
CRI	80
IP	65
DIMENSIONS	L: 3.1cm W: 11cm H: 9cm
MATERIAL	Aluminium - Tempered Glass
SPECIAL FEATURE	Up-Down Lighting
FINISH	Sandy Coffee





COVE

E239-27


LIGHT SOURCE	LED 2x 6W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K
LUMEN OUTPUT	912Lm
CRI	80
IP	65
DIMENSIONS	L: 3.1cm W: 17.5cm H: 9cm
MATERIAL	Aluminium - Tempered Glass
SPECIAL FEATURE	Up-Down Lighting
FINISH	Sandy Coffee




AXIS

E262-27







LIGHT SOURCE	LED 2x 13.5W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K I 3000K
LUMEN OUTPUT	1465Lm I 1500Lm
CRI	80
IP	65
DIMENSIONS	L: 10.6cm W: 22cm H: 9cm
MATERIAL	Aluminium - Tempered Glass
SPECIAL FEATURE	Up-Down Lighting
FINISH	Sandy Black




DART

E235-27







LIGHT SOURCE	LED 12W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K
LUMEN OUTPUT	1297Lm
CRI	80
IP	65
BEAM ANGLE	38°
DIMENSIONS	L: 15.7cm W: 7.5 H:17.5cm
BASE	Ø: 8cm L: 2.8cm
SPOT	Ø: 7.5cm H: 17.5cm
MATERIAL	Aluminium - Tempered Glass
SPECIAL FEATURE	Rotatable 0-220° - Tilt Up-Down
FINISH	Sandy Black



SPIKES







Precise Lighting Grounded Installation
Spike Lights For Targeted Garden Illumination



LOOC

“ *Every **Garden***
*Has Its Own **Golden Hour***



24V outdoor spotlight fixtures, compatible with a range of spot accessories, featuring 2700K-3000K SMD LEDs and an IP68 cable connector. Corrosion-resistant aluminium housing with an electrostatically applied powder-coated. Finish, available in Black and Coffee. Driver must be ordered separately.












LOOC

2700K **E569**

2700K **E571**

3000K **E570**

3000K **E572**



LIGHT SOURCE	LED 5W
INPUT	24V
COLOR TEMPERATURE	2700K I 3000K
LUMEN OUTPUT	417Lm I 469Lm
CRI	90
IP	65
BEAM ANGLE	24°
DIMENSIONS	L: 7 cm W: 6.5cm H: 7.7cm
SPOT	Ø: 5.5cm L: 7cm
MATERIAL	Aluminium
SPECIAL FEATURE	100cm Cable Available
	Waterproof Connector IP68 Included
	Spike Not Included
FINISH	Sandy Black
	Sandy Coffee

*Find Recommended driver on page 508

Asymmetrical Snoot



Lenses



Color Filters



Honeycomb



ACCESSORIES FOR 5W - LOOC

E578

E579



DIMENSIONS Ø: 5.5cm H: 3cm

Snoot for asymmetrical optics with an aluminium body in black or coffee finish

15° **E573**

36° **E574**

60° **E575**



DIMENSIONS Ø: 4.2cm H: 2.2cm

Optic Lenses for customising and diversifying beam of light


E576



DIMENSIONS Ø: 4.2cm H: 0.3cm

Colorful Transparent Plastic Diffusers that set the desired preference in color of light.
1x White, 1x Green, 1x Yellow, 1x Red.

E577



DIMENSIONS Ø: 4.2cm H: 0.3cm

Anti-Glare honeycomb pattern




LOOC

2700K **E586**

2700K **E588**

3000K **E587**

3000K **E589**



LIGHT SOURCE	LED 10W
INPUT	24V
COLOR TEMPERATURE	2700K I 3000K
LUMEN OUTPUT	937Lm I 1023Lm
CRI	90
IP	65
BEAM ANGLE	24°
DIMENSIONS	L: 7.5 cm W: 8cm H: 9.5cm
SPOT	Ø: 7cm L: 7.5cm
MATERIAL	Aluminium
SPECIAL FEATURE	100cm Cable Available
	Waterproof Connector IP68 Included
	Spike Not Included
FINISH	Sandy Black
	Sandy Coffee

*Find Recommended driver on page 508

Asymmetrical Snoot



Lenses



Color Filters



Honeycomb



ACCESSORIES FOR 10W - LOOC



DIMENSIONS Ø: 7cm H: 3.5cm

Snoot for asymmetrical optics with an aluminium body in black or coffee finish

E595

E596



DIMENSIONS Ø: 6.2cm H: 2.3cm

Optic Lenses for customising and diversifying beam of light

15° **E590**

36° **E591**


60° **E592**



DIMENSIONS Ø: 5.7cm H: 0.3cm

Colorful Transparent Plastic Diffusers that set the desired preference in color of light.
1x White, 1x Green, 1x Yellow, 1x Red.

E593



DIMENSIONS Ø: 5.7cm H: 0.3cm

Anti-Glare honeycomb pattern

E594

INSTALLATION ACCESSORIES FOR 5-10W - **LOOC**

Spike With Extension Tube



E583

E584





DIMENSIONS Ø: 1.6cm H: 39.5cm

Spike with height-enhancing tube with aluminium body in black or coffee finish

Spike



E582



DIMENSIONS Ø: 4.5cm H:20cm

Regular Plastic Spike Accessory in black finish



INSTALLATION ACCESSORIES FOR 5-10W - **LOOC**

E580

E581

Mounting Base





DIMENSIONS Ø: 7cm H: 3.5cm

Mounting Base for wall or ceiling installations with aluminium body in black or coffee finish



E585

Tree Mounting Belt





DIMENSIONS W: 20cm L: 100cm

Polyester Anchoring Belt with aluminium buckle for tree-mounting Installations





ANTI


*Illuminate The **Details***
*Let The **Journey** Continue*




ANTI

E515







Zoomable Spot 15°-42°

LIGHT SOURCE	LED 3W I 6W I 9W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K I 4000K I 6500K
LUMEN OUTPUT (3000K)	250Lm I 400Lm I 640Lm
CRI	90
IP	65
BEAM ANGLE	15° - 42°
DIMENSIONS	L: 10.8cm W: 5cm H: 7.8cm
SPOT	Ø: 5cm L: 10.8cm
SPIKE	Ø: 1.3cm H: 15cm
MATERIAL	Aluminium - Tempered Glass
SPECIAL FEATURE	Zoomable Spot Convex Lens Tilt Up-Down Wattage - CCT Switch Adjustable Spike Included 25cm Cable Available
FINISH	Sandy Black



Asymmetrical Snoot

SNTR E515



DIMENSIONS	Ø: 5.5cm H: 8.3cm

Snoot for asymmetrical optics with an aluminum body in black finish








ANTI

E514





LIGHT SOURCE	LED 8W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	585Lm
CRI	90
IP	65
BEAM ANGLE	24°
DIMENSIONS	L: 9.5cm W: 4.7cm H: 7.8cm
SPOT	Ø: 4.7cm L: 9.5cm
SPIKE	Ø: 1.3cm H: 15cm
MATERIAL	Aluminium - Tempered Glass
SPECIAL FEATURE	Tilt Up-Down Adjustable Spike Included 25cm Cable Available
FINISH	Sandy Black

Asymmetrical Snoot

SNTR E514



DIMENSIONS	Ø: 5.4cm L: 7.8cm

Snoot for asymmetrical
optics with an aluminium body
in black finish





ANTI

E513










LIGHT SOURCE	5W
INPUT	24V
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	290Lm
CRI	80
IP	65
BEAM ANGLE	27°
DIMENSIONS	L: 7.3cm W: 9.1cm H: 9.3cm
SPOT	Ø: 4.7cm H: 7.3cm
MATERIAL	Aluminium
SPECIAL FEATURE	Tilt Up-Down 100cm Tree Belt Included 1x Male, 1x Female Connectors
FINISH	Sandy Black

*Find Recommended driver on page 508







Color Filters for E513-E514

OPTC E513



DIMENSIONS Ø: 4.2cm

Colorful Transparent Films that set the desired preference in color of light.
1x Red, 1x Blue, 1x Green, 1x Purple.








EON

E349-27





LIGHT SOURCE	LED 3W
INPUT	24V
COLOR TEMPERATURE	2700K
LUMEN OUTPUT	215Lm
CRI	95
IP	65
BEAM ANGLE	42°
DIMENSIONS	L: 3.5cm W: 3cm H: 5cm
SPOT	Ø: 3cm L: 3.5cm
MATERIAL	Aluminium - Tempered Glass
SPECIAL FEATURE	Tilt Up-Down Spike Included 50cm Cable Available
FINISH	Sandy Black


*Find Recommended driver on page 508





STAL


“ *Surrounded By **Nature***
*Connected Through **Moments***





STAL

- E559
- E560



LIGHT SOURCE	LED 2W
INPUT	24V
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	129Lm
CRI	90
IP	65
DIMENSIONS	L: 8.5cm W: 1.5cm H: 30cm
PROFILE	Ø: 1.4cm
MATERIAL	Aluminium
SPECIAL FEATURE	50cm Cable Available Waterproof Connector IP68 Included Spike Included
FINISH	Sandy Black Sandy Brown

*Find Recommended driver on page 508





ARCO

“ ***Nature*** *Sets The Scene*
You Create The ***Moments***

24V outdoor spotlight fixtures equiped with 3000K SMD LED and IP68 cable connector. Aluminium body with anti-corrosion treatment and electrostatic powder-coated finish, available in Brown or Green. Designed for ground and concrete installation, complete with spike and aluminium base. Driver must be ordered separately.












ARCO

- E551
- E552



LIGHT SOURCE	LED 2x 2.5W
INPUT	24V
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	480Lm
CRI	90
IP	65
BEAM ANGLE	30°
DIMENSIONS	Ø: 1.2cm H: 100cm
SPOT	Ø: 3cm L: 4.5cm
BASE	Ø: 4cm H: 2cm
MATERIAL	Aluminium - Acrylic
SPECIAL FEATURE	150cm Cable Available Rotatable 210° - Tilt Up-Down Adjustable Spot Position on Tube Spike & Base Included 2x Waterproof Connector IP68 Included
FINISH	Sandy Green Sandy Brown

*Find Recommended driver on page 508








ARCO

- E549
- E550




LIGHT SOURCE	LED 3W
INPUT	24V
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	238Lm
CRI	90
IP	65
BEAM ANGLE	30°
DIMENSIONS	W: 4.2cm H: 6.5cm
SPOT	Ø: 3cm H: 4.5cm
MATERIAL	Aluminium - Acrylic
SPECIAL FEATURE	50cm Cable Available Rotatable 210° - Tilt Up-Down Spike Included Waterproof Connector IP68 Included
FINISH	Sandy Green Sandy Brown

*Find Recommended driver on page 508



ARCO

- E553
- E554



LIGHT SOURCE	LED 5W
INPUT	24V
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	480Lm
CRI	90
IP	65
BEAM ANGLE	30°
DIMENSIONS	W: 6.7cm H: 8.9cm
SPOT	Ø: 5.5cm H: 5.5cm
MATERIAL	Aluminium - Acrylic
SPECIAL FEATURE	50cm Cable Available Rotatable 210° - Tilt Up-Down Spike Included Waterproof Connector IP68 Included
FINISH	Sandy Green Sandy Brown

*Find Recommended driver on page 508

Accessories Included in the box

Asymmetrical Snoot





DIMENSIONS Ø: 5.5cm H: 2.9cm

Snoot for asymmetrical optics with an aluminum body in green or brown finish

Color Filters






DIMENSIONS Ø: 4.2cm H: 0.3cm

Colorful Transparent Plastic Diffusers that set the desired preference in color of light.
1x White, 1x Green, 1x Yellow, 1x Red.

Honeycomb





DIMENSIONS Ø: 4.2cm H: 0.3m

Anti-Glare honeycomb pattern

24V outdoor spotlight fixtures equiped with 3000K SMD LED and IP68 cable connector. Aluminium body with anti-corrosion treatment and electrostatic powder-coated finish, available in Brown or Green with honeycomb-asymmetrical snoot and color filters.









STEP








Step By Step Safety And Visibility
Guiding Your Path With Confidence



STEPI

E541






LIGHT SOURCE	LED 3W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	175Lm
CRI	90
IP	65
DIMENSIONS	L: 1cm W: 10cm H: 10cm
MOUNTING BOX	Ø: 7.5cm L: 8.5cm (Included)
DEPTH REQUIRED	8.5cm
MATERIAL	Concrete - Stainless Steel -Aluminium
SPECIAL FEATURE	Recessed Installation
FINISH	Sandstone Concrete






STEPI

E540





LIGHT SOURCE	LED 3W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	175Lm
CRI	90
IP	65
DIMENSIONS	L: 1cm W: 10cm H: 10cm
MOUNTING BOX	Ø: 7.5cm L: 8.5cm (Included)
DEPTH REQUIRED	8.5cm
MATERIAL	Concrete - Stainless Steel -Aluminium
SPECIAL FEATURE	Recessed Installation
FINISH	Natural Concrete




ALCO

E542









LIGHT SOURCE	LED 5W
INPUT	24V
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	450Lm
CRI	90
IP	65
DIMENSIONS	L: 10.8cm W: 18.5cm H: 29cm
DEPTH REQUIRED	10.8cm
MATERIAL	Gypsum
SPECIAL FEATURE	Trimless Installation Installation Flanges Included Waterproof Connector IP68 Included Paintable Gypsum Body
FINISH	Pure White

*Find Recommended driver on page 508









NOOK

E320-27

E320-27C



LIGHT SOURCE	LED 3W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K
LUMEN OUTPUT	125Lm
CRI	90
IP	65
DIMENSIONS	Ø: 7cm L: 0.5cm
MOUNTIN BOX	Ø: 5.5cm L: 6cm (Included)
DEPTH REQUIRED	6cm
MATERIAL	Aluminium - Tempered Glass
FINISH	Sandy White
	Sandy Coffee





EDGE

*Every **Step** Outside*
*Is An Invitation to **Unwind***






EDGE

E516






LIGHT SOURCE	LED 3W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K I 4000K I 6500K
LUMEN OUTPUT	150Lm I 180Lm I 204Lm
CRI	90
IP	65
DIMENSIONS	L: 1.7cm W: 8cm H: 8cm
MOUNTING BOX	Ø: 7cm L: 5.5cm (Included)
DEPTH REQUIRED	5.5cm
MATERIAL	Aluminium - Opal Diffuser
SPECIAL FEATURE	Recessed Step Light
FINISH	Sandy Black



EDGE

E517





LIGHT SOURCE	LED 10W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K I 4000K I 6500K
LUMEN OUTPUT	463Lm I 493Lm I 524Lm
CRI	90
IP	65
DIMENSIONS	L: 2.3cm W: 23cm H: 8.2cm
MOUNTING BOX	L: 5cm W: 10.7cm H: 7.3cm (Included)
DEPTH REQUIRED	5cm
MATERIAL	Aluminium - Opal Diffuser
SPECIAL FEATURE	Recessed Step Light
FINISH	Sandy Black



FOLD

*“ The Best **Destinations***
*Are Often Just **Outside***










FOLD

- E530
- E531
- E532



LIGHT SOURCE	LED 6W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	184Lm
CRI	90
IP	54
DIMENSIONS	L: 2.4cm W: 11cm H: 9cm
MATERIAL	Aluminium - PC Diffuser
FINISH	Sandy Coffee Sandy Grey Sandy White






NOX

E241-27








LIGHT SOURCE	LED 6W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K I 3000K
LUMEN OUTPUT	456Lm I 480Lm
CRI	80
IP	65
DIMENSIONS	L: 3.7cm W: 15cm H: 15cm
MATERIAL	Aluminium - PC Diffuser
FINISH	Sandy Coffee



LAIN

“ *Everything Seems **Simpler***
*When Followed **Step** By **Step***






LAIN

- E543
- E544





LIGHT SOURCE	LED 3W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	3000K
LUMEN OUTPUT	160Lm
CRI	80
IP	65
DIMENSIONS	L: 4.5cm W: 13cm H: 8.5cm
MATERIAL	Plastic - Opal PC Diffuser
FINISH	Black Brown








RISE

- E450-27
- E452-27



LIGHT SOURCE	LED 3W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K
LUMEN OUTPUT	176Lm
CRI	80
IP	65
DIMENSIONS	L: 2.6cm W: 14cm H: 14cm
MATERIAL	Aluminium - PC Diffuser
FINISH	Sandy Black Brown








RIFT

E294-27



LIGHT SOURCE	LED 2W
INPUT	220-240V I 50/60Hz
COLOR TEMPERATURE	2700K
LUMEN OUTPUT	174Lm
CRI	80
IP	65
DIMENSIONS	Ø: 10.5cm L: 3.7cm
MATERIAL	Aluminium - PC Diffuser
FINISH	Sandy Coffee



LPH-18-24



POWER	18W
INPUT	220-240V I 50/60Hz
OUTPUT	24V
IP	67
NON DIMMABLE	On-Off
DIMENSIONS	L: 14cm W: 3cm H: 2.2cm
MATERIAL	Plastic

LPV-35-24



POWER	35W
INPUT	220-240V I 50/60Hz
OUTPUT	24V
IP	67
NON DIMMABLE	On-Off
DIMENSIONS	L: 14.8cm W: 4cm H: 3cm
MATERIAL	Plastic

XLG-200



POWER	200W
INPUT	220-240V I 50/60Hz
OUTPUT	24V
IP	67
NON DIMMABLE	On-Off
DIMENSIONS	L: 20cm W: 6.3cm H: 3.6cm
MATERIAL	Metal

AC-MS-150



POWER	150W
INPUT	220-240V I 50/60Hz
OUTPUT	24V
IP	67
DALI DIMMING	Push Button I DALI2 (1 CHANNEL)
DIMENSIONS	L: 26.2cm W: 5cm H: 3.1cm
MATERIAL	Metal

Xi24-60D




POWER	60W
INPUT	220-240V I 50/60Hz
OUTPUT	24V
IP	20
DALI DIMMING	Push Button I DALI2 (1 CHANNEL)
DIMENSIONS	L: 35cm W: 3cm H: 1.8cm
MATERIAL	Plastic

4062172274302



POWER	80W
INPUT	220-240V I 50/60Hz
OUTPUT	24V
IP	20
DALI DIMMING	Push Button I DALI2 (4 CHANNEL)
DIMENSIONS	L: 34.6cm W: 3.2cm H: 2.2cm
MATERIAL	Plastic





Metal Clips




End Caps



PROFILE SET *Technical Line Drawing Dimensions Indicated In Millimeters

20193	2m Aluminium Profile + 2m Opal PC Diffuser
20193-E	2pcs End Caps with Hole, 2pcs End Caps without Hole , 4pcs Metal Clips





Plastic Clips



End Caps



PROFILE SET *Technical Line Drawing Dimensions Indicated In Millimeters

20201	2m Aluminium Profile + 2m Opal PC Diffuser
20201-E	1pcs End Caps with Hole, 1pcs End Caps without Hole, 2pcs Plastic Clips

RECOMMENDED LED STRIPS IP20 OR IP65

Find our wide range of LED strips IP20 and IP65 that meet your needs by checking our architectural catalogue in the LED strips section that matches the above aluminum profiles of your choice.



INDEX BY CODE DECORATIVE - OUTDOOR

2601	98	2665	119	26120	33	26175	160	E544	502	SNTR E515	455
2602	98	2666	286	26121	144	26176	162	E545	426	4062172274302	508
2603	98	2667	287	26122	145	26177	162	E546	426	AC-MS-150	508
2604	212	2668	350	26123	140	26178	28	E547	428	LPH-18-24	508
2605	212	2669	350	26124	141	26179	28	E548	428	LPV-35-24	508
2606	212	2670	350	26125	176	26185	92	E549	474	Xi24-60D	508
2607	196	2671	351	26126	174	26186	92	E550	474	XLG-200	508
2608	196	2672	351	26127	172	26187	342	E551	472		
2609	196	2673	351	26128	168	26188	320	E552	472		
2610	198	2675	290	26129	170	E238-27	432	E553	476		
2611	198	2676	290	26130	170	E239-27	432	E554	476		
2612	198	2677	292	26131	170	E241-27	498	E555	362		
2613	202	2678	292	26132	170	E249-27	410	E556	366		
2614	204	2679	306	26133	58	E262-27	434	E557	366		
2615	208	2680	306	26134	59	E287-27	424	E558	370		
2616	209	2681	310	26135	112	E294-27	506	E559	466		
2617	302	2682	270	26136	110	E297-27	408	E560	466		
2618	303	2683	270	26137	114	E320-27	488	E561	418		
2619	296	2684	274	26139	49	E320-27C	488	E562	404		
2620	296	2685	274	26140	46	E345-27	392	E563	402		
2621	296	2686	278	26141	48	E349-27	462	E564	414		
2622	102	2687	280	26142	52	E450-27	504	E565	422		
2623	103	2688	180	26143	44	E452-27	504	E566	378		
2624	354	2689	181	26144	42	E512	406	E569	444		
2625	354	2690	184	26145	106	E513	458	E570	444		
2626	354	2691	182	26146	108	E514	456	E571	444		
2627	352	2692	228	26147	186	E515	454	E572	444		
2628	352	2693	229	26148	330	E516	492	E573	445		
2629	352	2694	232	26149	334	E517	493	E574	445		
2630	266	2695	234	26150	332	E519	420	E575	445		
2631	266	2696	62	26151	336	E520	390	E576	445		
2632	266	2697	62	26152	322	E521	390	E577	445		
2633	256	2698	150	26153	338	E524	398	E578	445		
2634	256	2699	154	26154	318	E525	394	E579	445		
2635	262	26100	152	26155	328	E526	396	E580	450		
2636	262	26101	156	26156	326	E527	386	E581	450		
2637	244	26102	158	26157	344	E528	388	E582	448		
2638	242	26103	90	26158	340	E529	384	E583	448		
2639	248	26104	90	26159	324	E530	496	E584	448		
2640	248	26105	86	26160	224	E531	496	E585	451		
2651	22	26106	86	26161	224	E532	496	E586	446		
2652	39	26107	238	26162	224	E533	400	E587	446		
2653	34	26108	64	26163	218	E534	430	E588	446		
2654	192	26109	76	26164	218	E535	430	E589	446		
2655	192	26110	76	26165	218	E536	416	E590	447		
2656	190	26111	74	26166	219	E537	372	E591	447		
2657	190	26112	74	26167	219	E538	377	E592	447		
2658	252	26113	72	26168	219	E538-27	377	E593	447		
2659	252	26114	70	26169	132	E539	376	E594	447		
2660	252	26115	80	26170	130	E539-27	376	E595	447		
2661	316	26116	80	26171	134	E540	484	E596	447		
2662	124	26117	82	26172	134	E541	482	E630	402		
2663	124	26118	82	26173	136	E542	486	OPTC E513	461		
2664	118	26119	32	26174	136	E543	502	SNTR E514	457		

Zambelis
LIGHTS

Let's humanize the light

ZAMPELIS S.A.

Greece , Attica , Keratea , Kivouri
Postal: 19001 , P.O. box: 4791
TeL.: (+30) 22990 63518-19 | Fax: (+30) 22990 63521
info@zambelislights.gr | zambelislights.gr

LED Zona®
ОСВЕТИТЕЛНИ РЕШЕНИЯ

Харесахте ли нещо от каталога?

Разгледайте и поръчайте продукти на Zambelis онлайн на led-zona.bg – с актуални цени и наличности.

Продуктите на Zambelis

Сканирайте или кликнете

Разгледайте продуктите →

Каталози на Zambelis

Сканирайте или кликнете

Още каталози →

www.led-zona.bg

T: 0888 065 970 | E: sales@led-zona.bg

Сфера Лайт ООД · гр. София, ж.к. Банишора, ул. Опълченска, бл. 54 (до 7-ма поликлиника)